



wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 1, 2016 – 09:21 PM GMT

PDB ID : 4V4D
Title : Crystal Structure of Pyrogallol-Phloroglucinol Transhydroxylase from Pelobacter acidigallici complexed with pyrogallol
Authors : Messerschmidt, A.; Niessen, H.; Abt, D.; Einsle, O.; Schink, B.; Kroneck, P.M.H.
Deposited on : 2004-06-02
Resolution : 2.20 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	4477 (2.20-2.20)
Ramachandran outliers	100387	4404 (2.20-2.20)
Sidechain outliers	100360	4405 (2.20-2.20)


















The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	875	
1	C	875	
1	E	875	
1	G	875	
1	I	875	
1	K	875	
1	M	875	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	O	875	 74% 24% .
1	Q	875	 76% 23% .
1	S	875	 76% 23% .
1	U	875	 76% 23% .
1	W	875	 76% 23% .
2	B	274	 70% 26% . .
2	D	274	 66% 30% . .
2	F	274	 70% 27% . .
2	H	274	 73% 23% .
2	J	274	 71% 25% . .
2	L	274	 68% 28% . .
2	N	274	 70% 26% .
2	P	274	 67% 29% .
2	R	274	 73% 23% . .
2	T	274	 66% 30% . .
2	V	274	 71% 26% . .
2	X	274	 59% 38% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	PYG	A	905	-	X	-	-
6	PYG	C	905	-	X	-	-
6	PYG	E	905	-	X	-	-
6	PYG	G	905	-	X	-	-
6	PYG	I	905	-	X	-	-
6	PYG	K	905	-	X	-	-
6	PYG	M	905	-	X	-	-
6	PYG	O	905	-	X	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	PYG	Q	905	-	X	-	-
6	PYG	S	905	-	X	-	-
6	PYG	U	905	-	X	-	-
6	PYG	W	905	-	X	-	-
7	SF4	B	303	-	-	X	-
7	SF4	D	303	-	-	X	-
7	SF4	F	303	-	-	X	-
7	SF4	H	303	-	-	X	-
7	SF4	J	302	-	-	X	-
7	SF4	L	303	-	-	X	-
7	SF4	N	302	-	-	X	-
7	SF4	N	303	-	-	X	-
7	SF4	P	303	-	-	X	-
7	SF4	R	303	-	-	X	-
7	SF4	T	303	-	-	X	-
7	SF4	V	303	-	-	X	-
7	SF4	X	303	-	-	X	-
7	SF4	X	304	-	-	X	-

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 121808 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyrogallol hydroxytransferase large subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	875	Total	C	N	O	S	0	0	0
			6998	4464	1189	1297	48			
1	C	875	Total	C	N	O	S	0	0	0
			6998	4464	1189	1297	48			
1	E	875	Total	C	N	O	S	0	0	0
			6998	4464	1189	1297	48			
1	G	875	Total	C	N	O	S	0	0	0
			6998	4464	1189	1297	48			
1	I	875	Total	C	N	O	S	0	0	0
			6998	4464	1189	1297	48			
1	K	875	Total	C	N	O	S	0	0	0
			6998	4464	1189	1297	48			
1	M	875	Total	C	N	O	S	0	0	0
			6998	4464	1189	1297	48			
1	O	875	Total	C	N	O	S	0	0	0
			6998	4464	1189	1297	48			
1	Q	875	Total	C	N	O	S	0	0	0
			6998	4464	1189	1297	48			
1	S	875	Total	C	N	O	S	0	0	0
			6998	4464	1189	1297	48			
1	U	875	Total	C	N	O	S	0	0	0
			6998	4464	1189	1297	48			
1	W	875	Total	C	N	O	S	0	0	0
			6998	4464	1189	1297	48			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	INITIATING METHIONINE	UNP P80563
C	1	MET	-	INITIATING METHIONINE	UNP P80563
E	1	MET	-	INITIATING METHIONINE	UNP P80563
G	1	MET	-	INITIATING METHIONINE	UNP P80563
I	1	MET	-	INITIATING METHIONINE	UNP P80563

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
K	1	MET	-	INITIATING METHIONINE	UNP P80563
M	1	MET	-	INITIATING METHIONINE	UNP P80563
O	1	MET	-	INITIATING METHIONINE	UNP P80563
Q	1	MET	-	INITIATING METHIONINE	UNP P80563
S	1	MET	-	INITIATING METHIONINE	UNP P80563
U	1	MET	-	INITIATING METHIONINE	UNP P80563
W	1	MET	-	INITIATING METHIONINE	UNP P80563

- Molecule 2 is a protein called Pyrogallol hydroxytransferase small subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	274	Total	C	N	O	S	0	0	0
			2182	1371	364	423	24			
2	D	274	Total	C	N	O	S	0	0	0
			2182	1371	364	423	24			
2	F	274	Total	C	N	O	S	0	0	0
			2182	1371	364	423	24			
2	H	274	Total	C	N	O	S	0	0	0
			2182	1371	364	423	24			
2	J	274	Total	C	N	O	S	0	0	0
			2182	1371	364	423	24			
2	L	274	Total	C	N	O	S	0	0	0
			2182	1371	364	423	24			
2	N	274	Total	C	N	O	S	0	0	0
			2182	1371	364	423	24			
2	P	274	Total	C	N	O	S	0	0	0
			2182	1371	364	423	24			
2	R	274	Total	C	N	O	S	0	0	0
			2182	1371	364	423	24			
2	T	274	Total	C	N	O	S	0	0	0
			2182	1371	364	423	24			
2	V	274	Total	C	N	O	S	0	0	0
			2182	1371	364	423	24			
2	X	274	Total	C	N	O	S	0	0	0
			2182	1371	364	423	24			

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	P	1	Total	Ca	0	0
			1	1		
3	K	1	Total	Ca	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total 1	Ca 1	0	0
3	W	1	Total 1	Ca 1	0	0
3	N	1	Total 1	Ca 1	0	0
3	X	1	Total 1	Ca 1	0	0
3	S	1	Total 1	Ca 1	0	0
3	E	1	Total 1	Ca 1	0	0
3	V	1	Total 1	Ca 1	0	0
3	A	1	Total 1	Ca 1	0	0
3	R	1	Total 1	Ca 1	0	0
3	M	1	Total 1	Ca 1	0	0
3	D	1	Total 1	Ca 1	0	0
3	I	1	Total 1	Ca 1	0	0
3	U	1	Total 1	Ca 1	0	0
3	L	1	Total 1	Ca 1	0	0
3	G	1	Total 1	Ca 1	0	0
3	Q	1	Total 1	Ca 1	0	0
3	H	1	Total 1	Ca 1	0	0
3	C	1	Total 1	Ca 1	0	0
3	T	1	Total 1	Ca 1	0	0
3	O	1	Total 1	Ca 1	0	0
3	F	1	Total 1	Ca 1	0	0

- Molecule 4 is 2-AMINO-5,6-DIMERCAPTO-7-METHYL-3,7,8A,9-TETRAHYDRO-8-OXA-1,3,9,10-TETRAAZA-ANTHRACEN-4-ONE GUANOSINE DINUCLEOTIDE (three-letter code: MGD) (formula: C₂₀H₂₆N₁₀O₁₃P₂S₂).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	S	0	0
			47	20	10	13	2	2		
4	A	1	Total	C	N	O	P	S	0	0
			47	20	10	13	2	2		
4	C	1	Total	C	N	O	P	S	0	0
			47	20	10	13	2	2		
4	C	1	Total	C	N	O	P	S	0	0
			47	20	10	13	2	2		
4	E	1	Total	C	N	O	P	S	0	0
			47	20	10	13	2	2		
4	E	1	Total	C	N	O	P	S	0	0
			47	20	10	13	2	2		
4	G	1	Total	C	N	O	P	S	0	0
			47	20	10	13	2	2		
4	G	1	Total	C	N	O	P	S	0	0
			47	20	10	13	2	2		
4	I	1	Total	C	N	O	P	S	0	0
			47	20	10	13	2	2		
4	I	1	Total	C	N	O	P	S	0	0
			47	20	10	13	2	2		
4	K	1	Total	C	N	O	P	S	0	0
			47	20	10	13	2	2		
4	K	1	Total	C	N	O	P	S	0	0
			47	20	10	13	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	M	1	Total	C	N	O	P	S	
			47	20	10	13	2	2	0
4	M	1	Total	C	N	O	P	S	
			47	20	10	13	2	2	0
4	O	1	Total	C	N	O	P	S	
			47	20	10	13	2	2	0
4	O	1	Total	C	N	O	P	S	
			47	20	10	13	2	2	0
4	Q	1	Total	C	N	O	P	S	
			47	20	10	13	2	2	0
4	Q	1	Total	C	N	O	P	S	
			47	20	10	13	2	2	0
4	S	1	Total	C	N	O	P	S	
			47	20	10	13	2	2	0
4	S	1	Total	C	N	O	P	S	
			47	20	10	13	2	2	0
4	U	1	Total	C	N	O	P	S	
			47	20	10	13	2	2	0
4	U	1	Total	C	N	O	P	S	
			47	20	10	13	2	2	0
4	W	1	Total	C	N	O	P	S	
			47	20	10	13	2	2	0
4	W	1	Total	C	N	O	P	S	
			47	20	10	13	2	2	0

- Molecule 5 is MOLYBDENUM(IV) ION (three-letter code: 4MO) (formula: Mo).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	G	1	Total	Mo		
			1	1	0	0
5	Q	1	Total	Mo		
			1	1	0	0
5	K	1	Total	Mo		
			1	1	0	0
5	E	1	Total	Mo		
			1	1	0	0
5	I	1	Total	Mo		
			1	1	0	0
5	C	1	Total	Mo		
			1	1	0	0
5	W	1	Total	Mo		
			1	1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Mo	0	0
			1	1		
5	U	1	Total	Mo	0	0
			1	1		
5	O	1	Total	Mo	0	0
			1	1		
5	S	1	Total	Mo	0	0
			1	1		
5	M	1	Total	Mo	0	0
			1	1		

- Molecule 6 is BENZENE-1,2,3-TRIOL (three-letter code: PYG) (formula: $C_6H_6O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			9	6	3		
6	C	1	Total	C	O	0	0
			9	6	3		
6	E	1	Total	C	O	0	0
			9	6	3		
6	G	1	Total	C	O	0	0
			9	6	3		
6	I	1	Total	C	O	0	0
			9	6	3		
6	K	1	Total	C	O	0	0
			9	6	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	M	1	Total	C	O	0	0
			9	6	3		
6	O	1	Total	C	O	0	0
			9	6	3		
6	Q	1	Total	C	O	0	0
			9	6	3		
6	S	1	Total	C	O	0	0
			9	6	3		
6	U	1	Total	C	O	0	0
			9	6	3		
6	W	1	Total	C	O	0	0
			9	6	3		

- Molecule 7 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe₄S₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	Fe	S	0	0
			8	4	4		
7	B	1	Total	Fe	S	0	0
			8	4	4		
7	B	1	Total	Fe	S	0	0
			8	4	4		
7	D	1	Total	Fe	S	0	0
			8	4	4		
7	D	1	Total	Fe	S	0	0
			8	4	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	D	1	Total 8	Fe 4	S 4	0	0
7	F	1	Total 8	Fe 4	S 4	0	0
7	F	1	Total 8	Fe 4	S 4	0	0
7	F	1	Total 8	Fe 4	S 4	0	0
7	H	1	Total 8	Fe 4	S 4	0	0
7	H	1	Total 8	Fe 4	S 4	0	0
7	H	1	Total 8	Fe 4	S 4	0	0
7	J	1	Total 8	Fe 4	S 4	0	0
7	J	1	Total 8	Fe 4	S 4	0	0
7	J	1	Total 8	Fe 4	S 4	0	0
7	L	1	Total 8	Fe 4	S 4	0	0
7	L	1	Total 8	Fe 4	S 4	0	0
7	L	1	Total 8	Fe 4	S 4	0	0
7	N	1	Total 8	Fe 4	S 4	0	0
7	N	1	Total 8	Fe 4	S 4	0	0
7	N	1	Total 8	Fe 4	S 4	0	0
7	P	1	Total 8	Fe 4	S 4	0	0
7	P	1	Total 8	Fe 4	S 4	0	0
7	P	1	Total 8	Fe 4	S 4	0	0
7	R	1	Total 8	Fe 4	S 4	0	0
7	R	1	Total 8	Fe 4	S 4	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	R	1	Total 8	Fe 4	S 4	0	0
7	T	1	Total 8	Fe 4	S 4	0	0
7	T	1	Total 8	Fe 4	S 4	0	0
7	T	1	Total 8	Fe 4	S 4	0	0
7	V	1	Total 8	Fe 4	S 4	0	0
7	V	1	Total 8	Fe 4	S 4	0	0
7	V	1	Total 8	Fe 4	S 4	0	0
7	X	1	Total 8	Fe 4	S 4	0	0
7	X	1	Total 8	Fe 4	S 4	0	0
7	X	1	Total 8	Fe 4	S 4	0	0


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	681	Total 681	O 681	0	0
8	B	170	Total 170	O 170	0	0
8	C	681	Total 681	O 681	0	0
8	D	166	Total 166	O 166	0	0
8	E	684	Total 684	O 684	0	0
8	F	163	Total 163	O 163	0	0
8	G	683	Total 683	O 683	0	0
8	H	161	Total 161	O 161	0	0
8	I	671	Total 671	O 671	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	J	163	Total 163	O 163	0	0
8	K	681	Total 681	O 681	0	0
8	L	165	Total 165	O 165	0	0
8	M	684	Total 684	O 684	0	0
8	N	159	Total 159	O 159	0	0
8	O	672	Total 672	O 672	0	0
8	P	164	Total 164	O 164	0	0
8	Q	690	Total 690	O 690	0	0
8	R	161	Total 161	O 161	0	0
8	S	663	Total 663	O 663	0	0
8	T	163	Total 163	O 163	0	0
8	U	668	Total 668	O 668	0	0
8	V	157	Total 157	O 157	0	0
8	W	675	Total 675	O 675	0	0
8	X	164	Total 164	O 164	0	0




• Molecule 1: Pyrogallol hydroxytransferase large subunit


Chain E: 79% 20%



• Molecule 1: Pyrogallol hydroxytransferase large subunit


Chain G: 79% 20%






● Molecule 1: Pyrogallol hydroxytransferase large subunit

Chain I: 78% 20% .




● Molecule 1: Pyrogallol hydroxytransferase large subunit


Chain K: 77% 22% .



● Molecule 1: Pyrogallol hydroxytransferase large subunit


Chain M: 78% 21% .






• Molecule 1: Pyrogallol hydroxytransferase large subunit


Chain S: 76% 23%



• Molecule 1: Pyrogallol hydroxytransferase large subunit


Chain U: 76% 23%






• Molecule 1: Pyrogallol hydroxytransferase large subunit

Chain W: 76% 23% •




• Molecule 2: Pyrogallol hydroxytransferase small subunit

Chain B: 70% 26% • •




• Molecule 2: Pyrogallol hydroxytransferase small subunit

Chain D: 66% 30% • •



• Molecule 2: Pyrogallol hydroxytransferase small subunit

Chain N: 70% 26%




• Molecule 2: Pyrogallol hydroxytransferase small subunit

Chain P: 67% 29%




• Molecule 2: Pyrogallol hydroxytransferase small subunit

Chain R: 73% 23%




• Molecule 2: Pyrogallol hydroxytransferase small subunit

Chain T: 66% 30%




• Molecule 2: Pyrogallol hydroxytransferase small subunit

Chain V: 71% 26% . .



• Molecule 2: Pyrogallol hydroxytransferase small subunit

Chain X: 59% 38% .



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	172.47Å 178.14Å 179.05Å 64.11° 64.45° 65.11°	Depositor
Resolution (Å)	24.99 – 2.20	Depositor
% Data completeness (in resolution range)	96.7 (24.99-2.20)	Depositor
R_{merge}	0.14	Depositor
R_{sym}	0.14	Depositor
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.178 , 0.224	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	121808	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 4MO, SF4, PYG, CA, MGD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.34	0/7219	0.63	3/9786 (0.0%)
1	C	0.33	0/7219	0.61	3/9786 (0.0%)
1	E	0.33	0/7219	0.62	2/9786 (0.0%)
1	G	0.34	0/7219	0.63	3/9786 (0.0%)
1	I	0.33	0/7219	0.62	3/9786 (0.0%)
1	K	0.34	0/7219	0.63	3/9786 (0.0%)
1	M	0.34	0/7219	0.63	3/9786 (0.0%)
1	O	0.34	0/7219	0.62	3/9786 (0.0%)
1	Q	0.34	0/7219	0.63	3/9786 (0.0%)
1	S	0.33	0/7219	0.62	4/9786 (0.0%)
1	U	0.33	0/7219	0.61	2/9786 (0.0%)
1	W	0.33	0/7219	0.61	2/9786 (0.0%)
2	B	0.50	5/2231 (0.2%)	0.68	4/3009 (0.1%)
2	D	0.42	2/2231 (0.1%)	0.63	2/3009 (0.1%)
2	F	0.50	4/2231 (0.2%)	0.67	2/3009 (0.1%)
2	H	0.48	4/2231 (0.2%)	0.68	2/3009 (0.1%)
2	J	0.46	3/2231 (0.1%)	0.66	2/3009 (0.1%)
2	L	0.47	4/2231 (0.2%)	0.68	2/3009 (0.1%)
2	N	0.49	4/2231 (0.2%)	0.67	2/3009 (0.1%)
2	P	0.47	3/2231 (0.1%)	0.65	3/3009 (0.1%)
2	R	0.51	4/2231 (0.2%)	0.67	3/3009 (0.1%)
2	T	0.46	4/2231 (0.2%)	0.65	2/3009 (0.1%)
2	V	0.43	3/2231 (0.1%)	0.64	1/3009 (0.0%)
2	X	0.41	2/2231 (0.1%)	0.62	2/3009 (0.1%)
All	All	0.37	42/113400 (0.0%)	0.63	61/153540 (0.0%)

The worst 5 of 42 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	N	126	CYS	CB-SG	-9.31	1.66	1.82
2	R	19	CYS	CB-SG	-8.27	1.68	1.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	N	19	CYS	CB-SG	-8.17	1.68	1.82
2	P	23	CYS	CB-SG	-8.13	1.68	1.82
2	J	19	CYS	CB-SG	-8.10	1.68	1.82

The worst 5 of 61 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	W	352	GLY	N-CA-C	-8.63	91.53	113.10
1	A	352	GLY	N-CA-C	-8.48	91.90	113.10
1	C	352	GLY	N-CA-C	-8.23	92.51	113.10
1	O	352	GLY	N-CA-C	-8.19	92.63	113.10
1	M	352	GLY	N-CA-C	-8.13	92.77	113.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6998	0	6632	154	0
1	C	6998	0	6632	186	0
1	E	6998	0	6632	155	0
1	G	6998	0	6632	150	0
1	I	6998	0	6632	158	0
1	K	6998	0	6632	156	0
1	M	6998	0	6632	170	0
1	O	6998	0	6632	194	0
1	Q	6998	0	6632	184	0
1	S	6998	0	6632	169	0
1	U	6998	0	6632	187	0
1	W	6998	0	6632	175	0
2	B	2182	0	2077	77	0
2	D	2182	0	2077	86	0
2	F	2182	0	2077	73	0
2	H	2182	0	2077	71	0
2	J	2182	0	2077	73	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	L	2182	0	2077	79	0
2	N	2182	0	2077	85	0
2	P	2182	0	2077	84	0
2	R	2182	0	2077	76	0
2	T	2182	0	2077	78	0
2	V	2182	0	2077	62	0
2	X	2182	0	2077	91	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
3	H	1	0	0	0	0
3	I	1	0	0	0	0
3	K	1	0	0	0	0
3	L	1	0	0	0	0
3	M	1	0	0	0	0
3	N	1	0	0	0	0
3	O	1	0	0	0	0
3	P	1	0	0	0	0
3	Q	1	0	0	0	0
3	R	1	0	0	0	0
3	S	1	0	0	0	0
3	T	1	0	0	0	0
3	U	1	0	0	0	0
3	V	1	0	0	0	0
3	W	1	0	0	0	0
3	X	1	0	0	0	0
4	A	94	0	44	13	0
4	C	94	0	44	13	0
4	E	94	0	44	14	0
4	G	94	0	44	10	0
4	I	94	0	44	12	0
4	K	94	0	44	13	0
4	M	94	0	44	15	0
4	O	94	0	44	11	0
4	Q	94	0	44	10	0
4	S	94	0	44	10	0
4	U	94	0	44	13	0
4	W	94	0	44	12	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	1	0	0	0	0
5	C	1	0	0	0	0
5	E	1	0	0	0	0
5	G	1	0	0	0	0
5	I	1	0	0	0	0
5	K	1	0	0	0	0
5	M	1	0	0	0	0
5	O	1	0	0	0	0
5	Q	1	0	0	0	0
5	S	1	0	0	0	0
5	U	1	0	0	0	0
5	W	1	0	0	0	0
6	A	9	0	5	1	0
6	C	9	0	5	0	0
6	E	9	0	5	1	0
6	G	9	0	5	0	0
6	I	9	0	5	1	0
6	K	9	0	5	0	0
6	M	9	0	5	1	0
6	O	9	0	5	1	0
6	Q	9	0	5	1	0
6	S	9	0	5	1	0
6	U	9	0	5	1	0
6	W	9	0	5	0	0
7	B	24	0	0	4	0
7	D	24	0	0	4	0
7	F	24	0	0	4	0
7	H	24	0	0	4	0
7	J	24	0	0	4	0
7	L	24	0	0	4	0
7	N	24	0	0	5	0
7	P	24	0	0	4	0
7	R	24	0	0	3	0
7	T	24	0	0	4	0
7	V	24	0	0	4	0
7	X	24	0	0	5	0
8	A	681	0	0	10	0
8	B	170	0	0	1	0
8	C	681	0	0	14	0
8	D	166	0	0	1	0
8	E	684	0	0	8	0
8	F	163	0	0	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	G	683	0	0	9	0
8	H	161	0	0	0	0
8	I	671	0	0	10	0
8	J	163	0	0	1	0
8	K	681	0	0	9	0
8	L	165	0	0	2	0
8	M	684	0	0	10	0
8	N	159	0	0	4	0
8	O	672	0	0	21	0
8	P	164	0	0	4	0
8	Q	690	0	0	14	0
8	R	161	0	0	1	0
8	S	663	0	0	15	0
8	T	163	0	0	2	0
8	U	668	0	0	12	0
8	V	157	0	0	1	0
8	W	675	0	0	20	0
8	X	164	0	0	7	0
All	All	121808	0	105096	2898	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

The worst 5 of 2898 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:U:426:MET:HE1	1:U:618:GLN:HG2	1.24	1.15
1:K:426:MET:HE1	1:K:618:GLN:HG2	1.23	1.09
2:B:68:CYS:HB2	2:B:126:CYS:HB3	1.36	1.05
2:F:68:CYS:HB2	2:F:126:CYS:HB3	1.40	1.04
2:H:68:CYS:HB2	2:H:126:CYS:HB3	1.38	1.03

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	873/875 (100%)	815 (93%)	54 (6%)	4 (0%)	34	35
1	C	873/875 (100%)	822 (94%)	46 (5%)	5 (1%)	30	29
1	E	873/875 (100%)	820 (94%)	50 (6%)	3 (0%)	46	50
1	G	873/875 (100%)	823 (94%)	46 (5%)	4 (0%)	34	35
1	I	873/875 (100%)	821 (94%)	49 (6%)	3 (0%)	46	50
1	K	873/875 (100%)	822 (94%)	48 (6%)	3 (0%)	46	50
1	M	873/875 (100%)	825 (94%)	45 (5%)	3 (0%)	46	50
1	O	873/875 (100%)	816 (94%)	51 (6%)	6 (1%)	26	25
1	Q	873/875 (100%)	821 (94%)	48 (6%)	4 (0%)	34	35
1	S	873/875 (100%)	814 (93%)	52 (6%)	7 (1%)	24	22
1	U	873/875 (100%)	820 (94%)	49 (6%)	4 (0%)	34	35
1	W	873/875 (100%)	815 (93%)	55 (6%)	3 (0%)	46	50
2	B	272/274 (99%)	261 (96%)	10 (4%)	1 (0%)	39	42
2	D	272/274 (99%)	256 (94%)	14 (5%)	2 (1%)	26	25
2	F	272/274 (99%)	257 (94%)	14 (5%)	1 (0%)	39	42
2	H	272/274 (99%)	258 (95%)	11 (4%)	3 (1%)	17	14
2	J	272/274 (99%)	260 (96%)	11 (4%)	1 (0%)	39	42
2	L	272/274 (99%)	259 (95%)	11 (4%)	2 (1%)	26	25
2	N	272/274 (99%)	260 (96%)	11 (4%)	1 (0%)	39	42
2	P	272/274 (99%)	256 (94%)	15 (6%)	1 (0%)	39	42
2	R	272/274 (99%)	258 (95%)	13 (5%)	1 (0%)	39	42
2	T	272/274 (99%)	259 (95%)	12 (4%)	1 (0%)	39	42
2	V	272/274 (99%)	258 (95%)	12 (4%)	2 (1%)	26	25
2	X	272/274 (99%)	245 (90%)	25 (9%)	2 (1%)	26	25
All	All	13740/13788 (100%)	12921 (94%)	752 (6%)	67 (0%)	34	35

5 of 67 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	177	GLU
1	C	177	GLU
1	E	177	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	177	GLU
1	I	177	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	729/729 (100%)	715 (98%)	14 (2%)	65	77
1	C	729/729 (100%)	712 (98%)	17 (2%)	58	71
1	E	729/729 (100%)	714 (98%)	15 (2%)	61	74
1	G	729/729 (100%)	717 (98%)	12 (2%)	70	82
1	I	729/729 (100%)	714 (98%)	15 (2%)	61	74
1	K	729/729 (100%)	715 (98%)	14 (2%)	65	77
1	M	729/729 (100%)	714 (98%)	15 (2%)	61	74
1	O	729/729 (100%)	711 (98%)	18 (2%)	55	67
1	Q	729/729 (100%)	715 (98%)	14 (2%)	65	77
1	S	729/729 (100%)	716 (98%)	13 (2%)	66	79
1	U	729/729 (100%)	716 (98%)	13 (2%)	66	79
1	W	729/729 (100%)	713 (98%)	16 (2%)	60	72
2	B	235/235 (100%)	223 (95%)	12 (5%)	29	34
2	D	235/235 (100%)	223 (95%)	12 (5%)	29	34
2	F	235/235 (100%)	223 (95%)	12 (5%)	29	34
2	H	235/235 (100%)	224 (95%)	11 (5%)	32	39
2	J	235/235 (100%)	221 (94%)	14 (6%)	24	26
2	L	235/235 (100%)	222 (94%)	13 (6%)	27	30
2	N	235/235 (100%)	226 (96%)	9 (4%)	40	49
2	P	235/235 (100%)	222 (94%)	13 (6%)	27	30
2	R	235/235 (100%)	223 (95%)	12 (5%)	29	34
2	T	235/235 (100%)	222 (94%)	13 (6%)	27	30

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
2	V	235/235 (100%)	223 (95%)	12 (5%)	29 34
2	X	235/235 (100%)	225 (96%)	10 (4%)	35 43
All	All	11568/11568 (100%)	11249 (97%)	319 (3%)	51 63

5 of 319 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	K	719	GLU
2	N	21	MET
1	W	142	SER
2	L	13	CYS
1	M	78	TYR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 241 such sidechains are listed below:

Mol	Chain	Res	Type
1	K	525	GLN
1	M	701	GLN
1	W	162	ASN
1	K	673	ASN
2	L	81	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 107 ligands modelled in this entry, 35 are monoatomic - leaving 72 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	MGD	A	902	5	38,52,52	2.74	14 (36%)	43,81,81	2.86	16 (37%)
4	MGD	A	903	5	38,52,52	2.64	12 (31%)	43,81,81	3.49	17 (39%)
6	PYG	A	905	5	9,9,9	4.54	9 (100%)	12,12,12	3.14	4 (33%)
7	SF4	B	302	2	0,12,12	0.00	-	0,24,24	0.00	-
7	SF4	B	303	2	0,12,12	0.00	-	0,24,24	0.00	-
7	SF4	B	304	2	0,12,12	0.00	-	0,24,24	0.00	-
4	MGD	C	902	5	38,52,52	2.75	12 (31%)	43,81,81	2.84	15 (34%)
4	MGD	C	903	5	38,52,52	2.85	15 (39%)	43,81,81	2.38	13 (30%)
6	PYG	C	905	5	9,9,9	4.49	9 (100%)	12,12,12	3.20	5 (41%)
7	SF4	D	302	2	0,12,12	0.00	-	0,24,24	0.00	-
7	SF4	D	303	2	0,12,12	0.00	-	0,24,24	0.00	-
7	SF4	D	304	2	0,12,12	0.00	-	0,24,24	0.00	-
4	MGD	E	902	5	38,52,52	2.65	13 (34%)	43,81,81	2.84	16 (37%)
4	MGD	E	903	5	38,52,52	2.72	14 (36%)	43,81,81	2.48	14 (32%)
6	PYG	E	905	5	9,9,9	4.56	9 (100%)	12,12,12	3.19	5 (41%)
7	SF4	F	302	2	0,12,12	0.00	-	0,24,24	0.00	-
7	SF4	F	303	2	0,12,12	0.00	-	0,24,24	0.00	-
7	SF4	F	304	2	0,12,12	0.00	-	0,24,24	0.00	-
4	MGD	G	902	5	38,52,52	2.73	12 (31%)	43,81,81	2.79	16 (37%)
4	MGD	G	903	5	38,52,52	2.72	15 (39%)	43,81,81	2.59	12 (27%)
6	PYG	G	905	5	9,9,9	4.50	9 (100%)	12,12,12	3.18	5 (41%)
7	SF4	H	302	2	0,12,12	0.00	-	0,24,24	0.00	-
7	SF4	H	303	2	0,12,12	0.00	-	0,24,24	0.00	-
7	SF4	H	304	2	0,12,12	0.00	-	0,24,24	0.00	-
4	MGD	I	902	5	38,52,52	2.62	14 (36%)	43,81,81	2.92	17 (39%)
4	MGD	I	903	5	38,52,52	2.69	14 (36%)	43,81,81	2.65	15 (34%)
6	PYG	I	905	5	9,9,9	4.53	9 (100%)	12,12,12	3.20	5 (41%)
7	SF4	J	301	2	0,12,12	0.00	-	0,24,24	0.00	-
7	SF4	J	302	2	0,12,12	0.00	-	0,24,24	0.00	-
7	SF4	J	303	2	0,12,12	0.00	-	0,24,24	0.00	-
4	MGD	K	902	5	38,52,52	2.68	12 (31%)	43,81,81	2.88	16 (37%)
4	MGD	K	903	5	38,52,52	2.62	11 (28%)	43,81,81	3.41	17 (39%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	PYG	K	905	5	9,9,9	4.57	9 (100%)	12,12,12	3.21	5 (41%)
7	SF4	L	302	2	0,12,12	0.00	-	0,24,24	0.00	-
7	SF4	L	303	2	0,12,12	0.00	-	0,24,24	0.00	-
7	SF4	L	304	2	0,12,12	0.00	-	0,24,24	0.00	-
4	MGD	M	902	5	38,52,52	2.59	13 (34%)	43,81,81	2.84	16 (37%)
4	MGD	M	903	5	38,52,52	2.72	14 (36%)	43,81,81	2.49	14 (32%)
6	PYG	M	905	5	9,9,9	4.55	9 (100%)	12,12,12	3.19	5 (41%)
7	SF4	N	302	2	0,12,12	0.00	-	0,24,24	0.00	-
7	SF4	N	303	2	0,12,12	0.00	-	0,24,24	0.00	-
7	SF4	N	304	2	0,12,12	0.00	-	0,24,24	0.00	-
4	MGD	O	902	5	38,52,52	2.66	14 (36%)	43,81,81	2.83	17 (39%)
4	MGD	O	903	5	38,52,52	2.75	14 (36%)	43,81,81	2.43	15 (34%)
6	PYG	O	905	5	9,9,9	4.54	9 (100%)	12,12,12	3.23	5 (41%)
7	SF4	P	302	2	0,12,12	0.00	-	0,24,24	0.00	-
7	SF4	P	303	2	0,12,12	0.00	-	0,24,24	0.00	-
7	SF4	P	304	2	0,12,12	0.00	-	0,24,24	0.00	-
4	MGD	Q	902	5	38,52,52	2.61	13 (34%)	43,81,81	2.92	16 (37%)
4	MGD	Q	903	5	38,52,52	2.68	12 (31%)	43,81,81	2.55	15 (34%)
6	PYG	Q	905	5	9,9,9	4.54	9 (100%)	12,12,12	3.17	5 (41%)
7	SF4	R	302	2	0,12,12	0.00	-	0,24,24	0.00	-
7	SF4	R	303	2	0,12,12	0.00	-	0,24,24	0.00	-
7	SF4	R	304	2	0,12,12	0.00	-	0,24,24	0.00	-
4	MGD	S	902	5	38,52,52	2.63	15 (39%)	43,81,81	2.79	16 (37%)
4	MGD	S	903	5	38,52,52	2.70	12 (31%)	43,81,81	2.46	14 (32%)
6	PYG	S	905	5	9,9,9	4.59	9 (100%)	12,12,12	3.16	4 (33%)
7	SF4	T	302	2	0,12,12	0.00	-	0,24,24	0.00	-
7	SF4	T	303	2	0,12,12	0.00	-	0,24,24	0.00	-
7	SF4	T	304	2	0,12,12	0.00	-	0,24,24	0.00	-
4	MGD	U	902	5	38,52,52	2.73	15 (39%)	43,81,81	2.85	16 (37%)
4	MGD	U	903	5	38,52,52	2.75	12 (31%)	43,81,81	2.40	14 (32%)
6	PYG	U	905	5	9,9,9	4.51	9 (100%)	12,12,12	3.19	5 (41%)
7	SF4	V	302	2	0,12,12	0.00	-	0,24,24	0.00	-
7	SF4	V	303	2	0,12,12	0.00	-	0,24,24	0.00	-
7	SF4	V	304	2	0,12,12	0.00	-	0,24,24	0.00	-
4	MGD	W	902	5	38,52,52	2.64	13 (34%)	43,81,81	2.88	17 (39%)
4	MGD	W	903	5	38,52,52	2.82	14 (36%)	43,81,81	2.34	13 (30%)
6	PYG	W	905	5	9,9,9	4.54	9 (100%)	12,12,12	3.27	5 (41%)
7	SF4	X	302	2	0,12,12	0.00	-	0,24,24	0.00	-

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	SF4	X	303	2	0,12,12	0.00	-	0,24,24	0.00	-
7	SF4	X	304	2	0,12,12	0.00	-	0,24,24	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	MGD	A	902	5	-	0/18/66/66	0/6/6/6
4	MGD	A	903	5	-	0/18/66/66	0/6/6/6
6	PYG	A	905	5	-	0/0/0/0	0/1/1/1
7	SF4	B	302	2	-	0/0/48/48	0/6/5/5
7	SF4	B	303	2	-	0/0/48/48	0/6/5/5
7	SF4	B	304	2	-	0/0/48/48	0/6/5/5
4	MGD	C	902	5	-	0/18/66/66	0/6/6/6
4	MGD	C	903	5	-	0/18/66/66	0/6/6/6
6	PYG	C	905	5	-	0/0/0/0	0/1/1/1
7	SF4	D	302	2	-	0/0/48/48	0/6/5/5
7	SF4	D	303	2	-	0/0/48/48	0/6/5/5
7	SF4	D	304	2	-	0/0/48/48	0/6/5/5
4	MGD	E	902	5	-	0/18/66/66	0/6/6/6
4	MGD	E	903	5	-	0/18/66/66	0/6/6/6
6	PYG	E	905	5	-	0/0/0/0	0/1/1/1
7	SF4	F	302	2	-	0/0/48/48	0/6/5/5
7	SF4	F	303	2	-	0/0/48/48	0/6/5/5
7	SF4	F	304	2	-	0/0/48/48	0/6/5/5
4	MGD	G	902	5	-	0/18/66/66	0/6/6/6
4	MGD	G	903	5	-	0/18/66/66	0/6/6/6
6	PYG	G	905	5	-	0/0/0/0	0/1/1/1
7	SF4	H	302	2	-	0/0/48/48	0/6/5/5
7	SF4	H	303	2	-	0/0/48/48	0/6/5/5
7	SF4	H	304	2	-	0/0/48/48	0/6/5/5
4	MGD	I	902	5	-	0/18/66/66	0/6/6/6
4	MGD	I	903	5	-	0/18/66/66	0/6/6/6
6	PYG	I	905	5	-	0/0/0/0	0/1/1/1
7	SF4	J	301	2	-	0/0/48/48	0/6/5/5
7	SF4	J	302	2	-	0/0/48/48	0/6/5/5
7	SF4	J	303	2	-	0/0/48/48	0/6/5/5
4	MGD	K	902	5	-	0/18/66/66	0/6/6/6
4	MGD	K	903	5	-	0/18/66/66	0/6/6/6
6	PYG	K	905	5	-	0/0/0/0	0/1/1/1
7	SF4	L	302	2	-	0/0/48/48	0/6/5/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	SF4	L	303	2	-	0/0/48/48	0/6/5/5
7	SF4	L	304	2	-	0/0/48/48	0/6/5/5
4	MGD	M	902	5	-	0/18/66/66	0/6/6/6
4	MGD	M	903	5	-	0/18/66/66	0/6/6/6
6	PYG	M	905	5	-	0/0/0/0	0/1/1/1
7	SF4	N	302	2	-	0/0/48/48	0/6/5/5
7	SF4	N	303	2	-	0/0/48/48	0/6/5/5
7	SF4	N	304	2	-	0/0/48/48	0/6/5/5
4	MGD	O	902	5	-	0/18/66/66	0/6/6/6
4	MGD	O	903	5	-	0/18/66/66	0/6/6/6
6	PYG	O	905	5	-	0/0/0/0	0/1/1/1
7	SF4	P	302	2	-	0/0/48/48	0/6/5/5
7	SF4	P	303	2	-	0/0/48/48	0/6/5/5
7	SF4	P	304	2	-	0/0/48/48	0/6/5/5
4	MGD	Q	902	5	-	0/18/66/66	0/6/6/6
4	MGD	Q	903	5	-	0/18/66/66	0/6/6/6
6	PYG	Q	905	5	-	0/0/0/0	0/1/1/1
7	SF4	R	302	2	-	0/0/48/48	0/6/5/5
7	SF4	R	303	2	-	0/0/48/48	0/6/5/5
7	SF4	R	304	2	-	0/0/48/48	0/6/5/5
4	MGD	S	902	5	-	0/18/66/66	0/6/6/6
4	MGD	S	903	5	-	0/18/66/66	0/6/6/6
6	PYG	S	905	5	-	0/0/0/0	0/1/1/1
7	SF4	T	302	2	-	0/0/48/48	0/6/5/5
7	SF4	T	303	2	-	0/0/48/48	0/6/5/5
7	SF4	T	304	2	-	0/0/48/48	0/6/5/5
4	MGD	U	902	5	-	0/18/66/66	0/6/6/6
4	MGD	U	903	5	-	0/18/66/66	0/6/6/6
6	PYG	U	905	5	-	0/0/0/0	0/1/1/1
7	SF4	V	302	2	-	0/0/48/48	0/6/5/5
7	SF4	V	303	2	-	0/0/48/48	0/6/5/5
7	SF4	V	304	2	-	0/0/48/48	0/6/5/5
4	MGD	W	902	5	-	0/18/66/66	0/6/6/6
4	MGD	W	903	5	-	0/18/66/66	0/6/6/6
6	PYG	W	905	5	-	0/0/0/0	0/1/1/1
7	SF4	X	302	2	-	0/0/48/48	0/6/5/5
7	SF4	X	303	2	-	0/0/48/48	0/6/5/5
7	SF4	X	304	2	-	0/0/48/48	0/6/5/5

The worst 5 of 427 bond length outliers are listed below:

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	Q	903	MGD	C2-N2	2.01	1.38	1.34
4	U	902	MGD	C4-N3	2.01	1.38	1.35
4	W	903	MGD	C4-N3	2.01	1.38	1.35
4	Q	902	MGD	C4-N3	2.02	1.38	1.35
4	W	902	MGD	C19-N18	2.02	1.39	1.35

The worst 5 of 425 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	903	MGD	O11-C23-C14	-10.21	101.98	108.96
4	K	903	MGD	O11-C23-C14	-9.54	102.44	108.96
4	K	903	MGD	PA-O3B-PB	-9.29	106.64	132.73
4	A	903	MGD	PA-O3B-PB	-8.94	107.64	132.73
6	W	905	PYG	O1-C1-C2	-7.60	98.12	117.91

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

67 monomers are involved in 203 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	902	MGD	5	0
4	A	903	MGD	8	0
6	A	905	PYG	1	0
7	B	302	SF4	1	0
7	B	303	SF4	2	0
7	B	304	SF4	1	0
4	C	902	MGD	8	0
4	C	903	MGD	5	0
7	D	302	SF4	1	0
7	D	303	SF4	2	0
7	D	304	SF4	1	0
4	E	902	MGD	9	0
4	E	903	MGD	5	0
6	E	905	PYG	1	0
7	F	302	SF4	1	0
7	F	303	SF4	2	0
7	F	304	SF4	1	0
4	G	902	MGD	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	G	903	MGD	4	0
7	H	302	SF4	1	0
7	H	303	SF4	2	0
7	H	304	SF4	1	0
4	I	902	MGD	6	0
4	I	903	MGD	6	0
6	I	905	PYG	1	0
7	J	301	SF4	1	0
7	J	302	SF4	2	0
7	J	303	SF4	1	0
4	K	902	MGD	5	0
4	K	903	MGD	8	0
7	L	302	SF4	1	0
7	L	303	SF4	2	0
7	L	304	SF4	1	0
4	M	902	MGD	8	0
4	M	903	MGD	7	0
6	M	905	PYG	1	0
7	N	302	SF4	2	0
7	N	303	SF4	2	0
7	N	304	SF4	1	0
4	O	902	MGD	7	0
4	O	903	MGD	4	0
6	O	905	PYG	1	0
7	P	302	SF4	1	0
7	P	303	SF4	2	0
7	P	304	SF4	1	0
4	Q	902	MGD	6	0
4	Q	903	MGD	4	0
6	Q	905	PYG	1	0
7	R	303	SF4	2	0
7	R	304	SF4	1	0
4	S	902	MGD	4	0
4	S	903	MGD	6	0
6	S	905	PYG	1	0
7	T	302	SF4	1	0
7	T	303	SF4	2	0
7	T	304	SF4	1	0
4	U	902	MGD	8	0
4	U	903	MGD	5	0
6	U	905	PYG	1	0
7	V	302	SF4	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	V	303	SF4	2	0
7	V	304	SF4	1	0
4	W	902	MGD	8	0
4	W	903	MGD	4	0
7	X	302	SF4	1	0
7	X	303	SF4	2	0
7	X	304	SF4	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.