



wwPDB X-ray Structure Validation Summary Report ⓘ

Jan 31, 2016 – 10:49 PM GMT

PDB ID : 1V8O
Title : Crystal Structure of PAE2754 from Pyrobaculum aerophilum
Authors : Arcus, V.L.; Backbro, K.; Roos, A.; Daniel, E.L.; Baker, E.N.
Deposited on : 2004-01-12
Resolution : 2.80 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2393 (2.80-2.80)
Clashscore	102246	2827 (2.80-2.80)
Ramachandran outliers	100387	2782 (2.80-2.80)
Sidechain outliers	100360	2784 (2.80-2.80)
RSRZ outliers	91569	2404 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	158	<div> <div>51%</div> <div>28%</div> <div>• •</div> <div>16%</div> </div>
1	B	158	<div> <div>53%</div> <div>28%</div> <div>•</div> <div>15%</div> </div>
1	C	158	<div> <div>3%</div> <div>47%</div> <div>30%</div> <div>7%</div> <div>•</div> <div>15%</div> </div>
1	D	158	<div> <div>2%</div> <div>54%</div> <div>22%</div> <div>8%</div> <div>16%</div> </div>
1	E	158	<div> <div>54%</div> <div>25%</div> <div>• •</div> <div>16%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	158	
1	G	158	
1	H	158	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	CL	G	1004	-	-	-	X

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 8494 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called hypothetical protein PAE2754.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	132	Total	C	N	O	Se	2	0	0
			1045	673	179	191	2			
1	B	134	Total	C	N	O	Se	0	0	0
			1058	681	181	193	3			
1	C	135	Total	C	N	O	Se	2	0	0
			1062	683	182	194	3			
1	D	132	Total	C	N	O	Se	0	0	0
			1045	673	179	191	2			
1	E	132	Total	C	N	O	Se	0	0	0
			1045	673	179	191	2			
1	F	133	Total	C	N	O	Se	0	0	0
			1053	678	180	192	3			
1	G	132	Total	C	N	O	Se	6	0	0
			1045	673	179	191	2			
1	H	136	Total	C	N	O	Se	0	0	0
			1071	688	184	196	3			

There are 232 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-24	MET	-	EXPRESSION TAG	UNP Q8ZUJ3
A	-23	SER	-	EXPRESSION TAG	UNP Q8ZUJ3
A	-22	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
A	-21	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
A	-20	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
A	-19	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
A	-18	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
A	-17	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
A	-16	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
A	-15	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
A	-14	ASP	-	EXPRESSION TAG	UNP Q8ZUJ3
A	-13	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
A	-12	ASP	-	EXPRESSION TAG	UNP Q8ZUJ3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-11	ILE	-	EXPRESSION TAG	UNP Q8ZUJ3
A	-10	PRO	-	EXPRESSION TAG	UNP Q8ZUJ3
A	-9	THR	-	EXPRESSION TAG	UNP Q8ZUJ3
A	-8	THR	-	EXPRESSION TAG	UNP Q8ZUJ3
A	-7	GLU	-	EXPRESSION TAG	UNP Q8ZUJ3
A	-6	ASN	-	EXPRESSION TAG	UNP Q8ZUJ3
A	-5	LEU	-	EXPRESSION TAG	UNP Q8ZUJ3
A	-4	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
A	-3	PHE	-	EXPRESSION TAG	UNP Q8ZUJ3
A	-2	GLN	-	EXPRESSION TAG	UNP Q8ZUJ3
A	-1	GLY	-	EXPRESSION TAG	UNP Q8ZUJ3
A	0	ALA	-	EXPRESSION TAG	UNP Q8ZUJ3
A	1	MSE	MET	MODIFIED RESIDUE	UNP Q8ZUJ3
A	2	ALA	PRO	ENGINEERED	UNP Q8ZUJ3
A	65	MSE	LEU	ENGINEERED	UNP Q8ZUJ3
A	80	MSE	LEU	ENGINEERED	UNP Q8ZUJ3
B	-23	MET	-	EXPRESSION TAG	UNP Q8ZUJ3
B	-22	SER	-	EXPRESSION TAG	UNP Q8ZUJ3
B	-21	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
B	-20	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
B	-19	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
B	-18	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
B	-17	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
B	-16	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
B	-15	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
B	-14	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
B	-13	ASP	-	EXPRESSION TAG	UNP Q8ZUJ3
B	-12	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
B	-11	ASP	-	EXPRESSION TAG	UNP Q8ZUJ3
B	-10	ILE	-	EXPRESSION TAG	UNP Q8ZUJ3
B	-9	PRO	-	EXPRESSION TAG	UNP Q8ZUJ3
B	-8	THR	-	EXPRESSION TAG	UNP Q8ZUJ3
B	-7	THR	-	EXPRESSION TAG	UNP Q8ZUJ3
B	-6	GLU	-	EXPRESSION TAG	UNP Q8ZUJ3
B	-5	ASN	-	EXPRESSION TAG	UNP Q8ZUJ3
B	-4	LEU	-	EXPRESSION TAG	UNP Q8ZUJ3
B	-3	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
B	-2	PHE	-	EXPRESSION TAG	UNP Q8ZUJ3
B	-1	GLN	-	EXPRESSION TAG	UNP Q8ZUJ3
B	0	GLY	-	EXPRESSION TAG	UNP Q8ZUJ3
B	1	ALA	-	EXPRESSION TAG	UNP Q8ZUJ3
B	1A	MSE	MET	MODIFIED RESIDUE	UNP Q8ZUJ3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	2	ALA	PHE	ENGINEERED	UNP Q8ZUJ3
B	65	MSE	LEU	ENGINEERED	UNP Q8ZUJ3
B	80	MSE	LEU	ENGINEERED	UNP Q8ZUJ3
C	-22	MET	-	EXPRESSION TAG	UNP Q8ZUJ3
C	-21	SER	-	EXPRESSION TAG	UNP Q8ZUJ3
C	-20	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
C	-19	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
C	-18	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
C	-17	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
C	-16	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
C	-15	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
C	-14	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
C	-13	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
C	-12	ASP	-	EXPRESSION TAG	UNP Q8ZUJ3
C	-11	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
C	-10	ASP	-	EXPRESSION TAG	UNP Q8ZUJ3
C	-9	ILE	-	EXPRESSION TAG	UNP Q8ZUJ3
C	-8	PRO	-	EXPRESSION TAG	UNP Q8ZUJ3
C	-7	THR	-	EXPRESSION TAG	UNP Q8ZUJ3
C	-6	THR	-	EXPRESSION TAG	UNP Q8ZUJ3
C	-5	GLU	-	EXPRESSION TAG	UNP Q8ZUJ3
C	-4	ASN	-	EXPRESSION TAG	UNP Q8ZUJ3
C	-3	LEU	-	EXPRESSION TAG	UNP Q8ZUJ3
C	-2	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
C	-1	PHE	-	EXPRESSION TAG	UNP Q8ZUJ3
C	0	GLN	-	EXPRESSION TAG	UNP Q8ZUJ3
C	1	GLY	-	EXPRESSION TAG	UNP Q8ZUJ3
C	1A	ALA	-	EXPRESSION TAG	UNP Q8ZUJ3
C	1B	MSE	MET	MODIFIED RESIDUE	UNP Q8ZUJ3
C	2	ALA	PHE	ENGINEERED	UNP Q8ZUJ3
C	65	MSE	LEU	ENGINEERED	UNP Q8ZUJ3
C	80	MSE	LEU	ENGINEERED	UNP Q8ZUJ3
D	-24	MET	-	EXPRESSION TAG	UNP Q8ZUJ3
D	-23	SER	-	EXPRESSION TAG	UNP Q8ZUJ3
D	-22	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
D	-21	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
D	-20	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
D	-19	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
D	-18	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
D	-17	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
D	-16	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
D	-15	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-14	ASP	-	EXPRESSION TAG	UNP Q8ZUJ3
D	-13	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
D	-12	ASP	-	EXPRESSION TAG	UNP Q8ZUJ3
D	-11	ILE	-	EXPRESSION TAG	UNP Q8ZUJ3
D	-10	PRO	-	EXPRESSION TAG	UNP Q8ZUJ3
D	-9	THR	-	EXPRESSION TAG	UNP Q8ZUJ3
D	-8	THR	-	EXPRESSION TAG	UNP Q8ZUJ3
D	-7	GLU	-	EXPRESSION TAG	UNP Q8ZUJ3
D	-6	ASN	-	EXPRESSION TAG	UNP Q8ZUJ3
D	-5	LEU	-	EXPRESSION TAG	UNP Q8ZUJ3
D	-4	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
D	-3	PHE	-	EXPRESSION TAG	UNP Q8ZUJ3
D	-2	GLN	-	EXPRESSION TAG	UNP Q8ZUJ3
D	-1	GLY	-	EXPRESSION TAG	UNP Q8ZUJ3
D	0	ALA	-	EXPRESSION TAG	UNP Q8ZUJ3
D	1	MSE	MET	MODIFIED RESIDUE	UNP Q8ZUJ3
D	2	ALA	PHE	ENGINEERED	UNP Q8ZUJ3
D	65	MSE	LEU	ENGINEERED	UNP Q8ZUJ3
D	80	MSE	LEU	ENGINEERED	UNP Q8ZUJ3
E	-24	MET	-	EXPRESSION TAG	UNP Q8ZUJ3
E	-23	SER	-	EXPRESSION TAG	UNP Q8ZUJ3
E	-22	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
E	-21	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
E	-20	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
E	-19	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
E	-18	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
E	-17	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
E	-16	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
E	-15	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
E	-14	ASP	-	EXPRESSION TAG	UNP Q8ZUJ3
E	-13	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
E	-12	ASP	-	EXPRESSION TAG	UNP Q8ZUJ3
E	-11	ILE	-	EXPRESSION TAG	UNP Q8ZUJ3
E	-10	PRO	-	EXPRESSION TAG	UNP Q8ZUJ3
E	-9	THR	-	EXPRESSION TAG	UNP Q8ZUJ3
E	-8	THR	-	EXPRESSION TAG	UNP Q8ZUJ3
E	-7	GLU	-	EXPRESSION TAG	UNP Q8ZUJ3
E	-6	ASN	-	EXPRESSION TAG	UNP Q8ZUJ3
E	-5	LEU	-	EXPRESSION TAG	UNP Q8ZUJ3
E	-4	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
E	-3	PHE	-	EXPRESSION TAG	UNP Q8ZUJ3
E	-2	GLN	-	EXPRESSION TAG	UNP Q8ZUJ3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	-1	GLY	-	EXPRESSION TAG	UNP Q8ZUJ3
E	0	ALA	-	EXPRESSION TAG	UNP Q8ZUJ3
E	1	MSE	MET	MODIFIED RESIDUE	UNP Q8ZUJ3
E	2	ALA	PHE	ENGINEERED	UNP Q8ZUJ3
E	65	MSE	LEU	ENGINEERED	UNP Q8ZUJ3
E	80	MSE	LEU	ENGINEERED	UNP Q8ZUJ3
F	-24	MET	-	EXPRESSION TAG	UNP Q8ZUJ3
F	-23	SER	-	EXPRESSION TAG	UNP Q8ZUJ3
F	-22	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
F	-21	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
F	-20	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
F	-19	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
F	-18	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
F	-17	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
F	-16	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
F	-15	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
F	-14	ASP	-	EXPRESSION TAG	UNP Q8ZUJ3
F	-13	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
F	-12	ASP	-	EXPRESSION TAG	UNP Q8ZUJ3
F	-11	ILE	-	EXPRESSION TAG	UNP Q8ZUJ3
F	-10	PRO	-	EXPRESSION TAG	UNP Q8ZUJ3
F	-9	THR	-	EXPRESSION TAG	UNP Q8ZUJ3
F	-8	THR	-	EXPRESSION TAG	UNP Q8ZUJ3
F	-7	GLU	-	EXPRESSION TAG	UNP Q8ZUJ3
F	-6	ASN	-	EXPRESSION TAG	UNP Q8ZUJ3
F	-5	LEU	-	EXPRESSION TAG	UNP Q8ZUJ3
F	-4	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
F	-3	PHE	-	EXPRESSION TAG	UNP Q8ZUJ3
F	-2	GLN	-	EXPRESSION TAG	UNP Q8ZUJ3
F	-1	GLY	-	EXPRESSION TAG	UNP Q8ZUJ3
F	0	ALA	-	EXPRESSION TAG	UNP Q8ZUJ3
F	1	MSE	MET	MODIFIED RESIDUE	UNP Q8ZUJ3
F	2	ALA	PHE	ENGINEERED	UNP Q8ZUJ3
F	65	MSE	LEU	ENGINEERED	UNP Q8ZUJ3
F	80	MSE	LEU	ENGINEERED	UNP Q8ZUJ3
G	-24	MET	-	EXPRESSION TAG	UNP Q8ZUJ3
G	-23	SER	-	EXPRESSION TAG	UNP Q8ZUJ3
G	-22	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
G	-21	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
G	-20	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
G	-19	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
G	-18	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	-17	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
G	-16	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
G	-15	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
G	-14	ASP	-	EXPRESSION TAG	UNP Q8ZUJ3
G	-13	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
G	-12	ASP	-	EXPRESSION TAG	UNP Q8ZUJ3
G	-11	ILE	-	EXPRESSION TAG	UNP Q8ZUJ3
G	-10	PRO	-	EXPRESSION TAG	UNP Q8ZUJ3
G	-9	THR	-	EXPRESSION TAG	UNP Q8ZUJ3
G	-8	THR	-	EXPRESSION TAG	UNP Q8ZUJ3
G	-7	GLU	-	EXPRESSION TAG	UNP Q8ZUJ3
G	-6	ASN	-	EXPRESSION TAG	UNP Q8ZUJ3
G	-5	LEU	-	EXPRESSION TAG	UNP Q8ZUJ3
G	-4	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
G	-3	PHE	-	EXPRESSION TAG	UNP Q8ZUJ3
G	-2	GLN	-	EXPRESSION TAG	UNP Q8ZUJ3
G	-1	GLY	-	EXPRESSION TAG	UNP Q8ZUJ3
G	0	ALA	-	EXPRESSION TAG	UNP Q8ZUJ3
G	1	MSE	MET	MODIFIED RESIDUE	UNP Q8ZUJ3
G	2	ALA	PHE	ENGINEERED	UNP Q8ZUJ3
G	65	MSE	LEU	ENGINEERED	UNP Q8ZUJ3
G	80	MSE	LEU	ENGINEERED	UNP Q8ZUJ3
H	-21	MET	-	EXPRESSION TAG	UNP Q8ZUJ3
H	-20	SER	-	EXPRESSION TAG	UNP Q8ZUJ3
H	-19	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
H	-18	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
H	-17	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
H	-16	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
H	-15	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
H	-14	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
H	-13	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
H	-12	HIS	-	EXPRESSION TAG	UNP Q8ZUJ3
H	-11	ASP	-	EXPRESSION TAG	UNP Q8ZUJ3
H	-10	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
H	-9	ASP	-	EXPRESSION TAG	UNP Q8ZUJ3
H	-8	ILE	-	EXPRESSION TAG	UNP Q8ZUJ3
H	-7	PRO	-	EXPRESSION TAG	UNP Q8ZUJ3
H	-6	THR	-	EXPRESSION TAG	UNP Q8ZUJ3
H	-5	THR	-	EXPRESSION TAG	UNP Q8ZUJ3
H	-4	GLU	-	EXPRESSION TAG	UNP Q8ZUJ3
H	-3	ASN	-	EXPRESSION TAG	UNP Q8ZUJ3
H	-2	LEU	-	EXPRESSION TAG	UNP Q8ZUJ3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	-1	TYR	-	EXPRESSION TAG	UNP Q8ZUJ3
H	0	PHE	-	EXPRESSION TAG	UNP Q8ZUJ3
H	1	GLN	-	EXPRESSION TAG	UNP Q8ZUJ3
H	1A	GLY	-	EXPRESSION TAG	UNP Q8ZUJ3
H	1B	ALA	-	EXPRESSION TAG	UNP Q8ZUJ3
H	1C	MSE	MET	MODIFIED RESIDUE	UNP Q8ZUJ3
H	2	ALA	PHE	ENGINEERED	UNP Q8ZUJ3
H	65	MSE	LEU	ENGINEERED	UNP Q8ZUJ3
H	80	MSE	LEU	ENGINEERED	UNP Q8ZUJ3

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	G	2	Total Cl 2 2	0	0
2	B	1	Total Cl 1 1	0	0
2	A	1	Total Cl 1 1	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	9	Total O 9 9	0	0
3	B	16	Total O 16 16	0	0
3	C	8	Total O 8 8	0	0
3	D	4	Total O 4 4	0	0
3	E	6	Total O 6 6	0	0
3	F	3	Total O 3 3	0	0
3	G	7	Total O 7 7	0	0
3	H	13	Total O 13 13	0	0

- Molecule 1: hypothetical protein PAE2754



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	56.36 Å 192.78 Å 60.44 Å 90.00° 94.68° 90.00°	Depositor
Resolution (Å)	36.58 – 2.80 36.58 – 2.80	Depositor EDS
% Data completeness (in resolution range)	94.7 (36.58-2.80) 98.1 (36.58-2.80)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.09 (at 2.81 Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.226 , 0.279 0.234 , 0.279	Depositor DCC
R_{free} test set	1473 reflections (4.76%)	DCC
Wilson B-factor (Å ²)	37.3	Xtriage
Anisotropy	0.155	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 44.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 59170 reflections	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	8494	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 10.95% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section:
CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.42	0/1063	0.66	0/1437
1	B	0.37	0/1075	0.62	0/1451
1	C	0.38	0/1079	0.64	0/1456
1	D	0.38	0/1063	0.64	0/1437
1	E	0.38	0/1063	0.64	0/1437
1	F	0.37	0/1071	0.61	0/1447
1	G	0.39	0/1063	0.64	0/1437
1	H	0.39	0/1088	0.66	0/1468
All	All	0.38	0/8565	0.64	0/11570

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1045	0	1065	45	0
1	B	1058	0	1082	46	0
1	C	1062	0	1085	74	0
1	D	1045	0	1065	53	0
1	E	1045	0	1065	38	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	1053	0	1077	49	0
1	G	1045	0	1065	73	0
1	H	1071	0	1093	69	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	G	2	0	0	0	0
3	A	9	0	0	0	0
3	B	16	0	0	0	0
3	C	8	0	0	2	0
3	D	4	0	0	0	0
3	E	6	0	0	0	0
3	F	3	0	0	0	0
3	G	7	0	0	0	0
3	H	13	0	0	0	0
All	All	8494	0	8597	376	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

The worst 5 of 376 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:61:LEU:HD13	1:B:76:LEU:HD11	1.38	1.04
1:H:20:ASP:HA	1:H:23:ILE:HD11	1.45	0.99
1:D:20:ASP:HA	1:D:23:ILE:HD11	1.45	0.98
1:C:76:LEU:HD11	1:D:61:LEU:HD13	1.43	0.97
1:G:76:LEU:HD11	1:H:61:LEU:HD13	1.49	0.92

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	130/158 (82%)	124 (95%)	4 (3%)	2 (2%)	13	40
1	B	132/158 (84%)	118 (89%)	11 (8%)	3 (2%)	8	26
1	C	133/158 (84%)	117 (88%)	9 (7%)	7 (5%)	2	7
1	D	130/158 (82%)	118 (91%)	9 (7%)	3 (2%)	8	26
1	E	130/158 (82%)	124 (95%)	4 (3%)	2 (2%)	13	40
1	F	131/158 (83%)	117 (89%)	10 (8%)	4 (3%)	5	17
1	G	130/158 (82%)	117 (90%)	7 (5%)	6 (5%)	3	9
1	H	134/158 (85%)	123 (92%)	7 (5%)	4 (3%)	5	18
All	All	1050/1264 (83%)	958 (91%)	61 (6%)	31 (3%)	5	18

5 of 31 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	54	TRP
1	B	52	VAL
1	C	53	ASP
1	C	54	TRP
1	D	51	ARG

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	106/127 (84%)	94 (89%)	12 (11%)	7	22
1	B	107/127 (84%)	100 (94%)	7 (6%)	21	52
1	C	107/127 (84%)	96 (90%)	11 (10%)	9	26
1	D	106/127 (84%)	94 (89%)	12 (11%)	7	22
1	E	106/127 (84%)	94 (89%)	12 (11%)	7	22
1	F	107/127 (84%)	100 (94%)	7 (6%)	21	52
1	G	106/127 (84%)	96 (91%)	10 (9%)	11	31
1	H	108/127 (85%)	95 (88%)	13 (12%)	6	19

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	853/1016 (84%)	769 (90%)	84 (10%)	10	28

5 of 84 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	106	LEU
1	E	43	LEU
1	H	48	ARG
1	D	111	ARG
1	E	23	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 7 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	133	GLN
1	H	41	ASN
1	E	133	GLN
1	C	18	HIS
1	G	18	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	130/158 (82%)	-0.47	0 100 100	14, 26, 50, 63	1 (0%)
1	B	131/158 (82%)	-0.33	1 (0%) 87 81	13, 26, 58, 96	0
1	C	132/158 (83%)	0.01	5 (3%) 44 32	15, 36, 67, 99	1 (0%)
1	D	130/158 (82%)	-0.21	3 (2%) 64 52	16, 32, 64, 96	0
1	E	130/158 (82%)	-0.07	2 (1%) 76 68	16, 37, 77, 107	0
1	F	130/158 (82%)	-0.08	2 (1%) 76 68	15, 38, 63, 84	0
1	G	130/158 (82%)	-0.26	1 (0%) 87 81	13, 29, 56, 78	2 (1%)
1	H	133/158 (84%)	-0.31	2 (1%) 76 68	13, 25, 64, 95	0
All	All	1046/1264 (82%)	-0.22	16 (1%) 76 68	13, 31, 64, 107	4 (0%)

The worst 5 of 16 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	52	VAL	5.9
1	G	52	VAL	4.5
1	D	52	VAL	4.3
1	E	133	GLN	4.2
1	H	52	VAL	3.8

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	CL	G	1004	1/1	0.90	0.29	4.54	32,32,32,32	0
2	CL	B	1001	1/1	0.91	0.15	-0.11	32,32,32,32	0
2	CL	A	1002	1/1	0.96	0.12	-1.11	32,32,32,32	0
2	CL	G	1003	1/1	0.97	0.10	-1.72	32,32,32,32	0

6.5 Other polymers [i](#)

There are no such residues in this entry.