



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:56 AM GMT

PDB ID : 2VDB  
Title : STRUCTURE OF HUMAN SERUM ALBUMIN WITH S-NAPROXEN AND  
THE GA MODULE  
Authors : Lejon, S.; Cramer, J.F.; Nordberg, P.A.  
Deposited on : 2007-10-04  
Resolution : 2.52 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.52 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	4241 (2.54-2.50)
Clashscore	102246	4968 (2.54-2.50)
Ramachandran outliers	100387	4873 (2.54-2.50)
Sidechain outliers	100360	4875 (2.54-2.50)
RSRZ outliers	91569	4253 (2.54-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	579	<div> <div>9%</div> <div>65%</div> <div>28%</div> <div>5% ..</div> </div>
2	B	55	<div> <div>4%</div> <div>82%</div> <div>16%</div> <div>.</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	DKA	A	1586	-	-	-	X

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 4872 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called SERUM ALBUMIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	574	Total	C	N	O	S	0	0	0
			4346	2751	741	814	40			

- Molecule 2 is a protein called PEPTOSTREPTOCOCCAL ALBUMIN-BINDING PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	55	Total	C	N	O	S	0	0	0
			437	279	74	83	1			

- Molecule 3 is DECANOIC ACID (three-letter code: DKA) (formula: C<sub>10</sub>H<sub>20</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			12	10	2		
3	A	1	Total	C	O	0	0
			12	10	2		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			12	10	2		
3	A	1	Total	C	O	0	0
			12	10	2		
3	A	1	Total	C	O	0	0
			12	10	2		
3	A	1	Total	C	O	0	0
			12	10	2		

- Molecule 4 is (2S)-2-(6-METHOXYNAPHTHALEN-2-YL)PROPANOIC ACID (three-letter code: NPS) (formula: C<sub>14</sub>H<sub>14</sub>O<sub>3</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			17	14	3		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: SERUM ALBUMIN



#### • Molecule 2: PEPTOSTREPTOCOCCAL ALBUMIN-BINDING PROTEIN



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	190.51 Å   49.46 Å   79.93 Å 90.00°   93.00°   90.00°	Depositor
Resolution (Å)	94.92 – 2.52 47.87 – 2.52	Depositor EDS
% Data completeness (in resolution range)	96.7 (94.92-2.52) 96.7 (47.87-2.52)	Depositor EDS
$R_{merge}$	0.14	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.09 (at 2.51 Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.234   ,   0.280 0.224   ,   0.263	Depositor DCC
$R_{free}$ test set	1273 reflections (5.41%)	DCC
Wilson B-factor (Å <sup>2</sup> )	50.9	Xtriage
Anisotropy	0.189	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 69.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 24846 reflections	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	4872	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.64% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NPS, DKA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.78	9/4433 (0.2%)	0.70	7/6019 (0.1%)
2	B	0.53	0/443	0.61	0/594
All	All	0.76	9/4876 (0.2%)	0.69	7/6613 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	63	ASP	CG-OD1	21.56	1.75	1.25
1	A	63	ASP	CG-OD2	14.16	1.57	1.25
1	A	78	ALA	C-O	10.32	1.43	1.23
1	A	76	THR	C-O	8.77	1.40	1.23
1	A	65	SER	CB-OG	8.24	1.52	1.42
1	A	78	ALA	C-N	7.64	1.51	1.34
1	A	76	THR	CB-CG2	6.69	1.74	1.52
1	A	73	LYS	C-O	5.76	1.34	1.23
1	A	369	CYS	CB-SG	5.46	1.91	1.82

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	63	ASP	CB-CG-OD2	-11.70	107.77	118.30
1	A	337	ARG	NE-CZ-NH2	-6.72	116.94	120.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	336	ARG	NE-CZ-NH2	-6.38	117.11	120.30
1	A	63	ASP	OD1-CG-OD2	5.56	133.87	123.30
1	A	49	PHE	N-CA-C	-5.55	96.03	111.00
1	A	582	ALA	CB-CA-C	-5.53	101.80	110.10
1	A	337	ARG	NE-CZ-NH1	5.01	122.81	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	96	PRO	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4346	0	4076	163	0
2	B	437	0	448	9	0
3	A	72	0	114	18	0
4	A	17	0	13	3	0
All	All	4872	0	4651	168	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (168) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:63:ASP:OD1	1:A:63:ASP:CG	1.74	1.24
1:A:95:GLU:HG3	1:A:96:PRO:HD2	1.09	1.06
2:B:37:THR:HG22	2:B:40:GLU:H	1.16	1.06
1:A:95:GLU:CG	1:A:96:PRO:HD2	1.94	0.97
1:A:117:ARG:HE	3:A:1585:DKA:H31	1.31	0.92
1:A:19:PHE:O	1:A:23:VAL:HG23	1.74	0.88
1:A:545:LYS:HA	1:A:548:MET:HE3	1.61	0.83

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:225:LYS:NZ	1:A:297:GLU:O	2.13	0.82
1:A:383:GLU:OE2	1:A:485:ARG:NH1	2.15	0.79
1:A:112:LEU:HB2	1:A:113:PRO:HD2	1.69	0.73
1:A:113:PRO:O	1:A:145:ARG:NH2	2.21	0.73
1:A:68:THR:HG23	1:A:95:GLU:HG2	1.70	0.73
1:A:395:PHE:O	1:A:398:LEU:O	2.05	0.73
2:B:37:THR:HG22	2:B:40:GLU:N	2.00	0.72
1:A:558:CYS:O	1:A:559:CYS:HB2	1.89	0.72
1:A:494:ASP:OD1	1:A:496:THR:HG22	1.88	0.72
1:A:510:HIS:HB2	1:A:512:ASP:OD1	1.91	0.70
1:A:433:VAL:HG22	1:A:452:TYR:HB3	1.71	0.70
1:A:541:LYS:HA	1:A:544:LEU:HB2	1.74	0.70
1:A:283:LEU:HD23	3:A:1586:DKA:H32	1.74	0.70
1:A:401:TYR:OH	1:A:525:LYS:HE3	1.92	0.69
1:A:540:THR:O	1:A:541:LYS:HB2	1.93	0.69
1:A:449:ALA:O	1:A:453:LEU:HB2	1.91	0.69
1:A:270:SER:OG	2:B:36:LYS:HD3	1.93	0.68
1:A:581:ALA:O	1:A:582:ALA:HB3	1.94	0.67
1:A:387:LEU:HD23	3:A:1587:DKA:H62	1.77	0.66
1:A:582:ALA:O	1:A:583:LEU:HD23	1.95	0.65
1:A:333:GLU:OE1	1:A:337:ARG:NH2	2.30	0.65
1:A:27:PHE:CE2	1:A:42:LEU:HD22	2.32	0.65
1:A:291:ALA:HA	3:A:1590:DKA:H52	1.79	0.64
1:A:189:GLY:HA3	4:A:1591:NPS:H122	1.78	0.64
1:A:47:THR:HG22	1:A:48:GLU:H	1.61	0.63
1:A:430:LEU:HD13	1:A:456:VAL:HG11	1.80	0.63
1:A:117:ARG:NE	3:A:1585:DKA:H31	2.11	0.62
1:A:581:ALA:O	1:A:582:ALA:CB	2.47	0.62
1:A:179:LEU:HB2	1:A:180:PRO:HD3	1.81	0.62
1:A:189:GLY:CA	4:A:1591:NPS:H122	2.29	0.62
1:A:411:TYR:CE1	3:A:1588:DKA:H61	2.35	0.62
1:A:383:GLU:CD	1:A:485:ARG:HH12	2.03	0.61
1:A:61:ASN:O	1:A:69:LEU:HD21	2.01	0.61
2:B:37:THR:HG23	2:B:39:GLU:OE1	2.01	0.60
1:A:344:VAL:O	1:A:348:ARG:HG3	2.02	0.60
1:A:342:SER:HB3	1:A:446:MET:HG2	1.84	0.60
1:A:47:THR:C	1:A:49:PHE:H	2.06	0.59
1:A:47:THR:HG22	1:A:48:GLU:N	2.17	0.59
1:A:464:HIS:HD1	1:A:474:THR:HG23	1.66	0.59
1:A:27:PHE:CZ	1:A:42:LEU:HD22	2.39	0.58
1:A:59:ALA:HB3	1:A:62:CYS:SG	2.44	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:112:LEU:HB2	1:A:113:PRO:CD	2.33	0.58
1:A:93:LYS:O	1:A:98:ARG:HD3	2.05	0.57
1:A:33:GLN:HE22	1:A:112:LEU:HD23	1.70	0.57
1:A:485:ARG:HD3	3:A:1587:DKA:O1	2.04	0.57
1:A:540:THR:O	1:A:541:LYS:CB	2.52	0.56
2:B:14:ALA:O	2:B:18:LEU:HG	2.05	0.56
1:A:179:LEU:CB	1:A:180:PRO:HD3	2.35	0.56
1:A:408:LEU:HD13	1:A:427:SER:CB	2.36	0.56
1:A:200:CYS:O	1:A:204:GLN:HG3	2.06	0.56
1:A:50:ALA:C	1:A:52:THR:H	2.08	0.55
1:A:555:VAL:O	1:A:555:VAL:HG12	2.05	0.55
1:A:274:LYS:HE3	1:A:294:GLU:OE2	2.06	0.55
1:A:10:ARG:O	1:A:14:LEU:HB2	2.07	0.55
1:A:348:ARG:NH1	3:A:1587:DKA:O2	2.33	0.54
1:A:49:PHE:CZ	1:A:53:CYS:SG	3.01	0.54
1:A:283:LEU:CD2	3:A:1586:DKA:H32	2.38	0.54
1:A:467:THR:H	1:A:468:PRO:HD3	1.71	0.54
1:A:408:LEU:HD11	1:A:424:VAL:HA	1.90	0.53
1:A:95:GLU:O	1:A:96:PRO:C	2.45	0.53
1:A:241:VAL:HG22	1:A:256:ASP:HB3	1.90	0.53
1:A:409:VAL:HG12	1:A:541:LYS:HE2	1.91	0.53
1:A:407:LEU:HD13	1:A:430:LEU:HB3	1.91	0.53
1:A:117:ARG:HB2	3:A:1585:DKA:H22	1.90	0.52
1:A:513:ILE:HG12	1:A:521:ARG:HG3	1.91	0.52
1:A:303:PRO:O	1:A:337:ARG:NH1	2.42	0.52
1:A:95:GLU:OE1	1:A:98:ARG:NH2	2.43	0.52
1:A:141:GLU:O	1:A:144:ARG:HG2	2.10	0.52
1:A:47:THR:O	1:A:49:PHE:N	2.43	0.52
1:A:305:LEU:HD11	1:A:337:ARG:CZ	2.39	0.52
1:A:305:LEU:HD11	1:A:337:ARG:NE	2.25	0.51
1:A:340:ASP:O	1:A:447:PRO:HD3	2.10	0.51
1:A:231:VAL:O	1:A:235:VAL:HG23	2.11	0.51
1:A:414:LYS:NZ	1:A:491:LEU:O	2.40	0.51
1:A:477:CYS:O	1:A:484:ARG:NH2	2.44	0.51
1:A:348:ARG:HH22	3:A:1587:DKA:C1	2.23	0.50
1:A:237:ASP:HB3	1:A:260:LEU:HD13	1.94	0.50
1:A:302:LEU:HB3	1:A:337:ARG:NH1	2.27	0.49
1:A:408:LEU:HD13	1:A:427:SER:HB2	1.94	0.49
1:A:76:THR:O	1:A:77:VAL:HB	2.12	0.49
1:A:344:VAL:HG13	1:A:450:GLU:OE2	2.12	0.49
1:A:33:GLN:NE2	1:A:112:LEU:HD23	2.28	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:383:GLU:HB3	1:A:384:PRO:CD	2.43	0.48
1:A:411:TYR:OH	3:A:1588:DKA:O1	2.25	0.48
1:A:539:ALA:HA	1:A:543:GLN:OE1	2.13	0.48
1:A:321:GLU:OE1	2:B:24:THR:OG1	2.28	0.48
1:A:360:CYS:C	1:A:362:ALA:H	2.17	0.48
1:A:98:ARG:O	1:A:101:CYS:HB2	2.15	0.47
1:A:186:ARG:HD3	3:A:1585:DKA:O1	2.14	0.47
1:A:387:LEU:HD23	3:A:1587:DKA:C6	2.44	0.47
1:A:14:LEU:O	1:A:18:ASN:HB2	2.15	0.47
1:A:310:VAL:O	1:A:370:TYR:HE1	1.98	0.46
1:A:96:PRO:O	1:A:97:GLU:CB	2.64	0.46
1:A:47:THR:C	1:A:49:PHE:N	2.67	0.46
1:A:29:GLN:O	1:A:106:LYS:HE2	2.15	0.46
1:A:120:VAL:O	1:A:121:ASP:C	2.53	0.46
1:A:578:ALA:O	1:A:581:ALA:O	2.34	0.46
1:A:543:GLN:HB3	1:A:583:LEU:HD21	1.97	0.46
1:A:464:HIS:ND1	1:A:474:THR:HG23	2.31	0.46
1:A:416:PRO:HG2	1:A:497:TYR:CG	2.51	0.46
1:A:383:GLU:HB3	1:A:384:PRO:HD3	1.98	0.46
1:A:426:VAL:HG12	1:A:430:LEU:HD22	1.97	0.46
1:A:567:CYS:O	1:A:571:GLU:HB2	2.16	0.46
1:A:442:GLU:O	1:A:442:GLU:HG2	2.16	0.45
1:A:52:THR:C	1:A:54:VAL:N	2.69	0.45
1:A:340:ASP:OD1	1:A:340:ASP:N	2.50	0.45
1:A:407:LEU:CD1	1:A:430:LEU:HB3	2.46	0.45
1:A:66:LEU:HA	1:A:69:LEU:HD12	1.99	0.45
1:A:216:VAL:HG22	1:A:235:VAL:HG21	1.97	0.45
1:A:214:TRP:CD1	1:A:343:VAL:HG11	2.50	0.45
1:A:112:LEU:CB	1:A:113:PRO:CD	2.92	0.44
1:A:446:MET:N	1:A:447:PRO:CD	2.81	0.44
1:A:321:GLU:CD	2:B:24:THR:H	2.21	0.44
1:A:421:PRO:O	1:A:425:GLU:HG3	2.17	0.44
1:A:360:CYS:C	1:A:362:ALA:N	2.71	0.44
1:A:189:GLY:HA2	4:A:1591:NPS:H122	2.00	0.44
1:A:467:THR:N	1:A:468:PRO:HD3	2.32	0.44
1:A:416:PRO:O	1:A:534:LYS:HE2	2.18	0.44
1:A:453:LEU:O	1:A:457:LEU:HB2	2.18	0.43
1:A:340:ASP:HA	1:A:443:ALA:O	2.18	0.43
1:A:224:PRO:O	1:A:336:ARG:HD2	2.19	0.43
1:A:149:PHE:HE2	1:A:153:GLU:HB3	1.83	0.43
1:A:441:PRO:C	1:A:443:ALA:H	2.21	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:428:ARG:NH2	1:A:519:LYS:HG3	2.33	0.43
1:A:409:VAL:CG1	1:A:541:LYS:HE2	2.48	0.43
1:A:290:ILE:HG22	3:A:1590:DKA:H31	2.01	0.43
1:A:65:SER:HB2	1:A:67:HIS:CD2	2.53	0.43
1:A:222:ARG:HB2	1:A:222:ARG:HE	1.41	0.43
1:A:518:GLU:OE1	1:A:521:ARG:NH2	2.52	0.43
1:A:179:LEU:CB	1:A:180:PRO:CD	2.96	0.42
1:A:258:ALA:HB2	3:A:1586:DKA:H21	2.01	0.42
1:A:420:THR:HB	1:A:421:PRO:HD3	2.01	0.42
1:A:238:LEU:HD13	3:A:1590:DKA:H21	2.01	0.42
1:A:149:PHE:C	1:A:149:PHE:CD2	2.93	0.42
1:A:50:ALA:C	1:A:52:THR:N	2.73	0.42
1:A:428:ARG:HH21	1:A:519:LYS:NZ	2.17	0.42
1:A:550:ASP:HB3	1:A:575:LEU:CD1	2.50	0.42
1:A:380:LEU:O	1:A:384:PRO:HD2	2.19	0.42
1:A:221:GLN:O	1:A:224:PRO:HD3	2.20	0.42
1:A:24:LEU:HB2	1:A:43:VAL:HG21	2.02	0.42
1:A:411:TYR:CE2	1:A:430:LEU:HD23	2.55	0.42
1:A:149:PHE:O	1:A:150:TYR:C	2.58	0.41
1:A:267:ASN:O	1:A:271:ILE:HG13	2.20	0.41
1:A:240:LYS:HE3	1:A:240:LYS:HB2	1.59	0.41
1:A:233:LYS:HE3	2:B:39:GLU:HB3	2.01	0.41
1:A:428:ARG:NH2	1:A:519:LYS:NZ	2.68	0.41
1:A:52:THR:O	1:A:55:ALA:N	2.53	0.41
1:A:119:GLU:HA	1:A:119:GLU:OE2	2.21	0.41
1:A:540:THR:C	1:A:542:GLU:H	2.24	0.41
1:A:378:LYS:HB2	1:A:379:PRO:HD3	2.01	0.41
1:A:274:LYS:NZ	1:A:297:GLU:OE2	2.51	0.41
1:A:576:VAL:O	1:A:579:SER:N	2.53	0.41
1:A:90:CYS:C	1:A:92:ALA:H	2.25	0.41
1:A:420:THR:O	1:A:421:PRO:C	2.58	0.41
2:B:38:VAL:O	2:B:41:VAL:HB	2.21	0.41
1:A:348:ARG:HG2	1:A:482:VAL:CG1	2.51	0.40
1:A:138:TYR:HB3	3:A:1585:DKA:H82	2.04	0.40
1:A:545:LYS:HA	1:A:548:MET:CE	2.41	0.40
1:A:428:ARG:HH21	1:A:519:LYS:HZ2	1.69	0.40
1:A:551:PHE:O	1:A:554:PHE:HB3	2.20	0.40
1:A:173:ASP:HB3	1:A:176:ALA:HB3	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	570/579 (98%)	507 (89%)	52 (9%)	11 (2%)	10	16
2	B	53/55 (96%)	53 (100%)	0	0	100	100
All	All	623/634 (98%)	560 (90%)	52 (8%)	11 (2%)	11	17

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	16	GLU
1	A	77	VAL
1	A	96	PRO
1	A	467	THR
1	A	503	ASN
1	A	97	GLU
1	A	442	GLU
1	A	51	LYS
1	A	50	ALA
1	A	469	VAL
1	A	95	GLU

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	441/506 (87%)	411 (93%)	30 (7%)	20	35
2	B	45/45 (100%)	43 (96%)	2 (4%)	35	58

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	486/551 (88%)	454 (93%)	32 (7%)	21	36

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	VAL
1	A	42	LEU
1	A	49	PHE
1	A	68	THR
1	A	103	LEU
1	A	112	LEU
1	A	115	LEU
1	A	138	TYR
1	A	140	TYR
1	A	149	PHE
1	A	179	LEU
1	A	184	GLU
1	A	185	LEU
1	A	222	ARG
1	A	331	LEU
1	A	334	TYR
1	A	369	CYS
1	A	398	LEU
1	A	408	LEU
1	A	430	LEU
1	A	453	LEU
1	A	455	VAL
1	A	457	LEU
1	A	467	THR
1	A	469	VAL
1	A	471	ASP
1	A	474	THR
1	A	485	ARG
1	A	540	THR
1	A	550	ASP
2	B	9	ASN
2	B	37	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	32	GLN
1	A	33	GLN
1	A	67	HIS
1	A	111	ASN
1	A	242	HIS
1	A	318	ASN
1	A	367	HIS
1	A	440	HIS
1	A	580	GLN
2	B	42	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	DKA	A	1585	-	8,11,11	0.24	0	8,11,11	0.63	0
3	DKA	A	1586	-	8,11,11	0.25	0	8,11,11	0.63	0
3	DKA	A	1587	-	8,11,11	0.42	0	8,11,11	0.31	0
3	DKA	A	1588	-	8,11,11	0.22	0	8,11,11	0.65	0
3	DKA	A	1589	-	8,11,11	0.40	0	8,11,11	0.25	0



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	DKA	A	1590	-	8,11,11	0.23	0	8,11,11	0.58	0
4	NPS	A	1591	-	15,18,18	1.48	3 (20%)	21,25,25	1.57	3 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	DKA	A	1585	-	-	0/7/9/9	0/0/0/0
3	DKA	A	1586	-	-	0/7/9/9	0/0/0/0
3	DKA	A	1587	-	-	0/7/9/9	0/0/0/0
3	DKA	A	1588	-	-	0/7/9/9	0/0/0/0
3	DKA	A	1589	-	-	0/7/9/9	0/0/0/0
3	DKA	A	1590	-	-	0/7/9/9	0/0/0/0
4	NPS	A	1591	-	-	0/6/10/10	0/2/2/2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1591	NPS	C6-C5	-2.72	1.35	1.42
4	A	1591	NPS	C13-C5	-2.42	1.36	1.41
4	A	1591	NPS	C8-C14	-2.11	1.48	1.52

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1591	NPS	O2-C1-C6	-3.42	116.02	124.62
4	A	1591	NPS	C11-C8-C14	-2.51	115.39	120.89
4	A	1591	NPS	C15-C14-C8	4.07	120.33	112.32

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 21 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1585	DKA	5	0
3	A	1586	DKA	3	0
3	A	1587	DKA	5	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1588	DKA	2	0
3	A	1590	DKA	3	0
4	A	1591	NPS	3	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	574/579 (99%)	0.76	53 (9%) 11 12	20, 44, 57, 65	0
2	B	55/55 (100%)	0.43	2 (3%) 46 52	37, 43, 51, 70	0
All	All	629/634 (99%)	0.73	55 (8%) 13 14	20, 44, 57, 70	0

All (55) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	58	SER	5.7
1	A	72	ASP	5.4
1	A	77	VAL	5.0
1	A	30	TYR	4.8
1	A	101	CYS	4.7
1	A	62	CYS	4.7
1	A	90	CYS	4.3
1	A	78	ALA	4.3
1	A	102	PHE	4.1
1	A	103	LEU	4.0
1	A	561	ALA	3.9
1	A	50	ALA	3.7
1	A	63	ASP	3.6
1	A	79	THR	3.4
1	A	96	PRO	3.4
1	A	509	PHE	3.0
1	A	59	ALA	3.0
1	A	124	CYS	3.0
1	A	581	ALA	3.0
1	A	435	SER	3.0
1	A	88	ALA	2.9
1	A	92	ALA	2.9
1	A	171	ALA	2.9
1	A	48	GLU	2.9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	94	GLN	2.8
1	A	558	CYS	2.8
1	A	562	ASP	2.8
1	A	11	PHE	2.7
1	A	553	ALA	2.7
1	A	87	MET	2.5
1	A	512	ASP	2.5
2	B	-1	HIS	2.5
1	A	75	CYS	2.5
1	A	43	VAL	2.5
1	A	89	ASP	2.4
1	A	67	HIS	2.4
1	A	369	CYS	2.4
1	A	46	VAL	2.3
1	A	68	THR	2.3
1	A	128	HIS	2.3
1	A	569	ALA	2.3
1	A	56	ASP	2.3
1	A	502	PHE	2.2
1	A	567	CYS	2.2
1	A	568	PHE	2.2
1	A	115	LEU	2.2
1	A	571	GLU	2.2
1	A	551	PHE	2.1
1	A	74	LEU	2.1
1	A	170	GLN	2.1
1	A	8	ALA	2.1
1	A	473	VAL	2.1
2	B	53	ALA	2.1
1	A	555	VAL	2.0
1	A	449	ALA	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	DKA	A	1586	12/12	0.82	0.52	12.74	64,67,69,69	0
3	DKA	A	1588	12/12	0.91	0.24	1.11	37,38,40,40	0
3	DKA	A	1589	12/12	0.87	0.21	0.48	51,53,56,56	0
3	DKA	A	1585	12/12	0.85	0.22	0.43	57,58,61,62	0
3	DKA	A	1587	12/12	0.90	0.20	-0.41	37,41,45,45	0
4	NPS	A	1591	17/17	0.92	0.18	-0.64	54,55,57,58	0
3	DKA	A	1590	12/12	0.83	0.19	-0.89	56,56,57,57	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.