



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 10:51 PM GMT

PDB ID : 1VG8
Title : GPPNHP-Bound Rab7
Authors : Rak, A.; Pylypenko, O.; Niculae, A.; Pyatkov, K.; Goody, R.S.; Alexandrov, K.
Deposited on : 2004-04-23
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3190 (1.70-1.70)
Clashscore	102246	3585 (1.70-1.70)
Ramachandran outliers	100387	3527 (1.70-1.70)
Sidechain outliers	100360	3527 (1.70-1.70)
RSRZ outliers	91569	3200 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	207	<div> <div>2%</div> <div>75%</div> <div>13%</div> <div>11%</div> </div>
1	B	207	<div> <div>2%</div> <div>78%</div> <div>9%</div> <div>14%</div> </div>
1	C	207	<div> <div>2%</div> <div>80%</div> <div>6%</div> <div>14%</div> </div>
1	D	207	<div> <div>2%</div> <div>75%</div> <div>12%</div> <div>11%</div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6679 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Ras-related protein Rab-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	184	Total	C	N	O	S	0	2	0
			1488	950	249	283	6			
1	B	179	Total	C	N	O	S	0	1	0
			1438	917	242	272	7			
1	C	178	Total	C	N	O	S	0	2	0
			1434	913	241	274	6			
1	D	184	Total	C	N	O	S	0	1	0
			1481	946	247	282	6			

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Mg	0	0
			1	1		
2	A	1	Total	Mg	0	0
			1	1		
2	D	1	Total	Mg	0	0
			1	1		
2	C	1	Total	Mg	0	0
			1	1		

- Molecule 3 is PHOSPHOAMINOPHOSPHONIC ACID-GUANYLATE ESTER (three-letter code: GNP) (formula: C₁₀H₁₇N₆O₁₃P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			32	10	6	13	3		
3	B	1	Total	C	N	O	P	0	0
			32	10	6	13	3		
3	C	1	Total	C	N	O	P	0	0
			32	10	6	13	3		
3	D	1	Total	C	N	O	P	0	0
			32	10	6	13	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	176	Total	O	0	0
			176	176		
4	B	182	Total	O	0	0
			182	182		
4	C	177	Total	O	0	0
			177	177		
4	D	171	Total	O	0	0
			171	171		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Ras-related protein Rab-7




• Molecule 1: Ras-related protein Rab-7



• Molecule 1: Ras-related protein Rab-7



• Molecule 1: Ras-related protein Rab-7



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	57.06Å 57.07Å 74.31Å 71.73° 71.69° 77.65°	Depositor
Resolution (Å)	19.56 – 1.70 19.56 – 1.70	Depositor EDS
% Data completeness (in resolution range)	96.2 (19.56-1.70) 88.5 (19.56-1.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.04	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.46 (at 1.70Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.198 , 0.224 0.196 , 0.222	Depositor DCC
R_{free} test set	4440 reflections (5.00%)	DCC
Wilson B-factor (Å ²)	22.0	Xtriage
Anisotropy	0.275	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 40.0	EDS
Estimated twinning fraction	0.469 for -k,-h,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 88795 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6679	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 37.03 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 4.5615e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GNP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.82	0/1526	0.84	0/2068
1	B	0.88	0/1469	0.90	2/1988 (0.1%)
1	C	0.87	0/1469	0.90	2/1990 (0.1%)
1	D	0.83	0/1515	0.86	1/2054 (0.0%)
All	All	0.85	0/5979	0.87	5/8100 (0.1%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	2103	ARG	NE-CZ-NH1	7.51	124.06	120.30
1	C	3103	ARG	NE-CZ-NH1	5.49	123.04	120.30
1	B	2103	ARG	NE-CZ-NH2	-5.40	117.60	120.30
1	C	3104	ASP	CB-CG-OD1	5.22	123.00	118.30
1	D	4132	ARG	NE-CZ-NH2	-5.10	117.75	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1488	0	1464	27	0
1	B	1438	0	1425	13	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	1434	0	1411	12	0
1	D	1481	0	1457	22	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	32	0	13	0	0
3	B	32	0	13	1	0
3	C	32	0	13	1	0
3	D	32	0	13	0	0
4	A	176	0	0	6	0
4	B	182	0	0	1	0
4	C	177	0	0	1	0
4	D	171	0	0	0	0
All	All	6679	0	5809	68	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (68) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:2127:ILE:HG21	1:B:2153:GLU:HB3	1.74	0.69
1:A:1051:MET:HE1	1:A:1056:LEU:HB3	1.74	0.69
1:C:3007:VAL:HG22	1:C:3057:VAL:HG12	1.78	0.66
1:D:4038:LYS:HE2	1:D:4039:ALA:N	2.12	0.65
1:B:2013:ILE:HD12	1:B:2025[A]:MET:HE2	1.78	0.65
1:D:4164:GLN:NE2	1:D:4164:GLN:H	1.95	0.64
1:D:4052:VAL:HG21	1:D:4174:LEU:HD22	1.80	0.63
1:A:1097:LYS:HG2	4:A:5481:HOH:O	1.98	0.62
1:C:3127:ILE:HG21	1:C:3153:GLU:HB3	1.80	0.62
1:D:4161:ASN:HA	1:D:4164:GLN:HE21	1.63	0.62
1:A:1056:LEU:H	1:A:1056:LEU:HD23	1.65	0.61
1:C:3055:ARG:HD3	1:C:3174:LEU:HD21	1.81	0.61
1:A:1056:LEU:O	1:A:1056:LEU:HG	2.00	0.61
1:A:1008:LEU:HD21	1:A:1060:GLN:HB2	1.84	0.60
1:D:4109:GLN:HA	1:D:4109:GLN:HE21	1.67	0.59
1:A:1097:LYS:NZ	1:A:1138:ARG:HH22	2.01	0.58
1:A:1116:GLU:OE2	1:D:4104:ASP:OD2	2.23	0.57
1:A:1157:LYS:NZ	4:A:5652:HOH:O	2.37	0.57
1:A:1104:ASP:OD2	1:D:4116:GLU:OE2	2.23	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1007:VAL:HA	4:A:5644:HOH:O	2.05	0.56
1:B:2008:LEU:HD13	4:B:5704:HOH:O	2.05	0.56
1:A:1051:MET:CE	1:A:1056:LEU:HB3	2.35	0.56
1:B:2104:ASP:OD2	1:C:3116:GLU:OE1	2.25	0.55
1:A:1070:PHE:CZ	1:C:3182:LEU:HB3	2.42	0.54
1:B:2116:GLU:OE2	1:C:3104:ASP:OD2	2.25	0.54
1:A:1097:LYS:HZ2	1:A:1138:ARG:HH22	1.56	0.54
1:B:2025[A]:MET:CE	1:B:2063:ASP:HB2	2.41	0.51
1:A:1190:ILE:HG23	1:D:4068:GLU:OE1	2.11	0.51
1:D:4047:THR:HG23	1:D:4058:THR:CG2	2.41	0.50
1:A:1109:GLN:HA	1:A:1109:GLN:HE21	1.76	0.50
1:D:4051:MET:HE1	1:D:4056:LEU:HB2	1.94	0.50
1:A:1079:ARG:NH1	4:A:5669:HOH:O	2.44	0.49
1:D:4047:THR:CG2	1:D:4058:THR:HG23	2.43	0.49
1:D:4052:VAL:HG23	1:D:4052:VAL:O	2.12	0.49
1:B:2013:ILE:HD12	1:B:2025[A]:MET:CE	2.43	0.48
1:A:1050:VAL:HG22	1:A:1051:MET:N	2.28	0.47
1:D:4161:ASN:HA	1:D:4164:GLN:NE2	2.28	0.47
1:A:1175:LYS:HE3	4:A:5082:HOH:O	2.13	0.47
1:D:4047:THR:HG23	1:D:4058:THR:HG23	1.97	0.47
1:D:4127:ILE:HG21	1:D:4153:GLU:HB3	1.96	0.47
1:A:1016:ASP:OD1	1:A:1095:THR:HA	2.15	0.47
1:C:3007:VAL:CG2	1:C:3057:VAL:HG12	2.44	0.46
1:A:1105:GLU:O	1:A:1109:GLN:HG2	2.15	0.46
1:B:2113:ARG:HG3	1:B:2114:ASP:N	2.31	0.46
1:D:4136:THR:O	1:D:4140[B]:GLN:HG3	2.15	0.45
1:A:1113:ARG:HB3	1:A:1113:ARG:CZ	2.45	0.45
1:B:2018:GLY:H	3:B:2400:GNP:HNB3	1.65	0.45
1:D:4016:ASP:OD1	1:D:4095:THR:HA	2.16	0.45
1:C:3052:VAL:O	1:C:3053:ASP:C	2.54	0.45
1:A:1127:ILE:HG21	1:A:1153:GLU:HB3	1.98	0.45
1:A:1097:LYS:NZ	1:A:1138:ARG:NH2	2.63	0.45
1:B:2006:LYS:HD3	1:B:2006:LYS:HA	1.71	0.44
1:B:2025[A]:MET:CE	1:B:2061:ILE:HG22	2.48	0.44
1:A:1167:GLN:HG3	4:A:5697:HOH:O	2.17	0.44
1:B:2053:ASP:O	1:B:2054:ASP:HB2	2.17	0.43
1:D:4105:GLU:OE2	1:D:4109:GLN:HG3	2.19	0.43
1:C:3052:VAL:HG23	1:C:3057:VAL:HG22	2.00	0.43
1:D:4052:VAL:CG2	1:D:4174:LEU:HD22	2.47	0.42
1:B:2146:LYS:HA	1:B:2146:LYS:HD3	1.92	0.42
1:C:3055:ARG:NH1	4:C:5371:HOH:O	2.52	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:3182:LEU:HA	1:C:3182:LEU:HD23	1.88	0.42
1:D:4050:VAL:HG22	1:D:4051:MET:N	2.35	0.41
1:A:1097:LYS:HZ2	1:A:1138:ARG:NH2	2.17	0.41
1:C:3018:GLY:H	3:C:3400:GNP:HNB3	1.69	0.41
1:A:1082:ASP:O	1:A:1119:PRO:HG2	2.21	0.41
1:A:1008:LEU:C	1:A:1008:LEU:HD23	2.42	0.40
1:D:4049:GLU:OE1	1:D:4049:GLU:HA	2.21	0.40
1:D:4149:ILE:HA	1:D:4150:PRO:HD3	1.93	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	184/207 (89%)	179 (97%)	5 (3%)	0	100	100
1	B	178/207 (86%)	171 (96%)	7 (4%)	0	100	100
1	C	178/207 (86%)	173 (97%)	5 (3%)	0	100	100
1	D	183/207 (88%)	179 (98%)	4 (2%)	0	100	100
All	All	723/828 (87%)	702 (97%)	21 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	163/181 (90%)	158 (97%)	5 (3%)	47	25
1	B	157/181 (87%)	156 (99%)	1 (1%)	90	85
1	C	157/181 (87%)	157 (100%)	0	100	100
1	D	162/181 (90%)	157 (97%)	5 (3%)	47	25
All	All	639/724 (88%)	628 (98%)	11 (2%)	70	51

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1056	LEU
1	A	1072	SER
1	A	1132[A]	ARG
1	A	1132[B]	ARG
1	A	1188	GLU
1	B	2034	SER
1	D	4038	LYS
1	D	4051	MET
1	D	4072	SER
1	D	4075	VAL
1	D	4109	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1026	ASN
1	A	1071	GLN
1	A	1109	GLN
1	A	1125	ASN
1	A	1140	GLN
1	A	1148	ASN
1	A	1164	GLN
1	B	2026	ASN
1	B	2109	GLN
1	B	2125	ASN
1	B	2148	ASN
1	C	3026	ASN
1	C	3184	ASN
1	D	4071	GLN
1	D	4094	ASN
1	D	4109	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	4125	ASN
1	D	4164	GLN
1	D	4167	GLN
1	D	4172	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	GNP	A	1400	2	28,34,34	2.81	10 (35%)	33,54,54	2.56	6 (18%)
3	GNP	B	2400	2	28,34,34	2.58	9 (32%)	33,54,54	2.54	8 (24%)
3	GNP	C	3400	2	28,34,34	2.40	8 (28%)	33,54,54	2.51	8 (24%)
3	GNP	D	4400	2	28,34,34	2.72	10 (35%)	33,54,54	2.69	7 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GNP	A	1400	2	-	1/12/38/38	0/3/3/3
3	GNP	B	2400	2	-	1/12/38/38	0/3/3/3
3	GNP	C	3400	2	-	1/12/38/38	0/3/3/3
3	GNP	D	4400	2	-	1/12/38/38	0/3/3/3

All (37) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	2400	GNP	PB-O2B	-4.08	1.45	1.56
3	C	3400	GNP	PB-O2B	-3.75	1.46	1.56
3	D	4400	GNP	PB-O2B	-3.66	1.46	1.56
3	C	3400	GNP	O6-C6	-2.64	1.18	1.24
3	A	1400	GNP	PB-O2B	-2.60	1.49	1.56
3	A	1400	GNP	PG-O2G	-2.41	1.50	1.56
3	B	2400	GNP	PG-O3G	-2.41	1.50	1.56
3	A	1400	GNP	O6-C6	-2.41	1.19	1.24
3	B	2400	GNP	O6-C6	-2.34	1.19	1.24
3	C	3400	GNP	PG-O2G	-2.31	1.50	1.56
3	D	4400	GNP	PG-O2G	-2.25	1.50	1.56
3	D	4400	GNP	O6-C6	-2.15	1.19	1.24
3	C	3400	GNP	PB-N3B	2.45	1.69	1.63
3	D	4400	GNP	C6-C5	2.56	1.46	1.41
3	B	2400	GNP	PB-N3B	2.67	1.70	1.63
3	A	1400	GNP	PB-N3B	2.73	1.70	1.63
3	D	4400	GNP	PB-N3B	2.81	1.70	1.63
3	A	1400	GNP	C6-C5	2.99	1.47	1.41
3	B	2400	GNP	PB-O3A	3.27	1.63	1.59
3	C	3400	GNP	C6-N1	4.13	1.40	1.33
3	A	1400	GNP	C2-N1	4.34	1.43	1.35
3	D	4400	GNP	C6-N1	4.40	1.41	1.33
3	A	1400	GNP	C6-N1	4.41	1.41	1.33
3	B	2400	GNP	PG-N3B	4.43	1.75	1.63
3	C	3400	GNP	PG-N3B	4.43	1.75	1.63
3	D	4400	GNP	C2-N1	4.53	1.43	1.35
3	B	2400	GNP	C6-N1	4.60	1.41	1.33
3	A	1400	GNP	PG-N3B	4.82	1.76	1.63
3	C	3400	GNP	PG-O1G	5.14	1.52	1.46
3	B	2400	GNP	PG-O1G	5.60	1.52	1.46
3	D	4400	GNP	C2-N2	5.67	1.45	1.34
3	D	4400	GNP	PG-N3B	5.85	1.78	1.63
3	C	3400	GNP	C2-N2	5.92	1.46	1.34
3	A	1400	GNP	C2-N2	6.12	1.46	1.34
3	B	2400	GNP	C2-N2	6.45	1.47	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	4400	GNP	PG-O1G	6.53	1.53	1.46
3	A	1400	GNP	PG-O1G	7.97	1.55	1.46

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1400	GNP	C5-C6-N1	-10.21	109.63	123.59
3	D	4400	GNP	C5-C6-N1	-10.19	109.66	123.59
3	B	2400	GNP	C5-C6-N1	-9.49	110.62	123.59
3	C	3400	GNP	C5-C6-N1	-9.14	111.09	123.59
3	C	3400	GNP	O1G-PG-N3B	-7.37	100.59	111.90
3	D	4400	GNP	O1G-PG-N3B	-7.29	100.71	111.90
3	B	2400	GNP	O1G-PG-N3B	-6.84	101.40	111.90
3	A	1400	GNP	O1G-PG-N3B	-5.30	103.77	111.90
3	D	4400	GNP	N2-C2-N1	-3.78	110.93	117.20
3	A	1400	GNP	N2-C2-N1	-3.64	111.17	117.20
3	C	3400	GNP	N2-C2-N1	-3.53	111.35	117.20
3	B	2400	GNP	N2-C2-N1	-3.25	111.81	117.20
3	D	4400	GNP	O1B-PB-N3B	-2.40	108.21	111.90
3	B	2400	GNP	O3A-PB-N3B	-2.36	99.95	106.44
3	B	2400	GNP	C2'-C1'-N9	-2.14	111.02	114.29
3	C	3400	GNP	C2'-C1'-N9	-2.06	111.15	114.29
3	A	1400	GNP	C6-N1-C2	2.53	119.45	115.94
3	C	3400	GNP	O3G-PG-O2G	2.56	115.16	107.58
3	D	4400	GNP	C6-N1-C2	2.63	119.59	115.94
3	C	3400	GNP	C6-N1-C2	2.81	119.84	115.94
3	B	2400	GNP	C6-N1-C2	2.92	119.99	115.94
3	C	3400	GNP	N3-C2-N1	3.09	132.15	127.44
3	B	2400	GNP	N3-C2-N1	3.25	132.40	127.44
3	C	3400	GNP	O2B-PB-O1B	3.75	117.82	110.00
3	D	4400	GNP	N3-C2-N1	3.82	133.26	127.44
3	A	1400	GNP	N3-C2-N1	4.12	133.72	127.44
3	B	2400	GNP	O2B-PB-O1B	4.16	118.69	110.00
3	A	1400	GNP	O2B-PB-O1B	4.38	119.14	110.00
3	D	4400	GNP	O2B-PB-O1B	4.54	119.49	110.00

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	4400	GNP	O1B-PB-N3B-PG
3	A	1400	GNP	O1B-PB-N3B-PG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	C	3400	GNP	O1B-PB-N3B-PG
3	B	2400	GNP	O1B-PB-N3B-PG

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	2400	GNP	1	0
3	C	3400	GNP	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	184/207 (88%)	-0.17	3 (1%) 74 79	14, 26, 42, 49	0
1	B	179/207 (86%)	-0.15	3 (1%) 73 77	14, 23, 45, 51	0
1	C	178/207 (85%)	-0.14	3 (1%) 73 77	14, 24, 43, 51	0
1	D	184/207 (88%)	-0.15	4 (2%) 65 70	15, 25, 41, 49	0
All	All	725/828 (87%)	-0.15	13 (1%) 71 76	14, 24, 43, 51	0

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	3183	TYR	5.5
1	A	1056	LEU	5.1
1	D	4190	ILE	4.6
1	C	3056	LEU	4.5
1	B	2184	ASN	3.5
1	B	2056	LEU	3.5
1	B	2183	TYR	3.5
1	A	1189	PRO	3.3
1	A	1190	ILE	3.1
1	D	4189	PRO	2.4
1	D	4007	VAL	2.1
1	C	3052	VAL	2.1
1	D	4183	TYR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	MG	D	4401	1/1	0.99	0.07	0.11	15,15,15,15	0
3	GNP	A	1400	32/32	0.98	0.07	-0.12	13,20,24,24	0
3	GNP	D	4400	32/32	0.98	0.07	-0.29	13,19,23,24	0
3	GNP	B	2400	32/32	0.99	0.07	-0.40	13,18,21,24	0
3	GNP	C	3400	32/32	0.99	0.06	-0.70	13,19,21,25	0
2	MG	B	2401	1/1	0.99	0.05	-1.15	15,15,15,15	0
2	MG	A	1401	1/1	0.99	0.05	-1.16	16,16,16,16	0
2	MG	C	3401	1/1	1.00	0.03	-2.50	16,16,16,16	0

6.5 Other polymers [i](#)

There are no such residues in this entry.