



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 01:57 PM GMT

PDB ID : 3VLH
Title : Crystal Structure Analysis of the Arg409Leu Variants of KatG from HALOAR-CULA MARISMORTUI
Authors : Sato, T.; Higuchi, W.; Yoshimatsu, K.; Fujiwara, T.
Deposited on : 2011-12-01
Resolution : 1.73 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.73 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2417 (1.76-1.72)
Clashscore	102246	2570 (1.76-1.72)
Ramachandran outliers	100387	2544 (1.76-1.72)
Sidechain outliers	100360	2544 (1.76-1.72)
RSRZ outliers	91569	2420 (1.76-1.72)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	737	<div> <div>10%</div> <div> <div></div> <div>80%</div> <div>15%</div> <div>• •</div> </div> </div>
1	B	737	<div> <div>10%</div> <div> <div></div> <div>80%</div> <div>15%</div> <div>• •</div> </div> </div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 11601 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Catalase-peroxidase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	710	Total	C	N	O	S	0	0	0
			5590	3497	936	1138	19			
1	B	714	Total	C	N	O	S	0	0	0
			5617	3512	942	1144	19			

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	409	LEU	ARG	ENGINEERED MUTATION	UNP O59651
A	732	HIS	-	EXPRESSION TAG	UNP O59651
A	733	HIS	-	EXPRESSION TAG	UNP O59651
A	734	HIS	-	EXPRESSION TAG	UNP O59651
A	735	HIS	-	EXPRESSION TAG	UNP O59651
A	736	HIS	-	EXPRESSION TAG	UNP O59651
A	737	HIS	-	EXPRESSION TAG	UNP O59651
B	409	LEU	ARG	ENGINEERED MUTATION	UNP O59651
B	732	HIS	-	EXPRESSION TAG	UNP O59651
B	733	HIS	-	EXPRESSION TAG	UNP O59651
B	734	HIS	-	EXPRESSION TAG	UNP O59651
B	735	HIS	-	EXPRESSION TAG	UNP O59651
B	736	HIS	-	EXPRESSION TAG	UNP O59651
B	737	HIS	-	EXPRESSION TAG	UNP O59651

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: C₃₄H₃₂FeN₄O₄).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	112	Total	O	0	0
			112	112		
3	B	196	Total	O	0	0
			196	196		


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Catalase-peroxidase 2



• Molecule 1: Catalase-peroxidase 2





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	317.15Å 81.86Å 75.56Å 90.00° 99.98° 90.00°	Depositor
Resolution (Å)	37.07 – 1.73 37.07 – 1.73	Depositor EDS
% Data completeness (in resolution range)	98.5 (37.07-1.73) 98.7 (37.07-1.73)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.57 (at 1.73Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.249 , 0.268 0.246 , 0.266	Depositor DCC
R_{free} test set	9624 reflections (5.17%)	DCC
Wilson B-factor (Å ²)	25.8	Xtriage
Anisotropy	0.310	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 41.4	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 195739 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	11601	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.64% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.32	0/5725	0.57	0/7779
1	B	0.29	0/5753	0.54	0/7817
All	All	0.30	0/11478	0.56	0/15596

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5590	0	5235	106	0
1	B	5617	0	5263	100	0
2	A	43	0	30	2	0
2	B	43	0	30	0	0
3	A	112	0	0	0	0
3	B	196	0	0	0	0
All	All	11601	0	10558	204	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (204) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:95:TRP:CH2	1:A:218:TYR:HE1	1.06	1.68
1:A:95:TRP:HH2	1:A:218:TYR:CE1	1.10	1.65
1:B:95:TRP:HH2	1:B:218:TYR:CE2	1.15	1.64
1:B:95:TRP:CH2	1:B:218:TYR:HE2	1.16	1.60
1:A:95:TRP:CH2	1:A:218:TYR:CE1	1.91	1.29
1:B:95:TRP:CH2	1:B:218:TYR:CE2	1.98	1.26
1:B:35:ILE:HD11	1:B:601:VAL:HG12	1.36	1.04
1:A:95:TRP:CZ3	1:A:218:TYR:HE1	1.89	0.89
1:A:95:TRP:HH2	1:A:218:TYR:CD1	1.89	0.89
1:B:565:GLY:H	1:B:568:HIS:HD2	1.20	0.86
1:A:565:GLY:H	1:A:568:HIS:HD2	1.22	0.86
1:A:95:TRP:CH2	1:A:218:TYR:CD1	2.64	0.85
1:B:594:ARG:HE	1:B:594:ARG:H	1.23	0.85
1:B:692:ASN:HD22	1:B:695:LEU:H	1.22	0.84
1:B:593:THR:H	1:B:594:ARG:HH21	1.26	0.82
1:A:692:ASN:HD22	1:A:695:LEU:H	1.28	0.81
1:B:588:ILE:HD11	1:B:685:ILE:HD11	1.60	0.81
1:B:688:ILE:HD12	1:B:695:LEU:HD12	1.61	0.80
1:B:313:GLN:HA	1:B:354:VAL:HG22	1.62	0.80
1:A:91:ILE:HD11	1:A:161:ILE:HG13	1.65	0.79
1:B:555:ILE:HD12	1:B:716:VAL:HG13	1.64	0.79
1:A:35:ILE:HD11	1:A:601:VAL:HG12	1.62	0.78
1:A:326:LEU:HB2	1:A:368:MET:HE2	1.64	0.78
1:A:397:MET:HA	1:A:397:MET:HE2	1.66	0.77
1:B:610:THR:HG23	1:B:613:GLU:H	1.52	0.75
1:A:665:GLU:H	1:A:667:ARG:HH21	1.33	0.74
1:A:326:LEU:HD13	1:A:368:MET:CE	2.18	0.74
1:A:124:PRO:HG3	1:A:194:GLU:HG3	1.71	0.73
1:B:323:ILE:HD12	1:B:323:ILE:H	1.54	0.73
1:A:41:ARG:H	1:A:41:ARG:HD3	1.54	0.72
1:A:326:LEU:HD13	1:A:368:MET:HE2	1.72	0.72
1:B:519:ASN:HD21	1:B:528:VAL:H	1.37	0.71
1:B:558:GLU:HG3	1:B:730:LEU:HD11	1.73	0.70
1:B:78:TRP:HZ3	1:B:131:LYS:HG3	1.57	0.70
1:B:452:GLU:HG3	1:B:514:ILE:HD12	1.74	0.69
1:A:19:ARG:N	1:A:19:ARG:HD3	2.07	0.69
1:A:594:ARG:H	1:A:594:ARG:HE	1.38	0.69
1:A:519:ASN:HD21	1:A:528:VAL:H	1.41	0.68
1:B:154:ILE:HD12	1:B:175:ARG:NE	2.09	0.68
1:A:91:ILE:CD1	1:A:161:ILE:HG13	2.23	0.67
1:A:589:GLN:O	1:A:592:ILE:HD12	1.94	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:95:TRP:CZ2	1:B:218:TYR:CE2	2.77	0.66
1:B:688:ILE:HD13	1:B:688:ILE:O	1.95	0.66
1:B:154:ILE:HD12	1:B:175:ARG:CZ	2.26	0.65
1:B:199:PHE:HB3	1:B:205:ILE:HD13	1.78	0.65
1:B:571:ALA:HB3	1:B:572:PRO:HD3	1.79	0.64
1:B:19:ARG:H	1:B:19:ARG:HD2	1.62	0.64
1:A:593:THR:H	1:A:594:ARG:HH21	1.44	0.64
1:A:397:MET:HA	1:A:397:MET:CE	2.27	0.64
1:B:665:GLU:H	1:B:667:ARG:NH2	1.95	0.64
1:A:313:GLN:HA	1:A:354:VAL:HG22	1.80	0.64
1:A:502:GLU:H	1:A:502:GLU:CD	2.01	0.64
1:A:299:GLY:N	1:A:359:ASP:HB2	2.13	0.63
1:B:588:ILE:HD11	1:B:685:ILE:CD1	2.29	0.63
1:A:308:GLU:H	1:A:342:GLN:HE22	1.47	0.62
1:A:189:PRO:HB3	1:B:18:LYS:HG3	1.82	0.62
1:B:124:PRO:HG3	1:B:194:GLU:HG3	1.81	0.62
1:B:95:TRP:CH2	1:B:218:TYR:CD2	2.81	0.61
1:A:664:SER:HB2	1:A:667:ARG:HB2	1.82	0.61
1:B:688:ILE:CD1	1:B:695:LEU:HD12	2.29	0.61
1:B:332:GLU:HG2	1:B:346:LYS:HE2	1.83	0.61
1:A:594:ARG:NE	1:A:594:ARG:H	1.98	0.60
1:B:406:LEU:O	1:B:409:LEU:HD22	2.01	0.60
1:B:502:GLU:H	1:B:502:GLU:CD	2.04	0.60
1:B:610:THR:HG22	1:B:613:GLU:CG	2.32	0.59
1:B:323:ILE:HD12	1:B:323:ILE:N	2.17	0.59
1:A:584:VAL:HG13	1:A:621:MET:HG2	1.84	0.59
1:A:333:PRO:HD3	1:A:343:TRP:CZ3	2.36	0.59
1:B:584:VAL:HG13	1:B:621:MET:HG2	1.85	0.59
1:A:326:LEU:CB	1:A:368:MET:HE2	2.33	0.58
1:A:19:ARG:H	1:A:19:ARG:HD3	1.68	0.58
1:A:511:LEU:CD1	1:A:534:ILE:HD13	2.34	0.58
1:B:332:GLU:CG	1:B:346:LYS:HE2	2.34	0.57
1:B:610:THR:HG22	1:B:613:GLU:HG3	1.85	0.57
1:A:368:MET:CE	1:A:372:ASP:HB3	2.34	0.57
1:B:352:ASN:O	1:B:363:LYS:HE3	2.05	0.56
1:A:593:THR:H	1:A:594:ARG:NH2	2.03	0.56
1:A:49:ASP:CG	1:A:50:PHE:H	2.09	0.56
1:A:565:GLY:H	1:A:568:HIS:CD2	2.12	0.56
1:A:452:GLU:HG3	1:A:514:ILE:HD12	1.88	0.56
1:A:307:ILE:HG22	1:A:367:MET:HE3	1.87	0.55
1:A:307:ILE:CG2	1:A:367:MET:HE3	2.36	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:67:ASP:HB3	1:B:139:ILE:HD11	1.88	0.55
1:B:336:GLY:HA3	1:B:342:GLN:NE2	2.21	0.55
1:B:332:GLU:HG3	1:B:346:LYS:HG2	1.87	0.55
1:A:406:LEU:O	1:A:409:LEU:HD22	2.07	0.55
1:B:696:ARG:O	1:B:700:GLU:HG3	2.06	0.55
1:A:41:ARG:N	1:A:41:ARG:HD3	2.22	0.54
1:A:449:LEU:O	1:A:453:ILE:HG12	2.07	0.54
1:A:508:LEU:O	1:A:512:GLU:HG3	2.07	0.54
1:B:508:LEU:O	1:B:512:GLU:HG3	2.08	0.54
1:B:67:ASP:HB3	1:B:139:ILE:CD1	2.38	0.54
1:A:496:TRP:CD1	1:A:578:LYS:HE2	2.42	0.53
1:A:31:LEU:HB3	1:A:33:LEU:CD1	2.37	0.53
1:B:19:ARG:HD2	1:B:19:ARG:N	2.22	0.53
1:A:342:GLN:HB2	1:A:367:MET:HE1	1.90	0.53
1:B:41:ARG:N	1:B:41:ARG:HD3	2.24	0.53
1:A:326:LEU:HD13	1:A:368:MET:HE3	1.91	0.52
1:A:666:HIS:O	1:A:683:THR:HA	2.10	0.52
1:A:368:MET:HE3	1:A:372:ASP:HB3	1.90	0.52
1:B:581:VAL:HG13	1:B:588:ILE:CD1	2.40	0.52
1:A:665:GLU:H	1:A:667:ARG:NH2	2.04	0.52
1:B:199:PHE:CB	1:B:205:ILE:HD13	2.40	0.52
1:A:530:LEU:O	1:A:534:ILE:HG12	2.10	0.52
1:B:565:GLY:H	1:B:568:HIS:CD2	2.12	0.51
1:B:442:GLY:O	1:B:446:ILE:HG13	2.10	0.51
1:B:692:ASN:ND2	1:B:695:LEU:H	2.02	0.51
1:A:313:GLN:HG3	1:A:353:SER:O	2.09	0.51
1:A:724:LYS:NZ	1:A:724:LYS:HB2	2.25	0.51
1:B:95:TRP:CZ2	1:B:218:TYR:CD2	2.98	0.51
1:B:610:THR:CG2	1:B:613:GLU:HG3	2.41	0.51
1:A:633:LEU:HD23	1:A:681:GLU:HG3	1.93	0.50
1:B:580:LYS:HE3	1:B:594:ARG:HH12	1.76	0.50
1:B:323:ILE:H	1:B:323:ILE:CD1	2.22	0.50
1:B:78:TRP:CZ3	1:B:131:LYS:HG3	2.44	0.50
1:B:688:ILE:HD12	1:B:695:LEU:CD1	2.36	0.50
1:A:82:ASP:OD2	1:A:358:HIS:HE1	1.95	0.49
1:B:449:LEU:O	1:B:453:ILE:HG13	2.12	0.49
1:B:176:GLU:H	1:B:176:GLU:CD	2.15	0.49
1:A:95:TRP:CZ2	1:A:218:TYR:CE1	2.85	0.49
1:A:326:LEU:HB2	1:A:368:MET:CE	2.37	0.49
1:A:442:GLY:O	1:A:446:ILE:HG13	2.13	0.49
1:B:581:VAL:HG13	1:B:588:ILE:HD13	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:610:THR:CG2	1:B:613:GLU:H	2.22	0.49
1:B:154:ILE:HD13	1:B:407:THR:HB	1.94	0.49
1:A:96:HIS:HD2	1:A:126:ASN:OD1	1.96	0.49
1:A:213:VAL:HB	1:A:216:LEU:HD12	1.95	0.49
1:A:33:LEU:HD12	1:A:33:LEU:N	2.28	0.48
1:A:95:TRP:CZ2	1:A:218:TYR:CD1	3.00	0.48
1:A:645:ASN:HA	1:A:711:LEU:HD23	1.94	0.48
1:B:213:VAL:HB	1:B:216:LEU:HD12	1.95	0.48
1:B:82:ASP:OD2	1:B:358:HIS:HE1	1.97	0.48
1:B:329:TYR:O	1:B:376:LYS:NZ	2.47	0.48
1:B:333:PRO:HD3	1:B:343:TRP:CZ3	2.49	0.48
1:B:594:ARG:NE	1:B:594:ARG:H	2.01	0.48
1:B:31:LEU:HD12	1:B:688:ILE:HD11	1.96	0.48
1:B:413:PRO:HB2	1:B:415:GLU:OE1	2.13	0.48
1:B:671:LEU:HD23	1:B:678:VAL:HA	1.96	0.48
1:B:128:ASN:HA	1:B:130:ASP:OD2	2.14	0.48
1:B:96:HIS:HD2	1:B:126:ASN:OD1	1.97	0.47
1:A:645:ASN:CB	1:A:711:LEU:HD23	2.45	0.47
1:A:571:ALA:HB3	1:A:572:PRO:HD3	1.96	0.47
1:A:95:TRP:CZ3	1:A:218:TYR:CE1	2.79	0.47
1:A:21:LYS:HD3	1:A:26:TRP:CE2	2.49	0.47
1:B:475:ARG:HB2	1:B:606:LEU:HD22	1.97	0.47
1:A:82:ASP:OD2	1:A:358:HIS:CE1	2.68	0.46
1:B:205:ILE:HG12	1:B:239:GLN:OE1	2.16	0.46
1:B:332:GLU:HG3	1:B:346:LYS:CG	2.45	0.46
1:A:326:LEU:CD1	1:A:368:MET:HE2	2.43	0.46
1:B:79:TRP:CZ2	1:B:302:MET:HE3	2.51	0.46
1:A:342:GLN:HB2	1:A:367:MET:CE	2.45	0.45
1:B:671:LEU:CD2	1:B:678:VAL:HG22	2.47	0.45
1:A:67:ASP:HB3	1:A:139:ILE:CD1	2.47	0.45
1:B:664:SER:HB3	1:B:667:ARG:HB2	1.99	0.45
1:A:335:LYS:HE3	1:A:341:TRP:CE2	2.52	0.44
1:A:41:ARG:HD2	1:B:41:ARG:HD2	2.00	0.44
1:A:49:ASP:CG	1:A:50:PHE:N	2.70	0.44
1:A:592:ILE:N	1:A:592:ILE:HD13	2.33	0.44
1:A:594:ARG:N	1:A:594:ARG:HE	2.13	0.44
1:A:696:ARG:O	1:A:700:GLU:HG3	2.18	0.44
1:A:450:LYS:HG2	1:A:536:LEU:HG	2.00	0.44
1:B:68:LEU:O	1:B:72:MET:HG2	2.17	0.44
1:B:264:VAL:HG11	1:B:369:LEU:HD21	2.00	0.44
1:B:367:MET:HE3	1:B:369:LEU:HD23	2.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:358:HIS:O	1:A:360:PRO:HD3	2.18	0.43
1:B:335:LYS:HE3	1:B:341:TRP:CE2	2.52	0.43
1:A:578:LYS:HA	1:A:579:PRO:HD3	1.87	0.43
1:B:438:TYR:CG	1:B:527:GLN:HB2	2.52	0.43
1:B:644:THR:HB	1:B:708:GLU:OE1	2.18	0.43
1:B:124:PRO:HG3	1:B:194:GLU:CG	2.46	0.43
1:A:331:TRP:CZ3	1:A:345:PRO:HD3	2.52	0.43
1:B:510:THR:O	1:B:514:ILE:HG12	2.19	0.43
1:A:405:LYS:HA	1:A:429:TRP:CZ2	2.54	0.43
1:A:269:ASP:HB3	1:A:272:GLU:OE1	2.19	0.43
1:B:638:ASP:OD2	1:B:639:GLU:HG3	2.18	0.43
1:A:645:ASN:CA	1:A:711:LEU:HD23	2.49	0.42
1:A:128:ASN:HA	1:A:130:ASP:OD2	2.19	0.42
1:A:475:ARG:HB2	1:A:606:LEU:HD22	1.99	0.42
1:A:241:PHE:HE1	2:A:800:HEM:HBB1	1.83	0.42
1:A:379:PRO:O	1:A:383:GLU:HG3	2.18	0.42
1:B:256:ALA:HA	1:B:322:TYR:CE2	2.54	0.42
1:A:665:GLU:N	1:A:667:ARG:HH21	2.09	0.42
1:A:645:ASN:HA	1:A:711:LEU:CD2	2.50	0.42
1:A:570:ASP:OD1	1:A:572:PRO:HD2	2.19	0.42
1:B:555:ILE:CD1	1:B:716:VAL:HG13	2.41	0.42
1:B:264:VAL:HG22	1:B:309:GLY:O	2.20	0.42
1:A:249:LYS:NZ	1:A:249:LYS:HB3	2.35	0.41
1:B:122:SER:HB3	1:B:277:GLU:HG3	2.02	0.41
1:B:19:ARG:C	1:B:21:LYS:H	2.24	0.41
1:B:201:GLU:HA	1:B:201:GLU:OE1	2.21	0.41
1:A:438:TYR:CG	1:A:527:GLN:HB2	2.55	0.41
1:A:452:GLU:CG	1:A:514:ILE:HD12	2.51	0.41
1:B:664:SER:CB	1:B:667:ARG:HB2	2.50	0.41
1:A:19:ARG:HB2	1:A:20:PRO:HD2	2.03	0.41
1:A:593:THR:N	1:A:594:ARG:HH21	2.16	0.41
1:A:511:LEU:HD12	1:A:534:ILE:HD13	2.01	0.41
1:A:137:LEU:HB3	1:A:138:PRO:HD3	2.02	0.41
1:B:190:GLU:CD	1:B:190:GLU:H	2.25	0.41
1:A:414:PRO:HD3	1:A:430:GLN:HB3	2.01	0.41
1:A:409:LEU:H	1:A:409:LEU:CD2	2.34	0.40
1:A:451:GLU:HG2	1:A:455:ASP:OD2	2.21	0.40
1:A:254:LEU:O	2:A:800:HEM:HBC2	2.22	0.40
1:B:543:GLU:HG3	1:B:555:ILE:HG12	2.03	0.40
1:B:66:SER:O	1:B:70:GLU:HG3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	706/737 (96%)	688 (98%)	18 (2%)	0	100	100
1	B	712/737 (97%)	690 (97%)	21 (3%)	1 (0%)	56	36
All	All	1418/1474 (96%)	1378 (97%)	39 (3%)	1 (0%)	56	36

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	21	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	587/608 (96%)	573 (98%)	14 (2%)	57	31
1	B	590/608 (97%)	573 (97%)	17 (3%)	50	23
All	All	1177/1216 (97%)	1146 (97%)	31 (3%)	54	28

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	ARG
1	A	41	ARG
1	A	57	GLN
1	A	69	GLU
1	A	102	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	125	ASP
1	A	131	LYS
1	A	176	GLU
1	A	335	LYS
1	A	409	LEU
1	A	586	ASN
1	A	589	GLN
1	A	592	ILE
1	A	594	ARG
1	B	19	ARG
1	B	31	LEU
1	B	41	ARG
1	B	57	GLN
1	B	69	GLU
1	B	102	ARG
1	B	125	ASP
1	B	176	GLU
1	B	302	MET
1	B	335	LYS
1	B	409	LEU
1	B	445	GLU
1	B	517	GLU
1	B	554	GLU
1	B	586	ASN
1	B	594	ARG
1	B	688	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (30) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	24	GLN
1	A	96	HIS
1	A	206	GLN
1	A	285	GLN
1	A	286	GLN
1	A	294	ASN
1	A	313	GLN
1	A	342	GLN
1	A	358	HIS
1	A	515	GLN
1	A	519	ASN
1	A	568	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	586	ASN
1	A	608	ASN
1	A	692	ASN
1	B	24	GLN
1	B	96	HIS
1	B	206	GLN
1	B	285	GLN
1	B	286	GLN
1	B	342	GLN
1	B	358	HIS
1	B	513	ASN
1	B	515	GLN
1	B	519	ASN
1	B	544	GLN
1	B	568	HIS
1	B	586	ASN
1	B	608	ASN
1	B	692	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	HEM	A	800	1	30,50,50	2.65	9 (30%)	24,82,82	4.82	19 (79%)
2	HEM	B	800	1	30,50,50	2.77	10 (33%)	24,82,82	7.13	19 (79%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	800	1	-	0/10/54/54	0/0/8/8
2	HEM	B	800	1	-	0/10/54/54	0/0/8/8

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	800	HEM	C3B-C4B	-7.12	1.45	1.51
2	B	800	HEM	C3B-C4B	-6.84	1.45	1.51
2	A	800	HEM	C2D-C3D	-6.17	1.36	1.54
2	B	800	HEM	C2D-C3D	-6.15	1.36	1.54
2	B	800	HEM	C2C-C1C	-3.96	1.45	1.52
2	B	800	HEM	C3D-C4D	-3.74	1.46	1.51
2	A	800	HEM	C2C-C1C	-3.69	1.45	1.52
2	A	800	HEM	C3D-C4D	-3.66	1.46	1.51
2	B	800	HEM	C2B-C1B	-2.14	1.44	1.51
2	A	800	HEM	FE-NB	2.30	2.09	1.97
2	B	800	HEM	FE-NB	2.52	2.10	1.97
2	A	800	HEM	FE-NC	3.56	2.09	1.95
2	B	800	HEM	C1C-NC	3.68	1.40	1.36
2	A	800	HEM	C1C-NC	4.01	1.41	1.36
2	A	800	HEM	CBC-CAC	4.47	1.55	1.29
2	B	800	HEM	CBB-CAB	4.48	1.55	1.29
2	A	800	HEM	CBB-CAB	4.57	1.55	1.29
2	B	800	HEM	CBC-CAC	4.59	1.55	1.29
2	B	800	HEM	FE-NC	5.86	2.18	1.95

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	800	HEM	CAA-C2A-C1A	-9.41	116.79	127.01

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	800	HEM	CHC-C4B-NB	-6.86	108.00	124.52
2	A	800	HEM	CMA-C3A-C4A	-6.46	117.68	128.36
2	B	800	HEM	CAA-CBA-CGA	-6.05	101.65	112.75
2	A	800	HEM	CAA-CBA-CGA	-5.99	101.77	112.75
2	A	800	HEM	C3B-CAB-CBB	-5.38	116.21	124.46
2	B	800	HEM	CHD-C1D-ND	-5.22	111.96	124.52
2	A	800	HEM	CHC-C4B-NB	-5.16	112.10	124.52
2	A	800	HEM	CHD-C1D-ND	-4.99	112.51	124.52
2	B	800	HEM	CMA-C3A-C4A	-3.33	122.86	128.36
2	A	800	HEM	C3C-CAC-CBC	-3.03	119.81	124.46
2	A	800	HEM	CAA-C2A-C1A	-2.74	124.04	127.01
2	B	800	HEM	C3B-C4B-NB	-2.66	106.54	111.63
2	A	800	HEM	CBA-CAA-C2A	2.25	116.56	112.53
2	B	800	HEM	CMD-C2D-C3D	2.38	124.86	114.35
2	B	800	HEM	CAA-C2A-C3A	2.40	135.85	129.00
2	B	800	HEM	CMA-C3A-C2A	2.42	130.30	125.24
2	A	800	HEM	C2C-C1C-CHC	2.80	127.94	123.68
2	B	800	HEM	C3B-CAB-CBB	2.93	128.94	124.46
2	A	800	HEM	C3B-C4B-CHC	3.46	128.03	123.16
2	A	800	HEM	CMD-C2D-C3D	3.47	129.72	114.35
2	A	800	HEM	C3B-C4B-NB	3.70	118.71	111.63
2	B	800	HEM	C3C-CAC-CBC	3.73	130.18	124.46
2	B	800	HEM	C2D-C3D-C4D	4.49	109.11	101.50
2	A	800	HEM	CMA-C3A-C2A	4.57	134.80	125.24
2	A	800	HEM	CAD-C3D-C2D	5.10	127.87	113.22
2	A	800	HEM	CMB-C2B-C3B	5.95	131.39	116.53
2	A	800	HEM	CMC-C2C-C3C	6.34	132.36	116.53
2	A	800	HEM	C2D-C3D-C4D	6.40	112.35	101.50
2	B	800	HEM	CAD-C3D-C2D	7.31	134.23	113.22
2	B	800	HEM	CMB-C2B-C3B	7.49	135.23	116.53
2	A	800	HEM	C4B-CHC-C1C	7.94	139.09	125.82
2	B	800	HEM	CMC-C2C-C3C	8.00	136.50	116.53
2	B	800	HEM	C2C-C1C-CHC	9.29	137.81	123.68
2	A	800	HEM	C1D-CHD-C4C	9.93	142.43	125.82
2	B	800	HEM	C1D-CHD-C4C	12.01	145.89	125.82
2	B	800	HEM	C3B-C4B-CHC	15.52	145.01	123.16
2	B	800	HEM	C4B-CHC-C1C	17.13	154.46	125.82

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	800	HEM	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	710/737 (96%)	0.74	71 (10%) 9 11	16, 25, 50, 72	0
1	B	714/737 (96%)	0.83	77 (10%) 8 9	21, 31, 49, 71	0
All	All	1424/1474 (96%)	0.79	148 (10%) 8 10	16, 29, 49, 72	0

All (148) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	50	PHE	15.5
1	A	300	GLY	15.4
1	A	730	LEU	14.5
1	B	50	PHE	12.6
1	B	20	PRO	8.5
1	B	730	LEU	8.1
1	A	18	LYS	7.9
1	B	48	ASP	7.3
1	B	49	ASP	7.3
1	A	19	ARG	7.1
1	A	729	ASP	7.1
1	B	18	LYS	7.0
1	B	729	ASP	7.0
1	B	19	ARG	7.0
1	A	49	ASP	6.8
1	A	523	SER	6.7
1	A	299	GLY	6.5
1	A	663	ASP	6.0
1	A	525	GLY	6.0
1	A	524	ASP	5.9
1	A	591	ASP	5.9
1	A	48	ASP	5.6
1	A	348	GLU	5.5
1	B	200	ASP	5.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	20	PRO	5.2
1	A	731	GLU	5.1
1	B	437	ASP	5.1
1	B	191	ASP	4.9
1	B	591	ASP	4.7
1	B	590	ASP	4.6
1	B	43	VAL	4.5
1	B	361	ASP	4.4
1	A	590	ASP	4.3
1	A	664	SER	4.3
1	A	522	ARG	4.3
1	B	731	GLU	4.1
1	B	663	ASP	4.1
1	A	360	PRO	4.0
1	B	349	GLU	4.0
1	B	409	LEU	4.0
1	A	191	ASP	3.8
1	B	47	GLU	3.8
1	A	526	THR	3.8
1	A	47	GLU	3.7
1	B	295	GLY	3.6
1	A	349	GLU	3.6
1	A	455	ASP	3.6
1	A	706	ASP	3.6
1	A	521	SER	3.6
1	B	204	GLU	3.6
1	B	638	ASP	3.6
1	B	254	LEU	3.5
1	B	665	GLU	3.5
1	B	95	TRP	3.4
1	A	91	ILE	3.4
1	B	294	ASN	3.4
1	B	54	GLU	3.4
1	A	361	ASP	3.4
1	B	383	GLU	3.3
1	B	298	LYS	3.3
1	A	437	ASP	3.3
1	B	359	ASP	3.2
1	A	444	GLU	3.1
1	B	301	GLU	3.1
1	B	662	ALA	3.1
1	B	91	ILE	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	517	GLU	3.1
1	B	360	PRO	3.1
1	A	593	THR	3.0
1	B	348	GLU	3.0
1	A	665	GLU	3.0
1	A	457	ASP	3.0
1	B	69	GLU	3.0
1	A	514	ILE	3.0
1	A	362	GLU	2.9
1	A	129	LEU	2.9
1	B	440	LEU	2.9
1	A	390	GLU	2.9
1	B	379	PRO	2.9
1	A	95	TRP	2.9
1	B	727	ARG	2.9
1	A	662	ALA	2.9
1	B	347	SER	2.9
1	A	41	ARG	2.9
1	A	42	ASP	2.8
1	B	94	ALA	2.8
1	B	42	ASP	2.8
1	B	706	ASP	2.7
1	A	688	ILE	2.7
1	B	332	GLU	2.7
1	A	272	GLU	2.7
1	B	558	GLU	2.7
1	B	351	LYS	2.7
1	A	369	LEU	2.6
1	B	341	TRP	2.6
1	A	520	ASP	2.6
1	B	436	ALA	2.6
1	B	362	GLU	2.6
1	B	457	ASP	2.6
1	B	523	SER	2.6
1	B	21	LYS	2.5
1	A	451	GLU	2.5
1	A	94	ALA	2.5
1	A	674	ASP	2.5
1	B	41	ARG	2.5
1	B	255	ILE	2.5
1	B	129	LEU	2.5
1	A	24	GLN	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	727	ARG	2.4
1	A	154	ILE	2.4
1	B	455	ASP	2.4
1	A	592	ILE	2.4
1	A	54	GLU	2.4
1	A	468	TRP	2.4
1	B	97	SER	2.4
1	B	444	GLU	2.3
1	A	271	GLU	2.3
1	B	51	ASP	2.3
1	B	505	GLU	2.3
1	A	439	ASP	2.3
1	A	255	ILE	2.3
1	B	201	GLU	2.3
1	B	524	ASP	2.3
1	B	25	ASP	2.3
1	A	293	LYS	2.3
1	B	93	MET	2.3
1	A	454	LEU	2.2
1	A	577	LEU	2.2
1	B	664	SER	2.2
1	A	176	GLU	2.2
1	A	301	GLU	2.2
1	A	409	LEU	2.2
1	A	34	GLU	2.2
1	B	24	GLN	2.2
1	B	468	TRP	2.1
1	B	639	GLU	2.1
1	B	667	ARG	2.1
1	B	600	LEU	2.1
1	B	206	GLN	2.1
1	A	639	GLU	2.1
1	B	554	GLU	2.1
1	B	666	HIS	2.1
1	A	351	LYS	2.1
1	B	154	ILE	2.1
1	A	666	HIS	2.0
1	B	205	ILE	2.0
1	B	46	VAL	2.0
1	A	25	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	HEM	B	800	43/43	0.97	0.15	0.27	23,27,29,30	0
2	HEM	A	800	43/43	0.98	0.13	-0.02	15,19,23,32	0

6.5 Other polymers [i](#)

There are no such residues in this entry.