



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:01 AM GMT

PDB ID : 2VO5
Title : STRUCTURAL AND BIOCHEMICAL EVIDENCE FOR A BOAT-LIKE
TRANSITION STATE IN BETA-MANNOSIDASES
Authors : Tailford, L.E.; Offen, W.A.; Smith, N.L.; Dumon, C.; Moreland, C.; Gratien,
J.; Heck, M.P.; Stick, R.V.; Bleriot, Y.; Vasella, A.; Gilbert, H.J.; Davies, G.J.
Deposited on : 2008-02-08
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3852 (2.30-2.30)
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)
RSRZ outliers	91569	3857 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	846	<div> <div></div> <div>85% 13% ..</div> </div>
1	B	846	<div> <div></div> <div>86% 13% ..</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	EDO	A	1868	-	-	-	X
3	EDO	A	1871	-	-	-	X
3	EDO	A	1873	-	-	X	-
3	EDO	A	1879	-	-	-	X
3	EDO	A	1883	-	-	-	X
3	EDO	B	1872	-	-	-	X
3	EDO	B	1874	-	-	-	X
3	EDO	B	1876	-	-	-	X
3	EDO	B	1877	-	-	-	X
3	EDO	B	1880	-	-	-	X
3	EDO	B	1882	-	-	-	X
3	EDO	B	1883	-	-	-	X
3	EDO	B	1890	-	-	-	X
3	EDO	B	1892	-	-	-	X

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 14826 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called BETA-MANNOSIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	833	Total	C	N	O	S	0	13	0
			6816	4375	1143	1265	33			
1	B	841	Total	C	N	O	S	0	16	0
			6874	4407	1153	1280	34			

- Molecule 2 is (1R,4R,5R,7R,8R)-2-BENZYL-5-HYDROXYMETHYL-2-AZA-BICYCLO[2.2.2]OCTANE-4,7,8-TRIOL (three-letter code: VBZ) (formula: C₁₅H₂₁NO₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			20	15	1	4		
2	B	1	Total	C	N	O	0	0
			20	15	1	4		

- Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is BROMIDE ION (three-letter code: BR) (formula: Br).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	4	Total 4	Br 4	0	0
4	A	5	Total 5	Br 5	0	0

- Molecule 5 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	4	Total 4	Cl 4	0	0
5	A	2	Total 2	Cl 2	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	468	Total 468	O 468	0	0
6	B	481	Total 481	O 481	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: BETA-MANNOSIDASE



• Molecule 1: BETA-MANNOSIDASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	91.12Å 115.69Å 99.64Å 90.00° 113.17° 90.00°	Depositor
Resolution (Å)	52.49 – 2.30 52.40 – 2.30	Depositor EDS
% Data completeness (in resolution range)	100.0 (52.49-2.30) 99.9 (52.40-2.30)	Depositor EDS
R_{merge}	0.25	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.60 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.4.0065	Depositor
R, R_{free}	0.169 , 0.247 0.169 , 0.246	Depositor DCC
R_{free} test set	4219 reflections (5.27%)	DCC
Wilson B-factor (Å ²)	20.2	Xtriage
Anisotropy	0.177	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 40.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 84302 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	14826	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: VBZ, EDO, BR, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.85	0/7030	0.81	2/9554 (0.0%)
1	B	0.88	3/7096 (0.0%)	0.82	3/9641 (0.0%)
All	All	0.87	3/14126 (0.0%)	0.81	5/19195 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	509	TYR	CD1-CE1	6.40	1.49	1.39
1	B	750	GLU	CG-CD	5.55	1.60	1.51
1	B	865	GLU	CG-CD	-5.44	1.43	1.51

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	161	ARG	NE-CZ-NH2	-6.96	116.82	120.30
1	B	161	ARG	NE-CZ-NH1	6.95	123.77	120.30
1	B	296	ARG	NE-CZ-NH1	6.14	123.37	120.30
1	A	69	LEU	CA-CB-CG	5.69	128.39	115.30
1	A	802	LEU	CA-CB-CG	5.25	127.37	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6816	0	6559	86	0
1	B	6874	0	6606	69	0
2	A	20	0	21	1	0
2	B	20	0	21	3	0
3	A	56	0	84	18	0
3	B	76	0	114	8	0
4	A	5	0	0	0	0
4	B	4	0	0	0	0
5	A	2	0	0	0	0
5	B	4	0	0	0	0
6	A	468	0	0	7	0
6	B	481	0	0	7	0
All	All	14826	0	13405	157	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:626[B]:ARG:HH22	3:B:1882:EDO:H12	1.14	1.03
1:A:51[B]:MET:SD	6:A:2013:HOH:O	2.13	1.02
1:A:214:THR:HG22	6:A:2056:HOH:O	1.61	0.98
1:A:626[B]:ARG:HH22	1:A:674:ARG:CB	1.77	0.96
1:B:626[B]:ARG:NH2	3:B:1882:EDO:H12	1.82	0.94
1:B:349[A]:GLU:OE2	6:B:2216:HOH:O	1.91	0.89
1:B:695:ILE:HG23	3:B:1892:EDO:H22	1.57	0.86
1:A:626[B]:ARG:HH22	1:A:674:ARG:HB2	1.38	0.85
1:A:69:LEU:HD22	1:A:81:ILE:HG22	1.59	0.84
1:B:161:ARG:HG2	1:B:161:ARG:HH11	1.42	0.84
1:A:626[B]:ARG:NH2	1:A:674:ARG:HB2	1.92	0.82
1:A:775:PHE:H	3:A:1873:EDO:H11	1.45	0.80
1:A:626[B]:ARG:HH22	1:A:674:ARG:HB3	1.47	0.78
1:A:626[B]:ARG:NH2	1:A:674:ARG:CB	2.49	0.76
3:A:1878:EDO:H21	6:A:2463:HOH:O	1.84	0.76
1:A:394:ILE:HD11	1:A:405:PHE:CE2	2.26	0.71
1:B:578:ILE:HG23	3:B:1889:EDO:H22	1.74	0.69
1:A:795:GLN:HE22	1:A:852:LEU:N	1.93	0.65
1:A:75:GLY:HA2	1:A:582:VAL:HG13	1.80	0.63
1:B:157:HIS:ND1	1:B:161:ARG:NH2	2.46	0.63
1:A:775:PHE:N	3:A:1873:EDO:H11	2.12	0.63
1:A:786:PRO:HA	1:A:860[B]:ARG:NE	2.13	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:200:TRP:HZ2	1:B:395:TRP:CH2	2.17	0.62
1:A:564:MET:HG3	1:A:611[A]:GLU:HG2	1.81	0.62
1:B:161:ARG:HD3	6:B:2042:HOH:O	1.99	0.62
1:A:469:TYR:HE2	3:A:1869:EDO:H22	1.65	0.61
1:B:27:GLY:HA3	1:B:323:GLU:OE1	2.02	0.59
1:A:501:LYS:O	1:A:505:SER:HB3	2.01	0.59
1:B:183:LYS:HE2	6:B:2104:HOH:O	2.04	0.58
1:B:441:ALA:O	1:B:445:ILE:HG13	2.04	0.58
1:B:161:ARG:NH1	1:B:161:ARG:HG2	2.14	0.57
1:B:437:VAL:HG11	1:B:491:LEU:HD11	1.86	0.57
1:B:104:ARG:HG3	1:B:217:PHE:HB3	1.87	0.57
1:A:568:ALA:O	3:A:1885:EDO:H22	2.04	0.57
1:A:516:LEU:O	1:A:516:LEU:HD13	2.04	0.56
1:A:546:ASP:OD2	1:A:627:HIS:NE2	2.35	0.56
1:B:158:SER:HB3	1:B:161:ARG:HB3	1.87	0.56
1:A:110:ILE:HB	1:A:214:THR:HG23	1.88	0.55
1:B:796:THR:CG2	1:B:799:LYS:HB3	2.36	0.54
1:B:394:ILE:HD11	1:B:405:PHE:CE2	2.42	0.54
1:B:161:ARG:CG	1:B:161:ARG:HH11	2.16	0.54
1:A:451:HIS:CE1	3:A:1883:EDO:H11	2.43	0.54
1:B:602:ARG:O	1:B:778:LYS:HD3	2.07	0.54
1:A:361:ASN:OD1	1:A:393:ARG:HD3	2.08	0.53
1:A:525:TRP:CE2	3:A:1870:EDO:H22	2.44	0.52
1:A:343:GLY:HA3	1:A:526:GLY:O	2.10	0.52
1:A:104:ARG:HG3	1:A:217:PHE:HB3	1.92	0.52
1:A:820:GLN:OE1	1:A:820:GLN:HA	2.10	0.52
1:A:601:GLU:HA	1:A:606:ILE:HD11	1.91	0.52
1:B:798:GLY:N	1:B:846:ILE:O	2.34	0.51
1:B:214:THR:HB	6:B:2062:HOH:O	2.11	0.51
1:A:437:VAL:HG11	1:A:491:LEU:HD11	1.92	0.51
1:B:482:GLN:O	1:B:486[A]:HIS:ND1	2.28	0.51
1:B:586:HIS:HD2	1:B:652:PRO:O	1.93	0.51
1:B:55:VAL:HA	1:B:56:PRO:C	2.31	0.50
1:B:787:THR:HG1	1:B:806:SER:HG	1.58	0.50
1:B:536:TRP:CH2	1:B:559:GLN:HB2	2.47	0.50
1:B:253:LYS:NZ	1:B:279:GLN:HG2	2.27	0.50
1:B:51:MET:HE1	3:B:1881:EDO:H21	1.94	0.49
1:B:539:LYS:HG2	1:B:595:LEU:HD11	1.93	0.49
1:A:451:HIS:ND1	3:A:1883:EDO:H11	2.28	0.49
1:B:69:LEU:HD22	1:B:81:ILE:HG22	1.95	0.49
1:A:545:LEU:HD13	1:A:628:GLY:HA3	1.95	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:626[B]:ARG:HH21	1:A:675:ALA:N	2.11	0.49
1:A:158:SER:HB3	1:A:161:ARG:HG2	1.94	0.49
1:A:99:GLU:HB2	1:A:147:LYS:CD	2.43	0.48
1:A:805:PHE:CE1	1:A:834:GLY:HA2	2.48	0.48
1:A:775:PHE:H	3:A:1873:EDO:C1	2.21	0.48
1:B:522:PRO:HA	1:B:525:TRP:CE2	2.48	0.48
1:A:316:CYS:O	1:A:319:ARG:HG3	2.13	0.48
3:A:1873:EDO:H12	6:A:2422:HOH:O	2.13	0.48
1:B:525:TRP:CE2	3:B:1878:EDO:H11	2.48	0.48
1:B:626[A]:ARG:HD2	1:B:675:ALA:HB2	1.96	0.48
1:A:496:LEU:N	1:A:497:PRO:HD2	2.29	0.48
1:B:533:TRP:CZ2	2:B:1868:VBZ:H7C2	2.49	0.47
1:B:85:GLU:HG3	1:B:160:ILE:HG13	1.96	0.47
1:A:49:LYS:HE3	1:A:51[B]:MET:CE	2.44	0.47
1:A:601:GLU:CA	1:A:606:ILE:HD11	2.45	0.47
1:B:802:LEU:O	1:B:838:LYS:HA	2.14	0.47
1:B:78:GLU:O	1:B:81:ILE:HG12	2.15	0.47
1:A:522:PRO:HA	1:A:525:TRP:CE2	2.49	0.47
1:B:626[A]:ARG:HB2	1:B:671:GLN:HB3	1.96	0.47
1:B:626[B]:ARG:HB2	1:B:671:GLN:HB3	1.96	0.47
1:B:95:PHE:CE1	1:B:215:LEU:HD11	2.50	0.47
1:B:791:TYR:HA	1:B:803:THR:O	2.14	0.47
1:A:438:GLU:HG3	1:A:495:LEU:HD11	1.97	0.46
1:A:615:TYR:HB2	3:A:1871:EDO:H12	1.97	0.46
1:A:634:ARG:HD3	1:A:682:ASN:OD1	2.15	0.46
1:A:578:ILE:HG22	1:A:579:GLU:OE1	2.16	0.46
1:A:373:THR:HG22	1:B:796:THR:OG1	2.16	0.46
1:B:44:GLN:HB2	1:B:89:TRP:CZ3	2.50	0.46
1:A:75:GLY:O	1:A:586:HIS:HE1	1.99	0.46
1:A:507:ARG:NH1	3:A:1868:EDO:O1	2.49	0.45
1:A:417:TRP:CD1	1:A:417:TRP:C	2.89	0.45
1:A:257:GLU:OE1	1:A:259:ARG:NE	2.49	0.45
1:B:625:MET:HB2	1:B:668:LEU:HD13	1.98	0.45
1:A:469:TYR:CE2	3:A:1869:EDO:H22	2.50	0.45
1:B:778:LYS:HG2	6:B:2346:HOH:O	2.16	0.45
1:A:51[A]:MET:SD	1:A:68:LEU:HD21	2.57	0.45
1:B:787:THR:HB	1:B:808[B]:MET:HB2	1.98	0.45
1:A:465:GLU:HB2	3:A:1869:EDO:H12	1.99	0.45
1:A:82:GLN:O	1:A:85:GLU:HG2	2.18	0.45
1:B:258:VAL:HG22	1:B:314:ILE:HD12	1.99	0.44
1:B:793:MET:SD	1:B:800[B]:CYS:SG	3.16	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:724:GLN:HE21	1:B:726:HIS:CE1	2.35	0.44
1:A:167:TYR:HB2	1:A:185:LEU:CD2	2.48	0.44
1:B:646:GLN:O	1:B:657:SER:HA	2.17	0.44
1:A:537:TYR:CZ	2:A:1865:VBZ:H15	2.53	0.44
1:A:94:SER:HG	1:A:151:HIS:HD1	1.65	0.44
1:A:798:GLY:HA2	1:A:843:SER:O	2.18	0.43
1:A:466:ALA:HA	1:A:470:TRP:CD2	2.54	0.43
1:A:49:LYS:HE3	1:A:51[B]:MET:HE2	2.00	0.43
1:A:615:TYR:CB	3:A:1871:EDO:H12	2.48	0.43
1:B:51:MET:HE2	3:B:1881:EDO:H11	2.00	0.43
1:B:260:VAL:HB	1:B:272:VAL:HG23	1.99	0.43
1:A:465:GLU:OE2	6:A:2281:HOH:O	2.21	0.43
1:B:753:ARG:HD2	6:B:2416:HOH:O	2.19	0.43
1:A:539:LYS:HG2	1:A:595:LEU:HD11	2.01	0.43
1:A:646:GLN:O	1:A:657:SER:HA	2.18	0.43
1:A:757:LEU:HB3	1:A:774:HIS:HB3	2.00	0.43
1:A:774:HIS:HA	3:A:1873:EDO:H11	2.01	0.42
1:A:245:ILE:HG23	1:A:282:ILE:HG23	2.00	0.42
1:A:626[B]:ARG:HE	1:A:626[B]:ARG:HB2	1.59	0.42
2:B:1868:VBZ:C10	3:B:1869:EDO:H22	2.49	0.42
1:A:601:GLU:CB	1:A:606:ILE:HD11	2.50	0.42
2:B:1868:VBZ:H9C1	2:B:1868:VBZ:H7C1	1.68	0.42
1:A:151:HIS:HD2	6:A:2069:HOH:O	2.02	0.42
1:B:30:THR:HG23	1:B:320:ILE:O	2.20	0.42
1:B:464:LEU:HD22	1:B:511:HIS:HE1	1.84	0.42
1:B:161:ARG:HB2	6:B:2045:HOH:O	2.19	0.42
1:B:589:SER:HB3	1:B:591:ILE:O	2.20	0.42
1:A:307:LEU:HD11	1:A:410:ASP:HB3	2.02	0.42
1:A:373:THR:CG2	1:B:796:THR:OG1	2.67	0.41
1:A:99:GLU:HB2	1:A:147:LYS:HD2	2.02	0.41
1:B:164:LEU:HD23	1:B:164:LEU:HA	1.90	0.41
1:A:51[A]:MET:SD	1:A:68:LEU:CD2	3.09	0.41
1:B:250:VAL:HB	1:B:251:PRO:HD2	2.02	0.41
1:A:44:GLN:H	3:A:1867:EDO:H22	1.86	0.41
1:B:729:GLU:O	1:B:731:PRO:HD3	2.21	0.41
1:A:774:HIS:HA	3:A:1873:EDO:C1	2.50	0.41
1:B:813:ILE:HD13	1:B:858:HIS:HB3	2.03	0.41
1:B:813:ILE:O	1:B:828:PHE:HA	2.20	0.41
1:B:425:THR:O	1:B:463:ILE:HD13	2.20	0.41
1:A:857:LYS:HE3	1:A:857:LYS:HB3	1.72	0.41
1:A:270:THR:HG21	1:A:290:GLU:O	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:76:MET:CE	1:A:585:ALA:HB2	2.50	0.40
1:A:685:GLN:HA	1:A:689:SER:O	2.21	0.40
1:B:577:GLN:O	1:B:583:MET:HG3	2.22	0.40
1:A:579:GLU:HG3	1:A:584:ASN:OD1	2.22	0.40
1:A:151:HIS:CD2	6:A:2069:HOH:O	2.75	0.40
1:A:657:SER:O	1:A:666:LYS:HD2	2.22	0.40
1:B:73:PHE:HB3	1:B:652:PRO:HD2	2.04	0.40
1:B:803:THR:HG21	1:B:836:ARG:HD3	2.04	0.40
1:B:262:VAL:HG12	1:B:269:VAL:HG22	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	839/846 (99%)	804 (96%)	34 (4%)	1 (0%)	56	68
1	B	851/846 (101%)	815 (96%)	34 (4%)	2 (0%)	52	64
All	All	1690/1692 (100%)	1619 (96%)	68 (4%)	3 (0%)	52	64

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	847	LYS
1	A	536	TRP
1	B	536	TRP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	738/754 (98%)	718 (97%)	20 (3%)	52	70
1	B	747/754 (99%)	725 (97%)	22 (3%)	50	66
All	All	1485/1508 (98%)	1443 (97%)	42 (3%)	52	68

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	49	LYS
1	A	68	LEU
1	A	76	MET
1	A	161	ARG
1	A	248	GLN
1	A	318	ASP
1	A	331	ARG
1	A	417	TRP
1	A	431	PRO
1	A	440	GLU
1	A	498	SER
1	A	507	ARG
1	A	589	SER
1	A	680	LEU
1	A	717	LYS
1	A	764	LYS
1	A	769	VAL
1	A	788	SER
1	A	800	CYS
1	A	857	LYS
1	B	28[A]	ASN
1	B	28[B]	ASN
1	B	48	GLU
1	B	51	MET
1	B	161	ARG
1	B	214	THR
1	B	244	LEU
1	B	271	GLU
1	B	277	THR
1	B	331	ARG
1	B	417	TRP
1	B	479	GLU
1	B	494	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	501	LYS
1	B	550	PRO
1	B	579	GLU
1	B	580	SER
1	B	593	ASN
1	B	626[A]	ARG
1	B	626[B]	ARG
1	B	788	SER
1	B	838	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	724	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 50 ligands modelled in this entry, 15 are monoatomic - leaving 35 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	VBZ	A	1865	-	21,22,22	0.97	1 (4%)	24,33,33	1.22	4 (16%)
3	EDO	A	1866	-	3,3,3	0.33	0	2,2,2	0.88	0
3	EDO	A	1867	-	3,3,3	0.51	0	2,2,2	0.70	0
3	EDO	A	1868	-	3,3,3	0.58	0	2,2,2	0.37	0
3	EDO	A	1869	-	3,3,3	0.44	0	2,2,2	1.10	0
3	EDO	A	1870	-	3,3,3	0.53	0	2,2,2	0.75	0
3	EDO	A	1871	-	3,3,3	0.44	0	2,2,2	0.36	0
3	EDO	A	1872	-	3,3,3	0.41	0	2,2,2	0.35	0
3	EDO	A	1873	-	3,3,3	0.83	0	2,2,2	0.75	0
3	EDO	A	1878	-	3,3,3	0.45	0	2,2,2	0.07	0
3	EDO	A	1879	-	3,3,3	0.64	0	2,2,2	0.15	0
3	EDO	A	1880	-	3,3,3	0.38	0	2,2,2	0.73	0
3	EDO	A	1881	-	3,3,3	0.40	0	2,2,2	0.73	0
3	EDO	A	1883	-	3,3,3	0.41	0	2,2,2	0.78	0
3	EDO	A	1885	-	3,3,3	0.57	0	2,2,2	0.32	0
2	VBZ	B	1868	-	21,22,22	0.94	1 (4%)	24,33,33	1.43	3 (12%)
3	EDO	B	1869	-	3,3,3	0.50	0	2,2,2	0.15	0
3	EDO	B	1870	-	3,3,3	0.73	0	2,2,2	0.14	0
3	EDO	B	1871	-	3,3,3	0.45	0	2,2,2	0.30	0
3	EDO	B	1872	-	3,3,3	0.41	0	2,2,2	0.54	0
3	EDO	B	1873	-	3,3,3	0.59	0	2,2,2	0.39	0
3	EDO	B	1874	-	3,3,3	0.88	0	2,2,2	0.36	0
3	EDO	B	1875	-	3,3,3	0.61	0	2,2,2	0.14	0
3	EDO	B	1876	-	3,3,3	0.95	0	2,2,2	0.49	0
3	EDO	B	1877	-	3,3,3	0.55	0	2,2,2	0.32	0
3	EDO	B	1878	-	3,3,3	0.62	0	2,2,2	0.74	0
3	EDO	B	1879	-	3,3,3	0.43	0	2,2,2	0.64	0
3	EDO	B	1880	-	3,3,3	0.72	0	2,2,2	0.30	0
3	EDO	B	1881	-	3,3,3	0.52	0	2,2,2	0.60	0
3	EDO	B	1882	-	3,3,3	0.38	0	2,2,2	0.50	0
3	EDO	B	1883	-	3,3,3	0.46	0	2,2,2	0.50	0
3	EDO	B	1889	-	3,3,3	0.67	0	2,2,2	0.25	0
3	EDO	B	1890	-	3,3,3	0.60	0	2,2,2	0.76	0
3	EDO	B	1891	-	3,3,3	0.60	0	2,2,2	0.29	0
3	EDO	B	1892	-	3,3,3	0.72	0	2,2,2	0.05	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	VBZ	A	1865	-	-	0/6/39/39	0/1/3/3
3	EDO	A	1866	-	-	0/1/1/1	0/0/0/0
3	EDO	A	1867	-	-	0/1/1/1	0/0/0/0
3	EDO	A	1868	-	-	0/1/1/1	0/0/0/0
3	EDO	A	1869	-	-	0/1/1/1	0/0/0/0
3	EDO	A	1870	-	-	0/1/1/1	0/0/0/0
3	EDO	A	1871	-	-	0/1/1/1	0/0/0/0
3	EDO	A	1872	-	-	0/1/1/1	0/0/0/0
3	EDO	A	1873	-	-	0/1/1/1	0/0/0/0
3	EDO	A	1878	-	-	0/1/1/1	0/0/0/0
3	EDO	A	1879	-	-	0/1/1/1	0/0/0/0
3	EDO	A	1880	-	-	0/1/1/1	0/0/0/0
3	EDO	A	1881	-	-	0/1/1/1	0/0/0/0
3	EDO	A	1883	-	-	0/1/1/1	0/0/0/0
3	EDO	A	1885	-	-	0/1/1/1	0/0/0/0
2	VBZ	B	1868	-	-	0/6/39/39	0/1/3/3
3	EDO	B	1869	-	-	0/1/1/1	0/0/0/0
3	EDO	B	1870	-	-	0/1/1/1	0/0/0/0
3	EDO	B	1871	-	-	0/1/1/1	0/0/0/0
3	EDO	B	1872	-	-	0/1/1/1	0/0/0/0
3	EDO	B	1873	-	-	0/1/1/1	0/0/0/0
3	EDO	B	1874	-	-	0/1/1/1	0/0/0/0
3	EDO	B	1875	-	-	0/1/1/1	0/0/0/0
3	EDO	B	1876	-	-	0/1/1/1	0/0/0/0
3	EDO	B	1877	-	-	0/1/1/1	0/0/0/0
3	EDO	B	1878	-	-	0/1/1/1	0/0/0/0
3	EDO	B	1879	-	-	0/1/1/1	0/0/0/0
3	EDO	B	1880	-	-	0/1/1/1	0/0/0/0
3	EDO	B	1881	-	-	0/1/1/1	0/0/0/0
3	EDO	B	1882	-	-	0/1/1/1	0/0/0/0
3	EDO	B	1883	-	-	0/1/1/1	0/0/0/0
3	EDO	B	1889	-	-	0/1/1/1	0/0/0/0
3	EDO	B	1890	-	-	0/1/1/1	0/0/0/0
3	EDO	B	1891	-	-	0/1/1/1	0/0/0/0
3	EDO	B	1892	-	-	0/1/1/1	0/0/0/0

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1868	VBZ	C9-N1	2.15	1.50	1.47
2	A	1865	VBZ	C9-N1	2.42	1.51	1.47

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1868	VBZ	C7-C1-N1	-4.62	106.40	110.60
2	B	1868	VBZ	C7-C5-C4	-2.87	107.60	110.34
2	A	1865	VBZ	C7-C1-C2	-2.57	106.28	110.03
2	A	1865	VBZ	C9-N1-C1	-2.23	108.38	112.78
2	A	1865	VBZ	C10-C9-N1	2.13	116.16	112.70
2	A	1865	VBZ	O2-C2-C1	2.18	113.73	109.82
2	B	1868	VBZ	O2-C2-C1	2.73	114.73	109.82

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

17 monomers are involved in 29 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1865	VBZ	1	0
3	A	1867	EDO	1	0
3	A	1868	EDO	1	0
3	A	1869	EDO	3	0
3	A	1870	EDO	1	0
3	A	1871	EDO	2	0
3	A	1873	EDO	6	0
3	A	1878	EDO	1	0
3	A	1883	EDO	2	0
3	A	1885	EDO	1	0
2	B	1868	VBZ	3	0
3	B	1869	EDO	1	0
3	B	1878	EDO	1	0
3	B	1881	EDO	2	0
3	B	1882	EDO	2	0
3	B	1889	EDO	1	0
3	B	1892	EDO	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	833/846 (98%)	-0.32	5 (0%)	90 93	7, 18, 37, 49	3 (0%)
1	B	841/846 (99%)	-0.40	4 (0%)	91 94	6, 17, 34, 46	4 (0%)
All	All	1674/1692 (98%)	-0.36	9 (0%)	91 94	6, 18, 36, 49	7 (0%)

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	27	GLY	3.2
1	A	585	ALA	2.7
1	A	739	TYR	2.7
1	A	572	ALA	2.6
1	B	590	SER	2.4
1	A	767	HIS	2.3
1	B	729	GLU	2.2
1	A	74	TYR	2.2
1	B	591	ILE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron

density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	EDO	A	1879	4/4	0.84	0.26	12.07	30,30,30,32	0
3	EDO	B	1876	4/4	0.89	0.20	9.25	17,17,18,18	0
3	EDO	A	1883	4/4	0.93	0.20	6.94	29,31,32,35	0
3	EDO	B	1877	4/4	0.91	0.20	5.06	33,38,39,40	0
3	EDO	B	1880	4/4	0.92	0.16	4.74	16,19,19,21	0
3	EDO	B	1892	4/4	0.91	0.17	4.32	24,25,27,28	0
3	EDO	B	1883	4/4	0.94	0.14	3.83	13,16,16,18	0
3	EDO	B	1890	4/4	0.78	0.21	3.78	24,27,27,29	0
3	EDO	A	1868	4/4	0.96	0.17	3.12	12,19,23,26	0
3	EDO	B	1872	4/4	0.98	0.13	2.99	14,20,22,29	0
3	EDO	B	1874	4/4	0.95	0.14	2.28	11,14,14,19	0
3	EDO	B	1882	4/4	0.93	0.18	2.21	25,30,32,33	0
3	EDO	A	1871	4/4	0.97	0.14	2.17	19,21,23,24	0
3	EDO	B	1870	4/4	0.92	0.15	1.89	22,23,24,27	0
5	CL	B	1886	1/1	0.99	0.12	1.83	20,20,20,20	0
3	EDO	A	1872	4/4	0.98	0.13	1.75	22,25,25,26	0
3	EDO	B	1878	4/4	0.95	0.12	1.63	16,19,22,25	0
3	EDO	A	1881	4/4	0.93	0.13	1.39	31,32,34,35	0
3	EDO	A	1869	4/4	0.93	0.12	1.36	24,25,30,31	0
3	EDO	A	1870	4/4	0.96	0.10	0.41	16,16,17,19	0
3	EDO	A	1885	4/4	0.87	0.22	0.36	42,45,45,48	0
2	VBZ	A	1865	20/20	0.95	0.12	0.32	13,17,26,27	0
3	EDO	B	1875	4/4	0.93	0.12	0.19	30,31,31,32	0
3	EDO	A	1867	4/4	0.94	0.16	0.14	28,29,31,32	0
2	VBZ	B	1868	20/20	0.96	0.12	-0.01	11,15,18,20	0
3	EDO	B	1869	4/4	0.97	0.10	-0.02	17,18,20,20	0
3	EDO	B	1879	4/4	0.96	0.13	-0.16	25,25,26,28	0
3	EDO	B	1889	4/4	0.86	0.12	-0.25	29,32,32,33	0
3	EDO	B	1881	4/4	0.94	0.11	-0.33	24,26,28,31	0
3	EDO	A	1866	4/4	0.97	0.10	-1.28	25,26,27,32	0
4	BR	A	1884	1/1	1.00	0.08	-1.81	8,8,8,8	1
4	BR	B	1893	1/1	0.93	0.07	-2.00	43,43,43,43	1
3	EDO	B	1873	4/4	0.96	0.07	-2.13	19,19,22,25	0
5	CL	B	1888	1/1	0.99	0.07	-2.29	30,30,30,30	0
4	BR	A	1882	1/1	0.93	0.05	-2.65	32,32,32,32	1
4	BR	A	1875	1/1	0.99	0.04	-2.68	12,12,12,12	1
4	BR	A	1874	1/1	0.99	0.03	-4.34	14,14,14,14	1
4	BR	B	1884	1/1	0.99	0.04	-5.84	20,20,20,20	1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	BR	B	1885	1/1	0.99	0.06	-	15,15,15,15	1
3	EDO	B	1871	4/4	0.91	0.15	-	26,28,30,32	0
3	EDO	A	1873	4/4	0.86	0.15	-	30,32,33,33	0
4	BR	B	1895	1/1	0.99	0.05	-	17,17,17,17	1
3	EDO	B	1891	4/4	0.86	0.20	-	40,43,43,43	0
4	BR	A	1895	1/1	0.99	0.07	-	9,9,9,9	1
3	EDO	A	1880	4/4	0.88	0.15	-	45,46,46,47	0
5	CL	B	1887	1/1	0.98	0.04	-	32,32,32,32	0
3	EDO	A	1878	4/4	0.98	0.15	-	21,22,22,24	0
5	CL	A	1876	1/1	0.99	0.12	-	21,21,21,21	0
5	CL	B	1896	1/1	0.94	0.14	-	24,24,24,24	1
5	CL	A	1877	1/1	0.97	0.09	-	36,36,36,36	0

6.5 Other polymers [i](#)

There are no such residues in this entry.