



wwPDB X-ray Structure Validation Summary Report ⓘ

Jan 31, 2016 – 11:08 PM GMT

PDB ID : 1VQN
Title : The structure of CC-HPMN AND CCA-PHE-CAP-BIO bound to the large ribosomal subunit of haloarcula marismortui
Authors : Schmeing, T.M.; Steitz, T.A.
Deposited on : 2004-12-16
Resolution : 2.40 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	3407 (2.40-2.40)
Ramachandran outliers	100387	3351 (2.40-2.40)
Sidechain outliers	100360	3352 (2.40-2.40)
RSRZ outliers	91569	2928 (2.40-2.40)
RNA backbone	2183	1073 (2.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	2922	<div> <div>2%</div> <div>62% 27% 5% 6%</div> </div>
2	9	122	<div> <div>5%</div> <div>57% 32% 11%</div> </div>
3	4	4	<div> <div>50% 50%</div> </div>
4	5	6	<div> <div>17% 17% 67% 17%</div> </div>
5	A	240	<div> <div>6%</div> <div>61% 33% 5%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
6	B	338	
7	C	246	
8	D	177	
9	E	178	
10	F	120	
11	G	348	
12	H	171	
13	J	145	
14	K	132	
15	L	165	
16	M	194	
17	N	187	
18	O	116	
19	P	149	
20	Q	96	
21	R	155	
22	S	85	
23	T	120	
24	U	66	
25	V	71	
26	W	154	
27	X	92	
28	Y	241	
29	Z	83	
30	1	57	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
31	2	50	
32	3	92	
33	I	162	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
34	MG	0	8001	-	-	-	X
34	MG	0	8008	-	-	-	X
34	MG	0	8012	-	-	-	X
34	MG	0	8013	-	-	-	X
34	MG	0	8021	-	-	-	X
34	MG	0	8038	-	-	-	X
34	MG	0	8052	-	-	-	X
34	MG	0	8054	-	-	-	X
34	MG	0	8056	-	-	-	X
34	MG	0	8065	-	-	-	X
34	MG	0	8080	-	-	-	X
34	MG	0	8091	-	-	-	X
34	MG	0	8101	-	-	-	X
34	MG	5	8118	-	-	-	X
35	K	0	9001	-	-	-	X
36	NA	0	9114	-	-	-	X
36	NA	0	9115	-	-	-	X
36	NA	0	9120	-	-	-	X
36	NA	0	9125	-	-	-	X
36	NA	0	9131	-	-	-	X
36	NA	0	9132	-	-	-	X
36	NA	0	9135	-	-	-	X
36	NA	0	9150	-	-	-	X
36	NA	0	9156	-	-	-	X
36	NA	0	9159	-	-	-	X
36	NA	0	9161	-	-	-	X
36	NA	0	9164	-	-	-	X
36	NA	0	9165	-	-	-	X
36	NA	0	9168	-	-	-	X
36	NA	0	9171	-	-	-	X
36	NA	0	9172	-	-	-	X
36	NA	0	9173	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
36	NA	0	9174	-	-	-	X
36	NA	0	9177	-	-	-	X
36	NA	0	9178	-	-	-	X
36	NA	0	9182	-	-	-	X
36	NA	9	9183	-	-	-	X
36	NA	R	9186	-	-	-	X
37	CL	0	9316	-	-	-	X
38	SR	0	9482	-	-	-	X
38	SR	B	9521	-	-	-	X

2 Entry composition [i](#)

There are 40 unique types of molecules in this entry. The entry contains 99077 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S ribosomal rna.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	0	2754	Total	C	N	O	P	0	0	0
			59021	26350	10878	19048	2745			

- Molecule 2 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	9	122	Total	C	N	O	P	0	0	0
			2600	1160	472	847	121			

- Molecule 3 is a RNA chain called 5'-R(*CP*CP*(PPU)*(LOF))-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	4	4	Total	C	N	O	P	0	0	0
			72	39	12	19	2			

- Molecule 4 is a RNA chain called 5'-R(*CP*CP*AP*(PHE)*(ACA)*(BTN))-3'.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
4	5	6	Total	C	N	O	P	S	0	0	0
			93	53	15	22	2	1			

- Molecule 5 is a protein called 50S ribosomal protein L2P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	A	237	Total	C	N	O	S	0	0	0
			1753	1072	352	324	5			

- Molecule 6 is a protein called 50S ribosomal protein L3P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	B	337	Total	C	N	O	S	0	0	0
			2625	1616	493	511	5			

- Molecule 7 is a protein called 50S ribosomal protein L4E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	C	246	Total	C	N	O	S	0	0	0
			1859	1131	344	383	1			

- Molecule 8 is a protein called 50S ribosomal protein L5P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	D	140	Total	C	N	O	S	0	0	0
			1094	685	195	210	4			

- Molecule 9 is a protein called 50S ribosomal protein L6P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	E	172	Total	C	N	O	S	0	0	0
			1357	840	224	289	4			

- Molecule 10 is a protein called 50S ribosomal protein L7AE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	F	119	Total	C	N	O	S	0	0	0
			890	551	141	197	1			

- Molecule 11 is a protein called ACIDIC RIBOSOMAL PROTEIN P0 HOMOLOG.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	G	29	Total	C	N	O	S	0	0	0
			240	149	39	51	1			

- Molecule 12 is a protein called 50S RIBOSOMAL PROTEIN L10E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	H	160	Total	C	N	O	S	0	0	0
			1266	785	237	238	6			

- Molecule 13 is a protein called 50S ribosomal protein L13P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	J	142	Total	C	N	O	S	0	0	0
			1120	696	199	222	3			

- Molecule 14 is a protein called 50S ribosomal protein L14P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	K	132	Total	C	N	O	S	0	0	0
			992	609	187	192	4			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	44	LEU	HIS	CONFLICT	UNP P22450

- Molecule 15 is a protein called 50S ribosomal protein L15P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	L	145	Total	C	N	O	S	0	0	0
			1118	670	222	226				

- Molecule 16 is a protein called 50S Ribosomal Protein L15E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	M	194	Total	C	N	O	S	0	0	0
			1560	943	332	284	1			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
M	13	GLU	LYS	CONFLICT	GB 55231501
M	194	ALA	GLY	CONFLICT	GB 55231501

- Molecule 17 is a protein called 50S ribosomal protein L18P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	N	186	Total	C	N	O	S	0	0	0
			1445	895	262	286	2			

- Molecule 18 is a protein called 50S ribosomal protein L18e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
18	O	115	Total	C	N	O	S	0	0	0
			865	529	161	175				

- Molecule 19 is a protein called 50S ribosomal protein L19E.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
19	P	143	Total	C	N	O	0	0	0
			1136	683	229	224			

- Molecule 20 is a protein called 50S ribosomal protein L21e.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
20	Q	95	Total	C	N	O	0	0	0
			735	450	141	144			

- Molecule 21 is a protein called 50S ribosomal protein L22P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
21	R	150	Total	C	N	O	S	0	0	0
			1149	713	209	223	4			

- Molecule 22 is a protein called 50S ribosomal protein L23P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	S	81	Total	C	N	O	S	0	0	0
			641	389	111	138	3			

- Molecule 23 is a protein called 50S ribosomal protein L24P.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
23	T	119	Total	C	N	O	0	0	0
			950	568	180	202			

- Molecule 24 is a protein called 50S ribosomal protein L24E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	U	53	Total	C	N	O	S	0	0	0
			410	244	75	86	5			

- Molecule 25 is a protein called 50S ribosomal protein L29P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
25	V	65	Total	C	N	O	S	0	0	0
			499	304	94	100	1			

- Molecule 26 is a protein called 50S ribosomal protein L30P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	W	154	Total	C	N	O	S	0	0	0
			1196	737	209	244	6			

- Molecule 27 is a protein called 50S ribosomal protein L31e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	X	82	Total	C	N	O	S	0	0	0
			654	402	129	122	1			

- Molecule 28 is a protein called 50S ribosomal protein L32E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	Y	142	Total	C	N	O	S	0	0	0
			1130	686	228	216				

- Molecule 29 is a protein called 50S ribosomal protein L37Ae.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	Z	73	Total	C	N	O	S	0	0	0
			578	346	116	111	5			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Z	10	ARG	SER	CONFLICT	GB 55231162

- Molecule 30 is a protein called 50S ribosomal protein L37e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	1	56	Total	C	N	O	S	0	0	0
			431	258	86	83	4			

- Molecule 31 is a protein called 50S ribosomal protein L39e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	2	46	Total	C	N	O	S	0	0	0
			396	239	89	67	1			

- Molecule 32 is a protein called 50S ribosomal protein L44E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
32	3	92	Total	C	N	O	S	0	0	0
			755	458	153	137	7			

- Molecule 33 is a protein called 50S RIBOSOMAL PROTEIN L11P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
33	I	70	Total	C	N	O	S	0	0	0
			519	323	81	114	1			

- Molecule 34 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
34	0	87	Total	Mg	0	0
			87	87		
34	Y	1	Total	Mg	0	0
			1	1		
34	K	1	Total	Mg	0	0
			1	1		
34	A	1	Total	Mg	0	0
			1	1		
34	T	1	Total	Mg	0	0
			1	1		
34	5	1	Total	Mg	0	0
			1	1		
34	2	1	Total	Mg	0	0
			1	1		
34	9	1	Total	Mg	0	0
			1	1		

- Molecule 35 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
35	0	2	Total	K	0	0
			2	2		

- Molecule 36 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
36	0	66	Total	Na	0	0
			66	66		
36	J	1	Total	Na	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
36	Q	1	Total 1	Na 1	0	0
36	D	1	Total 1	Na 1	0	0
36	C	1	Total 1	Na 1	0	0
36	R	2	Total 2	Na 2	0	0
36	9	1	Total 1	Na 1	0	0
36	S	1	Total 1	Na 1	0	0
36	M	1	Total 1	Na 1	0	0

- Molecule 37 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
37	0	10	Total 10	Cl 10	0	0
37	J	3	Total 3	Cl 3	0	0
37	B	1	Total 1	Cl 1	0	0
37	A	1	Total 1	Cl 1	0	0
37	N	1	Total 1	Cl 1	0	0
37	O	1	Total 1	Cl 1	0	0
37	R	1	Total 1	Cl 1	0	0
37	Y	1	Total 1	Cl 1	0	0
37	L	1	Total 1	Cl 1	0	0
37	3	1	Total 1	Cl 1	0	0
37	M	1	Total 1	Cl 1	0	0

- Molecule 38 is STRONTIUM ION (three-letter code: SR) (formula: Sr).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
38	0	98	Total 98	Sr 98	0	0
38	1	2	Total 2	Sr 2	0	0
38	H	1	Total 1	Sr 1	0	0
38	B	2	Total 2	Sr 2	0	0
38	3	1	Total 1	Sr 1	0	0
38	A	3	Total 3	Sr 3	0	0
38	R	1	Total 1	Sr 1	0	0
38	9	3	Total 3	Sr 3	0	0
38	L	1	Total 1	Sr 1	0	0
38	S	1	Total 1	Sr 1	0	0
38	F	1	Total 1	Sr 1	0	0

- Molecule 39 is CADMIUM ION (three-letter code: CD) (formula: Cd).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
39	O	1	Total 1	Cd 1	0	0
39	Z	1	Total 1	Cd 1	0	0
39	1	1	Total 1	Cd 1	0	0
39	3	1	Total 1	Cd 1	0	0
39	U	1	Total 1	Cd 1	0	0

- Molecule 40 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
40	0	5727	Total 5727	O 5727	0	0
40	9	137	Total 137	O 137	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
40	4	1	Total 1	O 1	0	0
40	5	2	Total 2	O 2	0	0
40	A	120	Total 120	O 120	0	0
40	B	138	Total 138	O 138	0	0
40	C	180	Total 180	O 180	0	0
40	D	48	Total 48	O 48	0	0
40	E	44	Total 44	O 44	0	0
40	F	24	Total 24	O 24	0	0
40	G	14	Total 14	O 14	0	0
40	H	72	Total 72	O 72	0	0
40	J	54	Total 54	O 54	0	0
40	K	61	Total 61	O 61	0	0
40	L	83	Total 83	O 83	0	0
40	M	128	Total 128	O 128	0	0
40	N	58	Total 58	O 58	0	0
40	O	39	Total 39	O 39	0	0
40	P	61	Total 61	O 61	0	0
40	Q	51	Total 51	O 51	0	0
40	R	78	Total 78	O 78	0	0
40	S	31	Total 31	O 31	0	0
40	T	35	Total 35	O 35	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
40	U	28	Total 28	O 28	0	0
40	V	12	Total 12	O 12	0	0
40	W	62	Total 62	O 62	0	0
40	X	21	Total 21	O 21	0	0
40	Y	93	Total 93	O 93	0	0
40	Z	34	Total 34	O 34	0	0
40	1	59	Total 59	O 59	0	0
40	2	40	Total 40	O 40	0	0
40	3	71	Total 71	O 71	0	0
40	I	10	Total 10	O 10	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 23S ribosomal rna



C2795	C2824	C2825	C2826	C2827	C2828	C2829	U2837	A2840	A2841	A2842	G2851	A2852	U2853	A2856	U2857	U2858	G2862	U2866	G2867	G2876	G2877	G2878	U2879	A2883	G2884	A2890	C2894	C2895	A2896																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
G2870	U2807	U2808	G2809	G2810	A2811	A2812	A2813	G2814	G2815	A2816	G2817	G2818	G2819	G2820	G2821	C2824	G2825	G2826	G2827	G2828	G2829	U2837	A2840	A2841	A2842	G2851	A2852	U2853	A2856	U2857	U2858	G2862	U2866	G2867	G2876	G2877	G2878	U2879	A2883	G2884	A2890	C2894	C2895	A2896																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
U2563	U2568	U2569	G2578	U2586	U2587	U2588	U2589	U2590	U2591	U2592	A2599	A2600	A2601	A2602	U2607	C2608	G2613	U2619	U2620	C2626	C2627	U2630	U2631	U2632	U2633	U2634	U2648	U2649	U2652	U2653	U2661	U2662	U2663	U2664	A	U	G2667	U2761	C2762	C2767	A2768	C2769	G2770	A2776	G2777	G2778	G2779	U2780	U2781	G2782	A2783	A2784	G2785	G2786	C2787	A2793	G2794																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
G2466	C2472	C2476	C2477	U2478	U2479	G2480	G2481	G2482	A2483	C2487	A2490	G2491	U2492	C2493	C2502	A2503	A2504	G2505	U2506	U2507	C2508	A2509	C2510	U2512	G2515	G2516	A2521	G2524	G2525	C2526	U2531	C2532	C2533	U2534	U2535	C2536	G2537	U2541	C2542	C2548	C2552	A2553	C2562	C2563	C2564	C2565	C2566	C2567	C2568	C2569	C2570	C2571	C2572	C2573	C2574	C2575	C2576	C2577	C2578	C2579	C2580	C2581	C2582	C2583	C2584	C2585	C2586	C2587	C2588	C2589	C2590	C2591	C2592	C2593	C2594	C2595	C2596	C2597	C2598	C2599	C2600	C2601	C2602	C2603	C2604	C2605	C2606	C2607	C2608	C2609	C2610	C2611	C2612	C2613	C2614	C2615	C2616	C2617	C2618	C2619	C2620	C2621	C2622	C2623	C2624	C2625	C2626	C2627	C2628	C2629	C2630	C2631	C2632	C2633	C2634	C2635	C2636	C2637	C2638	C2639	C2640	C2641	C2642	C2643	C2644	C2645	C2646	C2647	C2648	C2649	C2650	C2651	C2652	C2653	C2654	C2655	C2656	C2657	C2658	C2659	C2660	C2661	C2662	C2663	C2664	C2665	C2666	C2667	C2668	C2669	C2670	C2671	C2672	C2673	C2674	C2675	C2676	C2677	C2678	C2679	C2680	C2681	C2682	C2683	C2684	C2685	C2686	C2687	C2688	C2689	C2690	C2691	C2692	C2693	C2694	C2695	C2696	C2697	C2698	C2699	C2700	C2701	C2702	C2703	C2704	C2705	C2706	C2707	C2708	C2709	C2710	C2711	C2712	C2713	C2714	C2715	C2716	C2717	C2718	C2719	C2720	C2721	C2722	C2723	C2724	C2725	C2726	C2727	C2728	C2729	C2730	C2731	C2732	C2733	C2734	C2735	C2736	C2737	C2738	C2739	C2740	C2741	C2742	C2743	C2744	C2745	C2746	C2747	C2748	C2749	C2750	C2751	C2752	C2753	C2754	C2755	C2756	C2757	C2758	C2759	C2760	C2761	C2762	C2763	C2764	C2765	C2766	C2767	C2768	C2769	C2770	C2771	C2772	C2773	C2774	C2775	C2776	C2777	C2778	C2779	C2780	C2781	C2782	C2783	C2784	C2785	C2786	C2787	C2788	C2789	C2790	C2791	C2792	C2793	C2794	C2795	C2796	C2797	C2798	C2799	C2800	C2801	C2802	C2803	C2804	C2805	C2806	C2807	C2808	C2809	C2810	C2811	C2812	C2813	C2814	C2815	C2816	C2817	C2818	C2819	C2820	C2821	C2822	C2823	C2824	C2825	C2826	C2827	C2828	C2829	C2830	C2831	C2832	C2833	C2834	C2835	C2836	C2837	C2838	C2839	C2840	C2841	C2842	C2843	C2844	C2845	C2846	C2847	C2848	C2849	C2850	C2851	C2852	C2853	C2854	C2855	C2856	C2857	C2858	C2859	C2860	C2861	C2862	C2863	C2864	C2865	C2866	C2867	C2868	C2869	C2870	C2871	C2872	C2873	C2874	C2875	C2876	C2877	C2878	C2879	C2880	C2881	C2882	C2883	C2884	C2885	C2886	C2887	C2888	C2889	C2890	C2891	C2892	C2893	C2894	C2895	C2896	C2897	C2898	C2899	C2900	C2901	C2902	C2903	C2904	C2905	C2906	C2907	C2908	C2909	C2910	C2911	C2912	C2913	C2914	C2915	C2916	C2917	C2918	C2919	C2920	C2921	C2922	C2923	C2924	C2925	C2926	C2927	C2928	C2929	C2930	C2931	C2932	C2933	C2934	C2935	C2936	C2937	C2938	C2939	C2940	C2941	C2942	C2943	C2944	C2945	C2946	C2947	C2948	C2949	C2950	C2951	C2952	C2953	C2954	C2955	C2956	C2957	C2958	C2959	C2960	C2961	C2962	C2963	C2964	C2965	C2966	C2967	C2968	C2969	C2970	C2971	C2972	C2973	C2974	C2975	C2976	C2977	C2978	C2979	C2980	C2981	C2982	C2983	C2984	C2985	C2986	C2987	C2988	C2989	C2990	C2991	C2992	C2993	C2994	C2995	C2996	C2997	C2998	C2999	C3000	C3001	C3002	C3003	C3004	C3005	C3006	C3007	C3008	C3009	C3010	C3011	C3012	C3013	C3014	C3015	C3016	C3017	C3018	C3019	C3020	C3021	C3022	C3023	C3024	C3025	C3026	C3027	C3028	C3029	C3030	C3031	C3032	C3033	C3034	C3035	C3036	C3037	C3038	C3039	C3040	C3041	C3042	C3043	C3044	C3045	C3046	C3047	C3048	C3049	C3050	C3051	C3052	C3053	C3054	C3055	C3056	C3057	C3058	C3059	C3060	C3061	C3062	C3063	C3064	C3065	C3066	C3067	C3068	C3069	C3070	C3071	C3072	C3073	C3074	C3075	C3076	C3077	C3078	C3079	C3080	C3081	C3082	C3083	C3084	C3085	C3086	C3087	C3088	C3089	C3090	C3091	C3092	C3093	C3094	C3095	C3096	C3097	C3098	C3099	C3100	C3101	C3102	C3103	C3104	C3105	C3106	C3107	C3108	C3109	C3110	C3111	C3112	C3113	C3114	C3115	C3116	C3117	C3118	C3119	C3120	C3121	C3122	C3123	C3124	C3125	C3126	C3127	C3128	C3129	C3130	C3131	C3132	C3133	C3134	C3135	C3136	C3137	C3138	C3139	C3140	C3141	C3142	C3143	C3144	C3145	C3146	C3147	C3148	C3149	C3150	C3151	C3152	C3153	C3154	C3155	C3156	C3157	C3158	C3159	C3160	C3161	C3162	C3163	C3164	C3165	C3166	C3167	C3168	C3169	C3170	C3171	C3172	C3173	C3174	C3175	C3176	C3177	C3178	C3179	C3180	C3181	C3182	C3183	C3184	C3185	C3186	C3187	C3188	C3189	C3190	C3191	C3192	C3193	C3194	C3195	C3196	C3197	C3198	C3199	C3200	C3201	C3202	C3203	C3204	C3205	C3206	C3207	C3208	C3209	C3210	C3211	C3212	C3213	C3214	C3215	C3216	C3217	C3218	C3219	C3220	C3221	C3222	C3223	C3224	C3225	C3226	C3227	C3228	C3229	C3230	C3231	C3232	C3233	C3234	C3235	C3236	C3237	C3238	C3239	C3240	C3241	C3242	C3243	C3244	C3245	C3246	C3247	C3248	C3249	C3250	C3251	C3252	C3253	C3254	C3255	C3256	C3257	C3258	C3259	C3260	C3261	C3262	C3263	C3264	C3265	C3266	C3267	C3268	C3269	C3270	C3271	C3272	C3273	C3274	C3275	C3276	C3277	C3278	C3279	C3280	C3281	C3282	C3283	C3284	C3285	C3286	C3287	C3288	C3289	C3290	C3291	C3292	C3293	C3294	C3295	C3296	C3297	C3298	C3299	C3300	C3301	C3302	C3303	C3304	C3305	C3306	C3307	C3308	C3309	C3310	C3311	C3312	C3313	C3314	C3315	C3316	C3317	C3318	C3319	C3320	C3321	C3322	C3323	C3324	C3325	C3326	C3327	C3328	C3329	C3330	C3331	C3332	C3333	C3334	C3335	C3336	C3337	C3338	C3339	C3340	C3341	C3342	C3343	C3344	C3345	C3346	C3347	C3348	C3349	C3350	C3351	C3352	C3353	C3354	C3355	C3356	C3357	C3358	C3359	C3360	C3361	C3362	C3363	C3364	C3365	C3366	C3367	C3368	C3369	C3370	C3371	C3372	C3373	C3374	C3375	C3376	C3377	C3378	C3379	C3380	C3381	C3382	C3383	C3384	C3385	C3386	C3387	C3388	C3389	C3390	C3391	C3392	C3393	C3394	C3395	C3396	C3397	C3398	C3399	C3400	C3401	C3402	C3403	C3404	C3405	C3406	C3407	C3408	C3409	C3410	C3411	C3412	C3413	C3414	C3415	C3416	C3417	C3418	C3419	C3420	C3421	C3422	C3423	C3424	C3425	C3426	C3427	C3428	C3429	C3430	C3431	C3432	C3433	C3434	C3435	C3436	C3437	C3438	C3439	C3440	C3441	C3442	C3443	C3444	C3445	C3446	C3447	C3448	C3449	C3450	C3451	C3452	C3453	C3454	C3455	C3456	C3457	C3458	C3459	C3460	C3461	C3462	C3463	C3464	C3465	C3466	C3467	C3468	C3469	C3470	C3471	C3472	C3473	C3474	C3475	C3476	C3477	C3478	C3479	C3480	C3481	C3482	C3483	C3484	C3485	C3486	C3487	C3488	C3489	C3490	C3491	C3492	C3493	C3494	C3495	C3496	C3497	C3498	C3499	C3500	C3501	C3502	C3503	C3504	C3505	C3506	C3507	C3508	C3509	C3510	C3511	C3512	C3513	C3514	C3515	C3516	C3517	C3518	C3519	C3520	C3521	C3522	C3523	C3524	C3525	C3526	C3527	C3528	C3529	C3530	C3531	C3532	C3533	C3534	C3535	C3536	C3537	C3538	C3539	C3540	C3541	C3542	C3543	C3544	C3545	C3546	C3547	C3548	C3549	C3550	C3551	C3552	C3553	C3554	C3555	C3556	C3557	C3558	C3559	C3560	C3561	C3562	C3563	C3564	C3565	C3566	C3567	C3568	C3569	C3570	C3571	C3572	C3573	C3574	C3575	C3576	C3577	C3578	C3579	C3580	C3581	C3582	C3583	C3584	C3585	C3586	C3587	C3588	C3589	C3590	C3591	C3592	C3593	C3594	C3595	C3596	C3597	C3598	C3599	C3600	C3601	C3602	C3603	C3604	C3605	C3606	C3607	C3608	C3609	C3610	C3611	C3612	C3613	C3614	C3615	C3616	C3617	C3618	C3619	C3620	C3621	C3622	C3623	C3624	C3625	C3626	C3627	C3628	C3629	C3630	C3631	C3632	C3633	C3634	C3635	C3636	C3637	C3638	C3639	C3640	C3641	C3642	C3643	C3644	C3645	C3646	C3647	C3648	C3649	C3650	C3651	C3652	C3653	C3654	C3655	C3656	C3657	C3658	C3659	C3660	C3661	C3662	C3663	C3664	C3665	C3666	C3667	C3668	C3669	C3670	C3671	C3672	C3673	C3674	C3675	C3676	C3677	C3678	C3679	C3680	C3681	C3682	C3683	C3684	C3685	C3686	C3687	C3688	C3689	C3690	C3691	C3692	C3693	C3694	C3695	C3696	C3697	C3698	C3699	C3700	C3701	C3702	C3703	C3704	C3705	C3706	C3707	C3708	C3709	C3710	C3711	C3712	C3713	C3714	C3715	C3716	C3717	C3718	C3719	C3720	C3721	C3722	C3723	C3724	C3725	C3726	C3727	C3728	C3729	C3730	C3731	C3732	C3733	C3734	C3735	C3736	C3737	C3738	C3739	C3740




- Molecule 2: 5S ribosomal RNA




- Molecule 3: 5'-R(*CP*CP*(PPU)*(LOF))-3'



- Molecule 4: 5'-R(*CP*CP*AP*(PHE)*(ACA)*(BTN))-3'




- Molecule 5: 50S ribosomal protein L2P




- Molecule 6: 50S ribosomal protein L3P







• Molecule 7: 50S ribosomal protein L4E




• Molecule 8: 50S ribosomal protein L5P




• Molecule 9: 50S ribosomal protein L6P




- Molecule 10: 50S ribosomal protein L7AE



- Molecule 11: ACIDIC RIBOSOMAL PROTEIN P0 HOMOLOG




- Molecule 12: 50S RIBOSOMAL PROTEIN L10E




- Molecule 13: 50S ribosomal protein L13P







• Molecule 14: 50S ribosomal protein L14P




• Molecule 15: 50S ribosomal protein L15P




• Molecule 16: 50S Ribosomal Protein L15E




• Molecule 17: 50S ribosomal protein L18P







- Molecule 18: 50S ribosomal protein L18e




- Molecule 19: 50S ribosomal protein L19E




- Molecule 20: 50S ribosomal protein L21e




- Molecule 21: 50S ribosomal protein L22P




- Molecule 22: 50S ribosomal protein L23P




- Molecule 23: 50S ribosomal protein L24P




- Molecule 24: 50S ribosomal protein L24E




- Molecule 25: 50S ribosomal protein L29P




- Molecule 26: 50S ribosomal protein L30P




- Molecule 27: 50S ribosomal protein L31e




- Molecule 28: 50S ribosomal protein L32E




- Molecule 29: 50S ribosomal protein L37Ae




- Molecule 30: 50S ribosomal protein L37e




- Molecule 31: 50S ribosomal protein L39e



- Molecule 32: 50S ribosomal protein L44E



- Molecule 33: 50S RIBOSOMAL PROTEIN L11P



A125	K126	E127	V128	V129	G130	T131	C132	T133	S134	L135	G136	V137	T138	I139	E140	GLY	GLU	ASN	PRO	ARG	GLU	PHE	LYS	GLU	ARG	ILE	ASP	ALA	GLY	GLU	TYR	ASP	ASP	VAL	PHE	ALA	ALA	GLU	ALA	GLN	ALA
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	211.72Å 298.78Å 575.27Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.40 49.32 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.3 (50.00-2.40) 89.2 (49.32-2.40)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.58 (at 2.39Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.212 , 0.248 0.210 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	45.1	Xtriage
Anisotropy	0.036	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 64.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Outliers	0 of 697789 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	99077	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.44% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ACA, OMG, PPU, CL, SR, NA, K, MG, CD, HFA, OMU, UR3, 1MA, BTN, PSU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	0	0.38	0/65959	0.70	25/102870 (0.0%)
2	9	0.33	0/2905	0.70	1/4528 (0.0%)
3	4	0.47	0/40	0.68	0/60
4	5	0.51	0/76	0.79	0/112
5	A	0.33	0/1786	0.65	0/2408
6	B	0.34	0/2690	0.65	0/3652
7	C	0.38	0/1884	0.65	0/2551
8	D	0.29	0/1111	0.54	0/1498
9	E	0.32	0/1382	0.58	0/1880
10	F	0.33	0/901	0.54	0/1224
11	G	0.28	0/241	0.48	0/324
12	H	0.34	0/1287	0.64	0/1725
13	J	0.35	0/1136	0.62	0/1530
14	K	0.36	0/1001	0.68	0/1347
15	L	0.32	0/1130	0.64	0/1509
16	M	0.34	0/1584	0.59	0/2119
17	N	0.29	0/1474	0.61	0/1999
18	O	0.32	0/874	0.58	0/1181
19	P	0.35	0/1147	0.55	0/1528
20	Q	0.34	0/749	0.69	0/1005
21	R	0.37	0/1172	0.67	0/1578
22	S	0.32	0/648	0.56	0/875
23	T	0.31	0/958	0.63	0/1289
24	U	0.35	0/417	0.58	0/562
25	V	0.27	0/502	0.52	0/675
26	W	0.35	0/1219	0.60	0/1655
27	X	0.34	0/664	0.61	0/895
28	Y	0.37	0/1146	0.66	0/1536
29	Z	0.32	0/589	0.57	0/787
30	1	0.43	0/438	0.63	0/578
31	2	0.32	0/401	0.57	0/529
32	3	0.35	0/771	0.57	0/1024

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	I	0.29	0/526	0.51	0/716
All	All	0.37	0/98808	0.67	26/147749 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	0	0	55
2	9	0	1
All	All	0	56

There are no bond length outliers.

The worst 5 of 26 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	0	871	G	C5'-C4'-O4'	-7.44	100.17	109.10
1	0	1942	A	C5'-C4'-C3'	7.11	127.37	116.00
1	0	1592	G	N9-C1'-C2'	6.67	122.67	114.00
1	0	1819	G	C5'-C4'-C3'	6.40	126.24	116.00
1	0	883	U	N1-C1'-C2'	6.20	122.06	114.00

There are no chirality outliers.

5 of 56 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	0	191	A	Sidechain
1	0	22	U	Sidechain
1	0	270	U	Sidechain
1	0	333	G	Sidechain
1	0	396	U	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	59021	0	29812	769	0
2	9	2600	0	1326	58	0
3	4	72	0	47	1	0
4	5	93	0	68	4	0
5	A	1753	0	1765	111	0
6	B	2625	0	2532	151	0
7	C	1859	0	1816	97	0
8	D	1094	0	1085	92	0
9	E	1357	0	1266	50	0
10	F	890	0	843	55	0
11	G	240	0	231	12	0
12	H	1266	0	1268	63	0
13	J	1120	0	1098	69	0
14	K	992	0	1031	58	0
15	L	1118	0	1076	61	0
16	M	1560	0	1568	75	0
17	N	1445	0	1401	87	0
18	O	865	0	873	42	0
19	P	1136	0	1123	42	0
20	Q	735	0	728	22	0
21	R	1149	0	1122	39	0
22	S	641	0	605	17	0
23	T	950	0	923	52	0
24	U	410	0	364	22	0
25	V	499	0	511	43	0
26	W	1196	0	1137	83	0
27	X	654	0	653	41	0
28	Y	1130	0	1133	60	0
29	Z	578	0	539	39	0
30	1	431	0	426	29	0
31	2	396	0	413	30	0
32	3	755	0	728	30	0
33	I	519	0	500	60	0
34	0	87	0	0	0	0
34	2	1	0	0	0	0
34	5	1	0	0	0	0
34	9	1	0	0	0	0
34	A	1	0	0	0	0
34	K	1	0	0	0	0
34	T	1	0	0	0	0
34	Y	1	0	0	0	0
35	0	2	0	0	0	0
36	0	66	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
36	9	1	0	0	0	0
36	C	1	0	0	0	0
36	D	1	0	0	0	0
36	J	1	0	0	0	0
36	M	1	0	0	0	0
36	Q	1	0	0	0	0
36	R	2	0	0	0	0
36	S	1	0	0	0	0
37	0	10	0	0	0	0
37	3	1	0	0	0	0
37	A	1	0	0	0	0
37	B	1	0	0	0	0
37	J	3	0	0	1	0
37	L	1	0	0	0	0
37	M	1	0	0	0	0
37	N	1	0	0	0	0
37	O	1	0	0	0	0
37	R	1	0	0	0	0
37	Y	1	0	0	0	0
38	0	98	0	0	0	0
38	1	2	0	0	0	0
38	3	1	0	0	0	0
38	9	3	0	0	0	0
38	A	3	0	0	0	0
38	B	2	0	0	0	0
38	F	1	0	0	0	0
38	H	1	0	0	0	0
38	L	1	0	0	0	0
38	R	1	0	0	0	0
38	S	1	0	0	0	0
39	1	1	0	0	0	0
39	3	1	0	0	0	0
39	O	1	0	0	0	0
39	U	1	0	0	0	0
39	Z	1	0	0	0	0
40	0	5727	0	0	102	0
40	1	59	0	0	3	0
40	2	40	0	0	1	0
40	3	71	0	0	5	0
40	4	1	0	0	0	0
40	5	2	0	0	0	0
40	9	137	0	0	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
40	A	120	0	0	8	0
40	B	138	0	0	18	0
40	C	180	0	0	19	0
40	D	48	0	0	11	0
40	E	44	0	0	4	0
40	F	24	0	0	2	0
40	G	14	0	0	0	0
40	H	72	0	0	6	0
40	I	10	0	0	2	0
40	J	54	0	0	3	0
40	K	61	0	0	4	0
40	L	83	0	0	12	0
40	M	128	0	0	3	0
40	N	58	0	0	4	0
40	O	39	0	0	3	0
40	P	61	0	0	2	0
40	Q	51	0	0	5	0
40	R	78	0	0	4	0
40	S	31	0	0	1	0
40	T	35	0	0	4	0
40	U	28	0	0	3	0
40	V	12	0	0	2	0
40	W	62	0	0	6	0
40	X	21	0	0	5	0
40	Y	93	0	0	10	0
40	Z	34	0	0	2	0
All	All	99077	0	60011	2220	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

The worst 5 of 2220 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
26:W:21:LEU:HD21	26:W:48:VAL:HG11	1.35	1.08
14:K:29:LEU:HB3	14:K:55:VAL:HG11	1.33	1.07
1:0:1160:G:H5'	1:0:1161:A:H5'	1.36	1.07
27:X:37:LEU:HD13	27:X:85:VAL:HG21	1.39	1.04
2:9:3076:G:H3'	2:9:3077:A:H5''	1.36	1.04

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	A	235/240 (98%)	207 (88%)	25 (11%)	3 (1%)	15	21
6	B	335/338 (99%)	309 (92%)	21 (6%)	5 (2%)	13	17
7	C	244/246 (99%)	223 (91%)	19 (8%)	2 (1%)	24	35
8	D	134/177 (76%)	104 (78%)	19 (14%)	11 (8%)	1	0
9	E	170/178 (96%)	162 (95%)	8 (5%)	0	100	100
10	F	117/120 (98%)	103 (88%)	11 (9%)	3 (3%)	7	6
11	G	25/348 (7%)	25 (100%)	0	0	100	100
12	H	156/171 (91%)	136 (87%)	16 (10%)	4 (3%)	7	6
13	J	140/145 (97%)	130 (93%)	6 (4%)	4 (3%)	6	5
14	K	130/132 (98%)	120 (92%)	9 (7%)	1 (1%)	24	35
15	L	141/165 (86%)	118 (84%)	21 (15%)	2 (1%)	14	19
16	M	192/194 (99%)	178 (93%)	13 (7%)	1 (0%)	34	48
17	N	184/187 (98%)	161 (88%)	14 (8%)	9 (5%)	3	1
18	O	113/116 (97%)	107 (95%)	6 (5%)	0	100	100
19	P	141/149 (95%)	137 (97%)	4 (3%)	0	100	100
20	Q	93/96 (97%)	87 (94%)	6 (6%)	0	100	100
21	R	148/155 (96%)	142 (96%)	6 (4%)	0	100	100
22	S	79/85 (93%)	73 (92%)	6 (8%)	0	100	100
23	T	117/120 (98%)	107 (92%)	8 (7%)	2 (2%)	11	14
24	U	51/66 (77%)	47 (92%)	4 (8%)	0	100	100
25	V	63/71 (89%)	59 (94%)	1 (2%)	3 (5%)	3	1
26	W	152/154 (99%)	148 (97%)	4 (3%)	0	100	100
27	X	80/92 (87%)	72 (90%)	8 (10%)	0	100	100
28	Y	140/241 (58%)	138 (99%)	2 (1%)	0	100	100
29	Z	71/83 (86%)	58 (82%)	10 (14%)	3 (4%)	3	2

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
30	1	54/57 (95%)	52 (96%)	2 (4%)	0	100	100
31	2	42/50 (84%)	41 (98%)	0	1 (2%)	7	7
32	3	90/92 (98%)	87 (97%)	2 (2%)	1 (1%)	17	25
33	I	68/162 (42%)	54 (79%)	12 (18%)	2 (3%)	6	5
All	All	3705/4430 (84%)	3385 (91%)	263 (7%)	57 (2%)	13	17

5 of 57 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
6	B	169	GLY
8	D	60	GLU
8	D	137	PRO
10	F	101	ALA
12	H	166	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	A	179/182 (98%)	165 (92%)	14 (8%)	16	24
6	B	282/283 (100%)	267 (95%)	15 (5%)	28	44
7	C	193/193 (100%)	173 (90%)	20 (10%)	9	12
8	D	117/148 (79%)	112 (96%)	5 (4%)	35	55
9	E	152/156 (97%)	146 (96%)	6 (4%)	39	59
10	F	93/94 (99%)	91 (98%)	2 (2%)	60	79
11	G	27/283 (10%)	27 (100%)	0	100	100
12	H	132/138 (96%)	127 (96%)	5 (4%)	40	60
13	J	118/121 (98%)	108 (92%)	10 (8%)	13	20
14	K	106/106 (100%)	101 (95%)	5 (5%)	32	50
15	L	113/127 (89%)	110 (97%)	3 (3%)	52	73
16	M	158/158 (100%)	153 (97%)	5 (3%)	46	68

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
17	N	149/150 (99%)	142 (95%)	7 (5%)	32	50
18	O	93/94 (99%)	92 (99%)	1 (1%)	80	92
19	P	113/117 (97%)	110 (97%)	3 (3%)	52	73
20	Q	79/80 (99%)	75 (95%)	4 (5%)	29	46
21	R	117/122 (96%)	114 (97%)	3 (3%)	54	74
22	S	71/74 (96%)	71 (100%)	0	100	100
23	T	105/106 (99%)	101 (96%)	4 (4%)	40	60
24	U	44/52 (85%)	44 (100%)	0	100	100
25	V	51/57 (90%)	50 (98%)	1 (2%)	63	81
26	W	130/130 (100%)	124 (95%)	6 (5%)	33	51
27	X	66/74 (89%)	63 (96%)	3 (4%)	34	52
28	Y	120/196 (61%)	109 (91%)	11 (9%)	11	16
29	Z	60/68 (88%)	59 (98%)	1 (2%)	68	85
30	1	46/47 (98%)	45 (98%)	1 (2%)	60	79
31	2	42/46 (91%)	41 (98%)	1 (2%)	57	76
32	3	79/79 (100%)	77 (98%)	2 (2%)	55	76
33	I	58/130 (45%)	58 (100%)	0	100	100
All	All	3093/3611 (86%)	2955 (96%)	138 (4%)	34	52

5 of 138 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
12	H	18	GLU
14	K	4	LEU
28	Y	174	VAL
12	H	88	ARG
13	J	52	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 80 such sidechains are listed below:

Mol	Chain	Res	Type
19	P	50	GLN
21	R	61	GLN
31	2	16	ASN
19	P	66	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
19	P	89	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	0	2745/2922 (93%)	233 (8%)	32 (1%)
2	9	121/122 (99%)	15 (12%)	1 (0%)
3	4	1/4 (25%)	0	0
4	5	2/6 (33%)	1 (50%)	0
All	All	2869/3054 (93%)	249 (8%)	33 (1%)

5 of 249 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	0	31	C
1	0	67	A
1	0	69	A
1	0	70	A
1	0	71	G

5 of 33 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	0	1506	U
1	0	1730	G
1	0	2761	A
1	0	1684	A
1	0	1685	A

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

7 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	OMU	0	2587	1	12,22,23	1.05	2 (16%)	19,31,34	3.08	2 (10%)
1	OMG	0	2588	1,3	17,26,27	1.08	2 (11%)	21,38,41	2.53	3 (14%)
1	UR3	0	2619	1,38	12,22,23	0.98	0	16,32,35	0.74	0
1	PSU	0	2621	1	13,21,22	1.64	2 (15%)	18,30,33	6.14	3 (16%)
1	1MA	0	628	1,36	14,25,26	0.99	1 (7%)	15,37,40	1.17	1 (6%)
3	PPU	4	76	1,3	16,26,41	0.72	0	15,38,60	1.16	1 (6%)
3	HFA	4	77	3	11,11,12	0.84	1 (9%)	13,13,15	0.75	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	OMU	0	2587	1	-	0/5/27/28	0/2/2/2
1	OMG	0	2588	1,3	-	0/5/27/28	0/3/3/3
1	UR3	0	2619	1,38	-	0/3/25/26	0/2/2/2
1	PSU	0	2621	1	-	0/7/25/26	0/2/2/2
1	1MA	0	628	1,36	-	0/3/25/26	0/3/3/3
3	PPU	4	76	1,3	-	0/7/29/44	0/3/3/4
3	HFA	4	77	3	-	0/4/6/8	0/1/1/1

The worst 5 of 8 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	0	2621	PSU	C5-C1'	-4.68	1.48	1.52
1	0	2587	OMU	C6-C5	-2.10	1.33	1.38
1	0	2588	OMG	C8-N7	-2.04	1.30	1.34
3	4	77	HFA	OA-CA	2.05	1.48	1.43
1	0	2587	OMU	C4-N3	2.53	1.37	1.33

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	0	2621	PSU	N1-C2-N3	-21.59	114.56	128.33
1	0	2588	OMG	C5-C6-N1	-8.71	111.69	123.59
1	0	628	1MA	C2-N3-C4	-3.60	110.83	116.40
1	0	2587	OMU	C5-C4-N3	-3.24	114.82	123.12
1	0	2588	OMG	N3-C2-N1	-2.32	123.91	127.44

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	0	2587	OMU	3	0
1	0	2619	UR3	1	0
3	4	76	PPU	1	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 312 ligands modelled in this entry, 312 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	0	2749/2922 (94%)	-0.44	67 (2%) 62 61	24, 49, 93, 153	0
2	9	122/122 (100%)	-0.07	6 (4%) 33 34	41, 69, 93, 152	0
3	4	2/4 (50%)	-0.89	0 100 100	43, 43, 43, 52	0
4	5	4/6 (66%)	0.09	1 (25%) 1 1	55, 57, 58, 66	0
5	A	237/240 (98%)	0.40	14 (5%) 26 26	31, 54, 86, 106	0
6	B	337/338 (99%)	0.19	12 (3%) 46 47	31, 55, 79, 93	0
7	C	246/246 (100%)	-0.01	3 (1%) 81 81	27, 49, 70, 87	0
8	D	140/177 (79%)	1.82	47 (33%) 0 0	64, 96, 125, 132	0
9	E	172/178 (96%)	0.82	25 (14%) 3 3	44, 66, 86, 92	0
10	F	119/120 (99%)	1.09	31 (26%) 1 1	49, 74, 100, 112	0
11	G	29/348 (8%)	2.52	19 (65%) 0 0	74, 92, 103, 105	0
12	H	160/171 (93%)	0.68	17 (10%) 8 8	47, 65, 96, 103	0
13	J	142/145 (97%)	0.05	4 (2%) 56 55	37, 52, 72, 93	0
14	K	132/132 (100%)	-0.10	2 (1%) 76 75	37, 48, 71, 84	0
15	L	145/165 (87%)	0.68	17 (11%) 6 6	29, 69, 112, 121	0
16	M	194/194 (100%)	0.59	22 (11%) 7 7	37, 48, 85, 93	0
17	N	186/187 (99%)	0.98	35 (18%) 2 1	49, 68, 112, 119	0
18	O	115/116 (99%)	0.21	3 (2%) 59 58	40, 59, 73, 81	0
19	P	143/149 (95%)	0.30	4 (2%) 56 55	39, 55, 66, 79	0
20	Q	95/96 (98%)	0.11	5 (5%) 30 30	42, 52, 67, 76	0
21	R	150/155 (96%)	-0.10	0 100 100	33, 47, 66, 75	0
22	S	81/85 (95%)	0.37	4 (4%) 33 34	43, 61, 84, 97	0
23	T	119/120 (99%)	0.75	11 (9%) 11 11	41, 59, 85, 110	0
24	U	53/66 (80%)	0.33	2 (3%) 44 45	42, 56, 73, 82	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
25	V	65/71 (91%)	1.72	17 (26%) 1 1	56, 78, 115, 120	0
26	W	154/154 (100%)	0.07	2 (1%) 79 79	40, 53, 74, 82	0
27	X	82/92 (89%)	0.74	14 (17%) 2 2	44, 58, 84, 103	0
28	Y	142/241 (58%)	0.16	9 (6%) 23 24	29, 45, 68, 90	0
29	Z	73/83 (87%)	1.85	30 (41%) 0 0	52, 83, 97, 105	0
30	1	56/57 (98%)	-0.38	0 100 100	31, 36, 46, 55	0
31	2	46/50 (92%)	1.54	15 (32%) 1 1	41, 68, 96, 102	0
32	3	92/92 (100%)	0.39	7 (7%) 17 16	41, 61, 73, 86	0
33	I	70/162 (43%)	5.23	58 (82%) 0 0	111, 125, 142, 144	0
All	All	6652/7484 (88%)	0.15	503 (7%) 17 16	24, 54, 100, 153	0

The worst 5 of 503 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
33	I	71	GLY	15.8
25	V	1	THR	14.6
33	I	76	ALA	12.8
33	I	79	ILE	12.7
33	I	133	THR	12.2

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	PSU	0	2621	20/21	0.98	0.14	-	36,38,43,43	0
1	1MA	0	628	23/24	0.98	0.12	-	32,35,37,38	0
1	OMG	0	2588	24/25	0.98	0.13	-	31,34,39,41	0
3	PPU	4	76	24/38	0.98	0.13	-	41,44,45,49	0
1	OMU	0	2587	21/22	0.98	0.13	-	32,37,40,40	0
3	HFA	4	77	11/12	0.95	0.19	-	42,44,47,48	0
1	UR3	0	2619	21/22	0.97	0.15	-	39,42,45,48	0

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
36	NA	0	9125	1/1	0.95	0.82	77.79	92,92,92,92	0
36	NA	0	9164	1/1	0.87	0.56	60.98	61,61,61,61	0
36	NA	0	9161	1/1	0.85	0.72	43.33	68,68,68,68	0
36	NA	0	9135	1/1	0.72	0.30	35.12	55,55,55,55	0
36	NA	0	9171	1/1	0.93	0.31	20.63	61,61,61,61	0
38	SR	B	9521	1/1	0.59	0.63	18.92	200,200,200,200	0
34	MG	0	8013	1/1	0.84	0.34	18.68	25,25,25,25	0
34	MG	0	8052	1/1	0.83	0.25	18.55	99,99,99,99	0
36	NA	0	9178	1/1	0.96	0.46	16.82	54,54,54,54	0
38	SR	0	9482	1/1	0.90	0.35	15.85	135,135,135,135	0
36	NA	0	9177	1/1	0.91	0.35	13.20	77,77,77,77	0
35	K	0	9001	1/1	0.88	0.31	13.00	74,74,74,74	0
36	NA	9	9183	1/1	0.76	0.38	12.87	75,75,75,75	0
36	NA	0	9182	1/1	0.62	0.40	12.50	90,90,90,90	0
36	NA	R	9186	1/1	0.83	0.39	12.42	80,80,80,80	0
34	MG	5	8118	1/1	0.88	0.34	11.85	45,45,45,45	0
36	NA	0	9173	1/1	0.93	0.34	10.94	69,69,69,69	0
36	NA	0	9159	1/1	0.93	0.35	10.57	58,58,58,58	0
36	NA	0	9174	1/1	0.91	0.38	10.49	65,65,65,65	0
34	MG	0	8038	1/1	0.99	0.25	10.45	25,25,25,25	0
34	MG	0	8101	1/1	0.62	0.28	10.41	80,80,80,80	0
36	NA	0	9150	1/1	0.94	0.21	9.56	47,47,47,47	0
36	NA	0	9172	1/1	0.83	0.35	9.54	76,76,76,76	0
36	NA	0	9168	1/1	0.90	0.17	9.19	69,69,69,69	0
34	MG	0	8012	1/1	0.97	0.22	7.62	39,39,39,39	0
36	NA	0	9120	1/1	0.93	0.21	7.11	61,61,61,61	0
36	NA	0	9132	1/1	0.86	0.23	5.52	68,68,68,68	0
34	MG	0	8001	1/1	0.97	0.19	4.99	22,22,22,22	0
34	MG	0	8008	1/1	0.99	0.19	4.76	16,16,16,16	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
36	NA	0	9165	1/1	0.89	0.30	4.41	45,45,45,45	0
34	MG	0	8065	1/1	0.81	0.35	4.36	107,107,107,107	0
36	NA	0	9115	1/1	0.96	0.18	4.21	41,41,41,41	0
34	MG	0	8054	1/1	0.93	0.16	4.16	63,63,63,63	0
34	MG	0	8056	1/1	0.98	0.23	3.85	44,44,44,44	0
34	MG	0	8091	1/1	0.89	0.15	3.78	64,64,64,64	0
36	NA	0	9114	1/1	0.75	0.20	3.64	65,65,65,65	0
37	CL	0	9316	1/1	0.97	0.26	3.56	78,78,78,78	0
34	MG	0	8080	1/1	0.98	0.17	2.85	57,57,57,57	0
36	NA	0	9131	1/1	0.90	0.14	2.58	47,47,47,47	0
36	NA	0	9156	1/1	0.96	0.16	2.35	57,57,57,57	0
34	MG	0	8021	1/1	0.95	0.17	2.28	56,56,56,56	0
37	CL	B	9319	1/1	0.99	0.16	1.43	54,54,54,54	0
36	NA	0	9162	1/1	0.96	0.15	1.40	52,52,52,52	0
34	MG	0	8107	1/1	0.84	0.17	1.24	65,65,65,65	0
34	MG	0	8017	1/1	0.98	0.14	1.07	31,31,31,31	0
36	NA	0	9124	1/1	0.93	0.19	1.03	50,50,50,50	0
38	SR	0	9475	1/1	0.98	0.13	1.01	83,83,83,83	0
38	SR	0	9410	1/1	0.99	0.14	1.00	41,41,41,41	0
34	MG	0	8074	1/1	0.99	0.18	0.89	27,27,27,27	0
34	MG	0	8020	1/1	0.98	0.16	0.87	36,36,36,36	0
38	SR	0	9515	1/1	0.99	0.14	0.86	100,100,100,100	0
38	SR	0	9406	1/1	1.00	0.13	0.66	35,35,35,35	0
34	MG	0	8057	1/1	0.94	0.20	0.62	77,77,77,77	0
36	NA	M	9147	1/1	0.93	0.18	0.52	42,42,42,42	0
38	SR	0	9407	1/1	1.00	0.13	0.50	47,47,47,47	0
38	SR	0	9509	1/1	0.92	0.15	0.38	95,95,95,95	0
38	SR	0	9490	1/1	0.96	0.13	0.37	116,116,116,116	0
34	MG	0	8070	1/1	0.96	0.14	0.31	24,24,24,24	0
38	SR	0	9451	1/1	0.99	0.12	0.30	60,60,60,60	0
38	SR	0	9534	1/1	0.97	0.14	0.16	111,111,111,111	0
35	K	0	9002	1/1	0.76	0.18	0.13	88,88,88,88	0
38	SR	H	9486	1/1	0.95	0.15	0.08	125,125,125,125	0
38	SR	F	9595	1/1	0.96	0.16	-0.02	109,109,109,109	0
34	MG	0	8097	1/1	0.94	0.13	-0.04	57,57,57,57	0
36	NA	C	9104	1/1	0.95	0.16	-0.36	33,33,33,33	0
38	SR	0	9424	1/1	1.00	0.16	-0.56	49,49,49,49	0
37	CL	M	9318	1/1	0.95	0.17	-0.57	41,41,41,41	0
36	NA	0	9143	1/1	0.89	0.14	-0.62	40,40,40,40	0
36	NA	0	9139	1/1	0.95	0.10	-0.80	43,43,43,43	0
38	SR	0	9455	1/1	0.98	0.09	-0.87	88,88,88,88	0
39	CD	Z	9203	1/1	0.75	0.13	-0.90	84,84,84,84	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
36	NA	J	9146	1/1	0.79	0.11	-1.01	55,55,55,55	0
37	CL	J	9321	1/1	0.96	0.11	-1.04	66,66,66,66	0
38	SR	0	9504	1/1	0.91	0.11	-1.25	108,108,108,108	0
37	CL	0	9312	1/1	0.99	0.10	-1.32	57,57,57,57	0
34	MG	A	8066	1/1	0.97	0.11	-1.33	57,57,57,57	0
36	NA	0	9166	1/1	0.89	0.09	-1.37	74,74,74,74	0
34	MG	0	8004	1/1	0.95	0.10	-1.42	35,35,35,35	0
39	CD	U	9201	1/1	1.00	0.09	-1.45	53,53,53,53	0
36	NA	0	9117	1/1	0.93	0.07	-1.45	51,51,51,51	0
34	MG	Y	8109	1/1	0.96	0.12	-1.58	45,45,45,45	0
37	CL	O	9308	1/1	0.98	0.09	-1.61	67,67,67,67	0
34	MG	0	8028	1/1	0.99	0.13	-1.63	37,37,37,37	0
38	SR	0	9450	1/1	0.99	0.07	-1.71	72,72,72,72	0
34	MG	T	8073	1/1	0.94	0.11	-1.76	43,43,43,43	0
36	NA	Q	9148	1/1	0.98	0.09	-1.84	49,49,49,49	0
34	MG	0	8015	1/1	0.99	0.09	-1.89	35,35,35,35	0
36	NA	0	9127	1/1	0.96	0.10	-2.14	60,60,60,60	0
39	CD	3	9204	1/1	0.99	0.04	-2.19	64,64,64,64	0
36	NA	0	9138	1/1	0.97	0.07	-2.20	62,62,62,62	0
36	NA	R	9137	1/1	0.96	0.08	-2.25	36,36,36,36	0
38	SR	1	9419	1/1	0.99	0.09	-2.38	40,40,40,40	0
38	SR	0	9428	1/1	0.99	0.07	-2.38	55,55,55,55	0
34	MG	0	8003	1/1	0.95	0.13	-2.52	35,35,35,35	0
38	SR	3	9439	1/1	0.99	0.05	-2.54	72,72,72,72	0
38	SR	0	9456	1/1	0.98	0.10	-2.54	67,67,67,67	0
38	SR	0	9468	1/1	0.91	0.05	-2.75	128,128,128,128	0
37	CL	3	9304	1/1	0.96	0.07	-2.79	61,61,61,61	0
34	MG	0	8067	1/1	0.95	0.11	-2.80	40,40,40,40	0
34	MG	0	8002	1/1	0.97	0.09	-3.00	34,34,34,34	0
38	SR	A	9436	1/1	0.97	0.06	-3.02	60,60,60,60	0
34	MG	0	8060	1/1	0.96	0.08	-3.10	82,82,82,82	0
34	MG	0	8096	1/1	0.98	0.06	-3.40	41,41,41,41	0
34	MG	0	8032	1/1	0.92	0.10	-3.48	48,48,48,48	0
38	SR	L	9409	1/1	0.99	0.07	-3.52	37,37,37,37	0
38	SR	0	9532	1/1	0.90	0.05	-3.54	120,120,120,120	0
37	CL	0	9305	1/1	0.97	0.07	-3.55	61,61,61,61	0
34	MG	0	8110	1/1	0.97	0.11	-3.71	45,45,45,45	0
39	CD	1	9202	1/1	0.99	0.05	-3.76	54,54,54,54	0
38	SR	0	9457	1/1	0.98	0.08	-4.14	51,51,51,51	0
36	NA	0	9105	1/1	0.96	0.09	-4.22	44,44,44,44	0
34	MG	0	8044	1/1	0.97	0.07	-4.61	35,35,35,35	0
38	SR	0	9416	1/1	1.00	0.08	-4.74	43,43,43,43	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
34	MG	0	8112	1/1	0.96	0.06	-4.79	46,46,46,46	0
38	SR	0	9444	1/1	0.99	0.05	-5.06	55,55,55,55	0
34	MG	0	8019	1/1	0.92	0.06	-5.38	51,51,51,51	0
38	SR	0	9483	1/1	0.94	0.06	-5.71	77,77,77,77	0
37	CL	0	9315	1/1	0.97	0.09	-5.89	52,52,52,52	0
38	SR	0	9442	1/1	0.97	0.10	-6.28	66,66,66,66	0
36	NA	0	9123	1/1	0.99	0.09	-6.29	52,52,52,52	0
38	SR	0	9473	1/1	0.99	0.03	-6.47	82,82,82,82	0
38	SR	0	9453	1/1	0.99	0.06	-6.87	72,72,72,72	0
38	SR	0	9498	1/1	0.99	0.05	-7.61	63,63,63,63	0
38	SR	0	9506	1/1	0.98	0.04	-9.14	68,68,68,68	0
38	SR	0	9425	1/1	0.99	0.15	-	56,56,56,56	0
34	MG	0	8039	1/1	0.98	0.17	-	49,49,49,49	0
36	NA	0	9155	1/1	0.95	0.18	-	60,60,60,60	0
34	MG	0	8037	1/1	0.84	0.10	-	46,46,46,46	0
38	SR	0	9405	1/1	0.97	0.16	-	59,59,59,59	0
36	NA	0	9107	1/1	0.95	0.39	-	71,71,71,71	0
38	SR	B	9458	1/1	0.99	0.05	-	82,82,82,82	0
34	MG	0	8058	1/1	0.90	0.21	-	41,41,41,41	0
38	SR	0	9477	1/1	0.98	0.10	-	86,86,86,86	0
38	SR	0	9421	1/1	0.98	0.10	-	78,78,78,78	0
34	MG	0	8014	1/1	0.90	0.39	-	73,73,73,73	0
38	SR	R	9418	1/1	0.99	0.15	-	57,57,57,57	0
34	MG	0	8061	1/1	0.86	0.19	-	87,87,87,87	0
38	SR	0	9466	1/1	0.97	0.06	-	96,96,96,96	0
36	NA	0	9154	1/1	0.98	0.14	-	54,54,54,54	0
34	MG	0	8092	1/1	0.82	0.34	-	77,77,77,77	0
34	MG	9	8095	1/1	0.92	0.35	-	55,55,55,55	0
36	NA	0	9170	1/1	0.89	0.29	-	77,77,77,77	0
38	SR	0	9501	1/1	0.65	0.20	-	159,159,159,159	0
38	SR	0	9547	1/1	0.52	0.39	-	194,194,194,194	0
34	MG	0	8043	1/1	0.91	0.06	-	52,52,52,52	0
38	SR	0	9415	1/1	1.00	0.10	-	56,56,56,56	0
34	MG	0	8083	1/1	0.95	0.11	-	53,53,53,53	0
34	MG	2	8076	1/1	0.95	0.17	-	64,64,64,64	0
36	NA	0	9157	1/1	0.94	0.18	-	47,47,47,47	0
36	NA	0	9179	1/1	0.91	0.59	-	121,121,121,121	0
34	MG	K	8069	1/1	0.97	0.17	-	25,25,25,25	0
38	SR	0	9448	1/1	1.00	0.07	-	63,63,63,63	0
38	SR	0	9469	1/1	0.98	0.05	-	85,85,85,85	0
38	SR	0	9413	1/1	0.99	0.12	-	49,49,49,49	0
38	SR	0	9522	1/1	0.96	0.04	-	114,114,114,114	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
36	NA	0	9136	1/1	0.98	0.12	-	34,34,34,34	0
37	CL	N	9307	1/1	0.96	0.16	-	65,65,65,65	0
34	MG	0	8084	1/1	0.97	0.40	-	89,89,89,89	0
34	MG	0	8108	1/1	0.68	0.14	-	103,103,103,103	0
38	SR	0	9440	1/1	0.96	0.05	-	72,72,72,72	0
36	NA	0	9175	1/1	0.93	0.34	-	55,55,55,55	0
38	SR	0	9464	1/1	0.98	0.05	-	81,81,81,81	0
36	NA	0	9102	1/1	0.87	0.22	-	63,63,63,63	0
34	MG	0	8114	1/1	0.97	0.47	-	83,83,83,83	0
34	MG	0	8094	1/1	0.92	0.50	-	72,72,72,72	0
36	NA	0	9169	1/1	0.86	0.39	-	116,116,116,116	0
38	SR	0	9517	1/1	0.95	0.06	-	110,110,110,110	0
37	CL	J	9301	1/1	0.93	0.18	-	60,60,60,60	0
38	SR	0	9626	1/1	0.91	0.25	-	154,154,154,154	0
38	SR	0	9435	1/1	0.98	0.08	-	76,76,76,76	0
34	MG	0	8031	1/1	0.98	0.12	-	49,49,49,49	0
38	SR	0	9443	1/1	0.98	0.10	-	63,63,63,63	0
36	NA	0	9128	1/1	0.90	0.15	-	49,49,49,49	0
38	SR	0	9478	1/1	0.99	0.06	-	77,77,77,77	0
38	SR	0	9454	1/1	0.98	0.10	-	82,82,82,82	0
34	MG	0	8099	1/1	0.91	0.14	-	75,75,75,75	0
34	MG	0	8116	1/1	0.95	0.10	-	64,64,64,64	0
36	NA	0	9122	1/1	0.58	0.40	-	90,90,90,90	0
38	SR	0	9484	1/1	0.32	0.14	-	149,149,149,149	0
38	SR	0	9430	1/1	0.99	0.10	-	49,49,49,49	0
34	MG	0	8042	1/1	0.96	0.11	-	48,48,48,48	0
38	SR	0	9568	1/1	0.97	0.07	-	80,80,80,80	0
34	MG	0	8102	1/1	0.85	0.12	-	68,68,68,68	0
36	NA	0	9163	1/1	0.94	0.16	-	73,73,73,73	0
34	MG	0	8025	1/1	0.90	0.42	-	27,27,27,27	0
38	SR	0	9417	1/1	0.99	0.08	-	63,63,63,63	0
38	SR	0	9441	1/1	0.98	0.07	-	68,68,68,68	0
36	NA	0	9181	1/1	0.72	0.16	-	54,54,54,54	0
37	CL	0	9303	1/1	0.99	0.13	-	53,53,53,53	0
38	SR	0	9462	1/1	0.98	0.10	-	74,74,74,74	0
34	MG	0	8090	1/1	0.80	0.36	-	68,68,68,68	0
38	SR	9	9503	1/1	0.91	0.05	-	122,122,122,122	0
36	NA	0	9167	1/1	0.91	0.10	-	65,65,65,65	0
38	SR	0	9500	1/1	0.88	1.54	-	200,200,200,200	0
34	MG	0	8103	1/1	0.89	0.17	-	67,67,67,67	0
34	MG	0	8050	1/1	0.88	0.22	-	89,89,89,89	0
38	SR	0	9474	1/1	0.99	0.08	-	73,73,73,73	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
36	NA	0	9149	1/1	0.94	0.29	-	49,49,49,49	0
38	SR	0	9629	1/1	0.98	0.08	-	75,75,75,75	0
38	SR	0	9459	1/1	0.91	0.10	-	103,103,103,103	0
38	SR	0	9449	1/1	0.99	0.09	-	67,67,67,67	0
36	NA	0	9152	1/1	0.77	1.03	-	83,83,83,83	0
34	MG	0	8046	1/1	0.97	0.06	-	39,39,39,39	0
34	MG	0	8117	1/1	0.97	0.12	-	46,46,46,46	0
38	SR	0	9461	1/1	0.98	0.06	-	82,82,82,82	0
38	SR	0	9411	1/1	0.99	0.14	-	43,43,43,43	0
38	SR	0	9480	1/1	0.98	0.05	-	93,93,93,93	0
38	SR	0	9429	1/1	0.99	0.10	-	72,72,72,72	0
34	MG	0	8051	1/1	0.90	0.21	-	36,36,36,36	0
38	SR	0	9495	1/1	0.95	0.14	-	111,111,111,111	0
36	NA	0	9129	1/1	0.79	0.13	-	72,72,72,72	0
38	SR	0	9422	1/1	0.99	0.10	-	58,58,58,58	0
34	MG	0	8072	1/1	0.89	0.65	-	89,89,89,89	0
36	NA	0	9158	1/1	0.85	0.43	-	66,66,66,66	0
36	NA	0	9116	1/1	0.77	0.36	-	52,52,52,52	0
36	NA	0	9118	1/1	0.98	0.21	-	66,66,66,66	0
38	SR	0	9570	1/1	0.94	0.07	-	111,111,111,111	0
34	MG	0	8026	1/1	0.99	0.14	-	30,30,30,30	0
37	CL	0	9313	1/1	0.99	0.10	-	59,59,59,59	0
34	MG	0	8079	1/1	0.95	0.13	-	33,33,33,33	0
36	NA	0	9108	1/1	0.97	0.10	-	34,34,34,34	0
36	NA	0	9141	1/1	0.75	0.13	-	73,73,73,73	0
38	SR	0	9423	1/1	1.00	0.05	-	64,64,64,64	0
34	MG	0	8106	1/1	0.88	0.09	-	51,51,51,51	0
38	SR	0	9412	1/1	0.99	0.13	-	45,45,45,45	0
34	MG	0	8055	1/1	0.91	0.31	-	97,97,97,97	0
38	SR	A	9497	1/1	0.98	0.09	-	96,96,96,96	0
34	MG	0	8085	1/1	0.93	0.21	-	63,63,63,63	0
34	MG	0	8059	1/1	0.83	0.42	-	84,84,84,84	0
34	MG	0	8045	1/1	0.95	0.26	-	72,72,72,72	0
34	MG	0	8104	1/1	0.84	0.13	-	57,57,57,57	0
36	NA	0	9101	1/1	0.92	0.13	-	46,46,46,46	0
34	MG	0	8041	1/1	0.97	0.09	-	55,55,55,55	0
38	SR	0	9447	1/1	0.97	0.07	-	73,73,73,73	0
36	NA	D	9151	1/1	0.70	0.23	-	68,68,68,68	0
37	CL	0	9311	1/1	0.97	0.15	-	71,71,71,71	0
38	SR	0	9590	1/1	0.90	0.12	-	131,131,131,131	0
38	SR	0	9426	1/1	0.97	0.08	-	71,71,71,71	0
38	SR	0	9434	1/1	0.99	0.14	-	64,64,64,64	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
34	MG	0	8009	1/1	0.97	0.10	-	21,21,21,21	0
37	CL	Y	9320	1/1	0.96	0.08	-	47,47,47,47	0
38	SR	0	9431	1/1	0.98	0.13	-	65,65,65,65	0
38	SR	0	9585	1/1	0.96	0.08	-	94,94,94,94	0
34	MG	0	8047	1/1	0.55	0.55	-	107,107,107,107	0
36	NA	0	9110	1/1	0.94	0.32	-	46,46,46,46	0
34	MG	0	8082	1/1	0.95	0.20	-	82,82,82,82	0
38	SR	0	9438	1/1	0.97	0.09	-	70,70,70,70	0
38	SR	0	9505	1/1	0.95	0.07	-	106,106,106,106	0
34	MG	0	8040	1/1	0.90	0.21	-	92,92,92,92	0
38	SR	A	9437	1/1	0.97	0.10	-	70,70,70,70	0
37	CL	L	9310	1/1	0.92	0.12	-	58,58,58,58	0
38	SR	0	9539	1/1	0.88	0.38	-	157,157,157,157	0
38	SR	0	9445	1/1	0.98	0.09	-	57,57,57,57	0
38	SR	0	9488	1/1	0.99	0.11	-	86,86,86,86	0
34	MG	0	8036	1/1	0.94	0.11	-	65,65,65,65	0
36	NA	0	9184	1/1	0.41	0.41	-	87,87,87,87	0
38	SR	9	9588	1/1	0.59	0.15	-	143,143,143,143	0
34	MG	0	8005	1/1	0.98	0.06	-	29,29,29,29	0
34	MG	0	8093	1/1	0.79	0.13	-	49,49,49,49	0
36	NA	0	9111	1/1	0.91	0.31	-	63,63,63,63	0
36	NA	0	9113	1/1	0.94	0.12	-	60,60,60,60	0
34	MG	0	8022	1/1	0.85	0.93	-	112,112,112,112	0
38	SR	0	9432	1/1	0.97	0.14	-	68,68,68,68	0
38	SR	0	9581	1/1	0.87	0.08	-	130,130,130,130	0
38	SR	0	9529	1/1	-0.08	0.27	-	131,131,131,131	0
38	SR	0	9414	1/1	0.98	0.12	-	57,57,57,57	0
38	SR	0	9452	1/1	0.94	0.16	-	106,106,106,106	0
38	SR	1	9460	1/1	1.00	0.10	-	52,52,52,52	0
34	MG	0	8024	1/1	0.88	0.41	-	86,86,86,86	0
37	CL	0	9314	1/1	0.99	0.06	-	51,51,51,51	0
34	MG	0	8113	1/1	0.88	0.12	-	52,52,52,52	0
38	SR	S	9470	1/1	0.99	0.16	-	101,101,101,101	0
38	SR	0	9489	1/1	0.98	0.11	-	94,94,94,94	0
34	MG	0	8075	1/1	0.98	0.07	-	47,47,47,47	0
38	SR	0	9465	1/1	0.92	0.10	-	107,107,107,107	0
38	SR	9	9481	1/1	0.98	0.08	-	89,89,89,89	0
37	CL	0	9322	1/1	0.95	0.38	-	61,61,61,61	0
34	MG	0	8068	1/1	0.95	0.14	-	48,48,48,48	0
37	CL	0	9317	1/1	0.95	0.06	-	52,52,52,52	0
34	MG	0	8027	1/1	0.97	0.24	-	36,36,36,36	0
38	SR	0	9537	1/1	0.50	0.23	-	157,157,157,157	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
39	CD	O	9205	1/1	0.94	0.05	-	132,132,132,132	0
37	CL	J	9302	1/1	0.96	0.07	-	53,53,53,53	0
38	SR	0	9467	1/1	0.99	0.10	-	86,86,86,86	0
36	NA	0	9185	1/1	0.85	0.61	-	54,54,54,54	0
38	SR	0	9601	1/1	0.98	0.05	-	119,119,119,119	0
38	SR	0	9560	1/1	0.95	0.08	-	101,101,101,101	0
38	SR	0	9427	1/1	0.98	0.13	-	56,56,56,56	0
34	MG	0	8089	1/1	0.88	0.17	-	61,61,61,61	0
38	SR	0	9530	1/1	0.96	0.11	-	72,72,72,72	0
36	NA	0	9126	1/1	0.78	0.12	-	63,63,63,63	0
34	MG	0	8063	1/1	0.92	0.10	-	65,65,65,65	0
36	NA	0	9106	1/1	0.93	0.44	-	44,44,44,44	0
34	MG	0	8115	1/1	0.93	0.09	-	59,59,59,59	0
38	SR	0	9446	1/1	0.97	0.07	-	88,88,88,88	0
36	NA	0	9130	1/1	0.98	0.15	-	50,50,50,50	0
34	MG	0	8088	1/1	0.97	0.11	-	28,28,28,28	0
36	NA	S	9112	1/1	0.87	0.25	-	80,80,80,80	0
38	SR	0	9420	1/1	1.00	0.17	-	70,70,70,70	0
36	NA	0	9160	1/1	0.97	0.17	-	46,46,46,46	0
38	SR	0	9433	1/1	0.96	0.12	-	75,75,75,75	0
34	MG	0	8098	1/1	0.95	0.07	-	45,45,45,45	0
37	CL	A	9309	1/1	0.92	0.19	-	66,66,66,66	0
34	MG	0	8030	1/1	0.87	0.08	-	37,37,37,37	0
34	MG	0	8029	1/1	0.95	0.22	-	35,35,35,35	0
38	SR	0	9545	1/1	0.97	0.06	-	85,85,85,85	0
36	NA	0	9134	1/1	0.97	0.10	-	47,47,47,47	0
36	NA	0	9140	1/1	0.89	0.15	-	57,57,57,57	0
38	SR	0	9566	1/1	0.98	0.04	-	80,80,80,80	0
37	CL	R	9306	1/1	0.97	0.10	-	45,45,45,45	0
38	SR	0	9508	1/1	0.94	0.08	-	97,97,97,97	0
38	SR	0	9408	1/1	0.99	0.12	-	36,36,36,36	0

6.5 Other polymers

There are no such residues in this entry.