



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:03 AM GMT

PDB ID : 2VRE
Title : CRYSTAL STRUCTURE OF HUMAN PEROXISOMAL DELTA3,5,
DELTA2,4-DIENOYL COA ISOMERASE
Authors : Yue, W.; Guo, K.; Von Delft, F.; Pilka, E.; Murray, J.; Roos, A.; Kochan, G.;
Bountra, C.; Arrowsmith, C.; Wikstrom, M.; Edwards, A.; Oppermann, U.
Deposited on : 2008-03-31
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1833 (1.96-1.96)
Clashscore	102246	1953 (1.96-1.96)
Ramachandran outliers	100387	1936 (1.96-1.96)
Sidechain outliers	100360	1936 (1.96-1.96)
RSRZ outliers	91569	1835 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	296	<div> <div>14%</div> <div>82%</div> <div>9%</div> <div>8%</div> </div>
1	B	296	<div> <div>10%</div> <div>74%</div> <div>13%</div> <div>12%</div> </div>
1	C	296	<div> <div>16%</div> <div>79%</div> <div>9%</div> <div>12%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	CL	B	1283	-	-	-	X

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6452 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DELTA(3,5)-DELTA(2,4)-DIENOYL-COA ISOMERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	272	Total	C	N	O	S	0	7	0
			2102	1321	368	397	16			
1	B	260	Total	C	N	O	S	0	2	0
			1968	1236	345	371	16			
1	C	261	Total	C	N	O	S	0	1	0
			1983	1241	354	373	15			

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	2	Total	Cl	0	0
			2	2		
2	A	2	Total	Cl	0	0
			2	2		
2	C	2	Total	Cl	0	0
			2	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	166	Total	O	0	0
			166	166		
3	B	128	Total	O	0	0
			128	128		
3	C	99	Total	O	0	0
			99	99		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DELTA(3,5)-DELTA(2,4)-DIENOYL-COA ISOMERASE



- Molecule 1: DELTA(3,5)-DELTA(2,4)-DIENOYL-COA ISOMERASE



- Molecule 1: DELTA(3,5)-DELTA(2,4)-DIENOYL-COA ISOMERASE



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	127.58Å 137.25Å 96.14Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	93.25 – 1.95 46.72 – 1.89	Depositor EDS
% Data completeness (in resolution range)	100.0 (93.25-1.95) 99.8 (46.72-1.89)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.51 (at 1.88Å)	Xtriage
Refinement program	REFMAC 5.4.0066	Depositor
R, R_{free}	0.167 , 0.202 0.186 , 0.213	Depositor DCC
R_{free} test set	3132 reflections (5.35%)	DCC
Wilson B-factor (Å ²)	31.6	Xtriage
Anisotropy	0.289	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 46.4	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 67738 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6452	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.41% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section:
CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.75	0/2154	0.68	0/2919
1	B	0.69	0/2003	0.68	1/2714 (0.0%)
1	C	0.62	0/2018	0.67	2/2735 (0.1%)
All	All	0.69	0/6175	0.68	3/8368 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	108	ASP	CB-CG-OD1	6.90	124.51	118.30
1	C	22	SER	N-CA-CB	-5.81	101.78	110.50
1	C	22	SER	N-CA-C	5.29	125.28	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2102	0	2081	35	0
1	B	1968	0	1940	43	0
1	C	1983	0	1958	29	0
2	A	2	0	0	0	1
2	B	2	0	0	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	2	0	0	0	0
3	A	166	0	0	12	1
3	B	128	0	0	14	0
3	C	99	0	0	8	0
All	All	6452	0	5979	98	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (98) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:157[B]:ASP:OD2	1:B:201:PHE:CE2	1.65	1.48
3:A:2097:HOH:O	1:C:280:ASP:HB2	1.22	1.30
1:B:25:PRO:CD	3:B:2002:HOH:O	1.65	1.29
1:A:157[B]:ASP:OD2	1:B:201:PHE:HE2	0.89	1.21
1:C:67:PHE:CE1	1:C:130:ILE:HG12	1.77	1.18
1:A:131[B]:GLU:CD	3:A:2074:HOH:O	1.81	1.17
1:A:33[B]:ARG:NH2	1:A:45:GLN:OE1	1.79	1.14
1:B:101:ILE:HA	3:B:2034:HOH:O	1.53	1.09
1:C:74:ALA:HA	3:C:2016:HOH:O	1.51	1.06
1:A:131[B]:GLU:OE1	3:A:2074:HOH:O	1.71	1.04
1:B:25:PRO:HD2	3:B:2002:HOH:O	1.36	1.03
1:A:157[B]:ASP:OD1	1:B:197:ASN:ND2	1.92	1.02
1:C:63:MET:SD	1:C:67:PHE:CE2	2.51	1.02
1:B:24:ALA:HA	3:B:2002:HOH:O	1.64	0.97
1:B:25:PRO:HD3	3:B:2002:HOH:O	1.35	0.97
1:C:63:MET:O	1:C:67:PHE:HD2	1.47	0.97
1:B:219:ARG:HD2	3:C:2058:HOH:O	1.66	0.94
1:A:157[B]:ASP:OD1	1:B:197:ASN:CB	2.16	0.93
1:C:63:MET:O	1:C:67:PHE:CD2	2.25	0.89
1:A:157[B]:ASP:OD2	1:B:201:PHE:CZ	2.27	0.87
1:C:198:GLU:OE1	3:C:2059:HOH:O	1.93	0.85
1:A:37:ALA:O	1:A:38:GLN:HB2	1.78	0.83
1:C:39:LYS:HE2	1:C:40:HIS:NE2	1.94	0.83
1:C:63:MET:SD	1:C:67:PHE:HE2	2.00	0.83
1:C:67:PHE:CE1	1:C:130:ILE:CG1	2.60	0.82
1:C:224:LYS:HE2	3:C:2020:HOH:O	1.82	0.80
1:B:163:GLN:HB3	3:B:2102:HOH:O	1.80	0.80
1:A:157[B]:ASP:OD1	1:B:197:ASN:CG	2.21	0.79
1:A:38:GLN:HG2	1:A:39:LYS:H	1.53	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:229:ASP:OD1	3:A:2127:HOH:O	2.05	0.73
1:A:157[B]:ASP:OD1	1:B:197:ASN:HB3	1.89	0.72
1:B:85:GLY:HA3	3:B:2029:HOH:O	1.90	0.71
1:A:188:LYS:CE	3:A:2102:HOH:O	2.41	0.69
1:C:63:MET:SD	1:C:67:PHE:CZ	2.86	0.68
1:C:76:CYS:O	1:C:135:LYS:HE2	1.95	0.66
1:A:45:GLN:CD	3:A:2021:HOH:O	2.33	0.66
1:A:188:LYS:HE3	3:A:2102:HOH:O	1.98	0.64
1:A:37:ALA:O	1:A:38:GLN:CB	2.47	0.62
1:C:172:VAL:HG13	3:C:2061:HOH:O	1.98	0.62
1:A:188:LYS:HE2	3:A:2102:HOH:O	2.00	0.60
1:B:127:PHE:CE2	1:B:180:VAL:HG11	2.36	0.60
1:A:33[B]:ARG:NH1	1:A:35:THR:HG21	2.17	0.60
1:B:127:PHE:HE2	1:B:180:VAL:HG11	1.68	0.59
1:B:36:SER:HB3	1:B:42:LEU:HD23	1.85	0.57
1:A:45:GLN:HE21	1:A:84:ALA:CA	2.19	0.56
1:B:100:ASP:HA	3:B:2042:HOH:O	2.06	0.55
1:A:125:GLU:OE2	1:A:132:ARG:NH1	2.25	0.54
1:C:67:PHE:CZ	1:C:130:ILE:HG12	2.38	0.54
1:C:142:HIS:CE1	1:C:224:LYS:HE3	2.43	0.54
1:C:67:PHE:HE1	1:C:130:ILE:HG12	1.58	0.54
1:B:127:PHE:HD2	1:B:180:VAL:HG12	1.72	0.54
1:C:39:LYS:HE2	1:C:40:HIS:CE1	2.43	0.54
1:A:263:GLU:OE1	3:A:2155:HOH:O	2.18	0.54
1:C:67:PHE:CD2	1:C:129:VAL:HG23	2.43	0.54
1:B:104:PRO:HB3	3:B:2034:HOH:O	2.08	0.53
1:C:67:PHE:CZ	1:C:130:ILE:CG1	2.91	0.52
1:A:45:GLN:HE21	1:A:84:ALA:HA	1.75	0.52
1:A:157[B]:ASP:CG	1:B:201:PHE:HE2	1.95	0.52
1:B:58:VAL:HG23	3:B:2015:HOH:O	2.10	0.52
1:A:131[B]:GLU:CD	3:A:2075:HOH:O	2.47	0.52
1:A:63:MET:HB2	1:A:126:THR:HG23	1.91	0.52
1:C:115:TYR:CZ	1:C:119:ILE:HD11	2.45	0.52
1:C:125:GLU:OE2	1:C:132:ARG:NH1	2.43	0.51
1:A:157[B]:ASP:CG	1:B:197:ASN:HB3	2.32	0.50
1:B:280:ASP:N	1:B:280:ASP:OD1	2.44	0.50
1:A:33[B]:ARG:NH1	1:A:35:THR:CG2	2.75	0.49
1:B:108:ASP:HB2	3:B:2039:HOH:O	2.11	0.49
1:A:58:VAL:HG22	1:A:61:ARG:NH2	2.28	0.49
1:B:127:PHE:CD2	1:B:180:VAL:CG1	2.96	0.48
1:C:67:PHE:CG	1:C:129:VAL:HG23	2.49	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:100:ASP:CA	3:B:2042:HOH:O	2.60	0.47
1:A:115:TYR:CZ	1:A:119:ILE:HD11	2.50	0.46
1:B:218:SER:HB2	3:C:2059:HOH:O	2.16	0.46
1:B:85:GLY:CA	3:B:2029:HOH:O	2.55	0.45
1:B:127:PHE:CD2	1:B:180:VAL:HG12	2.51	0.45
1:B:63:MET:HB2	1:B:126:THR:HG23	1.97	0.45
1:C:67:PHE:CD2	1:C:129:VAL:CG2	3.00	0.44
1:B:86:LYS:N	3:B:2029:HOH:O	2.41	0.44
1:A:172[A]:VAL:HG13	3:A:2092:HOH:O	2.18	0.44
1:A:45:GLN:NE2	1:A:84:ALA:HB2	2.33	0.44
1:A:152:LEU:HD23	1:A:152:LEU:C	2.38	0.44
1:B:70:ILE:O	1:B:135:LYS:HE2	2.18	0.43
1:B:174:VAL:HG12	1:B:174:VAL:O	2.17	0.43
1:B:206:MET:HG3	1:B:210:GLU:HB3	1.98	0.43
1:B:45:GLN:NE2	1:B:84:ALA:HB2	2.34	0.42
1:A:255:TYR:OH	3:A:2144:HOH:O	2.14	0.42
1:C:224:LYS:CE	3:C:2020:HOH:O	2.54	0.42
1:B:67:PHE:CZ	1:B:81:ILE:HD11	2.55	0.42
1:B:25:PRO:O	1:B:26:ASP:CB	2.68	0.42
1:C:172:VAL:HG22	3:C:2061:HOH:O	2.20	0.42
1:C:280:ASP:OD1	1:C:280:ASP:N	2.53	0.41
1:B:39:LYS:HG2	1:B:40:HIS:CD2	2.56	0.41
1:C:39:LYS:HG2	1:C:40:HIS:CD2	2.54	0.41
1:B:152:LEU:HD23	1:B:152:LEU:C	2.41	0.41
1:B:80:VAL:HG21	1:B:232:LEU:HD23	2.03	0.40
1:C:80:VAL:HG21	1:C:232:LEU:HD23	2.02	0.40
1:B:115:TYR:CZ	1:B:119:ILE:HD11	2.57	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:1291:CL:CL	2:B:1284:CL:CL[4_555]	0.29	1.91
3:A:2017:HOH:O	3:A:2017:HOH:O[3_654]	0.36	1.84

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	277/296 (94%)	272 (98%)	3 (1%)	2 (1%)	26	14
1	B	259/296 (88%)	250 (96%)	9 (4%)	0	100	100
1	C	260/296 (88%)	254 (98%)	5 (2%)	1 (0%)	39	27
All	All	796/888 (90%)	776 (98%)	17 (2%)	3 (0%)	39	27

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	38	GLN
1	C	107	ASP
1	A	107	ASP

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	225/251 (90%)	220 (98%)	5 (2%)	60	51
1	B	208/251 (83%)	204 (98%)	4 (2%)	65	58
1	C	209/251 (83%)	202 (97%)	7 (3%)	45	32
All	All	642/753 (85%)	626 (98%)	16 (2%)	60	45

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	28[A]	SER
1	A	28[B]	SER
1	A	96	ASP
1	A	135	LYS
1	A	218	SER
1	B	96	ASP
1	B	135	LYS
1	B	228	LEU
1	B	280	ASP
1	C	58	VAL
1	C	61[A]	ARG
1	C	61[B]	ARG
1	C	96	ASP
1	C	218	SER
1	C	280	ASP
1	C	282	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	277	GLN
1	B	45	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 6 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	272/296 (91%)	1.02	41 (15%) 3 5	21, 36, 54, 78	1 (0%)
1	B	260/296 (87%)	0.76	29 (11%) 7 11	21, 36, 54, 64	4 (1%)
1	C	261/296 (88%)	1.01	46 (17%) 2 3	30, 36, 52, 57	0
All	All	793/888 (89%)	0.93	116 (14%) 3 5	21, 36, 53, 78	5 (0%)

All (116) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	101	ILE	18.4
1	C	67	PHE	10.5
1	C	25	PRO	9.5
1	B	97	MET	9.3
1	A	102	LEU	9.2
1	B	104	PRO	8.2
1	C	97	MET	8.2
1	B	105	LYS	8.1
1	A	101	ILE	8.1
1	C	104	PRO	7.3
1	A	104	PRO	6.9
1	C	24	ALA	6.9
1	B	98	ALA	6.5
1	C	102	LEU	6.1
1	A	287	ALA	6.0
1	A	106	GLY	5.8
1	A	38	GLN	5.5
1	C	106	GLY	5.4
1	A	95	MET	5.4
1	C	107	ASP	5.3
1	C	105	LYS	5.3
1	C	101	ILE	5.2
1	A	289	THR	5.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	279	GLN	5.1
1	B	61	ARG	4.9
1	C	98	ALA	4.9
1	C	100	ASP	4.7
1	A	105	LYS	4.6
1	B	37	ALA	4.5
1	A	103	GLN	4.4
1	A	288	THR	4.4
1	C	22	SER	4.3
1	A	131[A]	GLU	4.3
1	B	103	GLN	4.1
1	B	102	LEU	4.1
1	B	95	MET	4.1
1	B	280	ASP	4.1
1	C	94	LEU	4.0
1	C	261	VAL	4.0
1	C	86	LYS	4.0
1	C	95	MET	4.0
1	A	283	LYS	4.0
1	A	98	ALA	3.9
1	C	23	MET	3.9
1	B	25	PRO	3.8
1	C	282	VAL	3.8
1	C	26	ASP	3.8
1	A	157[A]	ASP	3.7
1	A	94	LEU	3.6
1	C	260	SER	3.6
1	A	285	VAL	3.6
1	A	190	ILE	3.5
1	C	58	VAL	3.5
1	A	100	ASP	3.5
1	B	107	ASP	3.5
1	B	106	GLY	3.4
1	C	37	ALA	3.4
1	B	100	ASP	3.4
1	A	107	ASP	3.3
1	A	97	MET	3.3
1	C	279	GLN	3.3
1	C	253	LEU	3.3
1	C	50	ASN	3.2
1	C	280	ASP	3.2
1	C	103	GLN	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	23	MET	3.2
1	A	196	VAL	3.1
1	A	259	HIS	3.1
1	B	99	SER	3.1
1	B	282	VAL	3.1
1	A	33[A]	ARG	3.1
1	C	259	HIS	3.0
1	A	99	SER	3.0
1	B	255	TYR	2.9
1	C	84	ALA	2.9
1	B	281	LEU	2.9
1	C	281	LEU	2.9
1	B	261	VAL	2.9
1	C	265	LEU	2.9
1	C	255	TYR	2.9
1	A	255	TYR	2.8
1	B	96	ASP	2.8
1	C	262	ALA	2.8
1	A	18	LEU	2.7
1	B	26	ASP	2.7
1	C	254	LEU	2.7
1	C	251	VAL	2.6
1	C	257	ARG	2.6
1	B	94	LEU	2.6
1	A	254	LEU	2.5
1	C	256	SER	2.5
1	C	264	SER	2.4
1	C	189	VAL	2.4
1	B	262	ALA	2.4
1	A	37	ALA	2.4
1	A	253	LEU	2.4
1	A	155	ALA	2.4
1	A	251	VAL	2.4
1	A	258	ASP	2.3
1	A	19	TYR	2.3
1	A	109	VAL	2.3
1	A	183	LEU	2.2
1	A	260	SER	2.2
1	A	262	ALA	2.2
1	C	267	TYR	2.2
1	C	99	SER	2.2
1	A	92	ILE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	256[A]	SER	2.1
1	C	115	TYR	2.1
1	C	57	LYS	2.1
1	B	180	VAL	2.1
1	C	268	VAL	2.0
1	A	51	LYS	2.0
1	B	189	VAL	2.0
1	B	260	SER	2.0
1	C	93	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	CL	B	1283	1/1	0.95	0.30	4.78	30,30,30,30	0
2	CL	A	1290	1/1	0.86	0.10	-0.81	52,52,52,52	0
2	CL	C	1284	1/1	0.93	0.08	-1.69	57,57,57,57	0
2	CL	C	1283	1/1	0.93	0.06	-5.92	49,49,49,49	0
2	CL	A	1291	1/1	0.99	0.53	-	30,30,30,30	0
2	CL	B	1284	1/1	0.99	0.53	-	30,30,30,30	0

6.5 Other polymers [i](#)

There are no such residues in this entry.