



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:05 AM GMT

PDB ID : 2VV0
Title : hPPARgamma Ligand binding domain in complex with DHA
Authors : Itoh, T.; Fairall, L.; Schwabe, J.W.R.
Deposited on : 2008-06-02
Resolution : 2.55 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	4549 (2.58-2.50)
Clashscore	102246	5292 (2.58-2.50)
Ramachandran outliers	100387	5194 (2.58-2.50)
Sidechain outliers	100360	5196 (2.58-2.50)
RSRZ outliers	91569	4561 (2.58-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	276	<div> <div>4%</div> <div>62%</div> <div>28%</div> <div>6%</div> </div>
1	B	276	<div> <div>6%</div> <div>63%</div> <div>25%</div> <div>9%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	HXA	A	1476	-	-	X	X
2	HXA	B	1477	-	-	X	X

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 4190 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PEROXISOME PROLIFERATOR-ACTIVATED RECEPTOR GAMMA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	259	Total	C	N	O	S	0	0	0
			2066	1331	337	388	10			
1	B	252	Total	C	N	O	S	0	0	0
			2017	1305	331	372	9			

- Molecule 2 is DOCOSA-4,7,10,13,16,19-HEXAENOIC ACID (three-letter code: HXA) (formula: C₂₂H₃₂O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			24	22	2		
2	B	1	Total	C	O	0	0
			24	22	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	30	Total 30	O 30	0	0
3	B	29	Total 29	O 29	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: PEROXISOME PROLIFERATOR-ACTIVATED RECEPTOR GAMMA



• Molecule 1: PEROXISOME PROLIFERATOR-ACTIVATED RECEPTOR GAMMA



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	93.09 Å 61.28 Å 118.55 Å 90.00° 103.19° 90.00°	Depositor
Resolution (Å)	35.91 – 2.55 35.91 – 2.55	Depositor EDS
% Data completeness (in resolution range)	97.3 (35.91-2.55) 98.9 (35.91-2.55)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.29 (at 2.54 Å)	Xtriage
Refinement program	CNS 1.2	Depositor
R, R_{free}	0.218 , 0.261 0.222 , 0.266	Depositor DCC
R_{free} test set	1089 reflections (5.14%)	DCC
Wilson B-factor (Å ²)	37.8	Xtriage
Anisotropy	0.636	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 56.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	1 of 40467 reflections (0.002%)	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4190	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.36% of the height of the origin peak. No significant pseudotranslation is detected.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HXA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.39	0/2100	0.59	0/2831
1	B	0.39	0/2048	0.56	0/2753
All	All	0.39	0/4148	0.58	0/5584

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2066	0	2120	99	0
1	B	2017	0	2083	68	0
2	A	24	0	31	11	0
2	B	24	0	31	10	0
3	A	30	0	0	2	0
3	B	29	0	0	2	0
All	All	4190	0	4265	171	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (171) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:240:LYS:O	1:A:241:THR:HG23	1.41	1.17
1:A:241:THR:HG21	1:A:244:LYS:CG	1.89	1.02
1:A:286:GLN:HE22	1:A:466:HIS:H	1.14	0.89
1:A:240:LYS:O	1:A:241:THR:CG2	2.22	0.87
1:A:241:THR:HG21	1:A:244:LYS:HG3	1.54	0.86
1:A:465:LEU:HG	1:A:470:GLN:HG3	1.60	0.84
1:B:349:THR:HG23	1:B:352:PHE:H	1.41	0.84
1:A:286:GLN:NE2	1:A:466:HIS:H	1.76	0.82
1:A:277:VAL:HG13	1:A:278:ALA:H	1.43	0.82
1:A:342:SER:H	2:A:1476:HXA:H17	1.46	0.81
1:A:277:VAL:HG13	1:A:278:ALA:N	1.95	0.80
1:A:286:GLN:HE22	1:A:466:HIS:N	1.82	0.78
1:B:341:ILE:HB	2:B:1477:HXA:H182	1.66	0.77
1:B:460:GLU:HG3	1:B:461:THR:N	2.01	0.73
1:B:451:GLN:O	1:B:454:GLN:HG2	1.88	0.73
1:B:288:ARG:HH11	2:B:1477:HXA:H22	1.54	0.72
1:B:240:LYS:HA	1:B:243:ASP:N	2.06	0.70
1:A:449:HIS:O	1:A:453:LEU:HD13	1.90	0.70
1:A:241:THR:HG21	1:A:244:LYS:CD	2.21	0.70
1:A:342:SER:H	2:A:1476:HXA:C17	2.06	0.68
1:A:402:ASN:O	1:A:405:PRO:HD2	1.95	0.67
1:A:412:ASN:HA	1:A:415:GLN:HB2	1.77	0.66
1:A:412:ASN:HD22	1:A:412:ASN:N	1.93	0.65
1:A:412:ASN:H	1:A:412:ASN:ND2	1.94	0.65
1:B:258:GLY:O	1:B:262:ILE:HG12	1.97	0.65
1:A:404:LYS:HB3	1:A:405:PRO:HD3	1.78	0.65
1:A:238:THR:O	1:A:240:LYS:N	2.29	0.65
1:A:277:VAL:CG1	1:A:278:ALA:H	2.10	0.63
1:A:360:PHE:HA	1:A:363:PHE:HD2	1.63	0.63
1:B:384:LEU:O	1:B:388:ILE:HD13	1.98	0.63
1:B:288:ARG:HD2	2:B:1477:HXA:H31	1.82	0.62
1:B:275:LYS:NZ	1:B:276:GLU:H	1.98	0.61
1:A:241:THR:CG2	1:A:244:LYS:CG	2.72	0.61
1:B:447:THR:O	1:B:450:VAL:HG22	2.00	0.61
1:B:328:THR:OG1	1:B:442:LEU:HD11	2.01	0.61
1:B:327:TYR:CE1	1:B:367:LYS:HE2	2.37	0.60
1:A:286:GLN:HE22	1:A:465:LEU:HA	1.66	0.59
1:B:330:LEU:HD21	2:B:1477:HXA:H7	1.84	0.59
1:A:325:ILE:HD11	1:A:392:ILE:CG1	2.33	0.59
1:A:293:VAL:HG13	1:A:322:VAL:HG21	1.84	0.58
1:A:277:VAL:CG1	1:A:278:ALA:N	2.64	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:241:THR:CB	1:A:244:LYS:HG2	2.33	0.58
1:B:275:LYS:HZ1	1:B:276:GLU:H	1.49	0.58
1:A:241:THR:HG21	1:A:244:LYS:HE3	1.86	0.58
1:A:255:LEU:CD2	1:A:277:VAL:HG23	2.34	0.58
1:A:240:LYS:C	1:A:241:THR:HG23	2.22	0.57
1:A:305:GLY:HA2	1:A:308:ASN:HD22	1.69	0.57
1:B:444:GLN:O	1:B:448:GLU:HG2	2.04	0.57
1:A:369:GLU:O	1:A:373:LYS:HD3	2.04	0.57
1:A:325:ILE:HD11	1:A:392:ILE:HG13	1.85	0.57
1:A:358:LYS:HD2	1:A:358:LYS:C	2.24	0.56
1:A:394:SER:OG	1:A:397:ARG:HD3	2.05	0.56
1:A:379:LEU:HD11	1:A:435:LEU:HD13	1.87	0.56
1:B:466:HIS:HB3	1:B:469:LEU:HB2	1.86	0.56
1:A:363:PHE:HE2	1:A:456:ILE:HD11	1.71	0.56
1:A:427:GLU:HB2	3:A:2025:HOH:O	2.05	0.56
1:A:286:GLN:NE2	1:A:465:LEU:HD12	2.21	0.56
1:B:453:LEU:HD21	1:B:476:LEU:O	2.06	0.55
1:B:342:SER:H	2:B:1477:HXA:C19	2.19	0.55
1:A:412:ASN:ND2	1:A:412:ASN:N	2.51	0.54
1:A:241:THR:HG21	1:A:244:LYS:CE	2.36	0.54
1:A:283:GLN:HE22	1:A:463:MET:HG2	1.71	0.54
1:B:281:ILE:HG23	2:B:1477:HXA:H13	1.90	0.54
1:B:459:THR:HG22	1:B:459:THR:O	2.08	0.54
1:A:241:THR:HB	1:A:244:LYS:HG2	1.88	0.53
1:B:455:VAL:HA	1:B:458:LYS:HD3	1.90	0.53
1:B:290:VAL:HG21	1:B:473:TYR:CE2	2.43	0.53
1:A:311:LEU:HD13	1:A:311:LEU:C	2.29	0.53
1:B:466:HIS:HB3	1:B:469:LEU:CB	2.39	0.52
1:A:290:VAL:O	1:A:294:GLN:HG3	2.11	0.51
1:A:363:PHE:CZ	1:A:456:ILE:HG13	2.46	0.51
1:A:288:ARG:HG3	2:A:1476:HXA:H152	1.92	0.51
1:A:412:ASN:H	1:A:412:ASN:HD22	1.52	0.51
1:B:466:HIS:O	1:B:470:GLN:HG3	2.11	0.51
1:A:205:ASN:OD1	1:A:207:GLU:HB3	2.11	0.51
1:A:358:LYS:O	1:A:358:LYS:HD2	2.11	0.50
1:B:276:GLU:OE1	1:B:278:ALA:HB3	2.10	0.50
1:B:262:ILE:HG13	1:B:263:LYS:N	2.26	0.50
1:A:370:PHE:HB2	1:A:445:ILE:HD11	1.93	0.50
1:B:349:THR:CG2	1:B:352:PHE:H	2.18	0.50
1:B:446:VAL:O	1:B:450:VAL:HG13	2.12	0.49
1:B:367:LYS:NZ	1:B:449:HIS:HB2	2.27	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:228:LEU:HD12	1:A:232:LYS:HD3	1.95	0.49
1:B:456:ILE:HD13	1:B:456:ILE:O	2.12	0.49
1:A:393:LEU:O	1:A:410:GLN:HB2	2.11	0.49
1:A:283:GLN:NE2	1:A:463:MET:HG2	2.27	0.49
1:A:363:PHE:CD1	1:A:452:LEU:HD23	2.48	0.49
1:A:208:SER:HB2	1:A:419:LEU:HD11	1.95	0.49
1:A:465:LEU:CG	1:A:470:GLN:HG3	2.39	0.49
1:A:360:PHE:HA	1:A:363:PHE:CD2	2.45	0.49
1:B:290:VAL:HG21	1:B:473:TYR:HE2	1.78	0.49
1:B:288:ARG:HD2	2:B:1477:HXA:H223	1.94	0.48
1:A:286:GLN:NE2	1:A:465:LEU:HA	2.28	0.48
1:B:455:VAL:HA	1:B:458:LYS:CD	2.43	0.48
1:B:322:VAL:O	1:B:326:ILE:HG13	2.14	0.48
1:A:250:TYR:HB3	1:A:349:THR:HG21	1.96	0.48
1:A:443:ARG:NH1	1:B:440:THR:HG21	2.29	0.47
1:B:310:ASP:OD2	1:B:312:ASN:HB2	2.15	0.47
1:B:212:ARG:HE	1:B:212:ARG:HA	1.79	0.47
1:B:351:GLU:HA	1:B:351:GLU:OE1	2.15	0.47
1:B:275:LYS:HG3	1:B:276:GLU:H	1.79	0.47
1:B:338:GLY:HA3	1:B:347:PHE:CZ	2.49	0.47
1:B:212:ARG:NE	1:B:212:ARG:HA	2.30	0.47
1:A:341:ILE:HG21	2:A:1476:HXA:H223	1.95	0.47
1:B:342:SER:O	1:B:345:GLN:HG2	2.15	0.47
1:A:238:THR:C	1:A:240:LYS:H	2.18	0.46
1:A:241:THR:CG2	1:A:244:LYS:HG2	2.44	0.46
1:B:275:LYS:HG3	1:B:276:GLU:N	2.29	0.46
1:A:443:ARG:HE	1:B:444:GLN:HE22	1.63	0.46
1:B:411:ASP:O	1:B:415:GLN:HG3	2.16	0.46
2:A:1476:HXA:H92	2:A:1476:HXA:H122	1.73	0.46
2:A:1476:HXA:H181	2:A:1476:HXA:H211	1.69	0.46
1:B:328:THR:HG1	1:B:442:LEU:HD11	1.81	0.46
1:A:311:LEU:O	1:A:311:LEU:HD13	2.16	0.46
1:B:476:LEU:HD23	1:B:476:LEU:O	2.16	0.45
1:B:290:VAL:HG11	1:B:473:TYR:CD2	2.51	0.45
1:A:380:ASP:HB2	3:A:2021:HOH:O	2.16	0.45
2:A:1476:HXA:H31	2:A:1476:HXA:H62	1.64	0.45
1:B:379:LEU:HB2	3:B:2018:HOH:O	2.17	0.45
1:A:255:LEU:HD21	1:A:277:VAL:HG23	1.99	0.45
1:B:460:GLU:CG	1:B:461:THR:N	2.77	0.45
1:B:340:LEU:HG	1:B:344:GLY:HA2	1.97	0.45
1:A:220:ASP:O	1:A:224:LYS:HG3	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:351:GLU:OE1	1:A:351:GLU:HA	2.15	0.45
1:A:241:THR:CG2	1:A:244:LYS:HE3	2.46	0.44
1:A:449:HIS:NE2	1:A:453:LEU:HD11	2.32	0.44
2:B:1477:HXA:H211	2:B:1477:HXA:H181	1.79	0.44
1:A:387:PHE:CE2	1:A:391:ILE:HD11	2.53	0.44
1:A:238:THR:C	1:A:240:LYS:N	2.71	0.44
2:B:1477:HXA:H182	2:B:1477:HXA:H151	1.78	0.44
1:A:288:ARG:CG	2:A:1476:HXA:H152	2.47	0.43
1:A:397:ARG:HB2	1:A:400:LEU:HD11	1.99	0.43
1:B:288:ARG:O	1:B:288:ARG:HD3	2.18	0.43
1:A:329:MET:O	1:A:332:SER:HB2	2.18	0.43
1:A:449:HIS:CE1	1:A:453:LEU:HD11	2.53	0.43
1:A:226:PHE:HA	1:A:227:PRO:HD2	1.90	0.43
1:A:286:GLN:HE22	1:A:465:LEU:CA	2.31	0.43
2:A:1476:HXA:H91	2:A:1476:HXA:H61	1.78	0.43
1:A:276:GLU:HG2	1:A:279:ILE:HG12	2.01	0.43
1:B:442:LEU:O	1:B:446:VAL:HG23	2.19	0.42
1:A:293:VAL:HG22	1:A:322:VAL:HG11	2.01	0.42
1:A:443:ARG:CZ	1:B:440:THR:HG21	2.49	0.42
1:B:330:LEU:O	1:B:334:MET:HG3	2.20	0.42
1:B:286:GLN:NE2	1:B:476:LEU:HA	2.35	0.42
1:A:363:PHE:HZ	1:A:456:ILE:HG13	1.83	0.42
1:A:250:TYR:CD1	1:A:250:TYR:N	2.87	0.42
1:A:288:ARG:CD	2:A:1476:HXA:H152	2.49	0.42
1:A:219:TYR:CE1	1:A:223:ILE:HD11	2.55	0.42
1:A:409:ILE:O	1:A:412:ASN:ND2	2.52	0.42
1:A:222:TYR:CE2	1:A:381:ASP:HB3	2.55	0.42
1:B:238:THR:OG1	1:B:239:GLY:N	2.53	0.42
1:A:357:ARG:HH21	1:A:360:PHE:HE1	1.68	0.42
1:B:275:LYS:HE3	1:B:279:ILE:HG21	2.01	0.42
1:A:386:ILE:HD12	1:A:420:GLN:HG2	2.01	0.42
2:B:1477:HXA:H121	2:B:1477:HXA:H151	1.76	0.41
1:B:430:GLN:NE2	3:B:2027:HOH:O	2.53	0.41
1:A:451:GLN:HE21	1:A:451:GLN:HB3	1.66	0.41
1:A:288:ARG:HG3	2:A:1476:HXA:C15	2.49	0.41
1:B:223:ILE:HA	1:B:223:ILE:HD13	1.81	0.41
1:A:430:GLN:O	1:A:434:LYS:HG3	2.20	0.41
1:B:455:VAL:HA	1:B:458:LYS:HG2	2.03	0.41
1:A:205:ASN:HB2	1:A:206:PRO:HD2	2.01	0.41
1:B:318:LEU:HA	1:B:318:LEU:HD12	1.71	0.41
1:B:365:GLU:O	1:B:369:GLU:HG3	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:230:LYS:O	1:B:234:ARG:HG2	2.21	0.41
1:B:454:GLN:HG3	1:B:455:VAL:N	2.36	0.41
1:A:457:LYS:HE2	1:A:457:LYS:HB3	1.77	0.41
1:B:455:VAL:O	1:B:458:LYS:HG2	2.22	0.40
1:B:234:ARG:NH2	1:B:334:MET:O	2.42	0.40
1:A:228:LEU:CD1	1:A:232:LYS:HD3	2.52	0.40
1:A:239:GLY:C	1:A:241:THR:H	2.24	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	255/276 (92%)	244 (96%)	10 (4%)	1 (0%)	39	60
1	B	244/276 (88%)	229 (94%)	15 (6%)	0	100	100
All	All	499/552 (90%)	473 (95%)	25 (5%)	1 (0%)	52	73

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	239	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	231/247 (94%)	217 (94%)	14 (6%)	23	40
1	B	224/247 (91%)	208 (93%)	16 (7%)	18	32
All	All	455/494 (92%)	425 (93%)	30 (7%)	21	36

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	234	ARG
1	A	242	THR
1	A	244	LYS
1	A	257	MET
1	A	288	ARG
1	A	322	VAL
1	A	333	LEU
1	A	351	GLU
1	A	358	LYS
1	A	393	LEU
1	A	397	ARG
1	A	412	ASN
1	A	419	LEU
1	A	443	ARG
1	B	228	LEU
1	B	237	LEU
1	B	243	ASP
1	B	277	VAL
1	B	288	ARG
1	B	311	LEU
1	B	318	LEU
1	B	330	LEU
1	B	341	ILE
1	B	348	MET
1	B	379	LEU
1	B	427	GLU
1	B	439	MET
1	B	443	ARG
1	B	456	ILE
1	B	460	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	283	GLN
1	A	286	GLN
1	A	308	ASN
1	A	345	GLN
1	A	412	ASN
1	A	437	GLN
1	A	451	GLN
1	A	454	GLN
1	B	283	GLN
1	B	308	ASN
1	B	345	GLN
1	B	410	GLN
1	B	430	GLN
1	B	444	GLN
1	B	449	HIS
1	B	451	GLN
1	B	466	HIS
1	B	470	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HXA	A	1476	-	20,23,23	1.84	8 (40%)	20,23,23	0.74	0
2	HXA	B	1477	-	20,23,23	0.19	0	20,23,23	0.93	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HXA	A	1476	-	-	0/19/21/21	0/0/0/0
2	HXA	B	1477	-	-	0/19/21/21	0/0/0/0

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1476	HXA	C3-C4	-2.61	1.38	1.50
2	A	1476	HXA	C21-C20	-2.37	1.39	1.51
2	A	1476	HXA	C15-C16	-2.33	1.38	1.51
2	A	1476	HXA	C18-C17	-2.23	1.38	1.51
2	A	1476	HXA	C6-C7	-2.17	1.39	1.51
2	A	1476	HXA	C9-C8	-2.16	1.39	1.51
2	A	1476	HXA	C9-C10	-2.06	1.39	1.51
2	A	1476	HXA	C12-C11	-2.04	1.39	1.51

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 21 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1476	HXA	11	0
2	B	1477	HXA	10	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	259/276 (93%)	0.28	12 (4%) 36 42	19, 40, 69, 84	0
1	B	252/276 (91%)	0.28	16 (6%) 23 27	21, 40, 76, 97	0
All	All	511/552 (92%)	0.28	28 (5%) 29 33	19, 40, 74, 97	0

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	203	ALA	5.8
1	A	204	LEU	5.1
1	B	240	LYS	3.8
1	B	456	ILE	3.4
1	B	427	GLU	3.4
1	B	476	LEU	3.3
1	B	256	MET	3.2
1	B	263	LYS	3.2
1	B	243	ASP	3.2
1	A	362	ASP	3.2
1	A	426	PRO	3.1
1	A	359	PRO	3.0
1	B	451	GLN	2.9
1	B	359	PRO	2.7
1	A	358	LYS	2.6
1	B	360	PHE	2.5
1	A	427	GLU	2.4
1	A	243	ASP	2.4
1	B	473	TYR	2.4
1	B	470	GLN	2.3
1	A	451	GLN	2.3
1	B	277	VAL	2.2
1	A	259	GLU	2.2
1	B	259	GLU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	401	LEU	2.1
1	B	261	LYS	2.1
1	B	262	ILE	2.1
1	A	363	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	HXA	A	1476	24/24	0.64	0.40	7.51	83,88,91,91	0
2	HXA	B	1477	24/24	0.82	0.32	3.85	65,71,74,75	0

6.5 Other polymers [i](#)

There are no such residues in this entry.