



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:03 PM GMT

PDB ID : 3VZ1
Title : Structural insights into substrate and cofactor selection by sp2771
Authors : Yuan, Y.A.; Yuan, Z.; Yin, B.; Wei, D.
Deposited on : 2012-10-09
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3939 (2.10-2.10)
Clashscore	102246	4460 (2.10-2.10)
Ramachandran outliers	100387	4413 (2.10-2.10)
Sidechain outliers	100360	4414 (2.10-2.10)
RSRZ outliers	91569	3948 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	457	 85% 13% •
1	B	457	 86% 12% ••

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 7592 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Succinate-semialdehyde dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	452	Total	C	N	O	S	0	0	0
			3441	2201	581	646	13			
1	B	452	Total	C	N	O	S	0	0	0
			3441	2201	581	646	13			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	EXPRESSION TAG	UNP B1XMM6
A	-1	SER	-	EXPRESSION TAG	UNP B1XMM6
A	0	HIS	-	EXPRESSION TAG	UNP B1XMM6
B	-2	GLY	-	EXPRESSION TAG	UNP B1XMM6
B	-1	SER	-	EXPRESSION TAG	UNP B1XMM6
B	0	HIS	-	EXPRESSION TAG	UNP B1XMM6


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	350	Total	O	0	0
			350	350		
2	B	360	Total	O	0	0
			360	360		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Succinate-semialdehyde dehydrogenase



- Molecule 1: Succinate-semialdehyde dehydrogenase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	42.99Å 115.63Å 180.53Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.10 32.22 – 2.10	Depositor EDS
% Data completeness (in resolution range)	95.8 (50.00-2.10) 95.9 (32.22-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.27 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.172 , 0.226 0.175 , 0.230	Depositor DCC
R_{free} test set	2722 reflections (5.58%)	DCC
Wilson B-factor (Å ²)	21.2	Xtriage
Anisotropy	0.123	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 46.3	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	1 of 51386 reflections (0.002%)	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7592	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 42.76 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 1.9468e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.69	0/3514	0.67	2/4774 (0.0%)
1	B	0.69	0/3514	0.68	2/4774 (0.0%)
All	All	0.69	0/7028	0.68	4/9548 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	254	ARG	NE-CZ-NH2	-7.85	116.37	120.30
1	A	254	ARG	NE-CZ-NH2	-6.16	117.22	120.30
1	A	204	LEU	CA-CB-CG	6.14	129.42	115.30
1	B	254	ARG	NE-CZ-NH1	5.78	123.19	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3441	0	3449	54	1
1	B	3441	0	3449	52	0
2	A	350	0	0	3	0
2	B	360	0	0	1	1
All	All	7592	0	6898	105	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 8.

All (105) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:262:CYS:HB2	2:A:708:HOH:O	1.11	1.25
1:B:336:ARG:HG3	1:B:336:ARG:HH11	1.32	0.94
1:A:51:LEU:HD12	1:A:146:MET:HE3	1.52	0.91
1:A:254:ARG:HD2	1:A:254:ARG:O	1.74	0.88
1:B:139:ARG:HG3	1:B:437:LEU:HD21	1.58	0.84
1:B:254:ARG:NH2	1:B:266:LYS:HG3	1.94	0.82
1:B:204:LEU:HB2	1:B:214:LEU:HD23	1.63	0.81
1:A:194:ILE:CD1	1:A:214:LEU:HD12	2.11	0.81
1:A:260:GLN:HE22	1:A:305:ALA:H	1.28	0.80
1:A:306:THR:HG22	1:A:309:ILE:H	1.48	0.79
1:B:121:LEU:H	1:B:149:ASN:HD21	1.28	0.79
1:A:242:ASP:HB2	2:A:640:HOH:O	1.82	0.79
1:A:254:ARG:CD	1:A:254:ARG:O	2.31	0.77
1:A:194:ILE:HD11	1:A:214:LEU:CD1	2.14	0.77
1:B:254:ARG:CD	1:B:254:ARG:O	2.34	0.75
1:B:254:ARG:HD2	1:B:254:ARG:O	1.86	0.75
1:A:139:ARG:HG3	1:A:437:LEU:HD21	1.71	0.72
1:A:251:THR:O	1:A:255:THR:HG22	1.89	0.71
1:B:336:ARG:NH1	1:B:337:ALA:O	2.24	0.71
1:A:255:THR:OG1	1:A:301:ILE:HD11	1.93	0.69
1:A:121:LEU:H	1:A:149:ASN:HD21	1.39	0.69
1:B:194:ILE:HD11	1:B:214:LEU:HD13	1.75	0.68
1:A:194:ILE:HD11	1:A:214:LEU:HD12	1.75	0.68
1:A:51:LEU:HD12	1:A:146:MET:CE	2.26	0.65
1:B:336:ARG:CG	1:B:336:ARG:HH11	2.09	0.64
1:B:336:ARG:HG3	1:B:336:ARG:NH1	2.09	0.63
1:B:155:HIS:HD2	1:B:156:ALA:H	1.45	0.63
1:B:155:HIS:CD2	1:B:156:ALA:H	2.17	0.62
1:A:194:ILE:CD1	1:A:214:LEU:CD1	2.75	0.61
1:A:194:ILE:HD13	1:A:214:LEU:HD12	1.82	0.61
1:A:194:ILE:HD11	1:A:214:LEU:HD13	1.81	0.61
1:A:255:THR:OG1	1:A:301:ILE:CD1	2.49	0.61
1:B:373:LEU:HD11	1:B:402:PHE:CZ	2.36	0.61
1:A:334:LEU:HD12	1:A:340:PHE:HB3	1.83	0.60
1:A:371:LYS:H	1:A:375:GLN:NE2	2.00	0.60
1:A:137:VAL:HG11	1:A:166:VAL:HG11	1.85	0.59
1:B:137:VAL:HG11	1:B:166:VAL:HG11	1.84	0.58
1:B:373:LEU:HD23	1:B:401:ARG:HD3	1.84	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:129:PRO:HG2	1:A:136:GLN:OE1	2.02	0.58
1:B:45:SER:HA	1:B:48:ARG:NH1	2.18	0.58
1:B:133:PRO:O	1:B:155:HIS:HE1	1.87	0.57
1:A:204:LEU:HB2	1:A:214:LEU:HD23	1.87	0.57
1:B:260:GLN:HE22	1:B:305:ALA:H	1.51	0.56
1:B:254:ARG:C	1:B:254:ARG:CD	2.74	0.56
1:A:260:GLN:HE22	1:A:305:ALA:N	1.99	0.56
1:B:140:PHE:CD1	1:B:203:THR:HG21	2.41	0.55
1:B:254:ARG:HD3	1:B:254:ARG:O	2.05	0.55
1:A:306:THR:HG21	2:A:742:HOH:O	2.07	0.55
1:B:194:ILE:HD11	1:B:214:LEU:CD1	2.37	0.54
1:B:36:PHE:O	1:B:40:ARG:HG2	2.07	0.54
1:A:122:GLY:H	1:A:149:ASN:HD22	1.54	0.53
1:B:194:ILE:CD1	1:B:214:LEU:CD1	2.87	0.53
1:B:121:LEU:H	1:B:149:ASN:ND2	2.04	0.52
1:B:373:LEU:CD1	1:B:402:PHE:CZ	2.92	0.52
1:A:121:LEU:N	1:A:149:ASN:HD21	2.06	0.52
1:A:208:GLU:HA	1:A:229:LEU:HD13	1.91	0.52
1:A:260:GLN:NE2	1:A:305:ALA:H	2.04	0.51
1:A:306:THR:CG2	1:A:309:ILE:H	2.22	0.51
1:A:306:THR:HG22	1:A:309:ILE:HG12	1.93	0.51
1:A:202:ALA:O	1:A:225:THR:HA	2.11	0.50
1:B:395:ASP:O	1:B:399:GLN:HG3	2.12	0.49
1:A:326:LYS:HD2	1:A:348:GLU:CD	2.34	0.48
1:A:306:THR:HG23	1:A:308:GLY:H	1.79	0.48
1:B:347:THR:HG22	1:B:367:VAL:HB	1.95	0.48
1:B:306:THR:OG1	1:B:309:ILE:HG12	2.14	0.48
1:B:291:ILE:HD11	1:B:343:PRO:HD2	1.95	0.48
1:A:254:ARG:C	1:A:254:ARG:CD	2.72	0.47
1:B:121:LEU:N	1:B:149:ASN:HD21	2.04	0.47
1:A:254:ARG:HD3	1:A:254:ARG:O	2.14	0.47
1:B:319:GLN:HE21	1:B:319:GLN:HB3	1.60	0.47
1:B:254:ARG:HA	1:B:254:ARG:HD3	1.62	0.47
1:B:318:ASP:O	1:B:321:VAL:HG22	2.16	0.47
1:A:48:ARG:O	1:A:52:GLU:HG3	2.15	0.46
1:B:206:GLY:O	1:B:229:LEU:HA	2.16	0.46
1:A:291:ILE:HD11	1:A:343:PRO:HD2	1.97	0.45
1:B:194:ILE:CD1	1:B:214:LEU:HD12	2.46	0.45
1:B:132:PHE:HB2	1:B:136:GLN:HG2	1.99	0.45
1:A:5:THR:HG23	1:A:72:GLU:HG2	1.99	0.45
1:B:264:ALA:HB3	1:B:266:LYS:HD2	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:279:LEU:HD13	1:B:367:VAL:HG11	1.99	0.45
1:A:373:LEU:HD23	1:A:401:ARG:HE	1.82	0.44
1:B:176:PRO:HD2	1:B:179:VAL:HG21	1.98	0.44
1:A:111:ALA:HB2	1:A:452:TRP:NE1	2.33	0.44
1:B:194:ILE:CD1	1:B:214:LEU:HD13	2.47	0.43
1:A:107:THR:HB	1:B:423:LEU:HD21	1.99	0.43
1:B:208:GLU:HA	1:B:229:LEU:HD13	2.00	0.43
1:A:70:THR:HG23	1:A:294:PRO:HB2	2.01	0.43
1:A:254:ARG:HD3	1:A:254:ARG:HA	1.67	0.43
1:A:204:LEU:HB2	1:A:214:LEU:CD2	2.48	0.43
1:B:266:LYS:HD3	2:B:511:HOH:O	2.19	0.42
1:A:204:LEU:HD12	1:A:205:THR:C	2.38	0.42
1:B:122:GLY:H	1:B:149:ASN:HD22	1.67	0.42
1:B:202:ALA:O	1:B:225:THR:HA	2.20	0.42
1:A:31:LYS:HD3	1:A:177:GLU:HG2	2.02	0.42
1:A:251:THR:HG21	1:A:285:LYS:HD2	2.01	0.41
1:A:130:TRP:CZ3	1:A:305:ALA:HB2	2.55	0.41
1:B:234:PRO:HG3	1:B:380:ALA:HB1	2.03	0.41
1:A:63:SER:O	1:A:77:HIS:HE1	2.04	0.41
1:A:395:ASP:OD2	1:A:398:GLU:HG3	2.19	0.41
1:B:296:ALA:HA	1:B:297:PRO:HD3	1.91	0.41
1:A:306:THR:HG23	1:A:308:GLY:N	2.36	0.41
1:B:260:GLN:HE22	1:B:305:ALA:N	2.15	0.41
1:A:124:LEU:HD12	1:A:144:ALA:HB1	2.03	0.40
1:B:159:VAL:N	1:B:160:PRO:CD	2.85	0.40
1:B:111:ALA:HB2	1:B:452:TRP:CD1	2.57	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:372:ASP:OD2	2:B:849:HOH:O[3_645]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	450/457 (98%)	438 (97%)	12 (3%)	0	100	100
1	B	450/457 (98%)	435 (97%)	15 (3%)	0	100	100
All	All	900/914 (98%)	873 (97%)	27 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	352/355 (99%)	346 (98%)	6 (2%)	68	74
1	B	352/355 (99%)	344 (98%)	8 (2%)	58	62
All	All	704/710 (99%)	690 (98%)	14 (2%)	63	68

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	155	HIS
1	A	204	LEU
1	A	254	ARG
1	A	306	THR
1	A	336	ARG
1	A	361	PHE
1	B	40	ARG
1	B	45	SER
1	B	100	GLN
1	B	140	PHE
1	B	254	ARG
1	B	266	LYS
1	B	336	ARG
1	B	361	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	37	GLN
1	A	77	HIS
1	A	97	HIS
1	A	149	ASN
1	A	181	GLN
1	A	257	ASN
1	A	260	GLN
1	A	283	HIS
1	A	375	GLN
1	B	37	GLN
1	B	46	GLN
1	B	77	HIS
1	B	149	ASN
1	B	155	HIS
1	B	181	GLN
1	B	257	ASN
1	B	260	GLN
1	B	319	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	452/457 (98%)	-0.51	2 (0%) 93 94	11, 18, 29, 43	0
1	B	452/457 (98%)	-0.47	3 (0%) 89 91	10, 19, 32, 39	0
All	All	904/914 (98%)	-0.49	5 (0%) 90 92	10, 19, 31, 43	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	12	GLU	3.4
1	B	332	ARG	3.1
1	A	335	ASP	2.8
1	B	13	ILE	2.3
1	B	335	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.