



# wwPDB X-ray Structure Validation Summary Report ⓘ

Jan 31, 2016 – 11:01 PM GMT

PDB ID : 1W5E  
Title : FTSZ W319Y MUTANT, P1 (M. JANNASCHII)  
Authors : Oliva, M.A.; Cordell, S.C.; Lowe, J.  
Deposited on : 2004-08-06  
Resolution : 3.00 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1578 (3.00-3.00)
Clashscore	102246	1912 (3.00-3.00)
Ramachandran outliers	100387	1853 (3.00-3.00)
Sidechain outliers	100360	1856 (3.00-3.00)
RSRZ outliers	91569	1592 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	364	
1	B	364	
1	C	364	
1	D	364	
1	E	364	

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	364	<div><div>%</div><div><div></div><div></div><div></div><div></div></div><div>39%46%6%9%</div></div>
1	G	364	<div><div></div><div></div><div></div><div></div></div> <div>47%39%5%9%</div>

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 23131 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called FTSZ.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	332	Total	C	N	O	S	0	0	0
			2460	1544	419	485	12			
1	B	333	Total	C	N	O	S	0	0	0
			2469	1550	421	486	12			
1	C	332	Total	C	N	O	S	0	0	0
			2460	1544	419	485	12			
1	D	332	Total	C	N	O	S	0	0	0
			2460	1544	419	485	12			
1	E	333	Total	C	N	O	S	0	0	0
			2469	1550	421	486	12			
1	F	332	Total	C	N	O	S	0	0	0
			2460	1544	419	485	12			
1	G	332	Total	C	N	O	S	0	0	0
			2460	1544	419	485	12			
1	H	333	Total	C	N	O	S	0	0	0
			2469	1550	421	486	12			
1	I	332	Total	C	N	O	S	0	0	0
			2460	1544	419	485	12			

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	319	TYR	TRP	ENGINEERED MUTATION	UNP Q57816
B	319	TYR	TRP	ENGINEERED MUTATION	UNP Q57816
C	319	TYR	TRP	ENGINEERED MUTATION	UNP Q57816
D	319	TYR	TRP	ENGINEERED MUTATION	UNP Q57816
E	319	TYR	TRP	ENGINEERED MUTATION	UNP Q57816
F	319	TYR	TRP	ENGINEERED MUTATION	UNP Q57816
G	319	TYR	TRP	ENGINEERED MUTATION	UNP Q57816
H	319	TYR	TRP	ENGINEERED MUTATION	UNP Q57816
I	319	TYR	TRP	ENGINEERED MUTATION	UNP Q57816

- Molecule 2 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula:



- Molecule 3 is water.

Continued on next page...


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	C	88	Total 88	O 88	0	0
3	D	81	Total 81	O 81	0	0
3	E	52	Total 52	O 52	0	0
3	F	87	Total 87	O 87	0	0
3	G	80	Total 80	O 80	0	0
3	H	60	Total 60	O 60	0	0
3	I	106	Total 106	O 106	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $\text{RSRZ} > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: FTSZ




#### • Molecule 1: FTSZ




#### • Molecule 1: FTSZ

Chain C: 




• Molecule 1: FTSZ

Chain D: 



• Molecule 1: FTSZ

Chain E: 







V155	V156	V157	V158	V159	V160	V163	V169	V170	V174	V179	V186	V187	V188	V189	V190	V191	V192	V193	V194	V195	V199	P200	P203	L206	V210	D211	D212	E213	L216	N217	A218	L222	L225	L226	V234	D235	F236	A237	D238	V239	K240	K241	V242	M243	N244	N245																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
G246	G247	L248	A249	M250	L251	G252	L253	G254	S258	E259	K260	R261	K262	E264	A265	V266	S267	M268	L274	V277	D278	L279	D280	G281	A282	T283	L286	V289	M290	A211	E298	E299	A300	R301	E302	V303	T306	R310	L311	D312	P313	N314	I318	A321	D324																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
E325	N326	E327	E328	N329	L330	V331	R332	V333	L334	L335	V336	G339	V340	D341	S342	R343	I344	T347	D348	T349	G350	R353	K354	K355	L356	L357	L358	L359	L360	L361	L362	L363	L364	L365	L366	L367	L368	L369	L370	L371	L372	L373	L374	L375	L376	L377	L378	L379	L380	L381	L382	L383	L384	L385	L386	L387	L388	L389	L390	L391	L392	L393	L394	L395	L396	L397	L398	L399	L400	L401	L402	L403	L404	L405	L406	L407	L408	L409	L410	L411	L412	L413	L414	L415	L416	L417	L418	L419	L420	L421	L422	L423	L424	L425	L426	L427	L428	L429	L430	L431	L432	L433	L434	L435	L436	L437	L438	L439	L440	L441	L442	L443	L444	L445	L446	L447	L448	L449	L450	L451	L452	L453	L454	L455	L456	L457	L458	L459	L460	L461	L462	L463	L464	L465	L466	L467	L468	L469	L470	L471	L472	L473	L474	L475	L476	L477	L478	L479	L480	L481	L482	L483	L484	L485	L486	L487	L488	L489	L490	L491	L492	L493	L494	L495	L496	L497	L498	L499	L500	L501	L502	L503	L504	L505	L506	L507	L508	L509	L510	L511	L512	L513	L514	L515	L516	L517	L518	L519	L520	L521	L522	L523	L524	L525	L526	L527	L528	L529	L530	L531	L532	L533	L534	L535	L536	L537	L538	L539	L540	L541	L542	L543	L544	L545	L546	L547	L548	L549	L550	L551	L552	L553	L554	L555	L556	L557	L558	L559	L560	L561	L562	L563	L564	L565	L566	L567	L568	L569	L570	L571	L572	L573	L574	L575	L576	L577	L578	L579	L580	L581	L582	L583	L584	L585	L586	L587	L588	L589	L590	L591	L592	L593	L594	L595	L596	L597	L598	L599	L600	L601	L602	L603	L604	L605	L606	L607	L608	L609	L610	L611	L612	L613	L614	L615	L616	L617	L618	L619	L620	L621	L622	L623	L624	L625	L626	L627	L628	L629	L630	L631	L632	L633	L634	L635	L636	L637	L638	L639	L640	L641	L642	L643	L644	L645	L646	L647	L648	L649	L650	L651	L652	L653	L654	L655	L656	L657	L658	L659	L660	L661	L662	L663	L664	L665	L666	L667	L668	L669	L670	L671	L672	L673	L674	L675	L676	L677	L678	L679	L680	L681	L682	L683	L684	L685	L686	L687	L688	L689	L690	L691	L692	L693	L694	L695	L696	L697	L698	L699	L700	L701	L702	L703	L704	L705	L706	L707	L708	L709	L710	L711	L712	L713	L714	L715	L716	L717	L718	L719	L720	L721	L722	L723	L724	L725	L726	L727	L728	L729	L730	L731	L732	L733	L734	L735	L736	L737	L738	L739	L740	L741	L742	L743	L744	L745	L746	L747	L748	L749	L750	L751	L752	L753	L754	L755	L756	L757	L758	L759	L760	L761	L762	L763	L764	L765	L766	L767	L768	L769	L770	L771	L772	L773	L774	L775	L776	L777	L778	L779	L780	L781	L782	L783	L784	L785	L786	L787	L788	L789	L790	L791	L792	L793	L794	L795	L796	L797	L798	L799	L800	L801	L802	L803	L804	L805	L806	L807	L808	L809	L810	L811	L812	L813	L814	L815	L816	L817	L818	L819	L820	L821	L822	L823	L824	L825	L826	L827	L828	L829	L830	L831	L832	L833	L834	L835	L836	L837	L838	L839	L840	L841	L842	L843	L844	L845	L846	L847	L848	L849	L850	L851	L852	L853	L854	L855	L856	L857	L858	L859	L860	L861	L862	L863	L864	L865	L866	L867	L868	L869	L870	L871	L872	L873	L874	L875	L876	L877	L878	L879	L880	L881	L882	L883	L884	L885	L886	L887	L888	L889	L890	L891	L892	L893	L894	L895	L896	L897	L898	L899	L900	L901	L902	L903	L904	L905	L906	L907	L908	L909	L910	L911	L912	L913	L914	L915	L916	L917	L918	L919	L920	L921	L922	L923	L924	L925	L926	L927	L928	L929	L930	L931	L932	L933	L934	L935	L936	L937	L938	L939	L940	L941	L942	L943	L944	L945	L946	L947	L948	L949	L950	L951	L952	L953	L954	L955	L956	L957	L958	L959	L960	L961	L962	L963	L964	L965	L966	L967	L968	L969	L970	L971	L972	L973	L974	L975	L976	L977	L978	L979	L980	L981	L982	L983	L984	L985	L986	L987	L988	L989	L990	L991	L992	L993	L994	L995	L996	L997	L998	L999	L1000	L1001	L1002	L1003	L1004	L1005	L1006	L1007	L1008	L1009	L1010	L1011	L1012	L1013	L1014	L1015	L1016	L1017	L1018	L1019	L1020	L1021	L1022	L1023	L1024	L1025	L1026	L1027	L1028	L1029	L1030	L1031	L1032	L1033	L1034	L1035	L1036	L1037	L1038	L1039	L1040	L1041	L1042	L1043	L1044	L1045	L1046	L1047	L1048	L1049	L1050	L1051	L1052	L1053	L1054	L1055	L1056	L1057	L1058	L1059	L1060	L1061	L1062	L1063	L1064	L1065	L1066	L1067	L1068	L1069	L1070	L1071	L1072	L1073	L1074	L1075	L1076	L1077	L1078	L1079	L1080	L1081	L1082	L1083	L1084	L1085	L1086	L1087	L1088	L1089	L1090	L1091	L1092	L1093	L1094	L1095	L1096	L1097	L1098	L1099	L1100	L1101	L1102	L1103	L1104	L1105	L1106	L1107	L1108	L1109	L1110	L1111	L1112	L1113	L1114	L1115	L1116	L1117	L1118	L1119	L1120	L1121	L1122	L1123	L1124	L1125	L1126	L1127	L1128	L1129	L1130	L1131	L1132	L1133	L1134	L1135	L1136	L1137	L1138	L1139	L1140	L1141	L1142	L1143	L1144	L1145	L1146	L1147	L1148	L1149	L1150	L1151	L1152	L1153	L1154	L1155	L1156	L1157	L1158	L1159	L1160	L1161	L1162	L1163	L1164	L1165	L1166	L1167	L1168	L1169	L1170	L1171	L1172	L1173	L1174	L1175	L1176	L1177	L1178	L1179	L1180	L1181	L1182	L1183	L1184	L1185	L1186	L1187	L1188	L1189	L1190	L1191	L1192	L1193	L1194	L1195	L1196	L1197	L1198	L1199	L1200	L1201	L1202	L1203	L1204	L1205	L1206	L1207	L1208	L1209	L1210	L1211	L1212	L1213	L1214	L1215	L1216	L1217	L1218	L1219	L1220	L1221	L1222	L1223	L1224	L1225	L1226	L1227	L1228	L1229	L1230	L1231	L1232	L1233	L1234	L1235	L1236	L1237	L1238	L1239	L1240	L1241	L1242	L1243	L1244	L1245	L1246	L1247	L1248	L1249	L1250	L1251	L1252	L1253	L1254	L1255	L1256	L1257	L1258	L1259	L1260	L1261	L1262	L1263	L1264	L1265	L1266	L1267	L1268	L1269	L1270	L1271	L1272	L1273	L1274	L1275	L1276	L1277	L1278	L1279	L1280	L1281	L1282	L1283	L1284	L1285	L1286	L1287	L1288	L1289	L1290	L1291	L1292	L1293	L1294	L1295	L1296	L1297	L1298	L1299	L1300	L1301	L1302	L1303	L1304	L1305	L1306	L1307	L1308	L1309	L1310	L1311	L1312	L1313	L1314	L1315	L1316	L1317	L1318	L1319	L1320	L1321	L1322	L1323	L1324	L1325	L1326	L1327	L1328	L1329	L1330	L1331	L1332	L1333	L1334	L1335	L1336	L1337	L1338	L1339	L1340	L1341	L1342	L1343	L1344	L1345	L1346	L1347	L1348	L1349	L1350	L1351	L1352	L1353	L1354	L1355	L1356	L1357	L1358	L1359	L1360	L1361	L1362	L1363	L1364	L1365	L1366	L1367	L1368	L1369	L1370	L1371	L1372	L1373	L1374	L1375	L1376	L1377	L1378	L1379	L1380	L1381	L1382	L1383	L1384	L1385	L1386	L1387	L1388	L1389	L1390	L1391	L1392	L1393	L1394	L1395	L1396	L1397	L1398	L1399	L1400	L1401	L1402	L1403	L1404	L1405	L1406	L1407	L1408	L1409	L1410	L1411	L1412	L1413	L1414	L1415	L1416	L1417	L1418	L1419	L1420	L1421	L1422	L1423	L1424	L1425	L1426	L1427	L1428	L1429	L1430	L1431	L1432	L1433	L1434	L1435	L1436	L1437	L1438	L1439	L1440	L1441	L1442	L1443	L1444	L1445	L1446	L1447	L1448	L1449	L1450	L1451	L1452	L1453	L1454	L1455	L1456	L1457	L1458	L1459	L1460	L1461	L1462	L1463	L1464	L1465	L1466	L1467	L1468	L1469	L1470	L1471	L1472	L1473	L1474	L1475	L1476	L1477	L1478	L1479	L1480	L1481	L1482	L1483	L1484	L1485	L1486	L1487	L1488	L1489	L1490	L1491	L1492	L1493	L1494	L1495	L1496	L1497	L1498	L1499	L1500	L1501	L1502	L1503	L1504	L1505	L1506	L1507	L1508	L1509	L1510	L1511	L1512	L1513	L1514	L1515	L1516	L1517	L1518	L1519	L1520	L1521	L1522	L1523	L1524	L1525	L1526	L1527	L1528	L1529	L1530	L1531	L1532	L1533	L1534	L1535	L1536	L1537	L1538	L1539	L1540	L1541	L1542	L1543	L1544	L1545	L1546	L1547	L1548	L1549	L1550	L1551	L1552	L1553	L1554	L1555	L1556	L1557	L1558	L1559	L1560	L1561	L1562	L1563	L1564	L1565	L1566	L1567	L1568	L1569	L1570	L1571	L1572	L1573	L1574	L1575	L1576	L1577	L1578	L1579	L1580	L1581	L1582	L1583	L1584	L1585	L1586	L1587	L1588	L1589	L1590	L1591	L1592	L1593	L1594	L1595	L1596	L1597	L1598	L1599	L1600	L1601	L1602	L1603	L1604	L1605	L1606	L1607	L1608	L1609	L1610	L1611	L1612	L1613	L1614	L1615	L1616	L1617	L1618	L1619	L1620	L1621	L1622	L1623	L1624	L1625	L1626	L1627	L1628	L1629	L1630	L1631	L1632	L1633	L1634	L1635	L1636	L1637	L1638	L1639	L1640	L1641	L1642	L1643	L1644	L1645	L1646	L1647	L1648	L1649	L1650	L1651	L1652	L1653	L1654	L1655	L1656	L1657	L1658	L1659	L1660	L1661	L1662	L1663	L1664	L1665	L1666	L1667	L1668	L1669	L1670	L1671	L1672	L1673	L1674	L1675	L1676	L1677	L1678	L1679	L1680	L1681	L1682	L1683	L1684	L1685	L1686	L1687

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	113.95Å 114.33Å 115.14Å 90.07° 90.19° 119.86°	Depositor
Resolution (Å)	50.00 – 3.00 115.13 – 3.00	Depositor EDS
% Data completeness (in resolution range)	94.7 (50.00-3.00) 94.5 (115.13-3.00)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.35 (at 3.01Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.264 , 0.298 0.261 , 0.263	Depositor DCC
$R_{free}$ test set	4789 reflections (5.02%)	DCC
Wilson B-factor (Å <sup>2</sup> )	50.2	Xtriage
Anisotropy	0.368	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 69.1	EDS
Estimated twinning fraction	0.000 for h+k,-h,l 0.000 for -k,h+k,l 0.398 for k,-h-k,l 0.398 for -h-k,h,l 0.034 for h,-h-k,-l 0.035 for -h-k,k,-l 0.000 for -h,-k,l 0.034 for k,h,-l 0.000 for -k,-h,-l 0.000 for -h,h+k,-l 0.000 for h+k,-k,-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.41$ , $\langle L^2 \rangle = 0.25$	Xtriage
Outliers	0 of 100876 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	23131	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 75.53 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 1.2420e-06. The detected translational NCS is most likely*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

*also responsible for the elevated intensity ratio.*

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GTP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.36	0/2479	0.64	0/3345
1	B	0.39	0/2488	0.66	0/3356
1	C	0.38	0/2479	0.64	0/3345
1	D	0.37	0/2479	0.64	0/3345
1	E	0.38	0/2488	0.66	0/3356
1	F	0.38	0/2479	0.64	0/3345
1	G	0.37	0/2479	0.63	0/3345
1	H	0.40	0/2488	0.66	0/3356
1	I	0.40	0/2479	0.65	0/3345
All	All	0.38	0/22338	0.65	0/30138

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2460	0	2581	198	0
1	B	2469	0	2594	169	0
1	C	2460	0	2581	188	0
1	D	2460	0	2581	177	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	2469	0	2594	161	0
1	F	2460	0	2581	193	0
1	G	2460	0	2581	178	0
1	H	2469	0	2594	164	0
1	I	2460	0	2581	214	0
2	A	32	0	12	3	0
2	B	32	0	12	1	0
2	C	32	0	12	1	0
2	D	32	0	12	3	0
2	E	32	0	12	0	0
2	F	32	0	12	1	0
2	G	32	0	12	4	0
2	H	32	0	12	0	0
2	I	32	0	12	0	0
3	A	76	0	0	12	0
3	B	46	0	0	9	0
3	C	88	0	0	20	0
3	D	81	0	0	9	0
3	E	52	0	0	8	0
3	F	87	0	0	18	0
3	G	80	0	0	11	0
3	H	60	0	0	11	0
3	I	106	0	0	24	0
All	All	23131	0	23376	1613	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 35.

The worst 5 of 1613 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:282:ALA:HB3	1:C:311:LEU:HB3	1.33	1.11
1:A:282:ALA:HB3	1:A:311:LEU:HB3	1.36	1.08
1:I:282:ALA:HB3	1:I:311:LEU:HB3	1.27	1.06
1:G:282:ALA:HB3	1:G:311:LEU:HB3	1.34	1.06
1:H:70:ASN:ND2	1:H:71:THR:H	1.54	1.05

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	330/364 (91%)	293 (89%)	32 (10%)	5 (2%)	13	50
1	B	331/364 (91%)	297 (90%)	29 (9%)	5 (2%)	13	50
1	C	330/364 (91%)	298 (90%)	22 (7%)	10 (3%)	5	29
1	D	330/364 (91%)	294 (89%)	30 (9%)	6 (2%)	11	45
1	E	331/364 (91%)	288 (87%)	36 (11%)	7 (2%)	9	40
1	F	330/364 (91%)	292 (88%)	27 (8%)	11 (3%)	5	26
1	G	330/364 (91%)	291 (88%)	33 (10%)	6 (2%)	11	45
1	H	331/364 (91%)	291 (88%)	35 (11%)	5 (2%)	13	50
1	I	330/364 (91%)	283 (86%)	38 (12%)	9 (3%)	6	32
All	All	2973/3276 (91%)	2627 (88%)	282 (10%)	64 (2%)	8	38

5 of 64 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	258	SER
1	A	328	GLU
1	D	258	SER
1	D	328	GLU
1	E	90	LYS

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	267/297 (90%)	249 (93%)	18 (7%)	20	57
1	B	268/297 (90%)	247 (92%)	21 (8%)	16	49
1	C	267/297 (90%)	251 (94%)	16 (6%)	24	62
1	D	267/297 (90%)	250 (94%)	17 (6%)	22	59
1	E	268/297 (90%)	249 (93%)	19 (7%)	18	54
1	F	267/297 (90%)	249 (93%)	18 (7%)	20	57
1	G	267/297 (90%)	250 (94%)	17 (6%)	22	59
1	H	268/297 (90%)	247 (92%)	21 (8%)	16	49
1	I	267/297 (90%)	250 (94%)	17 (6%)	22	59
All	All	2406/2673 (90%)	2242 (93%)	164 (7%)	20	56

5 of 164 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	55	ARG
1	F	26	ASP
1	I	75	GLN
1	E	71	THR
1	E	244	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 107 such sidechains are listed below:

Mol	Chain	Res	Type
1	E	50	ASN
1	F	50	ASN
1	I	74	GLN
1	E	51	ASN
1	E	192	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.



## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	GTP	A	500	-	25,34,34	1.43	3 (12%)	34,54,54	2.16	4 (11%)
2	GTP	B	500	-	25,34,34	1.30	2 (8%)	34,54,54	2.08	4 (11%)
2	GTP	C	500	-	25,34,34	1.39	3 (12%)	34,54,54	2.11	4 (11%)
2	GTP	D	500	-	25,34,34	1.43	2 (8%)	34,54,54	2.15	4 (11%)
2	GTP	E	500	-	25,34,34	1.24	1 (4%)	34,54,54	2.13	5 (14%)
2	GTP	F	500	-	25,34,34	1.33	3 (12%)	34,54,54	2.14	5 (14%)
2	GTP	G	500	-	25,34,34	1.37	2 (8%)	34,54,54	2.13	4 (11%)
2	GTP	H	500	-	25,34,34	1.17	2 (8%)	34,54,54	2.08	5 (14%)
2	GTP	I	500	-	25,34,34	1.35	3 (12%)	34,54,54	2.08	4 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GTP	A	500	-	-	0/18/38/38	0/3/3/3
2	GTP	B	500	-	-	0/18/38/38	0/3/3/3
2	GTP	C	500	-	-	0/18/38/38	0/3/3/3
2	GTP	D	500	-	-	0/18/38/38	0/3/3/3
2	GTP	E	500	-	-	0/18/38/38	0/3/3/3
2	GTP	F	500	-	-	0/18/38/38	0/3/3/3
2	GTP	G	500	-	-	0/18/38/38	0/3/3/3
2	GTP	H	500	-	-	0/18/38/38	0/3/3/3
2	GTP	I	500	-	-	0/18/38/38	0/3/3/3

The worst 5 of 21 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	500	GTP	PA-O2A	-2.36	1.44	1.54
2	B	500	GTP	PA-O2A	-2.33	1.45	1.54
2	I	500	GTP	PA-O2A	-2.23	1.45	1.54
2	A	500	GTP	PA-O2A	-2.16	1.45	1.54
2	C	500	GTP	PA-O2A	-2.13	1.45	1.54

The worst 5 of 39 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	500	GTP	C5-C6-N1	-8.22	112.35	123.59
2	A	500	GTP	C5-C6-N1	-8.18	112.40	123.59
2	B	500	GTP	C5-C6-N1	-8.12	112.48	123.59
2	D	500	GTP	C5-C6-N1	-8.04	112.59	123.59
2	F	500	GTP	C5-C6-N1	-7.98	112.68	123.59

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	500	GTP	3	0
2	B	500	GTP	1	0
2	C	500	GTP	1	0
2	D	500	GTP	3	0
2	F	500	GTP	1	0
2	G	500	GTP	4	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	332/364 (91%)	-0.53	0 100 100	17, 52, 82, 101	0
1	B	333/364 (91%)	-0.74	0 100 100	9, 33, 68, 99	0
1	C	332/364 (91%)	-0.49	1 (0%) 94 84	20, 52, 89, 125	0
1	D	332/364 (91%)	-0.51	0 100 100	20, 52, 81, 102	0
1	E	333/364 (91%)	-0.75	0 100 100	10, 32, 70, 96	0
1	F	332/364 (91%)	-0.48	3 (0%) 85 64	20, 52, 89, 133	0
1	G	332/364 (91%)	-0.54	1 (0%) 94 84	19, 51, 83, 103	0
1	H	333/364 (91%)	-0.76	0 100 100	9, 33, 71, 95	0
1	I	332/364 (91%)	-0.53	1 (0%) 94 84	20, 52, 87, 136	0
All	All	2991/3276 (91%)	-0.59	6 (0%) 95 87	9, 47, 82, 136	0

The worst 5 of 6 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	33	LEU	3.7
1	F	36	THR	2.6
1	F	119	ILE	2.5
1	F	33	LEU	2.5
1	G	90	LYS	2.2

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	GTP	B	500	32/32	0.98	0.15	1.12	20,33,46,49	0
2	GTP	H	500	32/32	0.98	0.15	0.95	13,25,42,45	0
2	GTP	E	500	32/32	0.97	0.14	0.27	5,28,39,46	0
2	GTP	A	500	32/32	0.95	0.15	-0.32	29,51,64,71	0
2	GTP	G	500	32/32	0.95	0.14	-0.58	12,49,58,65	0
2	GTP	D	500	32/32	0.95	0.13	-0.60	21,48,64,67	0
2	GTP	I	500	32/32	0.97	0.13	-0.65	35,46,57,64	0
2	GTP	F	500	32/32	0.96	0.14	-0.76	34,50,61,65	0
2	GTP	C	500	32/32	0.97	0.13	-0.78	43,51,65,67	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.