



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 09:45 PM GMT

PDB ID : 4W5Q  
Title : The Crystal Structure of Human Argonaute2 Bound to a Guide and Target  
RNA Containing Seed Pairing from 2-8  
Authors : Schirle, N.T.; MacRae, I.J.  
Deposited on : 2014-08-18  
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1114 (3.14-3.06)
Clashscore	102246	1222 (3.14-3.06)
Ramachandran outliers	100387	1174 (3.14-3.06)
Sidechain outliers	100360	1174 (3.14-3.06)
RSRZ outliers	91569	1119 (3.14-3.06)
RNA backbone	2183	1010 (3.52-2.68)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	859	<div> <div>5%</div> <div>73%</div> <div>19%</div> <div>7%</div> </div>
2	B	21	<div> <div>10%</div> <div>19%</div> <div>29%</div> <div>24%</div> <div>14%</div> <div>14%</div> </div>
3	D	11	<div> <div>18%</div> <div>18%</div> <div>18%</div> <div>36%</div> <div>9%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	MG	A	901	-	-	-	X
5	IPH	A	902	-	-	-	X
5	IPH	A	903	-	-	-	X
5	IPH	A	904	-	-	-	X
5	IPH	A	905	-	-	-	X

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 7042 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein argonaute-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	803	Total	C	N	O	S	0	0	0
			6439	4101	1156	1142	40			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	387	ASP	SER	engineered mutation	UNP Q9UKV8

- Molecule 2 is a RNA chain called RNA (5'-R(P\*UP\*UP\*CP\*AP\*CP\*AP\*UP\*UP\*GP\*CP\*CP\*CP\*AP\*AP\*GP\*UP\*CP\*U)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	18	Total	C	N	O	P	0	0	0
			375	168	60	129	18			


- Molecule 3 is a RNA chain called RNA (5'-R(\*AP\*AP\*AP\*UP\*GP\*UP\*GP\*AP\*AP\*A)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	D	10	Total	C	N	O	P	0	0	0
			197	88	39	61	9			

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Mg	0	0
			1	1		
4	A	1	Total	Mg	0	0
			1	1		
4	D	1	Total	Mg	0	0
			1	1		

- Molecule 5 is PHENOL (three-letter code: IPH) (formula:  $C_6H_6O$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			7	6	1		
5	A	1	Total	C	O	0	0
			7	6	1		
5	A	1	Total	C	O	0	0
			7	6	1		
5	A	1	Total	C	O	0	0
			7	6	1		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Protein argonaute-2



#### • Molecule 2: RNA (5'-R(P\*UP\*UP\*CP\*AP\*CP\*AP\*UP\*UP\*GP\*CP\*CP\*CP\*AP\*AP\*GP\*U P\*CP\*U)-3')



#### • Molecule 3: RNA (5'-R(\*AP\*AP\*AP\*UP\*GP\*UP\*GP\*AP\*AP\*A)-3')



A1	A2	A3	U4	G5	U6	G7	A8	A9	A10	A
----	----	----	----	----	----	----	----	----	-----	---

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	55.50Å 116.66Å 70.07Å 90.00° 92.26° 90.00°	Depositor
Resolution (Å)	35.29 – 3.10 35.29 – 3.10	Depositor EDS
% Data completeness (in resolution range)	98.8 (35.29-3.10) 98.8 (35.29-3.10)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.09	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.23 (at 3.12Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.9_1692)	Depositor
R, $R_{free}$	0.190 , 0.233 0.197 , 0.238	Depositor DCC
$R_{free}$ test set	799 reflections (5.24%)	DCC
Wilson B-factor (Å <sup>2</sup> )	61.6	Xtriage
Anisotropy	0.407	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 49.3	EDS
Estimated twinning fraction	0.042 for h,-k,-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 16035 reflections	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	7042	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	70.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.74% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.



## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: IPH, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.42	1/6591 (0.0%)	0.52	3/8920 (0.0%)
2	B	2.10	15/416 (3.6%)	1.24	8/642 (1.2%)
3	D	1.69	4/221 (1.8%)	1.09	2/344 (0.6%)
All	All	0.71	20/7228 (0.3%)	0.62	13/9906 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1	U	OP3-P	-18.03	1.39	1.61
2	B	1	U	O3'-P	-11.30	1.47	1.61
2	B	4	A	O3'-P	-10.71	1.48	1.61
2	B	6	A	O3'-P	-10.42	1.48	1.61
2	B	5	C	O3'-P	-9.97	1.49	1.61
3	D	2	A	O3'-P	-9.83	1.49	1.61
2	B	2	U	O3'-P	-9.15	1.50	1.61
2	B	3	C	O3'-P	-9.08	1.50	1.61
3	D	3	A	O3'-P	-8.91	1.50	1.61
3	D	4	U	O3'-P	-7.42	1.52	1.61
2	B	6	A	P-OP1	-7.33	1.36	1.49
2	B	6	A	P-OP2	-6.47	1.38	1.49
2	B	1	U	P-OP1	-6.17	1.38	1.49
1	A	737	ASP	CB-CG	-6.15	1.38	1.51
2	B	5	C	P-OP2	-6.02	1.38	1.49

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	2	U	P-OP1	-5.62	1.39	1.49
2	B	5	C	P-OP1	-5.49	1.39	1.49
3	D	5	G	O3'-P	-5.26	1.54	1.61
2	B	2	U	P-OP2	-5.21	1.40	1.49
2	B	1	U	P-OP2	-5.00	1.40	1.49

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	6	A	P-O3'-C3'	-10.16	107.50	119.70
2	B	6	A	O3'-P-O5'	-7.57	89.62	104.00
2	B	6	A	O5'-P-OP1	-6.95	99.45	105.70
1	A	151	LEU	C-N-CD	6.61	142.29	128.40
1	A	148	SER	N-CA-C	-6.44	93.62	111.00
2	B	5	C	O3'-P-O5'	-6.42	91.81	104.00
2	B	9	G	P-O3'-C3'	-5.83	112.70	119.70
2	B	3	C	OP2-P-O3'	5.76	117.88	105.20
2	B	1	U	P-O3'-C3'	5.65	126.48	119.70
1	A	152	PRO	CA-N-CD	-5.49	103.81	111.50
3	D	4	U	P-O3'-C3'	-5.37	113.26	119.70
2	B	3	C	P-O3'-C3'	5.22	125.97	119.70
3	D	4	U	O5'-P-OP1	-5.02	101.18	105.70

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	244	GLU	Peptide
1	A	347	VAL	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6439	0	6504	185	1
2	B	375	0	193	23	0
3	D	197	0	98	14	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	D	1	0	0	0	0
5	A	28	0	24	1	0
All	All	7042	0	6819	213	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (213) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:231:ILE:HG23	1:A:243:ILE:CD1	1.75	1.16
2:B:7:U:H2'	2:B:8:U:H5'	1.15	1.14
1:A:247:GLN:HA	1:A:324:HIS:NE2	1.63	1.13
1:A:332:GLN:HG3	1:A:334:GLN:N	1.66	1.11
2:B:7:U:C2'	2:B:8:U:H5'	1.83	1.08
1:A:244:GLU:HA	1:A:246:GLN:HA	1.14	1.06
1:A:77:HIS:CE1	1:A:119:LEU:CD1	2.38	1.06
1:A:146:ALA:HB2	1:A:151:LEU:HD23	1.08	1.05
1:A:347:VAL:HG12	1:A:348:ALA:HB3	1.38	1.03
1:A:83:LYS:HG3	1:A:88:GLY:HA2	1.37	1.03
1:A:231:ILE:CG2	1:A:243:ILE:HD11	1.90	1.02
1:A:146:ALA:HB2	1:A:151:LEU:CD2	1.91	1.00
1:A:77:HIS:CE1	1:A:119:LEU:HD12	1.96	1.00
1:A:231:ILE:HG23	1:A:243:ILE:HD11	1.03	0.99
3:D:5:G:H2'	3:D:6:U:H5'	1.40	0.99
2:B:2:U:C2'	2:B:3:C:H5'	1.96	0.95
1:A:637:GLU:HB3	1:A:675:GLN:HE22	1.28	0.94
1:A:394:VAL:HG13	1:A:399:ILE:HB	1.47	0.94
1:A:146:ALA:CB	1:A:151:LEU:HD23	1.97	0.91
1:A:244:GLU:CA	1:A:246:GLN:HA	2.01	0.91
1:A:232:GLU:O	1:A:236:GLU:HG2	1.71	0.91
1:A:231:ILE:CG2	1:A:243:ILE:CD1	2.46	0.90
1:A:245:GLU:HA	1:A:246:GLN:CG	2.02	0.89
3:D:1:A:N3	3:D:1:A:H5''	1.89	0.88
1:A:315:ARG:NH1	1:A:316:HIS:NE2	2.22	0.87
2:B:2:U:H2'	2:B:3:C:H5'	1.55	0.86
1:A:247:GLN:HA	1:A:324:HIS:CD2	2.11	0.85
3:D:5:G:C2'	3:D:6:U:H5'	2.06	0.85
1:A:146:ALA:HA	1:A:151:LEU:HB3	1.58	0.83

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:245:GLU:HB3	1:A:246:GLN:HG3	1.59	0.83
1:A:245:GLU:CA	1:A:246:GLN:HG3	2.09	0.83
1:A:249:PRO:HG3	1:A:324:HIS:HB2	1.59	0.82
1:A:245:GLU:CB	1:A:246:GLN:HG3	2.10	0.81
1:A:394:VAL:CG1	1:A:399:ILE:HB	2.11	0.81
1:A:332:GLN:HG3	1:A:334:GLN:CA	2.10	0.81
1:A:475:ARG:O	1:A:479:ARG:HG3	1.81	0.80
1:A:245:GLU:HA	1:A:246:GLN:HG2	1.64	0.80
1:A:233:PHE:CD1	1:A:346:ILE:HD11	2.18	0.78
1:A:152:PRO:HD2	1:A:153:SER:H	1.48	0.77
2:B:7:U:H2'	2:B:8:U:C5'	2.06	0.77
1:A:245:GLU:CA	1:A:246:GLN:CG	2.62	0.77
1:A:77:HIS:ND1	1:A:119:LEU:CD1	2.47	0.77
1:A:311:TYR:OH	1:A:315:ARG:HD3	1.83	0.76
1:A:77:HIS:HE1	1:A:119:LEU:CD1	1.93	0.75
2:B:7:U:C2'	2:B:8:U:C5'	2.62	0.75
1:A:332:GLN:CG	1:A:334:GLN:O	2.34	0.75
1:A:347:VAL:HG12	1:A:348:ALA:CB	2.18	0.73
1:A:228:GLN:HE22	1:A:236:GLU:HG3	1.52	0.73
1:A:88:GLY:O	1:A:89:ASP:HB2	1.89	0.72
1:A:77:HIS:ND1	1:A:119:LEU:HD13	2.03	0.72
1:A:395:ARG:NH2	1:A:400:MET:SD	2.62	0.72
1:A:332:GLN:HG3	1:A:334:GLN:H	1.48	0.72
1:A:83:LYS:CG	1:A:88:GLY:HA2	2.16	0.72
1:A:243:ILE:O	1:A:244:GLU:CG	2.38	0.71
1:A:332:GLN:CG	1:A:334:GLN:HB2	2.21	0.71
1:A:48:ASP:HB2	1:A:400:MET:HB2	1.73	0.70
1:A:675:GLN:HG2	1:A:679:VAL:HG23	1.74	0.69
1:A:77:HIS:HE1	1:A:119:LEU:HD12	1.47	0.69
1:A:402:LYS:HE2	1:A:404:GLU:HB2	1.76	0.68
1:A:231:ILE:CG2	1:A:243:ILE:HD12	2.22	0.68
3:D:5:G:C2'	3:D:6:U:C5'	2.72	0.67
1:A:309:ALA:CB	1:A:320:LEU:HD12	2.25	0.67
1:A:675:GLN:HG2	1:A:675:GLN:O	1.95	0.67
1:A:635:ARG:NH1	2:B:11:C:OP1	2.28	0.66
1:A:243:ILE:O	1:A:244:GLU:HG2	1.96	0.66
1:A:244:GLU:HA	1:A:246:GLN:CA	2.08	0.64
1:A:152:PRO:CD	1:A:153:SER:H	2.09	0.64
1:A:309:ALA:HB2	1:A:320:LEU:HD12	1.79	0.64
1:A:252:ASP:O	1:A:256:VAL:HG23	1.97	0.64
3:D:3:A:C2'	3:D:4:U:H5'	2.27	0.64

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:146:ALA:CA	1:A:151:LEU:HB3	2.26	0.64
1:A:269:ILE:HD11	1:A:339:LEU:HD13	1.80	0.64
1:A:266:LYS:O	1:A:347:VAL:HG23	1.97	0.64
1:A:240:PHE:HZ	1:A:254:GLN:NE2	1.96	0.64
1:A:250:LEU:CD2	1:A:254:GLN:OE1	2.45	0.63
3:D:3:A:H2'	3:D:4:U:H5'	1.79	0.63
2:B:8:U:H6	2:B:8:U:H3'	1.64	0.62
1:A:250:LEU:HA	1:A:254:GLN:OE1	1.99	0.62
2:B:2:U:O2'	2:B:3:C:H5'	2.00	0.60
1:A:60:ASP:HB2	1:A:131:SER:HB2	1.83	0.60
1:A:332:GLN:HG3	1:A:334:GLN:O	2.01	0.60
3:D:5:G:O2'	3:D:6:U:H5''	2.02	0.59
2:B:8:U:C6	2:B:8:U:H3'	2.36	0.59
1:A:247:GLN:HA	1:A:324:HIS:CE1	2.36	0.59
1:A:535:VAL:CG1	1:A:540:LEU:HD12	2.33	0.59
1:A:850:GLN:HE21	1:A:854:ARG:HH12	1.51	0.58
2:B:1:U:O2'	2:B:2:U:OP1	2.21	0.58
1:A:83:LYS:HG3	1:A:88:GLY:CA	2.24	0.58
1:A:146:ALA:O	1:A:148:SER:O	2.20	0.58
3:D:6:U:H5'	3:D:6:U:H6	1.69	0.58
2:B:8:U:C6	2:B:8:U:C3'	2.86	0.58
1:A:850:GLN:NE2	1:A:853:LEU:HD12	2.18	0.58
1:A:50:PRO:HB2	1:A:52:ILE:HG12	1.86	0.57
2:B:9:G:H1	3:D:1:A:H62	1.51	0.57
1:A:817:LEU:HD21	1:A:846:VAL:HG23	1.85	0.57
1:A:207:ARG:NH2	1:A:673:GLU:OE1	2.30	0.57
1:A:488:GLN:HG3	1:A:489:PRO:HD2	1.85	0.57
1:A:108:ILE:HG22	1:A:110:ARG:HA	1.87	0.57
1:A:147:LEU:C	1:A:148:SER:O	2.43	0.56
1:A:332:GLN:HG2	1:A:334:GLN:HB2	1.88	0.56
1:A:535:VAL:HG12	1:A:540:LEU:HD12	1.87	0.56
2:B:3:C:H2'	2:B:4:A:C8	2.41	0.56
1:A:337:THR:HG22	1:A:338:TYR:N	2.20	0.56
1:A:56:HIS:NE2	1:A:99:ASN:OD1	2.36	0.55
1:A:334:GLN:O	1:A:335:LYS:HB2	2.05	0.55
1:A:110:ARG:HB3	1:A:134:TRP:HB3	1.89	0.54
1:A:243:ILE:C	1:A:244:GLU:HG2	2.27	0.54
1:A:250:LEU:HD22	1:A:254:GLN:OE1	2.06	0.54
1:A:637:GLU:HB3	1:A:675:GLN:NE2	2.10	0.54
1:A:346:ILE:HG22	1:A:347:VAL:N	2.23	0.54
1:A:438:ARG:NH1	3:D:9:A:O4'	2.36	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:82:PHE:HB3	1:A:86:ILE:HD12	1.90	0.53
1:A:211:TRP:CG	1:A:212:LYS:HG2	2.44	0.53
1:A:447:GLU:HG3	1:A:484:PRO:HG2	1.90	0.53
1:A:464:GLU:OE1	1:A:464:GLU:N	2.42	0.53
1:A:152:PRO:CD	1:A:153:SER:N	2.69	0.53
1:A:535:VAL:HA	1:A:539:VAL:HB	1.91	0.52
1:A:119:LEU:HD12	1:A:120:PRO:HD2	1.91	0.52
1:A:374:ASP:O	1:A:378:GLU:HG2	2.09	0.52
1:A:377:GLU:HG3	1:A:381:LYS:HE3	1.91	0.51
1:A:243:ILE:HG22	1:A:244:GLU:N	2.26	0.51
1:A:117:VAL:O	1:A:127:ILE:N	2.43	0.51
1:A:77:HIS:ND1	1:A:119:LEU:HD12	2.16	0.51
1:A:243:ILE:O	1:A:244:GLU:HG3	2.10	0.51
1:A:332:GLN:CG	1:A:334:GLN:CA	2.87	0.51
1:A:311:TYR:CZ	1:A:315:ARG:HD3	2.45	0.51
1:A:850:GLN:NE2	1:A:854:ARG:HH12	2.08	0.51
1:A:167:ARG:HB2	1:A:181:PHE:HZ	1.75	0.51
1:A:756:ILE:HD11	1:A:795:ARG:HH22	1.76	0.51
1:A:353:ILE:O	1:A:354:LYS:C	2.49	0.50
1:A:247:GLN:CA	1:A:324:HIS:CD2	2.91	0.50
1:A:395:ARG:NH1	1:A:395:ARG:HA	2.26	0.50
1:A:446:ILE:HG21	1:A:571:LEU:HB3	1.93	0.50
1:A:365:ILE:HD11	2:B:7:U:O2	2.11	0.50
1:A:152:PRO:HD2	1:A:153:SER:N	2.23	0.50
1:A:394:VAL:HG13	1:A:399:ILE:CB	2.32	0.50
1:A:248:LYS:C	1:A:250:LEU:H	2.15	0.50
1:A:551:ASN:ND2	2:B:2:U:OP2	2.45	0.49
1:A:449:LYS:N	1:A:516:GLN:OE1	2.38	0.49
1:A:475:ARG:HG2	1:A:485:ILE:HB	1.94	0.49
1:A:109:GLY:H	1:A:111:ASP:H	1.60	0.49
1:A:244:GLU:HG3	1:A:244:GLU:O	2.13	0.49
1:A:337:THR:HG22	1:A:338:TYR:H	1.75	0.49
1:A:90:ARG:O	1:A:92:PRO:HD3	2.13	0.49
1:A:279:TYR:HB3	1:A:330:VAL:HB	1.95	0.48
1:A:332:GLN:HB3	1:A:334:GLN:O	2.12	0.48
1:A:83:LYS:O	1:A:87:PHE:O	2.31	0.48
1:A:790:TYR:CE1	1:A:792:ARG:HB2	2.49	0.48
1:A:675:GLN:CG	1:A:675:GLN:O	2.56	0.48
1:A:245:GLU:CB	1:A:246:GLN:CG	2.84	0.48
1:A:211:TRP:CD1	1:A:212:LYS:HG2	2.49	0.48
1:A:750:LEU:HB3	1:A:765:TYR:HE2	1.79	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:109:GLY:N	1:A:110:ARG:HA	2.28	0.48
1:A:241:LYS:H	1:A:241:LYS:HD2	1.79	0.47
1:A:517:LEU:HB2	1:A:571:LEU:HD11	1.95	0.47
1:A:147:LEU:HD21	1:A:213:MET:HE2	1.95	0.47
1:A:631:VAL:HG13	1:A:846:VAL:HG21	1.97	0.47
1:A:696:LYS:HA	1:A:697:ASP:HA	1.60	0.47
1:A:45:PHE:CZ	1:A:383:MET:HG3	2.49	0.46
2:B:7:U:C3'	2:B:8:U:H5'	2.40	0.46
3:D:5:G:O2'	3:D:6:U:C5'	2.63	0.46
1:A:332:GLN:CB	1:A:334:GLN:O	2.64	0.46
1:A:675:GLN:HG2	1:A:679:VAL:CG2	2.45	0.46
1:A:634:HIS:CD2	1:A:635:ARG:HG3	2.51	0.46
1:A:250:LEU:HD23	1:A:254:GLN:OE1	2.14	0.46
1:A:81:HIS:HD2	1:A:82:PHE:CE1	2.34	0.46
1:A:332:GLN:HG3	1:A:334:GLN:C	2.35	0.46
1:A:36:ARG:NH1	1:A:722:GLU:OE2	2.36	0.45
1:A:566:LYS:NZ	1:A:859:ALA:OXT	2.42	0.45
1:A:629:VAL:HG21	1:A:813:ALA:HB2	1.97	0.45
1:A:231:ILE:HG21	1:A:243:ILE:HD12	1.97	0.45
1:A:697:ASP:OD1	1:A:697:ASP:O	2.34	0.45
1:A:636:GLN:NE2	1:A:640:GLN:OE1	2.36	0.45
1:A:248:LYS:O	1:A:250:LEU:N	2.47	0.45
1:A:815:TYR:CE2	3:D:1:A:O2'	2.70	0.45
1:A:252:ASP:HA	1:A:255:ARG:HB3	1.99	0.45
1:A:332:GLN:CG	1:A:334:GLN:CB	2.93	0.44
1:A:186:GLU:O	1:A:188:CYS:N	2.50	0.44
1:A:233:PHE:CD1	1:A:346:ILE:CD1	2.96	0.44
1:A:680:LEU:HD12	1:A:684:LEU:HB2	1.99	0.44
2:B:8:U:H6	2:B:8:U:C3'	2.26	0.43
1:A:247:GLN:HA	1:A:324:HIS:HE2	1.67	0.43
1:A:211:TRP:O	1:A:212:LYS:HD3	2.18	0.43
1:A:710:ARG:HA	1:A:761:ARG:NH1	2.32	0.43
1:A:603:ALA:HB2	2:B:9:G:O3'	2.18	0.43
1:A:243:ILE:C	1:A:244:GLU:CG	2.86	0.43
1:A:548:GLN:HG3	2:B:1:U:O2'	2.18	0.43
1:A:266:LYS:C	1:A:347:VAL:HG23	2.38	0.43
1:A:395:ARG:HA	1:A:395:ARG:HH11	1.84	0.43
1:A:245:GLU:C	1:A:246:GLN:HG3	2.38	0.43
1:A:672:SER:HB3	2:B:11:C:N3	2.33	0.42
1:A:842:LEU:O	1:A:846:VAL:HG23	2.19	0.42
1:A:750:LEU:HB3	1:A:765:TYR:CE2	2.54	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:601:PRO:HA	1:A:602:PRO:HD3	1.92	0.42
1:A:309:ALA:HB2	1:A:320:LEU:CD1	2.48	0.42
2:B:13:A:H2'	2:B:14:A:O4'	2.20	0.42
1:A:250:LEU:CA	1:A:254:GLN:OE1	2.67	0.42
1:A:240:PHE:CZ	1:A:254:GLN:NE2	2.83	0.41
1:A:620:ALA:HB2	5:A:904:IPH:C4	2.50	0.41
1:A:583:ARG:HB3	1:A:587:PHE:CD2	2.55	0.41
1:A:347:VAL:O	1:A:350:GLN:HG3	2.20	0.41
1:A:756:ILE:HD11	1:A:795:ARG:NH2	2.35	0.41
1:A:407:ASP:O	1:A:739:LYS:HE2	2.20	0.41
1:A:204:GLN:HG3	1:A:215:LEU:HD11	2.02	0.41
1:A:666:PHE:CE2	1:A:668:ARG:HB2	2.55	0.41
1:A:346:ILE:CG2	1:A:347:VAL:N	2.83	0.41
1:A:225:TYR:CZ	1:A:352:CYS:SG	2.98	0.41
1:A:249:PRO:HB3	1:A:324:HIS:O	2.20	0.40
2:B:1:U:O2'	2:B:2:U:P	2.79	0.40
1:A:30:ASP:O	1:A:776:SER:OG	2.31	0.40
3:D:6:U:C2'	3:D:7:G:O5'	2.69	0.40
3:D:2:A:H2'	3:D:3:A:C8	2.56	0.40
1:A:205:SER:OG	1:A:216:ASN:HB3	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:150:ARG:CD	1:A:423:ARG:NH2[2_856]	2.11	0.09

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	793/859 (92%)	759 (96%)	31 (4%)	3 (0%)	39 75



All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	187	GLY
1	A	335	LYS
1	A	152	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	711/752 (94%)	705 (99%)	6 (1%)	86 94

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	333	GLU
1	A	395	ARG
1	A	710	ARG
1	A	746	PHE
1	A	804	TYR
1	A	815	TYR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	77	HIS
1	A	81	HIS
1	A	228	GLN
1	A	675	GLN
1	A	708	GLN
1	A	850	GLN

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	B	17/21 (80%)	8 (47%)	0
3	D	8/11 (72%)	6 (75%)	1 (12%)
All	All	25/32 (78%)	14 (56%)	1 (4%)

All (14) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	B	3	C
2	B	4	A
2	B	6	A
2	B	8	U
2	B	9	G
2	B	10	C
2	B	11	C
2	B	17	C
3	D	2	A
3	D	3	A
3	D	4	U
3	D	5	G
3	D	6	U
3	D	7	G

All (1) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
3	D	6	U

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 3 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
5	IPH	A	902	-	7,7,7	0.42	0	8,8,8	0.22	0
5	IPH	A	903	-	7,7,7	0.36	0	8,8,8	0.23	0
5	IPH	A	904	-	7,7,7	0.42	0	8,8,8	0.20	0
5	IPH	A	905	-	7,7,7	0.42	0	8,8,8	0.20	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	IPH	A	902	-	-	0/0/0/0	0/1/1/1
5	IPH	A	903	-	-	0/0/0/0	0/1/1/1
5	IPH	A	904	-	-	0/0/0/0	0/1/1/1
5	IPH	A	905	-	-	0/0/0/0	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	904	IPH	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	803/859 (93%)	0.07	41 (5%) 32 13	26, 58, 130, 162	0
2	B	18/21 (85%)	0.31	2 (11%) 7 2	38, 65, 161, 189	0
3	D	10/11 (90%)	-0.34	0 100 100	57, 60, 88, 97	0
All	All	831/891 (93%)	0.07	43 (5%) 31 13	26, 58, 130, 189	0

All (43) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	316	HIS	4.6
2	B	18	U	4.5
1	A	314	ASP	4.4
1	A	89	ASP	4.3
1	A	22	ALA	4.1
1	A	312	PHE	4.1
1	A	110	ARG	3.7
1	A	342	GLU	3.7
1	A	311	TYR	3.6
1	A	295	PRO	3.4
1	A	330	VAL	3.2
1	A	334	GLN	3.2
1	A	294	PHE	3.1
2	B	17	C	3.1
1	A	246	GLN	2.9
1	A	331	GLY	2.9
1	A	291	HIS	2.8
1	A	366	ARG	2.7
1	A	490	CYS	2.7
1	A	61	ILE	2.6
1	A	308	VAL	2.5
1	A	332	GLN	2.4
1	A	115	LEU	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	423	ARG	2.3
1	A	296	LEU	2.3
1	A	305	GLU	2.3
1	A	310	GLN	2.3
1	A	120	PRO	2.3
1	A	309	ALA	2.3
1	A	315	ARG	2.3
1	A	109	GLY	2.3
1	A	285	THR	2.3
1	A	289	ALA	2.2
1	A	248	LYS	2.2
1	A	333	GLU	2.2
1	A	341	LEU	2.2
1	A	127	ILE	2.2
1	A	190	ASN	2.1
1	A	277	ARG	2.1
1	A	287	ARG	2.1
1	A	319	VAL	2.1
1	A	151	LEU	2.1
1	A	604	GLY	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
4	MG	A	901	1/1	0.91	0.51	16.71	38,38,38,38	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
5	IPH	A	903	7/7	0.93	0.34	4.66	50,57,62,86	0
5	IPH	A	902	7/7	0.92	0.26	4.62	68,71,76,77	0
5	IPH	A	905	7/7	0.89	0.29	4.38	52,52,56,57	0
5	IPH	A	904	7/7	0.95	0.32	3.71	39,43,52,55	0
4	MG	B	101	1/1	0.38	0.24	-	76,76,76,76	0
4	MG	D	101	1/1	0.80	0.34	-	45,45,45,45	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.