



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 11:01 PM GMT

PDB ID : 1W6U
Title : STRUCTURE OF HUMAN DECR TERNARY COMPLEX
Authors : Alphey, M.S.; Byres, E.; Li, D.; Hunter, W.N.
Deposited on : 2004-08-24
Resolution : 1.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1609 (1.76-1.76)
Clashscore	102246	1730 (1.76-1.76)
Ramachandran outliers	100387	1711 (1.76-1.76)
Sidechain outliers	100360	1711 (1.76-1.76)
RSRZ outliers	91569	1610 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	302	<div> <div>15%</div> <div>80%</div> <div>14%</div> <div>• 5%</div> </div>
1	B	302	<div> <div>14%</div> <div>82%</div> <div>11%</div> <div>• 5%</div> </div>
1	C	302	<div> <div>19%</div> <div>77%</div> <div>16%</div> <div>• 5%</div> </div>
1	D	302	<div> <div>18%</div> <div>78%</div> <div>14%</div> <div>• 7%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	HXC	A	1330	-	-	-	X
3	HXC	B	1331	-	-	-	X
3	HXC	C	1330	-	-	-	X
3	HXC	D	1329	-	-	-	X

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 9640 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 2,4-DIENOYL-COA REDUCTASE, MITOCHONDRIAL PRE-CURSOR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	288	Total	C	N	O	S	0	6	0
			2171	1375	370	415	11			
1	B	286	Total	C	N	O	S	0	6	0
			2162	1368	368	414	12			
1	C	286	Total	C	N	O	S	0	6	0
			2158	1367	365	415	11			
1	D	282	Total	C	N	O	S	0	2	0
			2125	1348	359	406	12			

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula: $C_{21}H_{28}N_7O_{17}P_3$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	1
			56	23	7	21	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	N	O	P	0	1
			56	23	7	21	5		
2	C	1	Total	C	N	O	P	0	1
			56	23	7	21	5		
2	D	1	Total	C	N	O	P	0	1
			56	23	7	21	5		

- Molecule 3 is HEXANOYL-COENZYME A (three-letter code: HXC) (formula: $C_{27}H_{46}N_7O_{17}P_3S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			55	27	7	17	3		
3	B	1	Total	C	N	O	P	0	0
			55	27	7	17	3		
3	C	1	Total	C	N	O	P	0	0
			55	27	7	17	3		
3	D	1	Total	C	N	O	P	0	0
			55	27	7	17	3		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	138	Total O	0	0
			138 138		
4	B	149	Total O	0	0
			149 149		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	C	131	Total 131	O 131	0	0
4	D	162	Total 162	O 162	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 2,4-DIENOYL-COA REDUCTASE, MITOCHONDRIAL PRECURSOR




- Molecule 1: 2,4-DIENOYL-COA REDUCTASE, MITOCHONDRIAL PRECURSOR





- Molecule 1: 2,4-DIENOYL-COA REDUCTASE, MITOCHONDRIAL PRECURSOR





● Molecule 1: 2,4-DIENOYL-COA REDUCTASE, MITOCHONDRIAL PRECURSOR



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	63.28Å 131.66Å 70.85Å 90.00° 92.64° 90.00°	Depositor
Resolution (Å)	70.71 – 1.75 29.52 – 1.75	Depositor EDS
% Data completeness (in resolution range)	95.3 (70.71-1.75) 95.3 (29.52-1.75)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.80 (at 1.75Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.227 , 0.268 0.225 , 0.265	Depositor DCC
R_{free} test set	5590 reflections (5.32%)	DCC
Wilson B-factor (Å ²)	25.1	Xtriage
Anisotropy	0.877	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 51.6	EDS
Estimated twinning fraction	0.047 for h,-k,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 110710 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9640	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.26% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HXC, NAP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.38	0/2232	0.66	5/3019 (0.2%)
1	B	0.37	0/2224	0.64	3/3006 (0.1%)
1	C	0.35	0/2218	0.64	6/2998 (0.2%)
1	D	0.35	0/2169	0.63	2/2932 (0.1%)
All	All	0.37	0/8843	0.64	16/11955 (0.1%)

There are no bond length outliers.

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	94	ASP	CB-CG-OD2	6.03	123.73	118.30
1	A	254	PRO	N-CA-CB	5.84	110.31	103.30
1	C	120	ASP	CB-CG-OD2	5.58	123.32	118.30
1	A	122	ASP	CB-CG-OD2	5.49	123.24	118.30
1	C	287	ASP	CB-CG-OD2	5.43	123.19	118.30
1	B	94[A]	ASP	CB-CG-OD2	5.38	123.14	118.30
1	B	94[B]	ASP	CB-CG-OD2	5.38	123.14	118.30
1	B	117	ASP	CB-CG-OD2	5.30	123.07	118.30
1	C	94[A]	ASP	CB-CG-OD2	5.25	123.02	118.30
1	C	94[B]	ASP	CB-CG-OD2	5.25	123.02	118.30
1	A	117	ASP	CB-CG-OD2	5.16	122.95	118.30
1	C	313	ASP	CB-CG-OD2	5.06	122.86	118.30
1	C	122	ASP	CB-CG-OD2	5.05	122.85	118.30
1	A	94[A]	ASP	CB-CG-OD2	5.05	122.84	118.30
1	A	94[B]	ASP	CB-CG-OD2	5.05	122.84	118.30
1	D	120	ASP	CB-CG-OD2	5.00	122.80	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2171	0	2181	22	0
1	B	2162	0	2184	14	0
1	C	2158	0	2174	28	0
1	D	2125	0	2151	26	0
2	A	56	0	10	0	0
2	B	56	0	10	1	0
2	C	56	0	10	2	0
2	D	56	0	10	0	0
3	A	55	0	42	3	0
3	B	55	0	42	5	0
3	C	55	0	42	20	0
3	D	55	0	42	8	0
4	A	138	0	0	1	0
4	B	149	0	0	1	0
4	C	131	0	0	3	0
4	D	162	0	0	7	0
All	All	9640	0	8898	103	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (103) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:1329:HXC:HP11	3:D:1329:HXC:HM32	1.12	1.07
3:C:1330:HXC:HP81	3:C:1330:HXC:HP2	1.21	1.05
1:C:148:ASN:H	3:C:1330:HXC:HP52	1.27	0.99
3:D:1329:HXC:HP11	3:D:1329:HXC:CM3	1.96	0.92
1:A:154:GLU:HG2	1:C:184:ILE:HD13	1.50	0.91
3:D:1329:HXC:CP1	3:D:1329:HXC:HM32	2.03	0.86
1:C:197[A]:THR:HG21	3:C:1330:HXC:OM2	1.77	0.83
1:C:148:ASN:HB2	3:C:1330:HXC:HP11	1.64	0.79
1:C:148:ASN:H	3:C:1330:HXC:CP5	1.97	0.78
1:C:55[B]:ASN:ND2	1:C:58[B]:GLN:OE1	2.18	0.75
2:C:1329[B]:NAP:O1A	3:C:1330:HXC:HP21	1.87	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:148:ASN:N	3:C:1330:HXC:HP52	2.03	0.70
1:B:154:GLU:HG2	1:D:184:ILE:HD13	1.74	0.69
1:D:75:MET:SD	4:D:2129:HOH:O	2.50	0.69
1:D:71:LEU:HG	1:D:277:LEU:HD22	1.76	0.68
1:C:147:GLY:HA2	3:C:1330:HXC:HP51	1.76	0.67
1:D:243:ILE:HD13	4:D:2160:HOH:O	1.95	0.67
1:D:148:ASN:N	3:D:1329:HXC:OP1	2.28	0.66
1:B:55:ASN:ND2	4:B:2016:HOH:O	2.30	0.64
1:A:61:VAL:HG22	1:A:138:PRO:HA	1.79	0.64
3:B:1331:HXC:HP11	3:B:1331:HXC:OP1	1.97	0.64
1:B:177:LEU:HD22	1:B:181:LYS:HE3	1.82	0.62
1:D:142:ILE:HD13	4:D:2129:HOH:O	2.00	0.61
3:C:1330:HXC:CP8	3:C:1330:HXC:HP2	2.01	0.61
1:C:148:ASN:CB	3:C:1330:HXC:HP11	2.31	0.61
1:A:177:LEU:HD22	1:A:181:LYS:HE3	1.84	0.59
1:D:96:LEU:C	4:D:2039:HOH:O	2.40	0.59
1:A:211:ALA:HB3	4:A:2074:HOH:O	2.03	0.59
1:C:197[A]:THR:CG2	3:C:1330:HXC:OM2	2.49	0.58
1:B:284:LEU:HD11	1:B:297:ILE:HD12	1.85	0.58
2:B:1330[B]:NAP:O1A	3:B:1331:HXC:HP12	2.05	0.57
1:A:154:GLU:HG2	1:C:184:ILE:CD1	2.30	0.57
1:C:71:LEU:HG	1:C:277:LEU:HD22	1.87	0.56
1:B:71:LEU:HG	1:B:277:LEU:HD22	1.88	0.56
1:D:34:MET:HG3	1:D:39:LEU:HG	1.89	0.55
1:A:284:LEU:HD11	1:A:297:ILE:HD12	1.87	0.55
1:D:61:VAL:HG13	1:D:138:PRO:HA	1.89	0.54
1:A:52:LEU:HD23	1:A:57:PHE:HE1	1.73	0.54
3:B:1331:HXC:HP2	3:B:1331:HXC:HP1	1.56	0.54
1:C:248:ALA:O	1:C:249:PHE:CB	2.55	0.54
1:C:244:LYS:HG2	1:C:271:LEU:HD12	1.89	0.53
1:D:148:ASN:HD22	3:D:1329:HXC:HM31	1.74	0.53
3:B:1331:HXC:HP83	3:B:1331:HXC:OP2	2.08	0.53
1:D:260:LYS:HA	4:D:2120:HOH:O	2.10	0.52
1:C:177:LEU:HD22	1:C:181:LYS:HE3	1.91	0.52
1:A:265[B]:ARG:HH11	1:A:315:ARG:HH22	1.58	0.51
3:B:1331:HXC:OP2	3:B:1331:HXC:CP8	2.59	0.50
1:A:147:GLY:HA2	3:A:1330:HXC:OP2	2.11	0.50
4:C:2115:HOH:O	1:D:297:ILE:HD11	2.11	0.50
1:D:263:ILE:HA	1:D:266:ILE:HD12	1.95	0.49
1:C:242:PRO:HB2	1:C:271:LEU:HD22	1.94	0.49
1:B:61:VAL:HG13	1:B:138:PRO:HA	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:148:ASN:HB2	3:C:1330:HXC:CP1	2.40	0.49
1:A:196:THR:HA	1:A:214:LYS:HD2	1.95	0.47
1:A:223:SER:HB3	1:C:208:VAL:HG22	1.97	0.47
1:C:196:THR:HA	1:C:214:LYS:HD2	1.96	0.47
1:A:208:VAL:HG22	1:C:223:SER:HB3	1.97	0.47
1:C:148:ASN:N	3:C:1330:HXC:HP1	2.13	0.46
1:C:147:GLY:HA2	3:C:1330:HXC:HP1	1.81	0.45
1:A:297:ILE:HG12	1:B:297:ILE:HG12	1.99	0.45
1:C:149:PHE:CE2	3:C:1330:HXC:HP83	2.51	0.45
1:A:298:LYS:NZ	1:A:305:VAL:HG13	2.31	0.44
1:B:267:PRO:HG3	1:B:306:LEU:HD12	2.00	0.44
1:D:281:ALA:HB1	4:D:2129:HOH:O	2.16	0.44
1:B:223:SER:HB3	1:D:208:VAL:HG22	1.99	0.44
1:C:61:VAL:HG13	1:C:138:PRO:HA	1.99	0.44
1:D:298:LYS:NZ	1:D:305:VAL:HG13	2.33	0.44
1:B:161:TRP:CH2	1:B:208:VAL:HG12	2.52	0.44
1:A:52:LEU:HD23	1:A:57:PHE:CE1	2.54	0.43
1:D:177:LEU:HD22	1:D:181:LYS:HE3	2.00	0.43
1:C:117:ASP:OD1	1:C:119:ARG:HG2	2.19	0.43
3:D:1329:HXC:HP51	3:D:1329:HXC:HP81	2.01	0.42
1:B:298:LYS:HZ3	1:B:305:VAL:HG13	1.84	0.42
3:C:1330:HXC:NP2	3:C:1330:HXC:HP81	2.06	0.42
3:C:1330:HXC:S	4:C:2079:HOH:O	2.62	0.42
1:D:91:ARG:HH12	3:D:1329:HXC:HPB2	1.84	0.42
2:C:1329[B]:NAP:O2A	3:C:1330:HXC:OP1	2.37	0.42
1:B:196:THR:HG21	1:B:218:GLU:HG2	2.01	0.42
1:D:159:ASN:HB2	4:D:2088:HOH:O	2.18	0.42
1:D:196:THR:HA	1:D:214:LYS:HD2	2.01	0.42
1:A:265[B]:ARG:HG2	1:A:307:ILE:CG2	2.49	0.42
1:C:161:TRP:CD1	1:C:161:TRP:C	2.93	0.41
1:A:197[B]:THR:HG21	1:A:199:TYR:CE1	2.55	0.41
1:D:120:ASP:HA	1:D:121:PRO:HD3	1.95	0.41
3:A:1330:HXC:HP11	3:A:1330:HXC:HM21	1.90	0.41
1:D:240:PRO:HA	1:D:299:PHE:O	2.21	0.41
1:A:162:LYS:HE2	4:C:2059:HOH:O	2.21	0.41
1:D:284:LEU:HD11	1:D:297:ILE:HD12	2.01	0.41
1:A:116:CYS:HA	1:A:123:MET:CE	2.51	0.41
1:C:140:ILE:HG12	1:C:285:CYS:HB3	2.02	0.41
1:A:141:VAL:HG21	1:A:179:ILE:HG21	2.02	0.41
1:A:120:ASP:HB3	1:A:123:MET:HB2	2.04	0.40
1:D:74:GLY:HA3	1:D:274:VAL:CG1	2.52	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:242:PRO:HB2	1:D:271:LEU:HD22	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	290/302 (96%)	281 (97%)	8 (3%)	1 (0%)	46	25
1	B	288/302 (95%)	281 (98%)	7 (2%)	0	100	100
1	C	286/302 (95%)	279 (98%)	6 (2%)	1 (0%)	46	25
1	D	280/302 (93%)	272 (97%)	8 (3%)	0	100	100
All	All	1144/1208 (95%)	1113 (97%)	29 (2%)	2 (0%)	52	32

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	254	PRO
1	C	244	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	233/243 (96%)	216 (93%)	17 (7%)	17	3

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	234/243 (96%)	214 (92%)	20 (8%)	13	2
1	C	233/243 (96%)	205 (88%)	28 (12%)	6	0
1	D	229/243 (94%)	214 (93%)	15 (7%)	21	4
All	All	929/972 (96%)	849 (91%)	80 (9%)	13	2

All (80) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	LEU
1	A	49	LYS
1	A	52	LEU
1	A	61	VAL
1	A	97	LYS
1	A	110	LYS
1	A	119	ARG
1	A	154	GLU
1	A	155	ARG
1	A	177	LEU
1	A	261	GLU
1	A	291	TRP
1	A	314	LEU
1	A	316	LYS
1	A	319	LYS
1	A	327	GLU
1	A	328	LEU
1	B	34	MET
1	B	47	LEU
1	B	49	LYS
1	B	52	LEU
1	B	60	LYS
1	B	61	VAL
1	B	94[A]	ASP
1	B	94[B]	ASP
1	B	119	ARG
1	B	123	MET
1	B	133	LYS
1	B	155	ARG
1	B	177	LEU
1	B	187	GLN
1	B	277	LEU
1	B	291	TRP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	314	LEU
1	B	319	LYS
1	B	327	GLU
1	B	328	LEU
1	C	39	LEU
1	C	42	LYS
1	C	45	SER
1	C	47	LEU
1	C	52	LEU
1	C	61	VAL
1	C	94[A]	ASP
1	C	94[B]	ASP
1	C	97	LYS
1	C	101	GLU
1	C	102	GLN
1	C	104	SER
1	C	123	MET
1	C	155	ARG
1	C	177	LEU
1	C	185	LYS
1	C	209	PRO
1	C	244	LYS
1	C	245	THR
1	C	260	LYS
1	C	277	LEU
1	C	291	TRP
1	C	314	LEU
1	C	316	LYS
1	C	319	LYS
1	C	320	GLU
1	C	327	GLU
1	C	328	LEU
1	D	47	LEU
1	D	52	LEU
1	D	61	VAL
1	D	71	LEU
1	D	81	SER
1	D	93	MET
1	D	97	LYS
1	D	102	GLN
1	D	155	ARG
1	D	177	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	259	GLU
1	D	260	LYS
1	D	261	GLU
1	D	291	TRP
1	D	319	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	55	ASN
1	A	85	GLN
1	A	126	ASN
1	A	321	GLN
1	B	55	ASN
1	B	126	ASN
1	B	182	GLN
1	B	321	GLN
1	C	126	ASN
1	C	321	GLN
1	D	85	GLN
1	D	126	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAP	A	1329[A]	-	42,52,52	1.54	3 (7%)	54,80,80	1.95	4 (7%)
2	NAP	A	1329[B]	-	42,52,52	1.54	3 (7%)	54,80,80	1.87	3 (5%)
3	HXC	A	1330	-	47,57,57	2.37	10 (21%)	59,83,83	2.65	13 (22%)
2	NAP	B	1330[A]	-	42,52,52	1.55	3 (7%)	54,80,80	1.93	5 (9%)
2	NAP	B	1330[B]	-	42,52,52	1.54	3 (7%)	54,80,80	1.83	3 (5%)
3	HXC	B	1331	-	47,57,57	2.39	9 (19%)	59,83,83	2.88	17 (28%)
2	NAP	C	1329[A]	-	42,52,52	1.52	3 (7%)	54,80,80	1.93	3 (5%)
2	NAP	C	1329[B]	-	42,52,52	1.52	3 (7%)	54,80,80	1.88	3 (5%)
3	HXC	C	1330	-	47,57,57	2.36	10 (21%)	59,83,83	2.79	12 (20%)
2	NAP	D	1328[A]	-	42,52,52	1.55	3 (7%)	54,80,80	1.93	4 (7%)
2	NAP	D	1328[B]	-	42,52,52	1.55	3 (7%)	54,80,80	1.85	4 (7%)
3	HXC	D	1329	-	47,57,57	2.33	9 (19%)	59,83,83	3.32	14 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	A	1329[A]	-	-	0/27/67/67	0/5/5/5
2	NAP	A	1329[B]	-	-	0/27/67/67	0/5/5/5
3	HXC	A	1330	-	-	2/52/72/72	0/3/3/3
2	NAP	B	1330[A]	-	-	0/27/67/67	0/5/5/5
2	NAP	B	1330[B]	-	-	0/27/67/67	0/5/5/5
3	HXC	B	1331	-	-	3/52/72/72	0/3/3/3
2	NAP	C	1329[A]	-	-	0/27/67/67	0/5/5/5
2	NAP	C	1329[B]	-	-	0/27/67/67	0/5/5/5
3	HXC	C	1330	-	-	2/52/72/72	0/3/3/3
2	NAP	D	1328[A]	-	-	0/27/67/67	0/5/5/5
2	NAP	D	1328[B]	-	-	0/27/67/67	0/5/5/5
3	HXC	D	1329	-	-	3/52/72/72	0/3/3/3

All (62) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1330	HXC	CM2-CM1	-9.76	1.39	1.50
3	B	1331	HXC	CM2-CM1	-9.53	1.40	1.50
3	D	1329	HXC	CM2-CM1	-9.22	1.40	1.50
3	C	1330	HXC	CM2-CM1	-8.97	1.40	1.50
3	C	1330	HXC	CP4-CP3	-5.92	1.39	1.51
3	C	1330	HXC	CP5-NP2	-5.80	1.32	1.46
3	B	1331	HXC	CP5-NP2	-5.69	1.32	1.46
3	A	1330	HXC	CP4-CP3	-5.68	1.40	1.51
3	D	1329	HXC	CP4-CP3	-5.67	1.40	1.51
3	B	1331	HXC	CP4-CP3	-5.67	1.40	1.51
3	D	1329	HXC	CP5-NP2	-5.58	1.33	1.46
3	A	1330	HXC	CP5-NP2	-5.38	1.33	1.46
3	C	1330	HXC	CP5-CP4	-3.70	1.39	1.51
3	B	1331	HXC	CP5-CP4	-3.45	1.40	1.51
3	D	1329	HXC	CP5-CP4	-3.44	1.40	1.51
3	A	1330	HXC	CP5-CP4	-3.41	1.40	1.51
3	D	1329	HXC	CM3-CM2	-3.32	1.39	1.52
3	A	1330	HXC	CM3-CM2	-3.30	1.39	1.52
3	B	1331	HXC	CM3-CM2	-3.29	1.39	1.52
3	C	1330	HXC	CM3-CM2	-3.21	1.39	1.52
3	C	1330	HXC	CM4-CM3	-2.20	1.38	1.51
3	D	1329	HXC	CM4-CM3	-2.12	1.39	1.51
3	A	1330	HXC	CM4-CM3	-2.10	1.39	1.51
3	B	1331	HXC	CM4-CM3	-2.09	1.39	1.51
3	D	1329	HXC	O4'-C1'	2.02	1.43	1.41
3	A	1330	HXC	P3-O32	2.03	1.62	1.54
3	C	1330	HXC	P3-O32	2.04	1.62	1.54
3	D	1329	HXC	P3-O32	2.07	1.62	1.54
3	B	1331	HXC	P3-O32	2.13	1.62	1.54
3	A	1330	HXC	P3-O31	2.18	1.62	1.54
3	C	1330	HXC	P3-O31	2.20	1.62	1.54
2	C	1329[A]	NAP	C2A-N1A	2.29	1.38	1.33
2	C	1329[B]	NAP	C2A-N1A	2.29	1.38	1.33
3	A	1330	HXC	O4'-C1'	2.31	1.44	1.41
3	B	1331	HXC	O4'-C1'	2.43	1.44	1.41
2	A	1329[B]	NAP	C2A-N1A	2.48	1.38	1.33
2	A	1329[A]	NAP	C2A-N1A	2.48	1.38	1.33
2	B	1330[B]	NAP	C2A-N1A	2.53	1.38	1.33
2	B	1330[A]	NAP	C2A-N1A	2.53	1.38	1.33
2	D	1328[B]	NAP	C2A-N1A	2.59	1.38	1.33
2	D	1328[A]	NAP	C2A-N1A	2.59	1.38	1.33
3	C	1330	HXC	O4'-C1'	2.67	1.44	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	1328[B]	NAP	C2A-N3A	3.39	1.38	1.32
2	D	1328[A]	NAP	C2A-N3A	3.39	1.38	1.32
2	C	1329[A]	NAP	C2A-N3A	3.42	1.38	1.32
2	C	1329[B]	NAP	C2A-N3A	3.42	1.38	1.32
2	A	1329[B]	NAP	C2A-N3A	3.50	1.38	1.32
2	A	1329[A]	NAP	C2A-N3A	3.50	1.38	1.32
2	B	1330[B]	NAP	C2A-N3A	3.65	1.38	1.32
2	B	1330[A]	NAP	C2A-N3A	3.65	1.38	1.32
3	D	1329	HXC	OP2-CP6	6.60	1.36	1.23
3	A	1330	HXC	OP2-CP6	6.64	1.36	1.23
3	C	1330	HXC	OP2-CP6	6.74	1.36	1.23
3	B	1331	HXC	OP2-CP6	6.87	1.36	1.23
2	B	1330[B]	NAP	O7N-C7N	7.74	1.40	1.24
2	B	1330[A]	NAP	O7N-C7N	7.74	1.40	1.24
2	A	1329[B]	NAP	O7N-C7N	7.77	1.40	1.24
2	A	1329[A]	NAP	O7N-C7N	7.77	1.40	1.24
2	C	1329[A]	NAP	O7N-C7N	7.83	1.40	1.24
2	C	1329[B]	NAP	O7N-C7N	7.83	1.40	1.24
2	D	1328[B]	NAP	O7N-C7N	7.98	1.41	1.24
2	D	1328[A]	NAP	O7N-C7N	7.98	1.41	1.24

All (85) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1329[B]	NAP	N3A-C2A-N1A	-11.98	119.72	128.89
2	A	1329[A]	NAP	N3A-C2A-N1A	-11.98	119.72	128.89
2	C	1329[A]	NAP	N3A-C2A-N1A	-11.93	119.76	128.89
2	C	1329[B]	NAP	N3A-C2A-N1A	-11.93	119.76	128.89
2	B	1330[B]	NAP	N3A-C2A-N1A	-11.75	119.89	128.89
2	B	1330[A]	NAP	N3A-C2A-N1A	-11.75	119.89	128.89
2	D	1328[B]	NAP	N3A-C2A-N1A	-11.57	120.04	128.89
2	D	1328[A]	NAP	N3A-C2A-N1A	-11.57	120.04	128.89
3	D	1329	HXC	OM2-CM1-CM2	-10.12	116.98	123.94
3	D	1329	HXC	N3-C2-N1	-9.94	121.29	128.89
3	A	1330	HXC	N3-C2-N1	-9.86	121.34	128.89
3	B	1331	HXC	N3-C2-N1	-9.60	121.55	128.89
3	C	1330	HXC	N3-C2-N1	-9.46	121.65	128.89
3	D	1329	HXC	OM2-CM1-S	-7.00	117.28	122.83
3	C	1330	HXC	OM2-CM1-S	-6.86	117.39	122.83
3	C	1330	HXC	OM2-CM1-CM2	-6.71	119.32	123.94
3	A	1330	HXC	OM2-CM1-CM2	-5.67	120.04	123.94
3	D	1329	HXC	C4'-O4'-C1'	-4.74	104.52	109.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1331	HXC	OM2-CM1-S	-4.43	119.32	122.83
3	A	1330	HXC	C4'-O4'-C1'	-4.42	104.86	109.72
3	A	1330	HXC	OM2-CM1-S	-4.41	119.33	122.83
3	B	1331	HXC	OM2-CM1-CM2	-4.25	121.01	123.94
3	C	1330	HXC	P2-O6-P1	-4.22	120.88	132.73
3	B	1331	HXC	OP1-CP3-CP4	-4.12	114.88	121.98
2	C	1329[A]	NAP	PN-O3-PA	-3.99	121.52	132.73
3	B	1331	HXC	P2-O6-P1	-3.81	122.04	132.73
2	D	1328[A]	NAP	PN-O3-PA	-3.70	122.33	132.73
2	B	1330[A]	NAP	PN-O3-PA	-3.65	122.47	132.73
3	B	1331	HXC	C4'-O4'-C1'	-3.47	105.91	109.72
2	A	1329[A]	NAP	PN-O3-PA	-3.46	123.02	132.73
3	A	1330	HXC	P2-O6-P1	-3.43	123.11	132.73
3	D	1329	HXC	P2-O6-P1	-3.33	123.38	132.73
2	C	1329[B]	NAP	PN-O3-PA	-3.02	124.25	132.73
3	A	1330	HXC	OP1-CP3-CP4	-2.60	117.49	121.98
2	D	1328[B]	NAP	PN-O3-PA	-2.40	125.99	132.73
3	B	1331	HXC	C4-C5-N7	-2.14	107.51	109.48
2	B	1330[A]	NAP	O3B-C3B-C4B	-2.14	104.64	111.05
3	B	1331	HXC	CP5-NP2-CP6	-2.13	118.32	122.53
2	B	1330[B]	NAP	C1B-N9A-C4A	-2.11	123.75	126.94
2	B	1330[A]	NAP	C1B-N9A-C4A	-2.11	123.75	126.94
3	D	1329	HXC	C4-C5-N7	-2.11	107.54	109.48
3	A	1330	HXC	C4-C5-N7	-2.08	107.56	109.48
3	C	1330	HXC	C4-C5-N7	-2.08	107.57	109.48
2	D	1328[B]	NAP	C3N-C7N-N7N	2.01	120.02	117.82
2	D	1328[A]	NAP	C3N-C7N-N7N	2.01	120.02	117.82
2	B	1330[B]	NAP	C3N-C7N-N7N	2.04	120.05	117.82
2	B	1330[A]	NAP	C3N-C7N-N7N	2.04	120.05	117.82
2	A	1329[B]	NAP	O4D-C1D-N1N	2.07	110.41	108.13
2	A	1329[A]	NAP	O4D-C1D-N1N	2.07	110.41	108.13
3	B	1331	HXC	O7-CPB-CPA	2.18	114.06	110.55
3	B	1331	HXC	CP2-NP1-CP3	2.34	127.38	122.79
3	A	1330	HXC	O3'-P3-O33	2.35	112.97	107.11
3	D	1329	HXC	CM4-CM3-CM2	2.39	122.04	113.29
2	A	1329[B]	NAP	C3N-C7N-N7N	2.43	120.48	117.82
2	A	1329[A]	NAP	C3N-C7N-N7N	2.43	120.48	117.82
3	D	1329	HXC	O3'-P3-O33	2.49	113.31	107.11
3	C	1330	HXC	O3'-P3-O33	2.49	113.31	107.11
3	B	1331	HXC	O3'-P3-O33	2.55	113.49	107.11
3	C	1330	HXC	CM4-CM3-CM2	2.57	122.73	113.29
3	C	1330	HXC	CP5-CP4-CP3	2.63	116.64	112.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1331	HXC	CP8-CPA-CP7	2.64	114.16	109.34
2	C	1329[A]	NAP	O4D-C1D-N1N	2.64	111.04	108.13
2	C	1329[B]	NAP	O4D-C1D-N1N	2.64	111.04	108.13
3	B	1331	HXC	CP4-CP3-NP1	2.70	121.15	116.46
3	D	1329	HXC	CP7-CP6-NP2	2.71	122.48	116.47
3	A	1330	HXC	CP4-CP3-NP1	2.87	121.45	116.46
3	D	1329	HXC	CP5-NP2-CP6	2.90	128.26	122.53
2	D	1328[B]	NAP	O4D-C1D-N1N	3.02	111.45	108.13
2	D	1328[A]	NAP	O4D-C1D-N1N	3.02	111.45	108.13
3	C	1330	HXC	CP5-NP2-CP6	3.37	129.21	122.53
3	C	1330	HXC	CM3-CM2-CM1	3.51	118.30	113.12
3	D	1329	HXC	CP4-CP5-NP2	4.35	121.42	111.88
3	A	1330	HXC	CP5-CP4-CP3	4.90	120.39	112.31
3	A	1330	HXC	CP4-CP5-NP2	6.29	125.69	111.88
3	A	1330	HXC	CM3-CM2-CM1	6.60	122.86	113.12
3	D	1329	HXC	CP5-CP4-CP3	6.80	123.52	112.31
3	B	1331	HXC	CP4-CP5-NP2	6.95	127.13	111.88
3	B	1331	HXC	CM2-CM1-S	7.02	119.67	113.36
3	D	1329	HXC	CM3-CM2-CM1	7.12	123.63	113.12
3	B	1331	HXC	CM3-CM2-CM1	7.24	123.81	113.12
3	C	1330	HXC	CP4-CP5-NP2	7.68	128.74	111.88
3	A	1330	HXC	CM2-CM1-S	8.08	120.63	113.36
3	B	1331	HXC	CP5-CP4-CP3	10.07	128.91	112.31
3	C	1330	HXC	CM2-CM1-S	11.04	123.29	113.36
3	D	1329	HXC	CM2-CM1-S	13.76	125.74	113.36

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	1331	HXC	CP1-CP2-NP1-CP3
3	D	1329	HXC	CM2-CM1-S-CP1
3	D	1329	HXC	OM2-CM1-S-CP1
3	C	1330	HXC	CM2-CM1-S-CP1
3	C	1330	HXC	OM2-CM1-S-CP1
3	B	1331	HXC	CM2-CM1-S-CP1
3	B	1331	HXC	OM2-CM1-S-CP1
3	D	1329	HXC	CP7-CP6-NP2-CP5
3	A	1330	HXC	CM2-CM1-S-CP1
3	A	1330	HXC	OM2-CM1-S-CP1

There are no ring outliers.

6 monomers are involved in 36 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1330	HXC	3	0
2	B	1330[B]	NAP	1	0
3	B	1331	HXC	5	0
2	C	1329[B]	NAP	2	0
3	C	1330	HXC	20	0
3	D	1329	HXC	8	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	288/302 (95%)	0.83	46 (15%) 3 4	17, 26, 59, 77	0
1	B	286/302 (94%)	0.91	42 (14%) 3 5	17, 27, 56, 74	0
1	C	286/302 (94%)	1.11	58 (20%) 1 2	19, 33, 63, 82	0
1	D	282/302 (93%)	1.08	55 (19%) 1 2	21, 33, 56, 75	0
All	All	1142/1208 (94%)	0.98	201 (17%) 2 3	17, 30, 59, 82	0

All (201) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	329	ILE	13.4
1	B	258	PHE	13.1
1	D	258	PHE	9.3
1	B	257	THR	8.7
1	C	328	LEU	8.1
1	B	328	LEU	7.3
1	C	36	THR	6.9
1	B	256	GLY	6.6
1	C	325	ILE	6.5
1	C	245	THR	6.2
1	A	328	LEU	6.2
1	A	327	GLU	5.9
1	A	36	THR	5.8
1	A	35	ASN	5.7
1	C	249	PHE	5.6
1	A	325	ILE	5.5
1	C	43	PHE	5.5
1	B	245	THR	5.5
1	C	327	GLU	5.3
1	C	38	ALA	5.3
1	A	245	THR	5.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	39	LEU	5.0
1	A	258	PHE	4.9
1	D	324	THR	4.9
1	C	41	SER	4.7
1	D	261	GLU	4.7
1	B	324	THR	4.7
1	D	326	GLU	4.5
1	C	247	GLY	4.5
1	B	320	GLU	4.5
1	A	253	ASP	4.5
1	D	259	GLU	4.4
1	A	324	THR	4.4
1	D	325	ILE	4.3
1	C	326	GLU	4.3
1	A	41	SER	4.2
1	B	260	LYS	4.2
1	C	37	GLU	4.2
1	C	256	GLY	4.1
1	C	105	SER	4.1
1	C	58[A]	GLN	4.0
1	D	95	VAL	4.0
1	A	38	ALA	4.0
1	A	254	PRO	4.0
1	C	142	ILE	4.0
1	D	141	VAL	3.9
1	D	260	LYS	3.9
1	B	95	VAL	3.9
1	D	103	ILE	3.9
1	D	94	ASP	3.9
1	D	105	SER	3.9
1	D	193	LEU	3.7
1	B	261	GLU	3.7
1	D	316	LYS	3.7
1	C	324	THR	3.7
1	B	142	ILE	3.7
1	B	193	LEU	3.6
1	C	248	ALA	3.6
1	D	98	ALA	3.6
1	B	322	TRP	3.6
1	D	245	THR	3.6
1	B	141	VAL	3.6
1	A	142	ILE	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	36	THR	3.5
1	A	193	LEU	3.5
1	A	37	GLU	3.5
1	C	193	LEU	3.5
1	D	327	GLU	3.5
1	D	132	ILE	3.4
1	C	101	GLU	3.4
1	D	133	LYS	3.4
1	A	106	GLN	3.4
1	A	43	PHE	3.4
1	B	101	GLU	3.4
1	C	50	ALA	3.3
1	D	320	GLU	3.3
1	D	102	GLN	3.3
1	D	34	MET	3.3
1	C	42	LYS	3.3
1	C	94[A]	ASP	3.2
1	C	258	PHE	3.1
1	B	326	GLU	3.1
1	C	39	LEU	3.1
1	C	257	THR	3.1
1	D	47	LEU	3.1
1	A	59	GLY	3.1
1	D	142	ILE	3.1
1	C	106	GLN	3.1
1	B	259	GLU	3.1
1	C	98	ALA	3.0
1	B	140	ILE	3.0
1	A	256	GLY	3.0
1	D	281	ALA	3.0
1	A	284	LEU	3.0
1	D	64	ILE	2.9
1	C	55[A]	ASN	2.9
1	C	185	LYS	2.9
1	A	252	LEU	2.9
1	C	107	THR	2.9
1	B	179	ILE	2.9
1	A	58[A]	GLN	2.8
1	B	327	GLU	2.8
1	C	47	LEU	2.8
1	B	98	ALA	2.8
1	A	185	LYS	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	105	SER	2.8
1	C	45	SER	2.8
1	D	176	THR	2.8
1	D	192	PHE	2.8
1	C	237	VAL	2.8
1	D	237	VAL	2.8
1	C	140	ILE	2.7
1	D	284	LEU	2.7
1	A	55	ASN	2.7
1	A	141	VAL	2.7
1	B	237	VAL	2.7
1	A	326	GLU	2.7
1	D	35	ASN	2.7
1	A	261	GLU	2.6
1	A	110	LYS	2.6
1	D	99	THR	2.6
1	D	318	THR	2.6
1	A	238	ILE	2.6
1	C	108	GLY	2.6
1	D	262	MET	2.5
1	A	133	LYS	2.5
1	B	317	VAL	2.5
1	B	325	ILE	2.5
1	C	292	ILE	2.5
1	B	280	LEU	2.5
1	B	106	GLN	2.5
1	B	58[A]	GLN	2.5
1	D	110	LYS	2.5
1	D	185	LYS	2.5
1	D	52	LEU	2.5
1	C	260	LYS	2.5
1	B	318	THR	2.5
1	C	95	VAL	2.4
1	C	53	PRO	2.4
1	D	106	GLN	2.4
1	C	320	GLU	2.4
1	D	49	LYS	2.4
1	D	280	LEU	2.4
1	D	179	ILE	2.4
1	A	320	GLU	2.3
1	C	261	GLU	2.3
1	D	195	ILE	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	38	ALA	2.3
1	D	322	TRP	2.3
1	A	280	LEU	2.3
1	C	263	ILE	2.3
1	A	260	LYS	2.3
1	B	192	PHE	2.3
1	C	110	LYS	2.3
1	D	112[A]	HIS	2.3
1	C	319	LYS	2.3
1	C	284	LEU	2.3
1	A	42	LYS	2.3
1	C	179	ILE	2.3
1	D	97	LYS	2.3
1	B	175	VAL	2.3
1	B	314	LEU	2.2
1	B	262	MET	2.2
1	C	49	LYS	2.2
1	C	235	PHE	2.2
1	D	175	VAL	2.2
1	D	101	GLU	2.2
1	A	105	SER	2.2
1	C	65	THR	2.2
1	C	82	LEU	2.2
1	D	159	ASN	2.2
1	A	237	VAL	2.2
1	B	134	VAL	2.2
1	D	100	ALA	2.2
1	A	192	PHE	2.2
1	B	319	LYS	2.2
1	A	140	ILE	2.2
1	A	255	THR	2.1
1	C	100	ALA	2.1
1	A	244	LYS	2.1
1	C	133	LYS	2.1
1	A	94[A]	ASP	2.1
1	B	94[A]	ASP	2.1
1	C	238	ILE	2.1
1	B	195	ILE	2.1
1	A	257	THR	2.1
1	C	244	LYS	2.1
1	D	96	LEU	2.1
1	D	169	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	132	ILE	2.1
1	D	140	ILE	2.1
1	A	65	THR	2.0
1	A	97	LYS	2.0
1	B	135	ALA	2.0
1	D	135	ALA	2.0
1	C	228	TRP	2.0
1	C	64	ILE	2.0
1	C	323	ASP	2.0
1	B	316	LYS	2.0
1	B	39	LEU	2.0
1	A	323	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	HXC	D	1329	55/55	0.62	0.36	4.03	75,77,79,79	45
3	HXC	C	1330	55/55	0.44	0.45	3.10	78,84,86,86	45
3	HXC	B	1331	55/55	0.57	0.34	2.90	77,79,82,82	45
3	HXC	A	1330	55/55	0.60	0.33	2.82	81,83,84,84	45
2	NAP	C	1329[B]	48/48	0.93	0.12	0.28	37,39,41,42	8
2	NAP	A	1329[A]	48/48	0.94	0.13	0.28	27,30,34,36	8
2	NAP	A	1329[B]	48/48	0.94	0.13	0.28	27,30,32,34	8
2	NAP	B	1330[B]	48/48	0.93	0.11	-0.01	29,33,36,37	8
2	NAP	B	1330[A]	48/48	0.93	0.11	-0.01	29,33,36,37	8

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	NAP	D	1328[B]	48/48	0.90	0.12	-0.13	34,37,41,42	8
2	NAP	D	1328[A]	48/48	0.90	0.12	-0.13	34,37,41,42	8
2	NAP	C	1329[A]	48/48	0.93	0.12	-0.20	37,39,43,43	8

6.5 Other polymers [i](#)

There are no such residues in this entry.