



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:11 AM GMT

PDB ID : 2W6J
Title : LOW RESOLUTION STRUCTURES OF BOVINE MITOCHONDRIAL F1-ATPASE DURING CONTROLLED DEHYDRATION: HYDRATION STATE 5.
Authors : Sanchez-Weatherby, J.; Felisaz, F.; Gobbo, A.; Huet, J.; Ravelli, R.B.G.; Bowler, M.W.; Cipriani, F.
Deposited on : 2008-12-18
Resolution : 3.84 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.84 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1334 (4.18-3.50)
Clashscore	102246	1036 (4.16-3.52)
Ramachandran outliers	100387	1415 (4.18-3.50)
Sidechain outliers	100360	1410 (4.18-3.50)
RSRZ outliers	91569	1342 (4.18-3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	553	<div> <div>2%</div> <div>76%</div> <div>11%</div> <div>12%</div> </div>
1	B	553	<div> <div>2%</div> <div>81%</div> <div>5%</div> <div>13%</div> </div>
1	C	553	<div> <div>%</div> <div>80%</div> <div>8%</div> <div>11%</div> </div>
2	D	528	<div> <div>%</div> <div>80%</div> <div>8%</div> <div>12%</div> </div>
2	E	528	<div> <div>4%</div> <div>77%</div> <div>8%</div> <div>13%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	528	<div><div>%</div><div><div></div><div>81%</div><div>7%</div><div>12%</div></div></div>
3	G	298	<div><div>5%</div><div><div></div><div>53%</div><div>7%</div><div>39%</div></div></div>
4	H	168	<div><div>7%</div><div><div></div><div>38%</div><div>9%</div><div>51%</div></div></div>
5	I	51	<div><div>10%</div><div><div></div><div>39%</div><div>10%</div><div>51%</div></div></div>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 23874 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP SYNTHASE SUBUNIT ALPHA HEART ISOFORM, MITOCHONDRIAL.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	487	Total	C	N	O	S	0	0	0
			3715	2341	656	706	12			
1	B	480	Total	C	N	O	S	0	0	0
			3663	2308	648	695	12			
1	C	490	Total	C	N	O	S	0	0	0
			3735	2353	659	711	12			

- Molecule 2 is a protein called ATP SYNTHASE SUBUNIT BETA, MITOCHONDRIAL.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	467	Total	C	N	O	S	0	0	0
			3539	2243	601	684	11			
2	E	458	Total	C	N	O	S	0	0	0
			3472	2201	592	669	10			
2	F	466	Total	C	N	O	S	0	0	0
			3530	2238	600	681	11			

- Molecule 3 is a protein called ATP SYNTHASE SUBUNIT GAMMA, MITOCHONDRIAL.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	G	182	Total	C	N	O	S	0	0	1
			1397	881	250	260	6			

- Molecule 4 is a protein called F1-ATPASE DELTA SUBUNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	H	83	Total	C	N	O	S	0	0	0
			620	391	102	126	1			


- Molecule 5 is a protein called ATP SYNTHASE SUBUNIT EPSILON, MITOCHONDRIAL.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	I	25	Total	C	N	O	S	0	0	0
			203	130	38	34	1			


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: ATP SYNTHASE SUBUNIT ALPHA HEART ISOFORM, MITOCHONDRIAL




• Molecule 1: ATP SYNTHASE SUBUNIT ALPHA HEART ISOFORM, MITOCHONDRIAL





• Molecule 1: ATP SYNTHASE SUBUNIT ALPHA HEART ISOFORM, MITOCHONDRIAL










• Molecule 2: ATP SYNTHASE SUBUNIT BETA, MITOCHONDRIAL



• Molecule 2: ATP SYNTHASE SUBUNIT BETA, MITOCHONDRIAL



• Molecule 2: ATP SYNTHASE SUBUNIT BETA, MITOCHONDRIAL



• Molecule 3: ATP SYNTHASE SUBUNIT GAMMA, MITOCHONDRIAL





G121	LEU	LEU	MET
A122	ALA	ALA	PRO
A123	ALA	SER	ALA
D124	HIS	VAL	LEU
F125	VAL	PRO	LEU
A126	THR	THR	ARG
T127	LEU	GLN	ARG
R128	VAL	VAL	PRO
M138	LEU	LEU	GLY
F139	LEU	GLY	GLY
A140	VAL	ARG	LEU
	LYS	LEU	VAL
	LEU	ASP	ARG
	LEU	GLY	GLN
	GLU	THR	VAL
		THR	ARG
		SER	LEU
		LYS	TVR
		TVR	ALA
		F76	GLU
		S79	ALA
		G80	ALA
		S81	ALA
		VAL	GLN
		THR	ALA
		VAL	PRO
		ASN	ALA
		ALA	ALA
		ASP	GLY
		SER	PRO
		SER	GLY
		VAL	GLN
		Q91	MET
		S17	S17
		F18	F18
		V26	V26
		F27	F27
		F28	F28
		I29	I29
		SER	SER
		ALA	ALA
		ASN	ASN
		VAL	VAL
		ARG	ARG
		Q35	Q35
		T40	T40
		GLN	GLN
		THR	THR
		GLY	GLY
		ALA	ALA
		PHE	PHE
		GLY	GLY
		T12	T12
		E118	E118

- Molecule 5: ATP SYNTHASE SUBUNIT EPSILON, MITOCHONDRIAL

Number of SNPs	Number of Genes	Gene Name
1	10	MET
6	9	G6
7	8	A7
10	7	S10
11	6	Y11
12	5	I12
13	4	R13
16	3	Q16
19	2	A19
25	1	A25

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	106.93Å 124.07Å 264.46Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	132.45 – 3.84 71.86 – 3.84	Depositor EDS
% Data completeness (in resolution range)	95.3 (132.45-3.84) 95.3 (71.86-3.84)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.52 (at 3.89Å)	Xtriage
Refinement program	REFMAC 5.5.0038	Depositor
R, R_{free}	0.305 , (Not available) 0.307 , 0.305	Depositor DCC
R_{free} test set	1665 reflections (5.35%)	DCC
Wilson B-factor (Å ²)	73.4	Xtriage
Anisotropy	0.375	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 3.3	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtriage
Outliers	0 of 32798 reflections	Xtriage
F_o, F_c correlation	0.79	EDS
Total number of atoms	23874	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.09% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	1/3766 (0.0%)	0.53	0/5080
1	B	0.38	0/3711	0.52	0/5005
1	C	0.35	0/3786	0.51	0/5108
2	D	0.36	0/3596	0.54	0/4879
2	E	0.35	0/3528	0.52	0/4786
2	F	0.39	0/3587	0.54	0/4867
3	G	0.37	0/1406	0.47	0/1880
4	H	0.39	0/623	0.62	0/840
5	I	0.41	0/207	0.59	0/279
All	All	0.37	1/24210 (0.0%)	0.53	0/32724

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	422	VAL	CA-CB	5.47	1.66	1.54

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3715	0	3813	42	1
1	B	3663	0	3773	15	0
1	C	3735	0	3834	21	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	3539	0	3593	37	1
2	E	3472	0	3526	39	0
2	F	3530	0	3587	25	0
3	G	1397	0	1481	16	0
4	H	620	0	614	30	0
5	I	203	0	205	4	0
All	All	23874	0	24426	209	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (209) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:H:122:ALA:HA	4:H:123:ALA:CB	1.74	1.15
3:G:68:ILE:HB	3:G:69:ILE:HA	1.31	1.09
2:D:89:GLU:HG3	2:D:110:THR:HB	1.29	1.08
2:D:228:ALA:O	2:D:232:VAL:HG13	1.52	1.08
4:H:104:ASP:HA	4:H:105:LEU:HB2	1.31	1.06
2:E:316:ASP:OD2	3:G:254:ARG:NH2	1.91	1.03
4:H:121:GLY:HA3	4:H:122:ALA:HB3	1.40	1.02
4:H:122:ALA:HA	4:H:123:ALA:HB2	1.38	0.99
4:H:99:THR:HA	4:H:100:LEU:HB2	1.46	0.97
2:E:282:GLN:H	2:E:282:GLN:HE21	1.14	0.96
2:F:282:GLN:H	2:F:282:GLN:HE21	1.06	0.94
3:G:20:THR:HG22	3:G:232:MET:HE3	1.52	0.92
1:A:94:ILE:HD11	1:A:128:ARG:HG2	1.53	0.91
2:D:282:GLN:H	2:D:282:GLN:HE21	0.94	0.89
4:H:104:ASP:CA	4:H:105:LEU:HB2	2.01	0.89
4:H:122:ALA:HA	4:H:123:ALA:HB3	1.56	0.87
4:H:104:ASP:HA	4:H:105:LEU:CB	2.07	0.84
4:H:122:ALA:CA	4:H:123:ALA:HB2	2.10	0.80
2:D:282:GLN:H	2:D:282:GLN:NE2	1.78	0.79
4:H:122:ALA:CA	4:H:123:ALA:CB	2.58	0.78
2:E:293:GLN:HE22	2:E:308:GLN:HE22	1.32	0.78
2:F:97:VAL:HG12	2:F:232:VAL:HB	1.66	0.77
4:H:99:THR:CA	4:H:100:LEU:HB2	2.16	0.76
1:A:151:LYS:H	1:A:430:GLN:HE22	1.30	0.76
2:D:85:PRO:HB3	2:D:110:THR:HG21	1.69	0.74
2:D:282:GLN:N	2:D:282:GLN:HE21	1.79	0.74
2:F:223:ASN:H	2:F:223:ASN:HD22	1.36	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:136:GLY:HA3	2:E:431:LEU:HD12	1.72	0.72
1:A:52:MET:HG3	1:A:95:VAL:HG22	1.71	0.72
3:G:136:PRO:HD3	3:G:221:THR:HG21	1.74	0.69
2:D:89:GLU:HG3	2:D:110:THR:CB	2.17	0.68
3:G:68:ILE:CB	3:G:69:ILE:HA	2.12	0.66
2:F:97:VAL:CG1	2:F:232:VAL:HB	2.25	0.66
2:F:282:GLN:N	2:F:282:GLN:HE21	1.88	0.66
2:D:181:SER:HB2	2:D:215:VAL:HG22	1.77	0.66
4:H:127:THR:N	4:H:128:ARG:HB2	2.12	0.64
1:A:102:GLU:HG3	1:A:123:SER:HA	1.80	0.64
2:D:96:ASN:C	2:D:96:ASN:HD22	2.02	0.63
4:H:127:THR:H	4:H:128:ARG:HB2	1.64	0.63
1:A:419:SER:O	1:A:423:ARG:HD3	1.99	0.63
4:H:99:THR:HA	4:H:100:LEU:CB	2.26	0.62
1:C:160:GLY:H	1:C:163:GLN:NE2	1.98	0.62
2:D:89:GLU:CG	2:D:110:THR:HB	2.18	0.61
4:H:127:THR:H	4:H:128:ARG:CB	2.13	0.61
4:H:58:LEU:N	5:I:11:TYR:HH	1.99	0.61
2:F:97:VAL:HG12	2:F:232:VAL:CB	2.31	0.60
1:C:128:ARG:HD2	1:C:131:LEU:HG	1.83	0.60
2:F:96:ASN:HD22	2:F:96:ASN:C	2.05	0.60
2:D:188:GLU:O	2:D:221:GLN:HB3	2.02	0.59
4:H:99:THR:HB	4:H:101:ASP:H	1.68	0.59
4:H:103:LEU:HB3	4:H:105:LEU:HD13	1.83	0.58
1:B:38:ILE:HD12	1:B:285:LEU:HD21	1.86	0.58
2:D:85:PRO:HB3	2:D:110:THR:CG2	2.32	0.58
2:E:257:ASN:OD1	2:E:260:ARG:HG3	2.03	0.58
2:E:412:ARG:HG2	2:E:458:TYR:HB2	1.86	0.57
1:A:190:ASN:HA	1:A:198:LYS:HG2	1.86	0.57
4:H:127:THR:CA	4:H:128:ARG:HB2	2.34	0.57
2:D:186:VAL:HG13	2:D:232:VAL:CG2	2.35	0.57
1:C:180:ILE:HD11	1:C:216:LEU:HD21	1.86	0.56
1:A:44:LEU:HB3	1:A:47:VAL:HG13	1.86	0.56
2:E:63:MET:HE3	2:E:97:VAL:HG21	1.87	0.56
2:D:366:GLU:O	2:D:370:VAL:HG23	2.06	0.56
1:B:160:GLY:H	1:B:163:GLN:NE2	2.04	0.56
1:A:440:GLU:O	1:A:444:VAL:HG12	2.05	0.56
2:D:87:GLY:HA2	2:D:242:TYR:CE2	2.41	0.56
1:A:44:LEU:O	1:A:47:VAL:HG22	2.07	0.55
1:B:385:GLN:HE22	1:B:489:ILE:HB	1.71	0.55
1:B:137:ILE:HG21	2:F:104:GLU:CD	2.28	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:160:GLY:H	1:B:163:GLN:HE21	1.55	0.54
2:E:223:ASN:H	2:E:223:ASN:HD22	1.56	0.54
4:H:127:THR:HB	4:H:128:ARG:HB2	1.88	0.54
2:F:223:ASN:N	2:F:223:ASN:HD22	2.02	0.54
1:A:45:ARG:HA	2:E:71:ARG:NH2	2.22	0.54
2:E:170:ILE:HG21	2:E:215:VAL:HG22	1.90	0.54
1:A:422:VAL:O	1:A:426:GLU:HG2	2.08	0.54
2:E:282:GLN:H	2:E:282:GLN:NE2	1.96	0.54
1:B:439:GLU:O	1:B:442:VAL:HG12	2.08	0.54
1:A:410:LEU:HD12	1:A:415:GLN:HG3	1.89	0.54
2:F:89:GLU:HG2	2:F:110:THR:HG22	1.89	0.53
1:B:175:LYS:HG2	1:B:352:LEU:HD12	1.89	0.53
1:A:179:ALA:HB1	1:A:267:ILE:HG12	1.89	0.53
1:A:427:LEU:HD22	1:A:444:VAL:HG23	1.91	0.53
2:F:188:GLU:O	2:F:221:GLN:HB3	2.09	0.52
1:B:180:ILE:HD11	1:B:216:LEU:HD21	1.91	0.52
1:C:497:LEU:O	1:C:501:VAL:HG22	2.09	0.52
1:A:136:ILE:HG23	2:E:194:ASN:HA	1.90	0.52
1:C:94:ILE:HG22	1:C:95:VAL:H	1.75	0.52
2:E:345:TYR:HA	2:E:346:PRO:C	2.30	0.52
2:E:293:GLN:HA	2:E:293:GLN:HE21	1.74	0.52
3:G:73:SER:HA	3:G:131:VAL:HG23	1.92	0.52
4:H:99:THR:HB	4:H:101:ASP:N	2.26	0.51
2:D:220:GLY:HA3	2:D:232:VAL:HG11	1.92	0.51
1:A:67:GLU:HG2	2:E:17:ILE:HD11	1.93	0.51
2:D:221:GLN:HA	2:D:221:GLN:HE21	1.76	0.51
2:E:229:ARG:HH22	2:E:267:GLU:CD	2.13	0.51
1:A:183:ILE:HD11	1:A:267:ILE:HD13	1.93	0.51
2:F:87:GLY:HA2	2:F:242:TYR:CE2	2.46	0.50
4:H:126:ALA:HB2	5:I:7:ALA:O	2.11	0.50
2:E:452:LEU:HB3	2:E:453:PRO:HD2	1.94	0.50
2:E:136:GLY:HA3	2:E:431:LEU:CD1	2.40	0.50
1:C:355:GLU:HG2	1:C:359:LYS:HE2	1.93	0.49
1:A:48:GLN:HB3	2:E:68:GLY:HA2	1.92	0.49
1:A:148:THR:HA	1:A:182:THR:HG23	1.94	0.49
2:E:223:ASN:N	2:E:223:ASN:HD22	2.09	0.49
4:H:127:THR:CB	4:H:128:ARG:HB2	2.43	0.49
4:H:121:GLY:HA3	4:H:122:ALA:CB	2.18	0.49
1:B:185:ASN:OD1	1:B:188:ARG:NH1	2.37	0.49
1:C:278:TYR:CE2	1:C:295:PRO:HG2	2.48	0.48
1:A:74:VAL:HG22	1:A:241:PRO:HG3	1.93	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:35:GLY:O	2:E:274:ARG:NH2	2.46	0.48
2:D:386:ASP:OD2	3:G:8:ARG:NE	2.40	0.48
2:F:390:ILE:HD11	3:G:242:MET:SD	2.52	0.48
1:A:446:TYR:CE1	1:A:450:ARG:HD2	2.48	0.48
2:F:287:THR:O	2:F:291:THR:HG23	2.13	0.48
2:E:257:ASN:OD1	2:E:260:ARG:N	2.47	0.48
2:F:221:GLN:HE21	2:F:221:GLN:HA	1.79	0.48
2:E:449:TYR:HD2	2:E:452:LEU:HD12	1.78	0.48
1:A:115:ILE:O	2:D:124:VAL:HG13	2.14	0.48
4:H:121:GLY:CA	4:H:122:ALA:HB3	2.29	0.47
1:C:160:GLY:H	1:C:163:GLN:HE21	1.60	0.47
1:C:26:GLU:HA	1:C:45:ARG:HB2	1.96	0.47
5:I:13:ARG:HH11	5:I:16:GLN:NE2	2.11	0.47
2:E:257:ASN:OD1	2:E:259:PHE:HB3	2.13	0.47
3:G:13:ILE:HG22	3:G:243:ILE:HG13	1.95	0.47
1:A:457:GLU:HA	1:A:458:PRO:HD2	1.75	0.47
4:H:96:GLU:HG2	5:I:19:ALA:HB1	1.97	0.47
2:D:266:SER:HB3	2:D:282:GLN:HE22	1.80	0.47
1:A:397:TYR:CD1	1:A:421:GLY:HA3	2.50	0.47
2:E:330:ASP:HA	2:E:356:ARG:HD2	1.97	0.47
2:E:94:ILE:HD11	2:E:197:TYR:CD1	2.50	0.47
1:A:286:ARG:NH1	2:D:275:ILE:HD11	2.30	0.47
1:A:74:VAL:HG21	1:A:281:MET:HG2	1.96	0.47
1:A:44:LEU:HB3	1:A:47:VAL:CG1	2.45	0.46
1:A:385:GLN:HG3	1:A:386:VAL:HG13	1.97	0.46
2:E:87:GLY:HA2	2:E:242:TYR:CE2	2.50	0.46
1:A:446:TYR:HE1	1:A:450:ARG:HD2	1.80	0.46
1:C:141:SER:HB2	1:C:143:ARG:HH21	1.79	0.46
2:E:412:ARG:HH11	2:E:455:GLN:HE22	1.64	0.46
1:B:213:VAL:O	1:B:217:VAL:HG12	2.15	0.46
1:A:344:SER:O	2:E:189:ARG:NH2	2.45	0.45
2:D:130:GLN:HE22	2:D:356:ARG:HD2	1.81	0.45
1:C:78:ASN:HD22	1:C:80:LYS:H	1.63	0.45
1:C:362:ARG:HA	1:C:363:PRO:C	2.36	0.45
1:C:107:VAL:HB	1:C:116:ASP:HB3	1.99	0.45
3:G:69:ILE:HG23	3:G:107:GLY:H	1.81	0.45
2:D:287:THR:O	2:D:291:THR:HG23	2.16	0.45
2:E:280:GLY:HA2	3:G:262:LEU:HD21	1.99	0.45
4:H:122:ALA:N	4:H:123:ALA:HB2	2.31	0.45
2:E:181:SER:HB2	2:E:215:VAL:HG13	1.99	0.44
4:H:112:LEU:HG	4:H:138:ASN:HB3	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:400:VAL:HG13	1:A:403:PHE:CE1	2.52	0.44
2:F:391:LEU:HB3	2:F:395:GLU:HG3	1.98	0.44
1:B:362:ARG:HA	1:B:363:PRO:C	2.37	0.44
2:D:25:PHE:O	2:D:56:SER:HB3	2.18	0.44
2:F:282:GLN:H	2:F:282:GLN:NE2	1.90	0.44
2:D:256:ASP:HA	2:D:257:ASN:HA	1.81	0.44
1:A:62:MET:CE	1:A:64:LEU:HD21	2.47	0.44
1:A:441:GLN:O	1:A:444:VAL:HG13	2.17	0.44
1:A:99:VAL:HG22	1:A:253:MET:HA	1.99	0.44
1:A:500:ILE:O	1:A:504:PHE:HB2	2.17	0.44
3:G:68:ILE:HB	3:G:69:ILE:HD13	2.00	0.44
2:D:370:VAL:HG21	2:D:442:GLN:HG3	1.99	0.43
1:A:99:VAL:HG13	1:A:256:TYR:HB2	1.99	0.43
2:E:409:LYS:NZ	2:E:450:ASP:HA	2.33	0.43
2:D:221:GLN:HA	2:D:221:GLN:NE2	2.33	0.43
1:C:179:ALA:HB1	1:C:267:ILE:HD13	2.00	0.43
2:F:139:VAL:HG13	2:F:414:LEU:HB3	2.00	0.43
2:D:9:THR:HG21	2:D:28:GLY:HA3	2.00	0.43
2:D:97:VAL:HG22	2:D:232:VAL:HG12	2.01	0.43
3:G:69:ILE:HA	3:G:69:ILE:HD13	1.91	0.42
1:B:211:SER:HB3	2:E:126:MET:HE1	2.00	0.42
2:F:223:ASN:H	2:F:223:ASN:ND2	2.12	0.42
1:A:346:THR:O	1:A:373:ARG:NH2	2.51	0.42
2:D:96:ASN:C	2:D:96:ASN:ND2	2.71	0.42
2:E:63:MET:HE3	2:E:97:VAL:CG2	2.48	0.42
2:D:359:ASP:O	2:D:363:VAL:HG22	2.20	0.42
2:E:139:VAL:HG12	2:E:414:LEU:HD22	2.01	0.42
2:D:396:LEU:HD22	2:D:400:ASP:HB3	2.02	0.42
1:C:419:SER:O	1:C:423:ARG:HD2	2.20	0.42
1:C:283:LEU:HD21	1:C:289:PRO:HB3	2.02	0.42
1:A:28:THR:HG22	1:A:89:LYS:HG2	2.02	0.42
1:A:48:GLN:OE1	2:E:68:GLY:HA2	2.19	0.42
2:F:13:ILE:HD12	2:F:73:GLN:HB3	2.02	0.42
2:F:142:LEU:HD12	2:F:438:ILE:HD13	2.01	0.42
1:A:24:ASP:O	1:A:28:THR:OG1	2.37	0.41
1:C:334:VAL:HG13	1:C:351:PHE:CE1	2.55	0.41
4:H:79:SER:O	4:H:94:ALA:HA	2.20	0.41
2:D:412:ARG:HE	2:D:455:GLN:NE2	2.18	0.41
2:D:386:ASP:OD1	3:G:8:ARG:NH2	2.53	0.41
2:F:70:VAL:H	2:F:73:GLN:HE21	1.68	0.41
2:E:318:THR:OG1	3:G:255:GLN:NE2	2.52	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:151:LYS:H	1:A:430:GLN:NE2	2.07	0.41
2:D:163:THR:O	2:D:166:ILE:HG22	2.20	0.41
2:D:32:ILE:O	2:D:33:LEU:HB2	2.21	0.41
4:H:123:ALA:H	4:H:128:ARG:HD3	1.86	0.41
1:C:99:VAL:HG22	1:C:253:MET:HA	2.02	0.41
1:A:479:LEU:HG	1:A:496:LYS:HD3	2.03	0.41
1:C:361:ILE:O	1:C:364:ALA:HA	2.20	0.41
2:F:367:HIS:CE1	2:F:434:LEU:HD11	2.56	0.41
1:B:200:TYR:O	1:B:264:ALA:HA	2.21	0.41
1:C:200:TYR:O	1:C:264:ALA:HA	2.20	0.41
1:B:288:PRO:HA	1:B:289:PRO:HD3	1.92	0.41
2:E:298:THR:HG23	2:E:303:SER:HB3	2.03	0.41
2:E:257:ASN:ND2	2:E:259:PHE:H	2.19	0.40
3:G:138:PHE:HE1	3:G:211:ASN:HD22	1.68	0.40
2:F:256:ASP:HA	2:F:257:ASN:HA	1.90	0.40
2:D:188:GLU:H	2:D:221:GLN:NE2	2.19	0.40
2:F:233:ALA:O	2:F:237:LEU:HD13	2.21	0.40
1:C:287:ARG:HA	1:C:288:PRO:HD3	1.96	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:48:GLN:CD	2:D:111:LYS:NZ[4_545]	2.17	0.03

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	485/553 (88%)	469 (97%)	15 (3%)	1 (0%)	52 86
1	B	476/553 (86%)	465 (98%)	10 (2%)	1 (0%)	52 86

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	488/553 (88%)	476 (98%)	12 (2%)	0	100	100
2	D	465/528 (88%)	445 (96%)	20 (4%)	0	100	100
2	E	454/528 (86%)	444 (98%)	9 (2%)	1 (0%)	52	86
2	F	464/528 (88%)	450 (97%)	13 (3%)	1 (0%)	52	86
3	G	170/298 (57%)	161 (95%)	8 (5%)	1 (1%)	30	74
4	H	73/168 (44%)	64 (88%)	6 (8%)	3 (4%)	3	37
5	I	23/51 (45%)	22 (96%)	1 (4%)	0	100	100
All	All	3098/3760 (82%)	2996 (97%)	94 (3%)	8 (0%)	46	83

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	H	123	ALA
4	H	128	ARG
4	H	105	LEU
2	E	279	VAL
1	B	35	GLY
3	G	106	ILE
2	F	279	VAL
1	A	451	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	393/444 (88%)	382 (97%)	11 (3%)	51	81
1	B	389/444 (88%)	380 (98%)	9 (2%)	58	84
1	C	396/444 (89%)	383 (97%)	13 (3%)	45	79
2	D	377/417 (90%)	371 (98%)	6 (2%)	70	90
2	E	370/417 (89%)	362 (98%)	8 (2%)	60	85
2	F	376/417 (90%)	364 (97%)	12 (3%)	46	79

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	G	152/251 (61%)	145 (95%)	7 (5%)	33	72
4	H	66/128 (52%)	64 (97%)	2 (3%)	48	80
5	I	19/42 (45%)	19 (100%)	0	100	100
All	All	2538/3004 (84%)	2470 (97%)	68 (3%)	52	82

All (68) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	94	ILE
1	A	99	VAL
1	A	164	ARG
1	A	274	GLN
1	A	385	GLN
1	A	422	VAL
1	A	444	VAL
1	A	446	TYR
1	A	454	ASP
1	A	479	LEU
1	A	486	ASP
1	B	38	ILE
1	B	65	ASN
1	B	131	LEU
1	B	164	ARG
1	B	216	LEU
1	B	217	VAL
1	B	362	ARG
1	B	389	THR
1	B	479	LEU
1	C	22	SER
1	C	45	ARG
1	C	78	ASN
1	C	96	ASP
1	C	99	VAL
1	C	124	LYS
1	C	164	ARG
1	C	334	VAL
1	C	341	ASN
1	C	349	GLN
1	C	455	LYS
1	C	479	LEU
1	C	505	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	89	GLU
2	D	96	ASN
2	D	97	VAL
2	D	249	GLN
2	D	274	ARG
2	D	282	GLN
2	E	215	VAL
2	E	223	ASN
2	E	282	GLN
2	E	293	GLN
2	E	301	LYS
2	E	412	ARG
2	E	439	LYS
2	E	450	ASP
2	F	27	GLU
2	F	96	ASN
2	F	112	GLN
2	F	139	VAL
2	F	175	LYS
2	F	223	ASN
2	F	274	ARG
2	F	282	GLN
2	F	385	GLN
2	F	387	ILE
2	F	398	GLU
2	F	419	GLN
3	G	33	ARG
3	G	69	ILE
3	G	130	GLU
3	G	166	ARG
3	G	212	ILE
3	G	218	LYS
3	G	262	LEU
4	H	112	LEU
4	H	118	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (38) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	274	GLN
1	A	396	GLN
1	A	430	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	477	GLN
1	B	163	GLN
1	B	208	GLN
1	B	466	ASN
1	B	503	ASN
1	C	78	ASN
1	C	163	GLN
1	C	263	HIS
1	C	341	ASN
1	C	349	GLN
2	D	73	GLN
2	D	96	ASN
2	D	130	GLN
2	D	221	GLN
2	D	282	GLN
2	E	171	ASN
2	E	223	ASN
2	E	249	GLN
2	E	282	GLN
2	E	293	GLN
2	E	367	HIS
2	E	419	GLN
2	E	427	HIS
2	E	455	GLN
2	F	51	GLN
2	F	73	GLN
2	F	96	ASN
2	F	112	GLN
2	F	221	GLN
2	F	223	ASN
2	F	282	GLN
2	F	443	GLN
3	G	211	ASN
4	H	91	GLN
5	I	16	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	487/553 (88%)	0.23	13 (2%) 58 42	20, 20, 20, 20	4 (0%)
1	B	480/553 (86%)	0.30	13 (2%) 58 42	20, 20, 20, 20	1 (0%)
1	C	490/553 (88%)	0.12	7 (1%) 78 63	20, 20, 20, 20	0
2	D	467/528 (88%)	0.16	3 (0%) 90 82	20, 20, 20, 20	2 (0%)
2	E	458/528 (86%)	0.35	21 (4%) 36 24	20, 20, 20, 20	2 (0%)
2	F	466/528 (88%)	0.19	3 (0%) 90 82	20, 20, 20, 20	3 (0%)
3	G	182/298 (61%)	0.75	14 (7%) 16 10	20, 20, 20, 20	0
4	H	83/168 (49%)	1.16	11 (13%) 4 4	20, 20, 20, 20	0
5	I	25/51 (49%)	1.12	5 (20%) 1 1	20, 20, 20, 20	0
All	All	3138/3760 (83%)	0.29	90 (2%) 55 38	20, 20, 20, 20	12 (0%)

All (90) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	21	THR	4.6
1	C	22	SER	4.5
1	A	501	VAL	4.3
3	G	163	ASN	3.8
2	E	398	GLU	3.8
4	H	29	ASN	3.7
2	E	462	PRO	3.6
3	G	144	ILE	3.6
1	B	400	VAL	3.5
2	E	457	PHE	3.4
2	E	474	ALA	3.3
5	I	1	VAL	3.3
2	E	384	LEU	3.3
2	E	409	LYS	3.2
2	F	474	ALA	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	H	26	VAL	3.2
2	E	454	GLU	3.1
3	G	169	ILE	3.1
2	E	453	PRO	3.1
2	E	471	ASP	3.1
1	A	500	ILE	3.1
1	B	193	THR	3.0
1	A	474	SER	2.9
1	B	416	GLN	2.9
2	E	403	THR	2.8
2	D	249	GLN	2.7
1	C	124	LYS	2.7
2	D	9	THR	2.7
2	E	428	LEU	2.6
1	B	401	ALA	2.6
3	G	43	VAL	2.6
2	E	468	ALA	2.6
1	B	490	SER	2.6
4	H	27	PHE	2.6
5	I	7	ALA	2.6
1	B	448	GLY	2.6
1	B	493	SER	2.6
1	B	417	LEU	2.6
1	B	487	GLY	2.5
3	G	140	ASP	2.5
4	H	97	ALA	2.5
1	A	510	ALA	2.5
3	G	67	LEU	2.5
3	G	168	VAL	2.5
1	A	505	LEU	2.4
2	E	456	ALA	2.4
1	C	475	GLN	2.4
1	A	446	TYR	2.4
5	I	10	SER	2.4
2	E	387	ILE	2.4
4	H	124	ASP	2.4
3	G	171	TYR	2.4
3	G	216	SER	2.3
2	E	407	ALA	2.3
5	I	6	GLN	2.3
1	B	410	LEU	2.3
2	D	95	MET	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
5	I	16	GLN	2.3
1	A	480	LEU	2.3
2	E	400	ASP	2.3
1	A	493	SER	2.3
1	A	504	PHE	2.2
1	A	405	GLN	2.2
4	H	17	SER	2.2
1	A	497	LEU	2.2
1	B	489	ILE	2.2
4	H	115	ALA	2.2
1	A	316	PHE	2.2
2	E	427	HIS	2.2
3	G	170	SER	2.2
1	A	94	ILE	2.2
2	F	172	ASN	2.2
3	G	81	ILE	2.1
4	H	107	ALA	2.1
3	G	271	ALA	2.1
4	H	18	PHE	2.1
1	C	23	VAL	2.1
4	H	102	MET	2.1
2	F	11	GLY	2.1
3	G	160	ILE	2.1
4	H	105	LEU	2.1
2	E	455	GLN	2.1
2	E	423	VAL	2.1
2	E	461	GLY	2.1
1	C	421	GLY	2.1
2	E	472	LYS	2.1
1	B	411	ASP	2.0
1	B	412	ALA	2.0
1	C	123	SER	2.0
3	G	73	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.