



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:07 PM GMT

PDB ID : 3W68
Title : Crystal structure of mouse alpha-tocopherol transfer protein in complex with
alpha-tocopherol and phosphatidylinositol-(4,5)-biphosphate
Authors : Ohto, U.; Satow, Y.
Deposited on : 2013-02-11
Resolution : 2.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1192 (2.04-2.04)
Clashscore	102246	1269 (2.04-2.04)
Ramachandran outliers	100387	1258 (2.04-2.04)
Sidechain outliers	100360	1258 (2.04-2.04)
RSRZ outliers	91569	1194 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	266	<div> <div>8%</div> <div> <div></div> <div>82%</div> <div>11%</div> <div>6%</div> </div> </div>
1	B	266	<div> <div>6%</div> <div> <div></div> <div>79%</div> <div>15%</div> <div>5%</div> </div> </div>
1	C	266	<div> <div>11%</div> <div> <div></div> <div>81%</div> <div>12%</div> <div>5%</div> </div> </div>
1	D	266	<div> <div>24%</div> <div> <div></div> <div>80%</div> <div>14%</div> <div>6%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	4PT	A	303	-	-	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 8732 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alpha-tocopherol transfer protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	251	Total	C	N	O	S	0	0	0
			2052	1324	357	364	7			
1	B	253	Total	C	N	O	S	0	0	0
			2068	1336	359	366	7			
1	C	252	Total	C	N	O	S	0	0	0
			2058	1329	357	365	7			
1	D	251	Total	C	N	O	S	0	0	0
			2052	1324	357	364	7			

There are 32 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	13	GLY	-	EXPRESSION TAG	UNP Q8BWP5
A	14	PRO	-	EXPRESSION TAG	UNP Q8BWP5
A	15	LEU	-	EXPRESSION TAG	UNP Q8BWP5
A	16	GLY	-	EXPRESSION TAG	UNP Q8BWP5
A	17	SER	-	EXPRESSION TAG	UNP Q8BWP5
A	18	PRO	-	EXPRESSION TAG	UNP Q8BWP5
A	19	GLU	-	EXPRESSION TAG	UNP Q8BWP5
A	20	PHE	-	EXPRESSION TAG	UNP Q8BWP5
B	13	GLY	-	EXPRESSION TAG	UNP Q8BWP5
B	14	PRO	-	EXPRESSION TAG	UNP Q8BWP5
B	15	LEU	-	EXPRESSION TAG	UNP Q8BWP5
B	16	GLY	-	EXPRESSION TAG	UNP Q8BWP5
B	17	SER	-	EXPRESSION TAG	UNP Q8BWP5
B	18	PRO	-	EXPRESSION TAG	UNP Q8BWP5
B	19	GLU	-	EXPRESSION TAG	UNP Q8BWP5
B	20	PHE	-	EXPRESSION TAG	UNP Q8BWP5
C	13	GLY	-	EXPRESSION TAG	UNP Q8BWP5
C	14	PRO	-	EXPRESSION TAG	UNP Q8BWP5
C	15	LEU	-	EXPRESSION TAG	UNP Q8BWP5
C	16	GLY	-	EXPRESSION TAG	UNP Q8BWP5
C	17	SER	-	EXPRESSION TAG	UNP Q8BWP5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	18	PRO	-	EXPRESSION TAG	UNP Q8BWP5
C	19	GLU	-	EXPRESSION TAG	UNP Q8BWP5
C	20	PHE	-	EXPRESSION TAG	UNP Q8BWP5
D	13	GLY	-	EXPRESSION TAG	UNP Q8BWP5
D	14	PRO	-	EXPRESSION TAG	UNP Q8BWP5
D	15	LEU	-	EXPRESSION TAG	UNP Q8BWP5
D	16	GLY	-	EXPRESSION TAG	UNP Q8BWP5
D	17	SER	-	EXPRESSION TAG	UNP Q8BWP5
D	18	PRO	-	EXPRESSION TAG	UNP Q8BWP5
D	19	GLU	-	EXPRESSION TAG	UNP Q8BWP5
D	20	PHE	-	EXPRESSION TAG	UNP Q8BWP5


- Molecule 2 is (2R)-2,5,7,8-TETRAMETHYL-2-[(4R,8R)-4,8,12-TRIMETHYLTRIDECYL]CHROMAN-6-OL (three-letter code: VIV) (formula: C₂₉H₅₀O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			31	29	2		
2	B	1	Total	C	O	0	0
			31	29	2		
2	C	1	Total	C	O	0	0
			31	29	2		
2	D	1	Total	C	O	0	0
			31	29	2		


- Molecule 3 is (2R)-3-[[[(S)-{[(2S,3R,5S,6S)-2,6-DIHYDROXY-3,4,5-TRIS(PHOSPHONOOXY)CYCLOHEXYL]OXY}](HYDROXY)PHOSPHORYL]OXY}-2-(1-HYDROXYBUTOX

Y)PROPYL BUTYRATE (three-letter code: 4PT) (formula: C₁₇H₃₆O₂₂P₄).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	P	0	0
			24	6	15	3		
3	A	1	Total	C	O	P	0	0
			24	6	15	3		
3	B	1	Total	C	O	P	0	0
			24	6	15	3		

- Molecule 4 is (2R)-3-{[(R)-HYDROXY{[(1R,2R,3S,4R,5R,6S)-2,3,6-TRIHYDROXY-4,5-BIS(PHOSPHONOXY)CYCLOHEXYL]OXY}PHOSPHORYL]OXY}PROPANE-1,2-DIYL DIBUTANOATE (three-letter code: PBU) (formula: C₁₇H₃₃O₁₉P₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	O	P	0	0
			39	17	19	3		

- Molecule 5 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	C	1	Total	O	P	0	0
			5	4	1		
5	C	1	Total	O	P	0	0
			5	4	1		
5	C	1	Total	O	P	0	0
			5	4	1		
5	D	1	Total	O	P	0	0
			5	4	1		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	95	Total	O	0	0
			95	95		
6	B	86	Total	O	0	0
			86	86		
6	C	59	Total	O	0	0
			59	59		
6	D	7	Total	O	0	0
			7	7		

- Molecule 1: Alpha-tocopherol transfer protein





4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	57.98Å 69.62Å 87.10Å 100.88° 109.45° 100.01°	Depositor
Resolution (Å)	29.32 – 2.05 29.17 – 2.05	Depositor EDS
% Data completeness (in resolution range)	97.5 (29.32-2.05) 88.8 (29.17-2.05)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.03 (at 2.04Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.199 , 0.231 0.199 , 0.230	Depositor DCC
R_{free} test set	3846 reflections (5.43%)	DCC
Wilson B-factor (Å ²)	44.4	Xtriage
Anisotropy	0.124	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 59.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 75014 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8732	wwPDB-VP
Average B, all atoms (Å ²)	75.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.02% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PBU, PO4, 4PT, VIV

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.66	0/2104	0.72	1/2848 (0.0%)
1	B	0.56	0/2120	0.67	0/2870
1	C	0.55	0/2110	0.66	1/2856 (0.0%)
1	D	0.41	0/2104	0.57	0/2848
All	All	0.55	0/8438	0.66	2/11422 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	214	LEU	CA-CB-CG	5.99	129.07	115.30
1	C	95	LEU	CA-CB-CG	5.58	128.14	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2052	0	2063	15	0
1	B	2068	0	2085	22	0
1	C	2058	0	2074	26	0
1	D	2052	0	2063	19	0
2	A	31	0	49	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	31	0	50	1	0
2	C	31	0	49	2	0
2	D	31	0	50	2	0
3	A	48	0	16	0	0
3	B	24	0	8	0	0
4	B	39	0	28	0	0
5	C	15	0	0	0	0
5	D	5	0	0	0	0
6	A	95	0	0	1	0
6	B	86	0	0	0	0
6	C	59	0	0	4	0
6	D	7	0	0	0	0
All	All	8732	0	8535	78	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (78) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:77:ARG:NH1	6:C:435:HOH:O	2.12	0.81
1:A:44:PRO:HG3	1:A:275:GLU:HG2	1.67	0.76
1:B:261:ASN:HB3	1:B:265:LYS:HZ1	1.53	0.74
1:B:169:PHE:HD2	1:C:169:PHE:CE1	2.06	0.74
1:B:195:HIS:ND1	1:B:225:HIS:HE1	1.88	0.71
1:B:261:ASN:HB3	1:B:265:LYS:NZ	2.07	0.69
1:A:195:HIS:ND1	1:A:225:HIS:HE1	1.93	0.67
1:B:32:ARG:NH1	1:B:49:ASP:OD1	2.28	0.66
1:C:195:HIS:ND1	1:C:225:HIS:HE1	1.96	0.64
1:C:32:ARG:NH2	1:C:47:LEU:O	2.30	0.63
1:B:230:LYS:HE2	1:B:246:GLY:HA2	1.83	0.61
1:C:197:ILE:HG22	1:C:225:HIS:HB2	1.83	0.59
1:A:95:LEU:HD21	1:A:132:VAL:HG22	1.83	0.59
1:C:267:GLU:OE1	6:C:445:HOH:O	2.18	0.56
1:C:119:ILE:HD13	1:C:122:TRP:HE3	1.70	0.56
1:D:58:ALA:O	1:D:59:ARG:NH1	2.38	0.55
1:C:113:ARG:NH1	1:C:146:GLU:OE2	2.40	0.55
1:B:95:LEU:HD21	1:B:132:VAL:HG22	1.88	0.54
1:C:88:ARG:NH2	6:C:426:HOH:O	2.40	0.54
1:B:169:PHE:CD2	1:C:169:PHE:CE1	2.92	0.53
1:D:83:LEU:HD12	1:D:178:LYS:HE2	1.90	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:201:VAL:HG11	1:C:204:HIS:HB3	1.91	0.53
1:C:68:ARG:HD2	1:D:68:ARG:HH11	1.74	0.52
1:B:35:VAL:HG13	1:B:40:VAL:HB	1.90	0.52
1:D:113:ARG:HB2	1:D:154:VAL:HG12	1.92	0.52
1:A:31:LEU:HD21	1:A:70:MET:HE1	1.93	0.51
1:B:241:LEU:O	1:B:247:GLY:HA3	2.10	0.51
1:C:202:ILE:O	1:C:206:VAL:HG22	2.12	0.49
1:C:122:TRP:CE2	1:C:132:VAL:HG21	2.47	0.48
1:A:45:GLN:HG2	1:A:51:PHE:CE1	2.49	0.48
1:D:95:LEU:HD21	1:D:132:VAL:HG22	1.96	0.48
1:B:180:ALA:O	1:B:184:THR:HG23	2.13	0.48
1:D:68:ARG:HA	1:D:71:LYS:HE3	1.96	0.48
1:B:169:PHE:HD2	1:C:169:PHE:HE1	1.59	0.48
1:D:248:LYS:HG3	1:D:249:GLU:HG3	1.95	0.48
1:A:68:ARG:NH1	1:A:185:ASP:OD1	2.47	0.47
1:D:80:CYS:SG	1:D:178:LYS:HE3	2.54	0.47
1:B:25:GLN:HG2	1:B:53:LEU:HD21	1.97	0.47
1:D:158:PHE:HB2	1:D:196:LEU:HD23	1.97	0.46
1:C:129:ALA:HB2	1:C:170:GLN:HB3	1.98	0.46
1:A:30:GLU:CG	1:A:63:LEU:HD21	2.45	0.46
1:D:211:LYS:HB3	1:D:212:PRO:HD3	1.97	0.46
1:C:164:GLN:NE2	1:C:166:SER:OG	2.49	0.46
1:A:137:LEU:HD13	2:A:301:VIV:C12	2.46	0.46
1:D:104:LEU:HD21	1:D:242:PRO:HD3	1.98	0.45
1:D:108:ASP:OD1	1:D:112:SER:HB2	2.16	0.45
1:D:149:THR:HG22	1:D:189:LEU:HD21	1.98	0.45
1:B:169:PHE:CD2	1:C:169:PHE:HE1	2.32	0.45
1:D:137:LEU:HD13	2:D:301:VIV:C12	2.47	0.45
2:D:301:VIV:H211	2:D:301:VIV:H191	1.86	0.45
1:A:124:PRO:O	1:A:170:GLN:NE2	2.51	0.44
1:B:32:ARG:NH2	1:B:47:LEU:O	2.50	0.44
1:B:119:ILE:HG13	1:B:160:LEU:HD23	1.98	0.44
1:B:230:LYS:HE2	1:B:246:GLY:CA	2.47	0.44
1:C:68:ARG:HD2	1:D:68:ARG:NH1	2.32	0.44
1:A:241:LEU:O	1:A:247:GLY:HA3	2.17	0.44
1:B:243:ARG:HG2	1:B:248:LYS:HA	1.99	0.44
1:A:77:ARG:HG2	1:A:84:SER:HB2	2.00	0.44
1:B:211:LYS:O	1:B:219:LYS:HE2	2.18	0.43
1:D:195:HIS:ND1	1:D:225:HIS:HE1	2.15	0.43
2:B:301:VIV:H191	2:B:301:VIV:H211	1.78	0.43
2:C:301:VIV:H211	2:C:301:VIV:H191	1.90	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:33:ARG:CZ	1:C:33:ARG:HB3	2.49	0.43
1:C:199:GLU:H	1:C:199:GLU:CD	2.23	0.42
1:D:196:LEU:HD12	1:D:224:LEU:HG	2.01	0.42
1:A:178:LYS:HE3	6:A:481:HOH:O	2.19	0.42
1:D:28:LEU:HD11	1:D:49:ASP:HB3	2.00	0.42
1:B:31:LEU:HD21	1:B:70:MET:HE1	2.02	0.42
1:C:90:ARG:HB2	6:C:445:HOH:O	2.20	0.42
1:C:182:VAL:HG11	2:C:301:VIV:H123	2.02	0.42
1:C:43:THR:HB	1:C:44:PRO:HA	2.02	0.41
1:B:93:LEU:HD13	1:B:264:MET:SD	2.61	0.41
1:C:122:TRP:CD2	1:C:132:VAL:HG21	2.55	0.41
1:D:207:PHE:HA	1:D:210:ILE:HG22	2.01	0.40
1:C:77:ARG:HG2	1:C:84:SER:HB2	2.03	0.40
1:B:122:TRP:CD2	1:B:132:VAL:HG21	2.56	0.40
1:A:137:LEU:HD13	2:A:301:VIV:H121	2.02	0.40
1:A:30:GLU:HG2	1:A:63:LEU:HD21	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	249/266 (94%)	244 (98%)	5 (2%)	0	100	100
1	B	251/266 (94%)	247 (98%)	4 (2%)	0	100	100
1	C	250/266 (94%)	244 (98%)	6 (2%)	0	100	100
1	D	249/266 (94%)	241 (97%)	8 (3%)	0	100	100
All	All	999/1064 (94%)	976 (98%)	23 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	223/236 (94%)	213 (96%)	10 (4%)	34	25
1	B	225/236 (95%)	213 (95%)	12 (5%)	28	17
1	C	224/236 (95%)	212 (95%)	12 (5%)	27	17
1	D	223/236 (94%)	214 (96%)	9 (4%)	38	29
All	All	895/944 (95%)	852 (95%)	43 (5%)	31	22

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	25	GLN
1	A	45	GLN
1	A	113	ARG
1	A	119	ILE
1	A	133	PHE
1	A	137	LEU
1	A	182	VAL
1	A	202	ILE
1	A	215	THR
1	A	228	ASN
1	B	23	LEU
1	B	25	GLN
1	B	30	GLU
1	B	42	GLN
1	B	43	THR
1	B	113	ARG
1	B	125	LYS
1	B	133	PHE
1	B	137	LEU
1	B	177	LYS
1	B	228	ASN
1	B	233	MET
1	C	30	GLU
1	C	32	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	113	ARG
1	C	137	LEU
1	C	182	VAL
1	C	199	GLU
1	C	202	ILE
1	C	209	MET
1	C	215	THR
1	C	230	LYS
1	C	276	THR
1	C	277	ILE
1	D	106	SER
1	D	119	ILE
1	D	137	LEU
1	D	182	VAL
1	D	199	GLU
1	D	202	ILE
1	D	211	LYS
1	D	215	THR
1	D	268	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	25	GLN
1	A	170	GLN
1	A	223	HIS
1	A	225	HIS
1	B	25	GLN
1	B	223	HIS
1	B	225	HIS
1	B	257	GLN
1	C	145	GLN
1	C	164	GLN
1	C	225	HIS
1	D	164	GLN
1	D	225	HIS
1	D	235	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	VIV	A	301	-	32,32,32	0.98	2 (6%)	41,45,45	1.08	4 (9%)
3	4PT	A	302	-	24,24,43	1.76	5 (20%)	33,39,64	1.05	1 (3%)
3	4PT	A	303	-	24,24,43	1.44	5 (20%)	33,39,64	1.02	2 (6%)
2	VIV	B	301	-	32,32,32	1.13	4 (12%)	41,45,45	0.96	2 (4%)
4	PBU	B	302	-	39,39,39	1.77	7 (17%)	49,57,57	1.48	6 (12%)
3	4PT	B	303	-	24,24,43	1.52	5 (20%)	33,39,64	1.01	2 (6%)
2	VIV	C	301	-	32,32,32	1.06	3 (9%)	41,45,45	1.14	4 (9%)
5	PO4	C	302	-	4,4,4	0.45	0	6,6,6	0.28	0
5	PO4	C	303	-	4,4,4	0.41	0	6,6,6	0.28	0
5	PO4	C	304	-	4,4,4	0.47	0	6,6,6	0.28	0
2	VIV	D	301	-	32,32,32	0.93	2 (6%)	41,45,45	1.10	4 (9%)
5	PO4	D	302	-	4,4,4	0.45	0	6,6,6	0.28	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	VIV	A	301	-	-	0/19/30/30	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	4PT	A	302	-	-	0/15/39/65	0/1/1/1
3	4PT	A	303	-	-	0/15/39/65	0/1/1/1
2	VIV	B	301	-	-	0/19/30/30	0/2/2/2
4	PBU	B	302	-	-	0/36/60/60	0/1/1/1
3	4PT	B	303	-	-	0/15/39/65	0/1/1/1
2	VIV	C	301	-	-	0/19/30/30	0/2/2/2
5	PO4	C	302	-	-	0/0/0/0	0/0/0/0
5	PO4	C	303	-	-	0/0/0/0	0/0/0/0
5	PO4	C	304	-	-	0/0/0/0	0/0/0/0
2	VIV	D	301	-	-	0/19/30/30	0/2/2/2
5	PO4	D	302	-	-	0/0/0/0	0/0/0/0

All (33) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	301	VIV	C21-C20	-2.74	1.39	1.52
2	C	301	VIV	C21-C22	-2.63	1.40	1.52
2	B	301	VIV	C21-C22	-2.58	1.40	1.52
2	B	301	VIV	C21-C20	-2.49	1.40	1.52
2	D	301	VIV	C21-C20	-2.42	1.41	1.52
2	A	301	VIV	C21-C22	-2.39	1.41	1.52
2	A	301	VIV	C21-C20	-2.38	1.41	1.52
2	D	301	VIV	C21-C22	-2.34	1.41	1.52
4	B	302	PBU	P4-O43	-2.06	1.47	1.54
3	A	303	4PT	P5-OP8	2.12	1.62	1.54
3	A	303	4PT	P4-OP6	2.15	1.62	1.54
3	A	303	4PT	P5-OP7	2.16	1.62	1.54
2	B	301	VIV	C8-C2	2.19	1.56	1.51
2	B	301	VIV	C10-C3	2.20	1.55	1.51
3	B	303	4PT	P4-OP5	2.20	1.62	1.54
3	B	303	4PT	P5-OP7	2.27	1.62	1.54
3	A	303	4PT	P1-OP1	2.32	1.63	1.54
2	C	301	VIV	C14-C9	2.36	1.56	1.52
3	A	302	4PT	P1-OP3	2.55	1.63	1.54
3	A	302	4PT	P5-OP7	2.59	1.64	1.54
3	B	303	4PT	P1-OP3	2.65	1.64	1.54
4	B	302	PBU	O2'-C7	2.71	1.42	1.34
3	B	303	4PT	P4-OP6	2.77	1.64	1.54
4	B	302	PBU	P4-O41	2.91	1.60	1.51
4	B	302	PBU	P5-O52	3.00	1.65	1.54
3	A	302	4PT	P5-OP9	3.29	1.62	1.51
4	B	302	PBU	P5-O51	3.32	1.62	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	302	PBU	P1-OP2	3.47	1.63	1.51
3	B	303	4PT	P1-OP2	3.61	1.63	1.51
3	A	303	4PT	P1-OP2	3.65	1.63	1.51
3	A	302	4PT	P1-OP2	3.80	1.63	1.51
3	A	302	4PT	P4-OP4	3.81	1.63	1.51
4	B	302	PBU	O7-C7	6.92	1.43	1.22

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	302	PBU	O2'-C7-O7	-6.27	106.84	123.67
2	C	301	VIV	O1-C4-C3	-2.92	120.20	122.55
4	B	302	PBU	O7-C7-C8	-2.75	112.73	123.72
4	B	302	PBU	C2'-O2'-C7	-2.71	111.38	117.89
4	B	302	PBU	O52-P5-O51	-2.68	101.96	110.58
2	A	301	VIV	O1-C4-C3	-2.64	120.43	122.55
3	A	302	4PT	OP6-P4-OP4	-2.06	103.95	110.58
3	B	303	4PT	O4-P4-OP4	2.04	112.21	107.11
2	A	301	VIV	O1-C9-C14	2.10	110.80	105.28
3	A	303	4PT	O4-P4-OP4	2.15	112.48	107.11
2	B	301	VIV	C22-C21-C20	2.17	123.73	112.99
2	D	301	VIV	C4-C5-C6	2.18	120.72	118.67
2	C	301	VIV	C22-C21-C20	2.29	124.34	112.99
4	B	302	PBU	O2'-C2'-C1'	2.29	116.44	108.36
2	D	301	VIV	C7-C2-C3	2.39	121.42	118.79
2	A	301	VIV	C22-C21-C20	2.42	125.00	112.99
2	B	301	VIV	C21-C22-C23	2.44	123.59	115.49
2	C	301	VIV	O1-C9-C14	2.53	111.91	105.28
2	D	301	VIV	C22-C21-C20	2.59	125.82	112.99
3	A	303	4PT	O5-P5-OP9	2.67	113.78	107.11
2	A	301	VIV	C21-C22-C23	2.73	124.53	115.49
4	B	302	PBU	O43-P4-O41	2.77	119.50	110.58
2	C	301	VIV	C21-C22-C23	2.86	124.96	115.49
3	B	303	4PT	O5-P5-OP9	2.86	114.25	107.11
2	D	301	VIV	C21-C22-C23	3.08	125.69	115.49

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	VIV	2	0
2	B	301	VIV	1	0
2	C	301	VIV	2	0
2	D	301	VIV	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	251/266 (94%)	0.27	20 (7%) 15 17	37, 55, 89, 103	0
1	B	253/266 (95%)	0.28	17 (6%) 21 24	40, 63, 92, 109	0
1	C	252/266 (94%)	0.43	28 (11%) 7 7	45, 64, 101, 219	0
1	D	251/266 (94%)	1.19	64 (25%) 1 0	65, 98, 213, 264	0
All	All	1007/1064 (94%)	0.54	129 (12%) 5 5	37, 67, 128, 264	0

All (129) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	29	ALA	11.6
1	D	56	LEU	6.2
1	D	216	GLU	5.7
1	D	31	LEU	5.7
1	D	264	MET	4.8
1	D	115	LEU	4.6
1	D	28	LEU	4.6
1	C	28	LEU	4.3
1	D	26	PRO	4.2
1	D	117	TYR	4.2
1	A	215	THR	4.2
1	D	61	PHE	4.2
1	C	117	TYR	4.2
1	D	33	ARG	4.1
1	C	31	LEU	4.1
1	D	53	LEU	4.0
1	D	50	ALA	4.0
1	D	63	LEU	4.0
1	D	78	ALA	4.0
1	D	240	ILE	3.9
1	D	25	GLN	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	248	LYS	3.9
1	D	143	ILE	3.8
1	D	136	SER	3.8
1	A	217	LYS	3.8
1	D	64	ASP	3.8
1	B	115	LEU	3.6
1	D	65	LEU	3.6
1	A	182	VAL	3.6
1	D	41	PRO	3.5
1	D	39	GLY	3.5
1	D	44	PRO	3.5
1	B	117	TYR	3.5
1	A	137	LEU	3.4
1	C	205	ALA	3.4
1	C	115	LEU	3.4
1	D	272	SER	3.4
1	D	187	PHE	3.4
1	D	67	TRP	3.3
1	A	216	GLU	3.3
1	C	136	SER	3.3
1	D	80	CYS	3.3
1	D	148	GLU	3.2
1	A	115	LEU	3.2
1	D	135	VAL	3.1
1	A	136	SER	3.1
1	A	156	ALA	3.1
1	D	183	LEU	3.1
1	C	217	LYS	3.1
1	D	265	LYS	3.1
1	A	135	VAL	3.0
1	C	139	THR	3.0
1	D	151	ARG	3.0
1	D	137	LEU	3.0
1	A	43	THR	3.0
1	B	46	PRO	2.9
1	C	135	VAL	2.9
1	A	157	ILE	2.9
1	C	209	MET	2.8
1	B	135	VAL	2.8
1	A	138	ILE	2.8
1	B	158	PHE	2.8
1	D	219	LYS	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	52	LEU	2.8
1	A	154	VAL	2.8
1	B	116	ILE	2.7
1	B	157	ILE	2.7
1	D	142	LEU	2.7
1	C	33	ARG	2.7
1	C	208	SER	2.7
1	D	132	VAL	2.7
1	A	117	TYR	2.6
1	D	177	LYS	2.6
1	C	142	LEU	2.6
1	C	140	SER	2.6
1	C	277	ILE	2.6
1	A	114	VAL	2.6
1	D	275	GLU	2.6
1	C	100	TYR	2.6
1	D	60	ASP	2.6
1	D	103	VAL	2.5
1	D	217	LYS	2.5
1	A	187	PHE	2.5
1	B	194	ILE	2.5
1	D	38	ALA	2.5
1	B	23	LEU	2.5
1	B	136	SER	2.5
1	C	38	ALA	2.4
1	D	156	ALA	2.4
1	D	114	VAL	2.3
1	C	143	ILE	2.3
1	A	42	GLN	2.3
1	B	90	ARG	2.3
1	C	189	LEU	2.3
1	C	212	PRO	2.3
1	A	132	VAL	2.3
1	D	139	THR	2.3
1	D	249	GLU	2.3
1	B	271	SER	2.3
1	D	218	ILE	2.3
1	D	154	VAL	2.2
1	C	116	ILE	2.2
1	D	239	ASP	2.2
1	D	250	PHE	2.2
1	B	103	VAL	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	37	GLU	2.2
1	D	91	SER	2.2
1	D	125	LYS	2.2
1	B	154	VAL	2.2
1	C	132	VAL	2.2
1	C	157	ILE	2.2
1	A	140	SER	2.2
1	C	35	VAL	2.2
1	C	138	ILE	2.2
1	D	43	THR	2.1
1	D	71	LYS	2.1
1	D	130	TYR	2.1
1	C	137	LEU	2.1
1	A	158	PHE	2.1
1	B	140	SER	2.1
1	D	116	ILE	2.1
1	D	62	ASP	2.1
1	B	216	GLU	2.0
1	D	90	ARG	2.0
1	C	144	VAL	2.0
1	D	124	PRO	2.0
1	B	189	LEU	2.0
1	D	140	SER	2.0
1	C	37	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	4PT	A	303	24/43	0.44	0.45	2.12	151,157,158,159	0
2	VIV	A	301	31/31	0.95	0.31	1.96	39,45,56,57	0
2	VIV	B	301	31/31	0.92	0.28	1.84	53,56,60,62	0
2	VIV	C	301	31/31	0.94	0.28	1.64	46,54,63,65	0
3	4PT	B	303	24/43	0.76	0.23	1.45	89,106,112,113	0
3	4PT	A	302	24/43	0.90	0.24	1.30	87,96,98,99	0
2	VIV	D	301	31/31	0.90	0.26	1.05	68,73,77,78	0
4	PBU	B	302	39/39	0.95	0.10	-0.38	58,66,73,76	0
5	PO4	C	304	5/5	0.84	0.26	-	143,143,143,143	0
5	PO4	C	303	5/5	0.91	0.11	-	98,98,99,100	0
5	PO4	D	302	5/5	0.80	0.24	-	149,149,149,149	0
5	PO4	C	302	5/5	0.86	0.18	-	117,117,117,117	0

6.5 Other polymers [i](#)

There are no such residues in this entry.