



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:08 PM GMT

PDB ID : 3WAJ  
Title : Crystal structure of the Archaeoglobus fulgidus oligosaccharyltransferase (O29867\_ARCFU) complex with Zn and sulfate  
Authors : Matsumoto, S.; Shimada, A.; Kohda, D.  
Deposited on : 2013-05-03  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*


The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3553 (2.50-2.50)
Clashscore	102246	4242 (2.50-2.50)
Ramachandran outliers	100387	4156 (2.50-2.50)
Sidechain outliers	100360	4158 (2.50-2.50)
RSRZ outliers	91569	3562 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	875	

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6525 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transmembrane oligosaccharyl transferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	793	Total	C	N	O	S	0	0	0
			6368	4233	1007	1112	16			

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	869	GLU	-	EXPRESSION TAG	UNP O29867
A	870	LEU	-	EXPRESSION TAG	UNP O29867
A	871	ALA	-	EXPRESSION TAG	UNP O29867
A	872	LEU	-	EXPRESSION TAG	UNP O29867
A	873	VAL	-	EXPRESSION TAG	UNP O29867
A	874	PRO	-	EXPRESSION TAG	UNP O29867
A	875	ARG	-	EXPRESSION TAG	UNP O29867

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	151	Total	O	0	0
			151	151		

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Transmembrane oligosaccharyl transferase



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	234.19 Å   108.96 Å   56.07 Å 90.00°   96.08°   90.00°	Depositor
Resolution (Å)	38.81 – 2.50 49.50 – 2.50	Depositor EDS
% Data completeness (in resolution range)	96.8 (38.81-2.50) 98.8 (49.50-2.50)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.53 (at 2.51 Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8_1069)	Depositor
R, $R_{free}$	0.182   ,   0.216 0.195   ,   0.226	Depositor DCC
$R_{free}$ test set	2429 reflections (5.35%)	DCC
Wilson B-factor (Å <sup>2</sup> )	51.4	Xtriage
Anisotropy	0.208	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 59.3	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 47863 reflections	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	6525	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.69% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.46	2/6573 (0.0%)	0.57	4/8970 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	148	PRO	N-CD	10.72	1.62	1.47
1	A	543	GLU	CB-CG	5.34	1.62	1.52

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	403	ARG	N-CA-C	7.17	130.37	111.00
1	A	148	PRO	N-CA-CB	5.98	110.47	103.30
1	A	404	SER	N-CA-CB	-5.88	101.68	110.50
1	A	148	PRO	CA-N-CD	-5.41	103.92	111.50

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6368	0	6273	109	0
2	A	1	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	5	0	0	0	0
4	A	151	0	0	13	0
All	All	6525	0	6273	109	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (109) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:183:ARG:HG3	1:A:197:GLN:HE22	1.08	1.14
1:A:398:ARG:HD3	1:A:402:ARG:HD3	1.32	1.05
1:A:398:ARG:CD	1:A:402:ARG:HD3	1.86	1.05
1:A:398:ARG:CG	1:A:402:ARG:HD3	1.92	0.98
1:A:543:GLU:OE2	4:A:1096:HOH:O	1.82	0.98
1:A:56:GLU:OE1	4:A:1138:HOH:O	1.86	0.94
1:A:398:ARG:HG2	1:A:402:ARG:HD3	1.48	0.91
1:A:183:ARG:CG	1:A:197:GLN:HE22	1.84	0.89
1:A:740:MET:SD	4:A:1046:HOH:O	2.31	0.87
1:A:398:ARG:HD3	1:A:402:ARG:CD	2.10	0.81
1:A:446:VAL:HG11	1:A:477:ILE:HD11	1.63	0.80
1:A:402:ARG:O	1:A:403:ARG:HG2	1.82	0.79
1:A:653:ASN:OD1	4:A:1112:HOH:O	2.01	0.77
1:A:183:ARG:HG3	1:A:197:GLN:NE2	1.94	0.77
1:A:398:ARG:HG2	1:A:402:ARG:CD	2.17	0.75
1:A:27:LEU:O	1:A:493:SER:OG	2.04	0.74
1:A:830:SER:OG	4:A:1066:HOH:O	2.05	0.72
1:A:147:VAL:O	4:A:1021:HOH:O	2.08	0.72
1:A:811:GLN:NE2	4:A:1089:HOH:O	2.08	0.69
1:A:383:ALA:H	1:A:485:THR:HG22	1.58	0.69
1:A:786:VAL:HB	1:A:790:VAL:HG21	1.74	0.68
1:A:395:SER:O	4:A:1065:HOH:O	2.14	0.65
1:A:653:ASN:OD1	1:A:653:ASN:N	2.30	0.64
1:A:131:VAL:HG21	1:A:410:LEU:HD13	1.81	0.62
1:A:802:ASN:HB3	1:A:833:PRO:HB2	1.83	0.61
1:A:72:THR:OG1	1:A:568:ASN:OD1	2.19	0.60
1:A:788:ALA:HA	1:A:790:VAL:H	1.68	0.59
1:A:150:GLN:NE2	1:A:425:ASN:O	2.25	0.59
1:A:695:MET:HE3	1:A:698:GLU:HB3	1.86	0.58
1:A:20:ALA:N	4:A:1095:HOH:O	2.37	0.57
1:A:398:ARG:O	1:A:402:ARG:HG2	2.04	0.57

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:271:PHE:HE1	1:A:278:PRO:HG2	1.71	0.56
1:A:188:ASP:O	4:A:1058:HOH:O	2.18	0.56
1:A:121:ILE:HG13	1:A:141:ALA:HB1	1.89	0.55
1:A:188:ASP:N	1:A:188:ASP:OD1	2.40	0.55
1:A:619:TYR:OH	1:A:677:THR:HG21	2.08	0.54
1:A:398:ARG:HG2	1:A:402:ARG:CG	2.38	0.54
1:A:383:ALA:H	1:A:485:THR:CG2	2.20	0.54
1:A:186:GLY:O	1:A:187:HIS:HB2	2.08	0.53
1:A:388:GLY:O	1:A:392:ILE:HG12	2.09	0.52
1:A:655:GLN:HA	1:A:658:ILE:HD12	1.92	0.52
1:A:543:GLU:H	1:A:543:GLU:CD	2.11	0.52
1:A:184:TRP:CE3	1:A:193:LEU:HD13	2.44	0.52
1:A:121:ILE:HG22	1:A:122:LEU:HD23	1.91	0.52
1:A:182:ASN:O	1:A:183:ARG:HB2	2.10	0.51
1:A:694:ARG:HD3	1:A:825:PRO:O	2.11	0.51
1:A:320:VAL:O	1:A:324:THR:HG23	2.10	0.50
1:A:286:GLY:O	1:A:290:ILE:HG12	2.11	0.50
1:A:446:VAL:HG11	1:A:477:ILE:CD1	2.40	0.50
1:A:297:ILE:HG22	1:A:316:MET:HG3	1.94	0.50
1:A:675:TYR:CE1	1:A:751:TYR:HB2	2.46	0.50
1:A:128:THR:HG22	1:A:437:VAL:HG22	1.94	0.50
1:A:695:MET:HG2	1:A:834:VAL:HG21	1.94	0.49
1:A:639:GLY:HA3	1:A:652:ALA:O	2.12	0.49
1:A:124:VAL:O	1:A:128:THR:HG23	2.13	0.49
1:A:28:ARG:NH1	1:A:155:SER:OG	2.46	0.48
1:A:55:ILE:HD13	1:A:90:GLY:HA3	1.94	0.48
1:A:842:ILE:HD12	1:A:849:LYS:HB2	1.95	0.48
1:A:571:GLN:O	4:A:1054:HOH:O	2.20	0.48
1:A:481:ALA:O	1:A:485:THR:HG23	2.14	0.47
1:A:801:THR:HA	1:A:834:VAL:HG22	1.96	0.47
1:A:398:ARG:O	1:A:402:ARG:CG	2.62	0.47
1:A:21:ALA:O	1:A:25:VAL:HG23	2.14	0.47
1:A:16:VAL:HG12	4:A:1088:HOH:O	2.14	0.47
1:A:261:TYR:CZ	1:A:280:GLN:HB2	2.50	0.47
1:A:551:TRP:HE3	1:A:569:PRO:HA	1.80	0.47
1:A:555:HIS:CE1	1:A:569:PRO:HD2	2.50	0.46
1:A:206:ILE:HA	1:A:260:ILE:CD1	2.45	0.46
1:A:374:LEU:O	1:A:377:ALA:N	2.37	0.46
1:A:470:ARG:C	1:A:472:ALA:H	2.20	0.46
1:A:199:ALA:O	1:A:203:ILE:HG12	2.16	0.46
1:A:399:PHE:N	4:A:1065:HOH:O	2.47	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:568:ASN:HB3	1:A:570:PHE:H	1.80	0.45
1:A:183:ARG:C	1:A:185:LYS:H	2.20	0.45
1:A:121:ILE:HD11	1:A:145:ALA:HB2	1.99	0.45
1:A:695:MET:CE	1:A:698:GLU:HB3	2.47	0.45
1:A:235:LEU:HD22	1:A:238:PHE:HE2	1.81	0.45
1:A:230:PHE:CD1	1:A:324:THR:HG21	2.52	0.44
1:A:120:ALA:O	1:A:123:PRO:HD2	2.17	0.44
1:A:443:LEU:C	1:A:445:VAL:H	2.21	0.44
1:A:637:TYR:HB3	1:A:668:ARG:HG2	1.99	0.44
1:A:523:TYR:CE2	1:A:541:PRO:HG2	2.52	0.44
1:A:183:ARG:C	1:A:185:LYS:N	2.71	0.44
1:A:551:TRP:CE3	1:A:569:PRO:HA	2.53	0.44
1:A:686:ASP:OD1	1:A:772:LYS:NZ	2.39	0.44
1:A:18:VAL:O	1:A:22:LEU:HG	2.18	0.44
1:A:143:LEU:HD22	1:A:384:LEU:HD21	2.01	0.43
1:A:290:ILE:HD12	1:A:327:ILE:HD13	2.00	0.43
1:A:151:PHE:O	1:A:155:SER:HB2	2.18	0.43
1:A:718:SER:O	1:A:722:GLN:HG2	2.19	0.43
1:A:306:PHE:HB3	1:A:315:GLY:HA3	2.00	0.43
1:A:381:PHE:HB2	1:A:385:PHE:HB2	2.00	0.43
1:A:634:GLU:OE1	1:A:668:ARG:NH1	2.34	0.42
1:A:35:SER:HB2	1:A:496:ALA:HB3	2.01	0.42
1:A:309:VAL:HG23	1:A:311:LEU:HG	2.01	0.42
1:A:694:ARG:HB2	1:A:826:TYR:CE1	2.54	0.42
1:A:316:MET:HB3	1:A:317:PRO:HD3	2.01	0.42
1:A:613:GLU:HG2	1:A:740:MET:SD	2.59	0.42
1:A:62:PHE:CG	1:A:63:PRO:HA	2.54	0.42
1:A:19:ILE:O	1:A:23:ILE:HG13	2.20	0.41
1:A:540:TYR:HA	1:A:541:PRO:HD3	1.82	0.41
1:A:447:PHE:O	1:A:451:HIS:HB2	2.20	0.41
1:A:402:ARG:C	1:A:403:ARG:HG2	2.38	0.41
1:A:183:ARG:CG	1:A:197:GLN:NE2	2.68	0.41
1:A:271:PHE:CE1	1:A:278:PRO:HG2	2.53	0.41
1:A:866:LEU:HD12	1:A:866:LEU:HA	1.96	0.41
1:A:128:THR:HB	1:A:437:VAL:HG13	2.02	0.40
1:A:317:PRO:O	1:A:321:ILE:HG12	2.21	0.40
1:A:475:LEU:HD12	1:A:475:LEU:HA	1.83	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	785/875 (90%)	746 (95%)	32 (4%)	7 (1%)	21	37

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	148	PRO
1	A	187	HIS
1	A	183	ARG
1	A	471	VAL
1	A	444	SER
1	A	845	GLY
1	A	445	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	657/727 (90%)	609 (93%)	48 (7%)	17	32

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	27	LEU
1	A	30	LEU
1	A	38	THR
1	A	41	VAL

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	53	ARG
1	A	71	PHE
1	A	86	LEU
1	A	105	LEU
1	A	128	THR
1	A	130	GLU
1	A	156	ILE
1	A	157	LEU
1	A	184	TRP
1	A	188	ASP
1	A	196	ARG
1	A	238	PHE
1	A	282	LEU
1	A	323	LEU
1	A	328	MET
1	A	330	LEU
1	A	374	LEU
1	A	393	LEU
1	A	399	PHE
1	A	403	ARG
1	A	417	MET
1	A	418	PHE
1	A	450	LEU
1	A	451	HIS
1	A	475	LEU
1	A	479	LEU
1	A	485	THR
1	A	488	LEU
1	A	543	GLU
1	A	653	ASN
1	A	663	ILE
1	A	730	MET
1	A	736	VAL
1	A	777	VAL
1	A	813	VAL
1	A	816	LYS
1	A	819	THR
1	A	835	LYS
1	A	842	ILE
1	A	846	ASN
1	A	847	VAL
1	A	851	ILE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	852	THR
1	A	867	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	197	GLN
1	A	301	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	SO4	A	902	-	4,4,4	0.08	0	6,6,6	0.23	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means

no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SO4	A	902	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	793/875 (90%)	0.38	66 (8%) 14 15	26, 50, 100, 151	0

All (66) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	474	ALA	7.3
1	A	868	LEU	7.0
1	A	331	PHE	6.8
1	A	786	VAL	6.3
1	A	787	SER	6.0
1	A	332	PHE	5.5
1	A	470	ARG	4.9
1	A	330	LEU	4.7
1	A	449	LYS	4.7
1	A	469	PHE	4.5
1	A	181	TYR	4.4
1	A	471	VAL	4.4
1	A	844	ALA	3.8
1	A	789	ASN	3.8
1	A	846	ASN	3.8
1	A	326	LEU	3.8
1	A	847	VAL	3.8
1	A	865	GLN	3.8
1	A	333	VAL	3.8
1	A	478	ALA	3.7
1	A	734	TYR	3.7
1	A	816	LYS	3.7
1	A	475	LEU	3.7
1	A	864	ILE	3.6
1	A	17	LEU	3.6
1	A	785	LYS	3.5
1	A	867	ASP	3.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	845	GLY	3.4
1	A	183	ARG	3.4
1	A	195	ALA	3.3
1	A	374	LEU	3.3
1	A	422	TRP	3.3
1	A	477	ILE	3.2
1	A	790	VAL	3.2
1	A	238	PHE	3.2
1	A	788	ALA	3.1
1	A	327	ILE	3.1
1	A	482	ILE	3.1
1	A	19	ILE	3.0
1	A	313	ARG	2.9
1	A	196	ARG	2.9
1	A	842	ILE	2.8
1	A	472	ALA	2.7
1	A	186	GLY	2.6
1	A	445	VAL	2.5
1	A	866	LEU	2.5
1	A	239	VAL	2.5
1	A	271	PHE	2.4
1	A	820	TYR	2.4
1	A	328	MET	2.4
1	A	22	LEU	2.3
1	A	131	VAL	2.2
1	A	487	ILE	2.2
1	A	329	GLY	2.2
1	A	392	ILE	2.2
1	A	784	GLY	2.2
1	A	447	PHE	2.2
1	A	184	TRP	2.1
1	A	421	LEU	2.1
1	A	401	LYS	2.1
1	A	324	THR	2.1
1	A	397	TYR	2.1
1	A	854	TYR	2.0
1	A	402	ARG	2.0
1	A	446	VAL	2.0
1	A	793	VAL	2.0



## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	SO4	A	902	5/5	0.99	0.15	-0.33	50,53,57,60	0
2	ZN	A	901	1/1	0.99	0.24	-	40,40,40,40	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.