



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:09 PM GMT

PDB ID : 3WBY  
Title : Crystal structure of Gox0644 D53A mutant in complex with NADPH  
Authors : Yuan, Y.A.; Wang, C.  
Deposited on : 2013-05-22  
Resolution : 3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1124 (3.24-3.16)
Clashscore	102246	1024 (3.22-3.18)
Ramachandran outliers	100387	1004 (3.22-3.18)
Sidechain outliers	100360	1003 (3.22-3.18)
RSRZ outliers	91569	1129 (3.24-3.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	282	
1	B	282	

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4454 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative 2,5-diketo-D-gluconic acid reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	271	Total	C	N	O	S	0	0	0
			2179	1376	392	405	6			
1	B	271	Total	C	N	O	S	0	0	0
			2179	1376	392	405	6			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	EXPRESSION TAG	UNP Q5FT75
A	-1	SER	-	EXPRESSION TAG	UNP Q5FT75
A	0	HIS	-	EXPRESSION TAG	UNP Q5FT75
A	53	ALA	ASP	ENGINEERED MUTATION	UNP Q5FT75
B	-2	GLY	-	EXPRESSION TAG	UNP Q5FT75
B	-1	SER	-	EXPRESSION TAG	UNP Q5FT75
B	0	HIS	-	EXPRESSION TAG	UNP Q5FT75
B	53	ALA	ASP	ENGINEERED MUTATION	UNP Q5FT75

- Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula: C<sub>21</sub>H<sub>30</sub>N<sub>7</sub>O<sub>17</sub>P<sub>3</sub>).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Putative 2,5-diketo-D-gluconic acid reductase



- Molecule 1: Putative 2,5-diketo-D-gluconic acid reductase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	55.64Å 76.59Å 125.62Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.57 – 3.20 48.57 – 3.21	Depositor EDS
% Data completeness (in resolution range)	99.7 (48.57-3.20) 99.8 (48.57-3.21)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.47 (at 3.19Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, $R_{free}$	0.218 , 0.326 0.216 , 0.320	Depositor DCC
$R_{free}$ test set	440 reflections (4.99%)	DCC
Wilson B-factor (Å <sup>2</sup> )	58.9	Xtriage
Anisotropy	0.021	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.29 , 23.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	2 of 9261 reflections (0.022%)	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	4454	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	60.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.80% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.56	0/2228	0.76	0/3016
1	B	0.54	0/2228	0.78	0/3016
All	All	0.55	0/4456	0.77	0/6032

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2179	0	2162	97	0
1	B	2179	0	2162	91	0
2	A	48	0	26	7	0
2	B	48	0	26	7	0
All	All	4454	0	4376	188	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (188) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:162:VAL:HG23	1:A:163:VAL:HG23	1.49	0.95
1:A:222:ARG:HE	1:A:226:GLN:HE21	1.28	0.81
1:B:199:VAL:CG1	1:B:220:VAL:HG21	2.12	0.80
1:A:44:ALA:HA	1:A:47:LEU:HD12	1.64	0.80
1:B:215:THR:HG22	1:B:216:PRO:HD2	1.65	0.78
1:B:192:ARG:NE	1:B:196:LYS:HE2	1.98	0.78
1:B:132:LYS:HB2	1:B:140:ILE:HD12	1.69	0.74
1:A:222:ARG:NE	1:A:226:GLN:HE21	1.86	0.72
2:B:301:NDP:O1A	2:B:301:NDP:O2N	2.09	0.70
1:A:54:THR:HG21	1:A:64:VAL:HG21	1.73	0.70
1:B:192:ARG:HE	1:B:196:LYS:HE2	1.57	0.69
1:A:30:TRP:HZ2	1:A:232:ILE:HD13	1.58	0.69
1:A:29:VAL:O	1:A:29:VAL:HG12	1.95	0.66
1:B:178:ARG:HH12	1:B:227:ASN:HD22	1.43	0.66
1:A:125:TRP:CH2	1:A:161:PRO:HB3	2.30	0.66
1:A:194:LEU:HD12	2:A:301:NDP:H51A	1.78	0.65
1:B:151:GLU:O	1:B:153:ILE:N	2.30	0.64
1:B:165:GLN:HA	1:B:189:GLU:HB3	1.80	0.64
1:A:272:ALA:HB1	1:A:277:ALA:HB2	1.80	0.63
1:B:30:TRP:HB3	1:B:58:TYR:CE1	2.33	0.63
1:A:29:VAL:O	1:A:29:VAL:CG1	2.46	0.63
1:B:120:GLN:O	1:B:124:THR:OG1	2.14	0.62
1:B:199:VAL:HG13	1:B:220:VAL:HG21	1.81	0.61
1:B:143:SER:O	1:B:144:ASN:HB2	2.01	0.61
1:A:129:VAL:HG13	1:A:159:VAL:HG21	1.83	0.61
1:B:85:GLN:NE2	1:B:114:PRO:O	2.24	0.61
1:A:236:VAL:O	1:A:238:PRO:HD3	2.01	0.60
1:A:125:TRP:CZ3	1:A:128:LEU:HD23	2.36	0.60
1:B:215:THR:HG22	1:B:216:PRO:CD	2.31	0.60
1:B:127:ALA:O	1:B:131:LEU:HG	2.02	0.60
1:A:231:VAL:HG22	1:A:233:PRO:HD3	1.85	0.59
1:B:29:VAL:HG12	1:B:29:VAL:O	2.03	0.58
1:B:140:ILE:O	1:B:162:VAL:HG22	2.04	0.57
1:A:61:GLU:HB3	1:A:101:LEU:HG	1.85	0.57
1:A:30:TRP:CZ2	1:A:232:ILE:HD13	2.40	0.57
1:B:30:TRP:CZ2	1:B:232:ILE:HG13	2.41	0.56
1:B:94:TYR:CE1	1:B:137:VAL:HG22	2.40	0.56
1:B:125:TRP:CE3	1:B:128:LEU:HD12	2.41	0.55
1:A:271:GLY:HA3	2:A:301:NDP:H41N	1.89	0.54
1:B:29:VAL:HG12	1:B:60:ASN:HD21	1.72	0.54
1:A:36:GLU:O	1:A:40:VAL:HG23	2.06	0.54
1:A:196:LYS:HG3	2:A:301:NDP:O2N	2.08	0.54

Continued on next page...



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:217:ALA:O	1:A:220:VAL:N	2.36	0.54
1:B:235:SER:OG	1:B:236:VAL:N	2.39	0.54
1:B:137:VAL:HG11	1:B:140:ILE:HG13	1.90	0.53
1:A:125:TRP:CD1	1:A:153:ILE:HG22	2.43	0.53
1:B:16:PHE:HB2	1:B:18:ASP:OD1	2.08	0.53
1:B:14:ILE:HG21	1:B:230:ILE:HD11	1.91	0.53
1:A:154:MET:CE	1:A:184:HIS:CD2	2.92	0.53
1:A:192:ARG:HH11	2:A:301:NDP:C5N	2.21	0.53
1:B:91:LEU:HD22	1:B:131:LEU:HD21	1.90	0.53
1:A:154:MET:HE1	1:A:184:HIS:CD2	2.44	0.53
1:A:142:VAL:HG23	1:A:164:ASN:OD1	2.09	0.52
1:B:54:THR:HG22	1:B:55:ALA:H	1.73	0.52
1:A:77:THR:HG23	1:A:108:LEU:HD23	1.91	0.52
1:B:196:LYS:HA	2:B:301:NDP:O2N	2.10	0.52
1:A:173:GLN:O	1:A:174:GLN:C	2.46	0.52
1:B:181:HIS:CD2	1:B:188:THR:HG23	2.45	0.51
1:A:192:ARG:NH2	1:A:196:LYS:HB2	2.26	0.51
1:A:31:GLU:O	1:A:32:THR:C	2.49	0.51
1:A:222:ARG:HA	1:A:225:LEU:HD12	1.92	0.51
1:B:178:ARG:HH12	1:B:227:ASN:ND2	2.09	0.51
1:B:129:VAL:CG2	1:B:159:VAL:HG21	2.41	0.51
1:B:101:LEU:O	1:B:102:ARG:HB2	2.10	0.51
1:A:192:ARG:CZ	1:A:196:LYS:HE3	2.41	0.50
1:A:192:ARG:HH21	1:A:196:LYS:HB2	1.76	0.50
1:A:113:TRP:CH2	1:A:272:ALA:HB3	2.46	0.50
1:A:251:VAL:HG12	1:A:252:LEU:N	2.27	0.50
1:B:222:ARG:HE	1:B:226:GLN:HE21	1.59	0.50
1:A:164:ASN:HB3	1:A:181:HIS:CE1	2.46	0.50
1:A:25:ILE:HD11	1:A:225:LEU:HD11	1.94	0.50
1:A:109:TYR:HD2	1:A:128:LEU:HD11	1.76	0.50
1:A:194:LEU:HD12	2:A:301:NDP:C5B	2.41	0.49
1:A:81:TRP:CG	1:A:82:ASN:N	2.80	0.49
1:A:109:TYR:CD2	1:A:128:LEU:HD11	2.47	0.49
1:A:125:TRP:O	1:A:129:VAL:HG23	2.12	0.49
1:A:222:ARG:HE	1:A:226:GLN:NE2	2.05	0.49
1:A:250:PHE:HE2	1:A:252:LEU:HD21	1.78	0.48
1:A:272:ALA:HB1	1:A:277:ALA:CB	2.44	0.48
1:A:129:VAL:CG1	1:A:159:VAL:HG21	2.43	0.48
1:B:142:VAL:HG22	1:B:145:PHE:CE1	2.48	0.48
1:A:192:ARG:NH1	2:A:301:NDP:C5N	2.77	0.48
1:B:116:PRO:O	1:B:118:GLN:N	2.47	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:209:ALA:HB2	1:A:219:VAL:HG21	1.95	0.48
1:A:250:PHE:O	1:A:251:VAL:HG23	2.13	0.48
1:B:49:TYR:CD2	1:B:245:LEU:HD22	2.49	0.48
1:A:22:MET:SD	1:A:230:ILE:HD13	2.54	0.47
1:A:253:ASP:OD2	1:A:256:ASP:N	2.30	0.47
1:A:160:VAL:HG12	1:A:161:PRO:O	2.14	0.47
1:B:98:ALA:O	1:B:102:ARG:N	2.46	0.47
1:A:125:TRP:CD1	1:A:153:ILE:CG2	2.97	0.47
1:B:77:THR:HG23	1:B:108:LEU:HB3	1.96	0.47
1:B:195:GLY:O	1:B:197:GLY:N	2.47	0.47
1:A:143:SER:O	1:A:144:ASN:HB2	2.15	0.47
1:B:125:TRP:NE1	1:B:153:ILE:HG23	2.29	0.47
1:A:271:GLY:CA	2:A:301:NDP:H41N	2.45	0.47
1:B:195:GLY:C	1:B:197:GLY:H	2.18	0.47
1:B:253:ASP:C	1:B:253:ASP:OD1	2.53	0.47
1:B:101:LEU:CD1	1:B:106:LEU:HD11	2.44	0.47
1:B:56:ARG:HH22	1:B:100:LEU:HD11	1.79	0.47
1:B:192:ARG:NH2	2:B:301:NDP:C5N	2.77	0.47
1:A:222:ARG:O	1:A:223:TRP:C	2.52	0.47
1:B:199:VAL:HG11	1:B:220:VAL:HG21	1.91	0.47
1:B:220:VAL:O	1:B:223:TRP:HB3	2.15	0.47
1:A:168:LEU:HD12	1:A:169:HIS:N	2.29	0.47
1:A:127:ALA:O	1:A:131:LEU:HD12	2.15	0.46
1:A:74:ILE:O	1:A:103:ARG:NH1	2.43	0.46
1:A:73:GLU:HA	1:B:196:LYS:HB2	1.98	0.46
1:B:74:ILE:O	1:B:103:ARG:NH1	2.39	0.46
1:B:142:VAL:HG13	1:B:143:SER:N	2.30	0.46
1:B:166:ILE:O	1:B:167:GLU:C	2.53	0.46
1:A:142:VAL:O	1:A:164:ASN:HA	2.15	0.46
1:A:232:ILE:O	1:A:232:ILE:CD1	2.65	0.45
1:A:216:PRO:O	1:A:219:VAL:HB	2.17	0.45
1:B:125:TRP:CZ3	1:B:128:LEU:HD12	2.51	0.45
1:B:75:PHE:CE2	1:B:107:ASP:HB3	2.51	0.45
1:B:166:ILE:HD12	1:B:174:GLN:NE2	2.32	0.45
1:B:215:THR:O	1:B:219:VAL:HG23	2.17	0.45
1:B:94:TYR:C	1:B:94:TYR:CD2	2.90	0.45
1:B:142:VAL:HG22	1:B:145:PHE:CZ	2.51	0.45
1:A:169:HIS:O	1:A:172:PHE:O	2.35	0.45
1:A:251:VAL:CG1	1:A:252:LEU:N	2.79	0.45
1:B:222:ARG:NE	1:B:226:GLN:HE21	2.14	0.45
1:A:76:LEU:O	1:A:107:ASP:HB2	2.16	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:65:GLY:HA3	1:B:101:LEU:O	2.17	0.44
1:B:78:THR:HG23	1:B:79:LYS:N	2.32	0.44
1:B:14:ILE:HD12	1:B:24:GLN:HG3	1.99	0.44
1:B:192:ARG:NH2	2:B:301:NDP:C4N	2.80	0.44
1:B:142:VAL:HG13	1:B:145:PHE:CD1	2.53	0.44
1:B:101:LEU:HD13	1:B:106:LEU:HD21	1.99	0.44
1:A:220:VAL:O	1:A:223:TRP:N	2.50	0.44
1:B:192:ARG:NE	1:B:196:LYS:CE	2.76	0.44
1:B:256:ASP:OD1	1:B:256:ASP:N	2.48	0.44
1:B:128:LEU:HB3	1:B:140:ILE:CD1	2.47	0.44
1:A:253:ASP:O	1:A:256:ASP:HB2	2.17	0.44
1:B:129:VAL:HG21	1:B:159:VAL:HG21	2.00	0.43
1:A:190:SER:OG	1:A:224:HIS:CE1	2.70	0.43
1:B:42:LYS:O	1:B:43:GLU:C	2.55	0.43
1:B:157:THR:O	1:B:157:THR:HG22	2.18	0.43
1:B:30:TRP:HZ2	1:B:232:ILE:HG13	1.81	0.43
1:A:65:GLY:HA2	1:A:101:LEU:O	2.17	0.43
1:A:238:PRO:HA	1:A:241:LEU:HB2	2.00	0.43
1:A:114:PRO:HG3	1:A:145:PHE:CD1	2.53	0.43
1:A:25:ILE:HD12	1:A:248:PHE:CZ	2.54	0.43
1:B:14:ILE:HD12	1:B:24:GLN:CG	2.49	0.43
1:A:72:PRO:C	1:A:74:ILE:H	2.22	0.43
1:B:60:ASN:O	1:B:64:VAL:HG23	2.19	0.43
1:B:205:ILE:HD11	1:B:263:MET:SD	2.59	0.43
1:B:40:VAL:HG21	1:B:236:VAL:HG13	1.99	0.43
1:B:202:ASP:OD1	1:B:204:ARG:HG3	2.19	0.43
1:B:112:HIS:O	1:B:144:ASN:ND2	2.48	0.43
1:A:234:LYS:CD	1:A:234:LYS:C	2.87	0.43
1:A:72:PRO:O	1:A:74:ILE:N	2.52	0.42
1:A:54:THR:CG2	1:A:64:VAL:HG21	2.48	0.42
1:B:45:VAL:HG22	1:B:74:ILE:CD1	2.48	0.42
1:A:216:PRO:O	1:A:220:VAL:HG23	2.19	0.42
1:A:168:LEU:HD12	1:A:169:HIS:H	1.84	0.42
1:B:78:THR:HG22	1:B:109:TYR:CE1	2.55	0.42
1:B:110:LEU:HA	1:B:141:GLY:O	2.19	0.42
1:A:154:MET:CE	1:A:160:VAL:HG22	2.50	0.42
1:A:65:GLY:CA	1:A:101:LEU:O	2.68	0.42
1:A:154:MET:HE3	1:A:184:HIS:CD2	2.55	0.42
1:A:127:ALA:O	1:A:130:GLU:HB3	2.20	0.42
1:A:164:ASN:HD22	1:A:181:HIS:CE1	2.38	0.42
1:B:226:GLN:HE22	1:B:252:LEU:H	1.68	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:151:GLU:HG3	1:A:180:PHE:CZ	2.55	0.42
1:A:260:ILE:HG22	1:A:260:ILE:O	2.20	0.42
1:B:61:GLU:HB2	1:B:100:LEU:HD12	2.02	0.41
1:A:220:VAL:O	1:A:223:TRP:HB3	2.21	0.41
1:A:77:THR:CG2	1:A:108:LEU:HD23	2.51	0.41
1:A:240:ARG:O	1:A:241:LEU:C	2.58	0.41
1:B:24:GLN:HG2	1:B:225:LEU:CD2	2.51	0.41
1:A:94:TYR:OH	1:A:136:ARG:O	2.30	0.41
1:A:94:TYR:O	1:A:95:GLU:C	2.59	0.41
1:B:240:ARG:HH11	2:B:301:NDP:C4A	2.33	0.41
1:A:226:GLN:HE22	1:A:252:LEU:H	1.68	0.41
1:A:145:PHE:CD1	1:A:145:PHE:N	2.88	0.41
1:A:232:ILE:O	1:A:232:ILE:HD12	2.21	0.41
1:A:168:LEU:HD21	1:A:229:LEU:HD13	2.02	0.41
1:A:234:LYS:HD3	1:A:234:LYS:C	2.41	0.41
1:B:88:ASP:OD2	1:B:92:ARG:NH1	2.54	0.41
1:B:125:TRP:CH2	1:B:161:PRO:HB3	2.56	0.40
1:B:22:MET:HB2	1:B:75:PHE:CE2	2.56	0.40
1:B:192:ARG:CZ	2:B:301:NDP:C3N	2.98	0.40
1:B:160:VAL:HG12	1:B:161:PRO:O	2.22	0.40
1:B:192:ARG:HH22	2:B:301:NDP:H41N	1.87	0.40
1:A:237:ASN:OD1	1:A:237:ASN:C	2.60	0.40
1:B:22:MET:HG3	1:B:75:PHE:CE1	2.57	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	269/282 (95%)	226 (84%)	34 (13%)	9 (3%)	5	32
1	B	269/282 (95%)	222 (82%)	35 (13%)	12 (4%)	3	24

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	538/564 (95%)	448 (83%)	69 (13%)	21 (4%)	4	28

All (21) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	174	GLN
1	A	148	GLU
1	A	211	LYS
1	B	119	GLY
1	B	176	ALA
1	B	199	VAL
1	B	267	ASP
1	A	73	GLU
1	B	102	ARG
1	B	117	ALA
1	B	151	GLU
1	A	200	LEU
1	B	57	LEU
1	B	130	GLU
1	B	152	ARG
1	A	104	PRO
1	A	210	GLU
1	B	217	ALA
1	A	169	HIS
1	A	34	PRO
1	B	238	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	234/243 (96%)	215 (92%)	19 (8%)	15	51
1	B	234/243 (96%)	209 (89%)	25 (11%)	8	34
All	All	468/486 (96%)	424 (91%)	44 (9%)	11	41

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	ILE
1	A	29	VAL
1	A	35	ASP
1	A	54	THR
1	A	78	THR
1	A	104	PRO
1	A	128	LEU
1	A	134	SER
1	A	139	SER
1	A	157	THR
1	A	168	LEU
1	A	190	SER
1	A	198	ARG
1	A	199	VAL
1	A	200	LEU
1	A	201	SER
1	A	231	VAL
1	A	258	GLN
1	A	262	GLN
1	B	14	ILE
1	B	15	SER
1	B	27	LEU
1	B	30	TRP
1	B	32	THR
1	B	54	THR
1	B	61	GLU
1	B	77	THR
1	B	78	THR
1	B	91	LEU
1	B	99	ARG
1	B	134	SER
1	B	136	ARG
1	B	139	SER
1	B	140	ILE
1	B	142	VAL
1	B	153	ILE
1	B	169	HIS
1	B	181	HIS
1	B	188	THR
1	B	215	THR
1	B	232	ILE
1	B	234	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	256	ASP
1	B	265	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	17	HIS
1	A	85	GLN
1	A	118	GLN
1	A	181	HIS
1	A	184	HIS
1	A	218	GLN
1	A	226	GLN
1	A	262	GLN
1	B	17	HIS
1	B	112	HIS
1	B	120	GLN
1	B	181	HIS
1	B	185	ASN
1	B	226	GLN
1	B	227	ASN
1	B	237	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	NDP	A	301	-	42,52,52	0.95	2 (4%)	55,80,80	1.69	7 (12%)
2	NDP	B	301	-	42,52,52	1.00	2 (4%)	55,80,80	2.08	9 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NDP	A	301	-	-	0/30/77/77	0/5/5/5
2	NDP	B	301	-	-	0/30/77/77	0/5/5/5

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301	NDP	C6N-C5N	2.59	1.38	1.33
2	B	301	NDP	C5A-C4A	2.92	1.47	1.40
2	A	301	NDP	C5A-C4A	2.95	1.47	1.40
2	B	301	NDP	C6N-C5N	3.78	1.40	1.33

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301	NDP	N3A-C2A-N1A	-8.16	122.65	128.89
2	B	301	NDP	PN-O3-PA	-7.86	110.67	132.73
2	A	301	NDP	N3A-C2A-N1A	-7.46	123.18	128.89
2	B	301	NDP	C1D-N1N-C2N	-4.12	113.74	120.91
2	B	301	NDP	C1B-N9A-C4A	-3.75	121.29	126.94
2	B	301	NDP	O3-PA-O5B	-3.37	94.01	102.94
2	A	301	NDP	C1D-N1N-C2N	-3.21	115.32	120.91
2	B	301	NDP	C4A-C5A-N7A	-3.14	106.59	109.48
2	A	301	NDP	C1B-N9A-C4A	-3.11	122.25	126.94
2	A	301	NDP	C4A-C5A-N7A	-2.51	107.17	109.48
2	A	301	NDP	O5B-PA-O1A	-2.50	99.90	109.62

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
2	B	301	NDP	O3X-P2B-O2X	2.09	115.32	107.38
2	B	301	NDP	C1D-N1N-C6N	2.25	125.83	120.81
2	A	301	NDP	O4B-C1B-N9A	2.39	113.10	108.10
2	B	301	NDP	O2A-PA-O1A	2.68	127.06	112.53
2	A	301	NDP	O4D-C1D-N1N	3.53	115.52	108.07

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	NDP	7	0
2	B	301	NDP	7	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	271/282 (96%)	-0.29	0 100 100	29, 56, 88, 107	1 (0%)
1	B	271/282 (96%)	-0.30	0 100 100	29, 59, 90, 105	1 (0%)
All	All	542/564 (96%)	-0.29	0 100 100	29, 57, 89, 107	2 (0%)

There are no RSRZ outliers to report.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	NDP	B	301	48/48	0.86	0.24	1.12	46,68,123,151	0
2	NDP	A	301	48/48	0.85	0.26	0.68	50,79,113,125	0

## 6.5 Other polymers

There are no such residues in this entry.