



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:13 PM GMT

PDB ID : 3WF4  
Title : Crystal structure of human beta-galactosidase mutant I51T in complex with 6S-NBI-DGJ  
Authors : Suzuki, H.; Ohto, U.; Shimizu, T.  
Deposited on : 2013-07-16  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3852 (2.30-2.30)
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)
RSRZ outliers	91569	3857 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	678	<div> <div>2%</div> <div>82% 7% 11%</div> </div>
1	B	678	<div> <div>%</div> <div>79% 9% 11%</div> </div>
1	C	678	<div> <div>3%</div> <div>81% 8% 11%</div> </div>
1	D	678	<div> <div>4%</div> <div>81% 7% 11%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	A	702	-	-	-	X
2	NAG	B	703	-	-	-	X
2	NAG	C	703	-	-	-	X
2	NAG	D	702	-	-	-	X
2	NAG	D	704	-	-	-	X

## 2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 20872 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-galactosidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	605	Total	C	N	O	S	0	6	0
			4832	3133	799	882	18			
1	B	605	Total	C	N	O	S	0	3	0
			4822	3129	795	881	17			
1	C	603	Total	C	N	O	S	0	5	0
			4804	3119	789	879	17			
1	D	603	Total	C	N	O	S	0	5	0
			4805	3115	792	880	18			

There are 100 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	GLU	-	EXPRESSION TAG	UNP P16278
A	1	ALA	-	EXPRESSION TAG	UNP P16278
A	2	GLU	-	EXPRESSION TAG	UNP P16278
A	3	ALA	-	EXPRESSION TAG	UNP P16278
A	4	TYR	-	EXPRESSION TAG	UNP P16278
A	5	VAL	-	EXPRESSION TAG	UNP P16278
A	6	GLU	-	EXPRESSION TAG	UNP P16278
A	7	PHE	-	EXPRESSION TAG	UNP P16278
A	8	HIS	-	EXPRESSION TAG	UNP P16278
A	9	HIS	-	EXPRESSION TAG	UNP P16278
A	10	HIS	-	EXPRESSION TAG	UNP P16278
A	11	HIS	-	EXPRESSION TAG	UNP P16278
A	12	HIS	-	EXPRESSION TAG	UNP P16278
A	13	HIS	-	EXPRESSION TAG	UNP P16278
A	14	ASP	-	EXPRESSION TAG	UNP P16278
A	15	TYR	-	EXPRESSION TAG	UNP P16278
A	16	LYS	-	EXPRESSION TAG	UNP P16278
A	17	ASP	-	EXPRESSION TAG	UNP P16278
A	18	ASP	-	EXPRESSION TAG	UNP P16278
A	19	ASP	-	EXPRESSION TAG	UNP P16278
A	20	ASP	-	EXPRESSION TAG	UNP P16278

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
A	21	LYS	-	EXPRESSION TAG	UNP P16278
A	22	THR	-	EXPRESSION TAG	UNP P16278
A	23	SER	-	EXPRESSION TAG	UNP P16278
A	51	THR	ILE	ENGINEERED MUTATION	UNP P16278
B	0	GLU	-	EXPRESSION TAG	UNP P16278
B	1	ALA	-	EXPRESSION TAG	UNP P16278
B	2	GLU	-	EXPRESSION TAG	UNP P16278
B	3	ALA	-	EXPRESSION TAG	UNP P16278
B	4	TYR	-	EXPRESSION TAG	UNP P16278
B	5	VAL	-	EXPRESSION TAG	UNP P16278
B	6	GLU	-	EXPRESSION TAG	UNP P16278
B	7	PHE	-	EXPRESSION TAG	UNP P16278
B	8	HIS	-	EXPRESSION TAG	UNP P16278
B	9	HIS	-	EXPRESSION TAG	UNP P16278
B	10	HIS	-	EXPRESSION TAG	UNP P16278
B	11	HIS	-	EXPRESSION TAG	UNP P16278
B	12	HIS	-	EXPRESSION TAG	UNP P16278
B	13	HIS	-	EXPRESSION TAG	UNP P16278
B	14	ASP	-	EXPRESSION TAG	UNP P16278
B	15	TYR	-	EXPRESSION TAG	UNP P16278
B	16	LYS	-	EXPRESSION TAG	UNP P16278
B	17	ASP	-	EXPRESSION TAG	UNP P16278
B	18	ASP	-	EXPRESSION TAG	UNP P16278
B	19	ASP	-	EXPRESSION TAG	UNP P16278
B	20	ASP	-	EXPRESSION TAG	UNP P16278
B	21	LYS	-	EXPRESSION TAG	UNP P16278
B	22	THR	-	EXPRESSION TAG	UNP P16278
B	23	SER	-	EXPRESSION TAG	UNP P16278
B	51	THR	ILE	ENGINEERED MUTATION	UNP P16278
C	0	GLU	-	EXPRESSION TAG	UNP P16278
C	1	ALA	-	EXPRESSION TAG	UNP P16278
C	2	GLU	-	EXPRESSION TAG	UNP P16278
C	3	ALA	-	EXPRESSION TAG	UNP P16278
C	4	TYR	-	EXPRESSION TAG	UNP P16278
C	5	VAL	-	EXPRESSION TAG	UNP P16278
C	6	GLU	-	EXPRESSION TAG	UNP P16278
C	7	PHE	-	EXPRESSION TAG	UNP P16278
C	8	HIS	-	EXPRESSION TAG	UNP P16278
C	9	HIS	-	EXPRESSION TAG	UNP P16278
C	10	HIS	-	EXPRESSION TAG	UNP P16278
C	11	HIS	-	EXPRESSION TAG	UNP P16278
C	12	HIS	-	EXPRESSION TAG	UNP P16278

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	13	HIS	-	EXPRESSION TAG	UNP P16278
C	14	ASP	-	EXPRESSION TAG	UNP P16278
C	15	TYR	-	EXPRESSION TAG	UNP P16278
C	16	LYS	-	EXPRESSION TAG	UNP P16278
C	17	ASP	-	EXPRESSION TAG	UNP P16278
C	18	ASP	-	EXPRESSION TAG	UNP P16278
C	19	ASP	-	EXPRESSION TAG	UNP P16278
C	20	ASP	-	EXPRESSION TAG	UNP P16278
C	21	LYS	-	EXPRESSION TAG	UNP P16278
C	22	THR	-	EXPRESSION TAG	UNP P16278
C	23	SER	-	EXPRESSION TAG	UNP P16278
C	51	THR	ILE	ENGINEERED MUTATION	UNP P16278
D	0	GLU	-	EXPRESSION TAG	UNP P16278
D	1	ALA	-	EXPRESSION TAG	UNP P16278
D	2	GLU	-	EXPRESSION TAG	UNP P16278
D	3	ALA	-	EXPRESSION TAG	UNP P16278
D	4	TYR	-	EXPRESSION TAG	UNP P16278
D	5	VAL	-	EXPRESSION TAG	UNP P16278
D	6	GLU	-	EXPRESSION TAG	UNP P16278
D	7	PHE	-	EXPRESSION TAG	UNP P16278
D	8	HIS	-	EXPRESSION TAG	UNP P16278
D	9	HIS	-	EXPRESSION TAG	UNP P16278
D	10	HIS	-	EXPRESSION TAG	UNP P16278
D	11	HIS	-	EXPRESSION TAG	UNP P16278
D	12	HIS	-	EXPRESSION TAG	UNP P16278
D	13	HIS	-	EXPRESSION TAG	UNP P16278
D	14	ASP	-	EXPRESSION TAG	UNP P16278
D	15	TYR	-	EXPRESSION TAG	UNP P16278
D	16	LYS	-	EXPRESSION TAG	UNP P16278
D	17	ASP	-	EXPRESSION TAG	UNP P16278
D	18	ASP	-	EXPRESSION TAG	UNP P16278
D	19	ASP	-	EXPRESSION TAG	UNP P16278
D	20	ASP	-	EXPRESSION TAG	UNP P16278
D	21	LYS	-	EXPRESSION TAG	UNP P16278
D	22	THR	-	EXPRESSION TAG	UNP P16278
D	23	SER	-	EXPRESSION TAG	UNP P16278
D	51	THR	ILE	ENGINEERED MUTATION	UNP P16278

- Molecule 2 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	D	1	Total	C	N	O	0	0
			14	8	1	5		
2	D	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	D	1	Total	C	N	O	0	0
			14	8	1	5		
2	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Cl	0	0
			1	1		
3	A	1	Total	Cl	0	0
			1	1		
3	D	1	Total	Cl	0	0
			1	1		
3	C	1	Total	Cl	0	0
			1	1		

- Molecule 4 is (3Z,6S,7R,8S,8AS)-3-(BUTYLIMINO)HEXAHYDRO[1,3]THIAZOLO[3,4-A]PYRIDINE-6,7,8-TRIOL (three-letter code: 6DJ) (formula: C<sub>11</sub>H<sub>20</sub>N<sub>2</sub>O<sub>3</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			17	11	2	3	1		
4	B	1	Total	C	N	O	S	0	0
			17	11	2	3	1		
4	C	1	Total	C	N	O	S	0	0
			17	11	2	3	1		


Continued on next page...



*Continued from previous page...*


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	D	1	Total	C	N	O	S	0	0
			17	11	2	3	1		

- Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		
5	A	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	C	1	Total	O	S	0	0
			5	4	1		
5	C	1	Total	O	S	0	0
			5	4	1		
5	D	1	Total	O	S	0	0
			5	4	1		
5	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 6 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	D	1	Total	C	O	0	0
			4	2	2		
6	D	1	Total	C	O	0	0
			4	2	2		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	307	Total	O	0	0
			307	307		
7	B	345	Total	O	0	0
			345	345		
7	C	285	Total	O	0	0
			285	285		
7	D	304	Total	O	0	0
			304	304		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Beta-galactosidase




#### • Molecule 1: Beta-galactosidase





#### • Molecule 1: Beta-galactosidase





• Molecule 1: Beta-galactosidase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	95.03Å 116.17Å 140.68Å 90.00° 92.29° 90.00°	Depositor
Resolution (Å)	25.14 – 2.30 25.14 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.1 (25.14-2.30) 99.2 (25.14-2.30)	Depositor EDS
$R_{merge}$	0.17	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.51 (at 2.31Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, $R_{free}$	0.179 , 0.240 0.186 , 0.238	Depositor DCC
$R_{free}$ test set	6755 reflections (5.29%)	DCC
Wilson B-factor (Å <sup>2</sup> )	28.8	Xtriage
Anisotropy	0.050	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 35.5	EDS
Estimated twinning fraction	0.039 for h,-k,-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 134577 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	20872	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.70% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, 6DJ, EDO, NAG, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.83	0/5015	0.86	1/6840 (0.0%)
1	B	0.83	0/4988	0.89	7/6805 (0.1%)
1	C	0.81	0/4983	0.88	6/6797 (0.1%)
1	D	0.80	0/4981	0.89	7/6795 (0.1%)
All	All	0.82	0/19967	0.88	21/27237 (0.1%)

There are no bond length outliers.

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	104	VAL	CB-CA-C	-7.28	97.57	111.40
1	C	491	ASP	CB-CG-OD1	6.81	124.43	118.30
1	A	101	ASP	CB-CG-OD1	6.41	124.07	118.30
1	C	148	ARG	NE-CZ-NH1	6.26	123.43	120.30
1	B	256	ARG	NE-CZ-NH1	-6.20	117.20	120.30
1	D	68	ARG	NE-CZ-NH1	6.10	123.35	120.30
1	B	342	ASP	CB-CG-OD2	-6.02	112.88	118.30
1	D	457	ARG	NE-CZ-NH1	5.96	123.28	120.30
1	C	491	ASP	CB-CG-OD2	-5.88	113.00	118.30
1	D	109	ARG	NE-CZ-NH1	5.66	123.13	120.30
1	C	68	ARG	NE-CZ-NH1	5.64	123.12	120.30
1	D	49	ARG	CG-CD-NE	-5.62	100.00	111.80
1	B	215	VAL	CB-CA-C	-5.61	100.75	111.40
1	B	256	ARG	NE-CZ-NH2	5.56	123.08	120.30
1	C	62	ARG	NE-CZ-NH1	5.46	123.03	120.30
1	D	595	ARG	NE-CZ-NH1	5.32	122.96	120.30
1	B	299	ARG	NE-CZ-NH2	-5.18	117.71	120.30
1	B	38	ARG	NE-CZ-NH1	5.16	122.88	120.30
1	C	103	ASP	CB-CG-OD1	5.10	122.89	118.30
1	B	35	ASP	CB-CG-OD2	-5.01	113.79	118.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	D	241	ASP	CB-CG-OD1	5.01	122.81	118.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4832	0	4696	25	0
1	B	4822	0	4688	36	0
1	C	4804	0	4665	24	0
1	D	4805	0	4670	29	0
2	A	56	0	52	0	0
2	B	56	0	52	0	0
2	C	56	0	52	0	0
2	D	56	0	52	5	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	17	0	20	2	0
4	B	17	0	20	1	0
4	C	17	0	20	1	0
4	D	17	0	20	1	0
5	A	10	0	0	0	0
5	B	10	0	0	0	0
5	C	10	0	0	0	0
5	D	10	0	0	0	0
6	A	8	0	12	0	0
6	B	8	0	12	1	0
6	C	8	0	12	0	0
6	D	8	0	12	0	0
7	A	307	0	0	3	0
7	B	345	0	0	2	0
7	C	285	0	0	1	0
7	D	304	0	0	4	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	20872	0	19055	116	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (116) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:555:ASN:HB2	2:D:703:NAG:O5	1.58	1.01
1:A:95:GLN:HB2	7:A:946:HOH:O	1.70	0.91
2:D:704:NAG:H82	7:D:816:HOH:O	1.75	0.87
1:D:555:ASN:CB	2:D:703:NAG:O5	2.25	0.85
1:A:437:ASN:HD21	1:A:458:ASN:H	1.25	0.84
1:A:112:HIS:HD2	7:A:1085:HOH:O	1.64	0.80
1:B:437:ASN:HD21	1:B:458:ASN:H	1.26	0.80
2:D:701:NAG:O7	2:D:701:NAG:O3	1.99	0.80
1:A:409:VAL:HG13	1:A:513:PRO:HG3	1.64	0.78
1:C:327:GLN:HE22	1:C:484:ASN:HD21	1.37	0.71
1:A:327:GLN:HE22	1:A:484:ASN:HD21	1.40	0.69
1:D:437:ASN:HD21	1:D:458:ASN:H	1.39	0.69
1:B:175:GLN:HB3	7:B:812:HOH:O	1.92	0.68
1:B:389:LEU:HD21	1:B:417:LEU:HD23	1.80	0.64
1:C:268:GLU:OE1	4:C:706:6DJ:H5	2.00	0.61
1:D:327:GLN:HE22	1:D:484:ASN:HD21	1.50	0.60
1:C:437:ASN:HD21	1:C:458:ASN:H	1.49	0.60
1:D:629:ASP:N	1:D:629:ASP:OD1	2.35	0.60
1:B:327:GLN:HE22	1:B:484:ASN:HD21	1.47	0.59
1:C:29:GLN:HA	7:C:1039:HOH:O	2.02	0.59
1:D:91:PRO:HD2	1:D:95:GLN:O	2.03	0.57
2:D:701:NAG:HO3	2:D:701:NAG:C7	2.09	0.57
1:D:524:LEU:HD11	1:D:551:PHE:CD2	2.38	0.57
1:A:91:PRO:HD2	1:A:95:GLN:O	2.06	0.56
1:C:523:HIS:CE1	1:C:527:TRP:CZ2	2.93	0.56
1:C:318:ASN:HD21	1:C:590:ARG:HH21	1.53	0.56
1:C:592:TRP:CE2	1:C:595:ARG:HG3	2.41	0.55
1:B:35:ASP:OD2	1:B:38:ARG:HG3	2.08	0.54
1:A:485:TYR:CE1	4:A:706:6DJ:H12	2.42	0.54
1:C:170:LYS:HB3	1:C:171:PRO:HD3	1.88	0.54
1:D:592:TRP:CE2	1:D:595:ARG:HG3	2.42	0.54
1:B:382:LEU:HD23	1:B:524:LEU:HD12	1.91	0.52
1:D:318:ASN:HD21	1:D:590:ARG:HH21	1.57	0.52

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:268:GLU:OE1	4:B:706:6DJ:H5	2.09	0.52
1:C:401:LEU:HD23	1:C:402:TYR:CE2	2.45	0.52
1:B:91:PRO:HD2	1:B:95:GLN:O	2.09	0.52
1:D:89:HIS:CE1	1:D:104:VAL:HG22	2.45	0.52
1:D:418:TYR:CD2	1:D:495:LEU:HD12	2.44	0.52
1:B:35:ASP:HB2	1:B:42:LEU:HG	1.91	0.51
1:A:398:ILE:HD12	1:A:409:VAL:HG22	1.92	0.51
1:D:57:TYR:CE2	1:D:104:VAL:HG13	2.45	0.51
1:B:318:ASN:HD21	1:B:590:ARG:HH21	1.59	0.51
1:C:522:SER:HA	1:C:527:TRP:HB2	1.93	0.51
1:D:383:LYS:HB2	1:D:524:LEU:HD12	1.94	0.50
1:D:57:TYR:CZ	1:D:104:VAL:HG13	2.46	0.50
1:A:268:GLU:OE1	4:A:706:6DJ:H5	2.13	0.49
1:D:155:LEU:HD22	1:D:202:PHE:CD2	2.48	0.48
1:D:406:PHE:HB3	1:D:411:GLN:O	2.14	0.48
1:B:346:LYS:O	1:B:350:LEU:HG	2.12	0.48
1:C:592:TRP:CZ2	1:C:595:ARG:HG3	2.48	0.48
1:B:338:SER:OG	1:B:342:ASP:HB2	2.13	0.48
1:A:564:ASP:O	1:A:567:GLN:HG3	2.14	0.48
1:A:75:ALA:HB2	1:A:347:TYR:CE1	2.49	0.48
1:A:92:TRP:CZ3	1:A:412:HIS:CE1	3.03	0.47
1:D:268:GLU:OE1	4:D:706:6DJ:H5	2.15	0.47
1:B:440:HIS:HA	1:B:441:ASP:HA	1.81	0.46
1:D:467:GLY:HA2	7:D:1097:HOH:O	2.16	0.46
1:C:318:ASN:ND2	1:C:590:ARG:HE	2.13	0.46
1:C:406:PHE:HB3	1:C:411:GLN:O	2.16	0.46
1:B:583:ILE:HD12	1:B:588:LEU:HD11	1.97	0.46
1:C:482:ARG:HG2	1:C:493:LYS:HE2	1.97	0.46
1:D:131:GLU:HG2	1:D:413:TYR:CE1	2.51	0.46
1:D:46:GLN:HB3	7:D:1100:HOH:O	2.16	0.45
1:C:440:HIS:HA	1:C:441:ASP:HA	1.72	0.45
1:B:270:TYR:HA	1:B:306:TYR:O	2.16	0.45
1:B:101:ASP:HB3	7:B:872:HOH:O	2.17	0.45
1:C:320:ALA:H	1:C:484:ASN:HD22	1.65	0.45
1:B:190:GLY:HA3	1:B:227:PHE:O	2.17	0.45
1:D:436:LEU:O	1:D:437:ASN:HB3	2.16	0.45
1:B:482:ARG:HG2	1:B:493:LYS:HE2	1.98	0.45
1:D:318:ASN:ND2	1:D:590:ARG:HH21	2.15	0.45
1:A:555:ASN:HA	1:A:614:ASN:O	2.17	0.45
1:A:520:VAL:HG11	1:A:582:TRP:CG	2.52	0.44
1:C:583:ILE:HD12	1:C:588:LEU:HD11	1.99	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:272:GLY:HA2	1:A:284:ILE:CG1	2.48	0.44
1:B:336:PRO:HG3	1:B:350:LEU:HD12	2.00	0.44
1:D:318:ASN:HD21	1:D:590:ARG:NH2	2.16	0.44
1:A:174:TYR:HA	1:A:178:GLY:O	2.17	0.44
1:A:76:GLY:CA	1:A:360:VAL:HG22	2.47	0.43
1:B:52:SER:HA	1:B:79:ALA:O	2.18	0.43
1:B:318:ASN:HD21	1:B:590:ARG:HE	1.66	0.43
1:B:272:GLY:HA3	1:B:333:TYR:O	2.18	0.43
1:B:502:SER:O	1:B:503:SER:HB2	2.18	0.43
1:D:440:HIS:HA	1:D:441:ASP:HA	1.83	0.43
1:C:318:ASN:HD21	1:C:590:ARG:NH2	2.15	0.43
1:A:125:TYR:CZ	1:A:127:CYS:HB2	2.54	0.43
1:A:238:THR:HB	1:A:259:GLU:HG2	2.01	0.43
1:B:316:TYR:HD2	6:B:710:EDO:H22	1.84	0.42
1:B:379:LEU:HD23	1:B:554:GLY:HA3	2.02	0.42
1:C:409:VAL:O	1:C:409:VAL:HG13	2.19	0.42
1:D:479:ASN:OD1	1:D:493:LYS:HE3	2.20	0.42
1:B:108:LEU:HD22	1:B:118:VAL:HG11	2.02	0.42
1:D:592:TRP:CZ2	1:D:595:ARG:HG3	2.55	0.42
1:D:184:GLN:HB2	1:D:218:PHE:CZ	2.54	0.42
1:B:318:ASN:HD21	1:B:590:ARG:NH2	2.18	0.42
1:A:461:ILE:HG21	1:A:461:ILE:HD13	1.83	0.42
1:A:436:LEU:O	1:A:437:ASN:HB3	2.19	0.41
1:C:62:ARG:HA	1:C:65:TRP:CD2	2.55	0.41
1:D:437:ASN:ND2	7:D:985:HOH:O	2.52	0.41
1:A:440:HIS:HA	1:A:441:ASP:HA	1.73	0.41
1:B:389:LEU:HD21	1:B:417:LEU:CD2	2.48	0.41
1:B:580:GLN:OE1	1:B:590:ARG:HG2	2.20	0.41
1:C:83:TYR:CE2	1:C:128:ALA:HB2	2.55	0.41
1:B:520:VAL:HG11	1:B:582:TRP:CG	2.56	0.41
1:C:52:SER:HA	1:C:79:ALA:O	2.20	0.41
1:C:270:TYR:HA	1:C:306:TYR:O	2.21	0.41
1:B:320:ALA:H	1:B:484:ASN:HD22	1.68	0.41
1:B:318:ASN:ND2	1:B:590:ARG:HE	2.19	0.41
1:A:611:SER:HB2	1:B:611:SER:O	2.20	0.41
1:B:398:ILE:N	1:B:398:ILE:HD12	2.36	0.41
1:B:310:GLY:HA3	1:B:331:TYR:O	2.21	0.40
1:C:190:GLY:HA3	1:C:227:PHE:O	2.21	0.40
1:B:108:LEU:HD12	1:B:172:LEU:HD13	2.04	0.40
1:A:260:PRO:HD2	7:A:1010:HOH:O	2.20	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	607/678 (90%)	578 (95%)	28 (5%)	1 (0%)	52	64
1	B	604/678 (89%)	580 (96%)	24 (4%)	0	100	100
1	C	604/678 (89%)	585 (97%)	17 (3%)	2 (0%)	46	57
1	D	604/678 (89%)	575 (95%)	27 (4%)	2 (0%)	46	57
All	All	2419/2712 (89%)	2318 (96%)	96 (4%)	5 (0%)	52	64

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	37	SER
1	C	127	CYS
1	C	527	TRP
1	D	127	CYS
1	A	628	SER

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	524/585 (90%)	515 (98%)	9 (2%)	68	83
1	B	521/585 (89%)	508 (98%)	13 (2%)	55	73
1	C	521/585 (89%)	502 (96%)	19 (4%)	42	57
1	D	521/585 (89%)	508 (98%)	13 (2%)	55	73
All	All	2087/2340 (89%)	2033 (97%)	54 (3%)	57	71

All (54) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	131	GLU
1	A	175[A]	GLN
1	A	175[B]	GLN
1	A	186	GLU
1	A	274	LEU
1	A	333	TYR
1	A	409	VAL
1	A	424	GLN
1	A	553	MET
1	B	40	SER
1	B	49	ARG
1	B	186	GLU
1	B	256	ARG
1	B	257	LYS
1	B	274	LEU
1	B	333	TYR
1	B	437	ASN
1	B	553	MET
1	B	605	GLN
1	B	609	MET
1	B	628	SER
1	B	646	SER
1	C	29	GLN
1	C	38	ARG
1	C	49	ARG
1	C	132	MET
1	C	150[A]	SER
1	C	150[B]	SER
1	C	175[A]	GLN
1	C	175[B]	GLN
1	C	213	ASP
1	C	333	TYR
1	C	409	VAL
1	C	420	THR
1	C	424	GLN
1	C	459	ASN
1	C	500	THR
1	C	524	LEU
1	C	527	TRP
1	C	605	GLN
1	C	646	SER
1	D	49	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	104	VAL
1	D	274	LEU
1	D	333	TYR
1	D	358	GLU
1	D	409	VAL
1	D	523	HIS
1	D	524	LEU
1	D	605	GLN
1	D	609[A]	MET
1	D	609[B]	MET
1	D	629	ASP
1	D	632	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (30) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	102	HIS
1	A	318	ASN
1	A	321	ASN
1	A	355	GLN
1	A	412	HIS
1	A	424	GLN
1	A	437	ASN
1	A	484	ASN
1	B	318	ASN
1	B	321	ASN
1	B	355	GLN
1	B	437	ASN
1	B	484	ASN
1	C	102	HIS
1	C	318	ASN
1	C	352	ASN
1	C	355	GLN
1	C	437	ASN
1	C	484	ASN
1	C	523	HIS
1	D	102	HIS
1	D	234	GLN
1	D	279	GLN
1	D	318	ASN
1	D	321	ASN
1	D	355	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	424	GLN
1	D	437	ASN
1	D	484	ASN
1	D	523	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

Of 40 ligands modelled in this entry, 4 are monoatomic - leaving 36 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	NAG	A	701	1	14,14,15	0.61	0	15,19,21	1.59	3 (20%)
2	NAG	A	702	1	14,14,15	0.47	0	15,19,21	2.97	5 (33%)
2	NAG	A	703	1	14,14,15	1.33	2 (14%)	15,19,21	3.48	8 (53%)
2	NAG	A	704	1	14,14,15	0.80	0	15,19,21	1.59	2 (13%)
4	6DJ	A	706	-	17,18,18	1.58	2 (11%)	19,25,25	3.46	10 (52%)
5	SO4	A	707	-	4,4,4	0.44	0	6,6,6	0.39	0
5	SO4	A	708	-	4,4,4	0.86	0	6,6,6	0.82	0
6	EDO	A	709	-	3,3,3	0.26	0	2,2,2	1.84	0
6	EDO	A	710	-	3,3,3	0.68	0	2,2,2	0.52	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAG	B	701	1	14,14,15	0.91	0	15,19,21	2.01	3 (20%)
2	NAG	B	702	1	14,14,15	0.86	0	15,19,21	1.05	2 (13%)
2	NAG	B	703	1	14,14,15	1.01	0	15,19,21	2.46	8 (53%)
2	NAG	B	704	1	14,14,15	0.48	0	15,19,21	1.14	2 (13%)
4	6DJ	B	706	-	17,18,18	1.46	2 (11%)	19,25,25	3.19	10 (52%)
5	SO4	B	707	-	4,4,4	0.45	0	6,6,6	0.40	0
5	SO4	B	708	-	4,4,4	0.57	0	6,6,6	1.53	1 (16%)
6	EDO	B	709	-	3,3,3	0.62	0	2,2,2	0.82	0
6	EDO	B	710	-	3,3,3	0.37	0	2,2,2	0.65	0
2	NAG	C	701	1	14,14,15	0.58	0	15,19,21	1.27	1 (6%)
2	NAG	C	702	1	14,14,15	0.54	0	15,19,21	2.33	2 (13%)
2	NAG	C	703	1	14,14,15	0.77	0	15,19,21	1.20	1 (6%)
2	NAG	C	704	1	14,14,15	0.82	1 (7%)	15,19,21	1.33	0
4	6DJ	C	706	-	17,18,18	1.36	1 (5%)	19,25,25	3.31	9 (47%)
5	SO4	C	707	-	4,4,4	0.50	0	6,6,6	0.44	0
5	SO4	C	708	-	4,4,4	0.72	0	6,6,6	0.86	0
6	EDO	C	709	-	3,3,3	0.29	0	2,2,2	2.40	1 (50%)
6	EDO	C	710	-	3,3,3	0.60	0	2,2,2	0.35	0
2	NAG	D	701	1	14,14,15	0.27	0	15,19,21	0.53	0
2	NAG	D	702	1	14,14,15	0.53	0	15,19,21	1.64	3 (20%)
2	NAG	D	703	1	14,14,15	0.27	0	15,19,21	0.52	0
2	NAG	D	704	1	14,14,15	0.58	0	15,19,21	1.35	1 (6%)
4	6DJ	D	706	-	17,18,18	1.20	1 (5%)	19,25,25	3.13	9 (47%)
5	SO4	D	707	-	4,4,4	0.44	0	6,6,6	0.52	0
5	SO4	D	708	-	4,4,4	0.43	0	6,6,6	0.58	0
6	EDO	D	709	-	3,3,3	0.60	0	2,2,2	1.28	0
6	EDO	D	710	-	3,3,3	0.56	0	2,2,2	0.56	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	701	1	-	0/6/23/26	0/1/1/1
2	NAG	A	702	1	-	0/6/23/26	0/1/1/1
2	NAG	A	703	1	-	0/6/23/26	0/1/1/1
2	NAG	A	704	1	-	0/6/23/26	0/1/1/1
4	6DJ	A	706	-	-	0/4/34/34	0/2/2/2

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	SO4	A	707	-	-	0/0/0/0	0/0/0/0
5	SO4	A	708	-	-	0/0/0/0	0/0/0/0
6	EDO	A	709	-	-	0/1/1/1	0/0/0/0
6	EDO	A	710	-	-	0/1/1/1	0/0/0/0
2	NAG	B	701	1	-	0/6/23/26	0/1/1/1
2	NAG	B	702	1	-	0/6/23/26	0/1/1/1
2	NAG	B	703	1	-	0/6/23/26	0/1/1/1
2	NAG	B	704	1	-	0/6/23/26	0/1/1/1
4	6DJ	B	706	-	-	0/4/34/34	0/2/2/2
5	SO4	B	707	-	-	0/0/0/0	0/0/0/0
5	SO4	B	708	-	-	0/0/0/0	0/0/0/0
6	EDO	B	709	-	-	0/1/1/1	0/0/0/0
6	EDO	B	710	-	-	0/1/1/1	0/0/0/0
2	NAG	C	701	1	-	0/6/23/26	0/1/1/1
2	NAG	C	702	1	-	0/6/23/26	0/1/1/1
2	NAG	C	703	1	-	0/6/23/26	0/1/1/1
2	NAG	C	704	1	-	0/6/23/26	0/1/1/1
4	6DJ	C	706	-	-	0/4/34/34	0/2/2/2
5	SO4	C	707	-	-	0/0/0/0	0/0/0/0
5	SO4	C	708	-	-	0/0/0/0	0/0/0/0
6	EDO	C	709	-	-	0/1/1/1	0/0/0/0
6	EDO	C	710	-	-	0/1/1/1	0/0/0/0
2	NAG	D	701	1	-	0/6/23/26	0/1/1/1
2	NAG	D	702	1	-	0/6/23/26	0/1/1/1
2	NAG	D	703	1	-	0/6/23/26	0/1/1/1
2	NAG	D	704	1	-	0/6/23/26	0/1/1/1
4	6DJ	D	706	-	-	0/4/34/34	0/2/2/2
5	SO4	D	707	-	-	0/0/0/0	0/0/0/0
5	SO4	D	708	-	-	0/0/0/0	0/0/0/0
6	EDO	D	709	-	-	0/1/1/1	0/0/0/0
6	EDO	D	710	-	-	0/1/1/1	0/0/0/0

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	706	6DJ	C7-S6	-4.55	1.67	1.75
4	C	706	6DJ	C7-S6	-4.33	1.67	1.75
4	B	706	6DJ	C7-S6	-3.82	1.68	1.75
4	D	706	6DJ	C7-S6	-3.20	1.69	1.75
4	A	706	6DJ	C1-N5	-2.45	1.43	1.46
2	C	704	NAG	O4-C4	-2.15	1.37	1.43
2	A	703	NAG	C1-C2	2.30	1.55	1.52

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	703	NAG	C2-N2	2.99	1.51	1.46
4	B	706	6DJ	C2-C3	3.93	1.57	1.52

All (81) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	706	6DJ	C4-C5-N5	-7.23	102.97	109.69
4	A	706	6DJ	C4-C5-N5	-7.20	103.00	109.69
2	A	703	NAG	O3-C3-C4	-6.20	96.39	110.34
4	B	706	6DJ	C4-C5-N5	-5.58	104.51	109.69
4	D	706	6DJ	C10-C9-N8	-5.26	102.14	110.73
4	A	706	6DJ	C1-N5-C5	-5.20	111.54	119.20
4	B	706	6DJ	C10-C9-N8	-4.99	102.59	110.73
4	C	706	6DJ	C1-N5-C5	-4.92	111.94	119.20
4	A	706	6DJ	C10-C9-N8	-4.92	102.70	110.73
4	C	706	6DJ	C10-C9-N8	-4.91	102.72	110.73
4	C	706	6DJ	O4-C4-C3	-4.88	99.35	110.34
4	D	706	6DJ	C4-C5-N5	-4.88	105.16	109.69
4	D	706	6DJ	C1-N5-C5	-4.57	112.46	119.20
2	A	702	NAG	C6-C5-C4	-4.33	102.33	113.02
2	A	703	NAG	O7-C7-C8	-4.32	114.13	122.06
2	B	703	NAG	C4-C3-C2	-4.00	105.01	111.23
4	B	706	6DJ	C1-N5-C5	-3.99	113.32	119.20
4	D	706	6DJ	O4-C4-C3	-3.96	101.43	110.34
2	D	702	NAG	C2-N2-C7	-3.74	118.23	123.04
2	B	703	NAG	O7-C7-C8	-3.51	115.63	122.06
2	A	701	NAG	O6-C6-C5	-3.35	100.27	111.33
5	B	708	SO4	O4-S-O3	-3.06	96.54	108.98
2	B	701	NAG	O6-C6-C5	-3.04	101.27	111.33
4	B	706	6DJ	O4-C4-C3	-2.93	103.75	110.34
6	C	709	EDO	O1-C1-C2	-2.88	91.90	112.54
2	A	702	NAG	O6-C6-C5	-2.85	101.93	111.33
2	B	701	NAG	C8-C7-N2	-2.84	110.66	116.11
2	A	704	NAG	O7-C7-C8	-2.77	116.97	122.06
2	B	703	NAG	O3-C3-C4	-2.73	104.19	110.34
2	B	704	NAG	C1-O5-C5	-2.57	108.99	112.25
2	A	703	NAG	C6-C5-C4	-2.42	107.04	113.02
2	B	702	NAG	C3-C4-C5	-2.37	106.06	110.20
2	A	701	NAG	C6-C5-C4	-2.24	107.50	113.02
4	D	706	6DJ	C6-C5-C4	-2.11	113.52	115.73
2	B	704	NAG	O6-C6-C5	-2.06	104.54	111.33
2	A	701	NAG	O5-C5-C6	-2.02	102.98	107.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	702	NAG	O3-C3-C2	-2.00	105.15	109.11
2	D	702	NAG	C3-C4-C5	2.06	113.79	110.20
4	A	706	6DJ	C1-C2-C3	2.12	112.52	110.21
2	B	703	NAG	O5-C5-C6	2.16	112.02	107.35
4	A	706	6DJ	C5-C6-S6	2.17	108.12	105.67
4	C	706	6DJ	C3-C4-C5	2.18	114.32	111.39
4	A	706	6DJ	C2-C3-C4	2.21	114.79	111.04
2	C	703	NAG	O5-C5-C6	2.21	112.14	107.35
2	A	702	NAG	O4-C4-C3	2.30	115.53	110.34
2	A	702	NAG	C3-C4-C5	2.34	114.28	110.20
2	A	703	NAG	O3-C3-C2	2.43	113.93	109.11
4	B	706	6DJ	O2-C2-C1	2.49	114.37	109.53
4	A	706	6DJ	C3-C4-C5	2.52	114.78	111.39
2	C	702	NAG	C3-C4-C5	2.54	114.63	110.20
4	D	706	6DJ	O3-C3-C4	2.54	116.07	110.34
2	D	704	NAG	C1-O5-C5	2.55	115.48	112.25
2	B	703	NAG	O7-C7-N2	2.56	127.09	121.86
4	D	706	6DJ	C2-C3-C4	2.75	115.71	111.04
2	B	703	NAG	C1-O5-C5	2.86	115.87	112.25
2	A	704	NAG	C3-C4-C5	2.89	115.23	110.20
2	D	702	NAG	C4-C3-C2	2.98	115.87	111.23
2	A	703	NAG	C3-C4-C5	3.43	116.18	110.20
4	B	706	6DJ	O3-C3-C4	3.57	118.37	110.34
4	C	706	6DJ	O3-C3-C4	3.59	118.43	110.34
2	B	703	NAG	O3-C3-C2	3.74	116.51	109.11
4	C	706	6DJ	C2-C3-C4	3.89	117.64	111.04
2	B	703	NAG	C3-C2-N2	3.94	120.00	110.56
4	B	706	6DJ	C1-C2-C3	4.03	114.60	110.21
4	D	706	6DJ	C9-N8-C7	4.05	124.58	117.86
2	C	701	NAG	C1-O5-C5	4.10	117.46	112.25
4	B	706	6DJ	C2-C3-C4	4.17	118.12	111.04
2	A	703	NAG	C8-C7-N2	4.26	124.26	116.11
4	C	706	6DJ	O3-C3-C2	4.29	117.76	110.00
4	B	706	6DJ	O3-C3-C2	4.54	118.20	110.00
2	B	701	NAG	C1-O5-C5	4.70	118.21	112.25
4	C	706	6DJ	C9-N8-C7	4.71	125.67	117.86
4	A	706	6DJ	O3-C3-C2	4.77	118.61	110.00
4	A	706	6DJ	O3-C3-C4	4.85	121.26	110.34
2	A	703	NAG	C3-C2-N2	4.92	122.35	110.56
4	B	706	6DJ	C9-N8-C7	6.00	127.82	117.86
4	A	706	6DJ	C9-N8-C7	6.79	129.12	117.86
2	A	703	NAG	C1-O5-C5	7.36	121.59	112.25

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	706	6DJ	O3-C3-C2	7.45	123.46	110.00
2	C	702	NAG	C1-O5-C5	8.16	122.61	112.25
2	A	702	NAG	C1-O5-C5	9.18	123.90	112.25

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

8 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	706	6DJ	2	0
4	B	706	6DJ	1	0
6	B	710	EDO	1	0
4	C	706	6DJ	1	0
2	D	701	NAG	2	0
2	D	703	NAG	2	0
2	D	704	NAG	1	0
4	D	706	6DJ	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	605/678 (89%)	-0.17	12 (1%) 68 75	15, 25, 44, 104	0
1	B	605/678 (89%)	-0.22	10 (1%) 73 79	15, 24, 42, 99	0
1	C	603/678 (88%)	-0.04	17 (2%) 56 66	15, 26, 51, 88	1 (0%)
1	D	603/678 (88%)	-0.02	25 (4%) 41 50	16, 27, 52, 95	1 (0%)
All	All	2416/2712 (89%)	-0.11	64 (2%) 59 68	15, 26, 49, 104	2 (0%)

All (64) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	647	SER	8.6
1	C	527	TRP	7.6
1	A	646	SER	6.2
1	C	526	GLY	6.0
1	A	628	SER	5.7
1	C	525	GLY	5.6
1	D	528	GLY	5.5
1	A	629	ASP	5.3
1	D	527	TRP	5.2
1	C	29	GLN	4.8
1	D	628	SER	4.5
1	B	628	SER	4.4
1	D	629	ASP	4.1
1	A	627	SER	4.0
1	A	29	GLN	4.0
1	B	29	GLN	3.9
1	A	647	SER	3.9
1	B	629	ASP	3.9
1	C	528	GLY	3.8
1	C	359[A]	LYS	3.6
1	B	646	SER	3.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	647	SER	3.5
1	D	29	GLN	3.5
1	A	611	SER	3.4
1	D	477	VAL	3.3
1	B	611	SER	3.2
1	C	488	TYR	3.1
1	D	631	PRO	3.0
1	B	627	SER	3.0
1	D	426	CYS	2.9
1	C	502	SER	2.9
1	A	359	LYS	2.9
1	D	545	ASN	2.9
1	D	359	LYS	2.8
1	D	390	ASP	2.8
1	D	526	GLY	2.8
1	D	476	LEU	2.7
1	D	425	ASP	2.7
1	C	391	ILE	2.7
1	A	488	TYR	2.6
1	C	358	GLU	2.6
1	D	427	SER	2.5
1	D	488	TYR	2.4
1	D	468	LYS	2.4
1	D	630	ASP	2.4
1	D	503	SER	2.4
1	D	632	GLU	2.4
1	C	426	CYS	2.4
1	B	245	GLY	2.3
1	B	632	GLU	2.3
1	A	645	GLY	2.2
1	C	35	ASP	2.2
1	C	427	SER	2.2
1	C	503	SER	2.2
1	D	449	GLY	2.2
1	D	38[A]	ARG	2.1
1	D	444	TYR	2.1
1	C	475	LEU	2.1
1	C	647	SER	2.1
1	D	475	LEU	2.1
1	A	427	SER	2.1
1	A	31	MET	2.0
1	C	586[A]	PHE	2.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	31	MET	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	NAG	D	704	14/15	0.82	0.26	6.93	27,30,32,36	0
2	NAG	B	703	14/15	0.75	0.20	3.63	39,50,61,64	0
2	NAG	A	702	14/15	0.87	0.21	3.13	31,38,44,45	0
2	NAG	D	702	14/15	0.87	0.21	2.17	45,49,56,63	0
2	NAG	C	703	14/15	0.84	0.22	2.10	37,44,47,47	0
6	EDO	A	709	4/4	0.94	0.19	1.78	30,37,43,44	0
2	NAG	B	702	14/15	0.95	0.16	1.72	30,33,38,39	0
2	NAG	C	704	14/15	0.95	0.14	1.46	24,28,31,33	0
2	NAG	A	703	14/15	0.72	0.21	1.40	48,52,58,58	0
6	EDO	B	709	4/4	0.80	0.21	1.06	32,36,42,42	0
5	SO4	D	708	5/5	0.98	0.19	0.71	53,54,60,60	0
5	SO4	B	708	5/5	0.95	0.15	0.67	43,43,47,49	0
4	6DJ	B	706	17/17	0.93	0.13	0.66	18,24,46,47	0
4	6DJ	A	706	17/17	0.91	0.14	0.64	24,28,40,41	0
5	SO4	C	708	5/5	0.97	0.20	0.47	45,48,52,54	0
2	NAG	C	702	14/15	0.90	0.23	0.25	48,54,58,59	0
5	SO4	A	708	5/5	0.96	0.14	-0.18	42,42,50,51	0
4	6DJ	C	706	17/17	0.95	0.11	-0.34	19,24,47,47	0
2	NAG	B	701	14/15	0.95	0.10	-0.40	30,34,43,46	0
2	NAG	A	701	14/15	0.96	0.09	-0.44	24,30,39,40	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	CL	C	705	1/1	1.00	0.14	-0.45	21,21,21,21	0
3	CL	B	705	1/1	1.00	0.10	-0.52	21,21,21,21	0
4	6DJ	D	706	17/17	0.95	0.10	-0.69	23,28,45,46	0
3	CL	A	705	1/1	1.00	0.10	-1.46	22,22,22,22	0
3	CL	D	705	1/1	1.00	0.10	-2.22	22,22,22,22	0
5	SO4	A	707	5/5	0.92	0.26	-	61,70,72,75	0
2	NAG	D	701	14/15	0.68	0.47	-	81,88,93,93	0
2	NAG	A	704	14/15	0.86	0.45	-	57,68,81,83	0
5	SO4	B	707	5/5	0.95	0.36	-	58,61,64,73	0
6	EDO	B	710	4/4	0.95	0.14	-	31,32,33,34	0
6	EDO	D	710	4/4	0.90	0.16	-	26,31,34,36	0
6	EDO	D	709	4/4	0.81	0.22	-	28,29,37,49	0
6	EDO	C	710	4/4	0.92	0.13	-	32,39,41,45	0
5	SO4	C	707	5/5	0.96	0.33	-	54,55,59,63	0
2	NAG	B	704	14/15	0.94	0.33	-	41,54,57,57	0
5	SO4	D	707	5/5	0.91	0.32	-	55,61,68,73	0
6	EDO	A	710	4/4	0.96	0.14	-	30,34,35,35	0
2	NAG	C	701	14/15	0.70	0.53	-	79,88,98,103	0
2	NAG	D	703	14/15	0.55	0.36	-	72,93,100,101	0
6	EDO	C	709	4/4	0.96	0.12	-	24,28,29,30	0

## 6.5 Other polymers

There are no such residues in this entry.