



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:13 PM GMT

PDB ID : 3WJB
Title : Crystal structure of mutant nitrobindin M75L/H76L/Q96C/M148L/H158L (NB4) from Arabidopsis thaliana
Authors : Mizohata, E.; Fukumoto, K.; Onoda, A.; Bocola, M.; Arlt, M.; Inoue, T.; Schwaneberg, U.; Hayashi, T.
Deposited on : 2013-10-08
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3774 (2.20-2.20)
Clashscore	102246	4477 (2.20-2.20)
Ramachandran outliers	100387	4404 (2.20-2.20)
Sidechain outliers	100360	4405 (2.20-2.20)
RSRZ outliers	91569	3781 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	174	 37% 39% 12% 12%
1	B	174	 39% 41% 9% 12%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 2568 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called UPF0678 fatty acid-binding protein-like protein At1g79260.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	153	Total	C	N	O	S	0	0	0
			1196	770	199	226	1			
1	B	153	Total	C	N	O	S	0	0	0
			1196	770	199	226	1			

There are 28 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	MET	-	EXPRESSION TAG	UNP O64527
A	-6	TRP	-	EXPRESSION TAG	UNP O64527
A	-5	SER	-	EXPRESSION TAG	UNP O64527
A	-4	HIS	-	EXPRESSION TAG	UNP O64527
A	-3	PRO	-	EXPRESSION TAG	UNP O64527
A	-2	GLN	-	EXPRESSION TAG	UNP O64527
A	-1	PHE	-	EXPRESSION TAG	UNP O64527
A	0	GLU	-	EXPRESSION TAG	UNP O64527
A	1	LYS	-	EXPRESSION TAG	UNP O64527
A	75	LEU	MET	ENGINEERED MUTATION	UNP O64527
A	76	LEU	HIS	ENGINEERED MUTATION	UNP O64527
A	96	CYS	GLN	ENGINEERED MUTATION	UNP O64527
A	148	LEU	MET	ENGINEERED MUTATION	UNP O64527
A	158	LEU	HIS	ENGINEERED MUTATION	UNP O64527
B	-7	MET	-	EXPRESSION TAG	UNP O64527
B	-6	TRP	-	EXPRESSION TAG	UNP O64527
B	-5	SER	-	EXPRESSION TAG	UNP O64527
B	-4	HIS	-	EXPRESSION TAG	UNP O64527
B	-3	PRO	-	EXPRESSION TAG	UNP O64527
B	-2	GLN	-	EXPRESSION TAG	UNP O64527
B	-1	PHE	-	EXPRESSION TAG	UNP O64527
B	0	GLU	-	EXPRESSION TAG	UNP O64527
B	1	LYS	-	EXPRESSION TAG	UNP O64527
B	75	LEU	MET	ENGINEERED MUTATION	UNP O64527
B	76	LEU	HIS	ENGINEERED MUTATION	UNP O64527

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	96	CYS	GLN	ENGINEERED MUTATION	UNP O64527
B	148	LEU	MET	ENGINEERED MUTATION	UNP O64527
B	158	LEU	HIS	ENGINEERED MUTATION	UNP O64527

- Molecule 2 is BARIUM ION (three-letter code: BA) (formula: Ba).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	2	Total	Ba	0	0
			2	2		
2	A	2	Total	Ba	0	0
			2	2		

- Molecule 3 is HEXAETHYLENE GLYCOL (three-letter code: P6G) (formula: C₁₂H₂₆O₇).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			16	10	6		
3	B	1	Total	C	O	0	0
			16	10	6		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	75	Total	O	0	0
			75	75		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	65	Total	O	0	0
			65	65		

- Molecule 1: UPF0678 fatty acid-binding protein-like protein At1g79260



4 Data and refinement statistics

Property	Value	Source
Space group	P 41	Depositor
Cell constants a, b, c, α , β , γ	67.80 Å 67.80 Å 130.19 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.20 20.36 – 2.20	Depositor EDS
% Data completeness (in resolution range)	98.3 (20.00-2.20) 99.6 (20.36-2.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.67 (at 2.19 Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.194 , 0.248 0.201 , 0.252	Depositor DCC
R_{free} test set	1518 reflections (5.40%)	DCC
Wilson B-factor (Å ²)	26.3	Xtriage
Anisotropy	0.355	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 35.5	EDS
Estimated twinning fraction	0.479 for H, K, L 0.521 for K, H, -L 0.277 for h,-k,-l	Xtriage
Reported twinning fraction	0.479 for H, K, L 0.521 for K, H, -L	Depositor
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 29631 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	2568	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.48% of the height of the origin peak. No significant pseudotranslation is detected.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BA, P6G

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.43	7/1225 (0.6%)	1.31	9/1662 (0.5%)
1	B	1.26	5/1225 (0.4%)	1.25	5/1662 (0.3%)
All	All	1.35	12/2450 (0.5%)	1.28	14/3324 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	46	TYR	CE2-CZ	13.18	1.55	1.38
1	A	46	TYR	CE1-CZ	-7.16	1.29	1.38
1	A	91	GLU	CG-CD	5.91	1.60	1.51
1	A	48	GLU	CG-CD	5.89	1.60	1.51
1	A	81	TYR	CG-CD1	5.56	1.46	1.39
1	B	130	GLU	CG-CD	5.34	1.59	1.51
1	A	104	GLN	CD-NE2	5.31	1.46	1.32
1	A	108	TYR	CB-CG	-5.29	1.43	1.51
1	B	102	GLU	CD-OE2	5.18	1.31	1.25
1	B	61	ALA	CA-CB	5.09	1.63	1.52
1	B	35	GLU	CG-CD	5.05	1.59	1.51
1	B	52	PHE	CE1-CZ	5.04	1.47	1.37

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	131	ILE	CB-CA-C	-8.59	94.42	111.60
1	B	96	CYS	CA-CB-SG	-7.21	101.02	114.00
1	A	135	PHE	N-CA-C	-7.04	91.99	111.00
1	A	101	VAL	CB-CA-C	-6.52	99.02	111.40
1	A	75	LEU	CB-CG-CD2	6.32	121.75	111.00
1	B	103	VAL	N-CA-C	-6.07	94.60	111.00
1	A	100	LEU	CA-CB-CG	5.90	128.87	115.30
1	A	46	TYR	CZ-CE2-CD2	-5.67	114.69	119.80
1	B	101	VAL	N-CA-C	-5.63	95.81	111.00
1	A	120	ASP	CB-CG-OD1	5.25	123.02	118.30
1	A	47	GLY	N-CA-C	-5.23	100.03	113.10
1	B	114	SER	CB-CA-C	-5.19	100.24	110.10
1	A	69	LEU	CA-CB-CG	-5.19	103.37	115.30
1	A	83	ARG	NE-CZ-NH1	5.12	122.86	120.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	71	SER	Peptide
1	B	117	LEU	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1196	0	1214	87	0
1	B	1196	0	1214	81	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	16	0	21	2	0
3	B	16	0	21	1	0
4	A	75	0	0	3	0
4	B	65	0	0	3	0
All	All	2568	0	2470	170	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 35.

All (170) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:68:LYS:O	1:A:72:GLY:HA2	1.47	1.13
1:A:17:HIS:HD2	1:A:19:PHE:HB2	1.15	1.05
1:B:41:ILE:HG12	1:B:42:PRO:CD	1.86	1.04
1:A:17:HIS:CD2	1:A:19:PHE:HB2	1.97	0.99
1:A:23:LEU:HD21	1:A:108:TYR:CD1	1.99	0.97
1:A:126:SER:HB3	1:A:127:LYS:HE2	1.45	0.97
1:B:71:SER:HB2	1:B:73:ALA:H	1.29	0.97
1:A:35:GLU:HG2	1:A:44:PHE:O	1.65	0.96
3:A:503:P6G:H32	3:A:503:P6G:H82	1.47	0.96
1:B:41:ILE:HG12	1:B:42:PRO:HD2	1.50	0.91
1:B:59:VAL:HG22	1:B:83:ARG:HG2	1.51	0.91
1:B:17:HIS:HD2	1:B:19:PHE:H	1.19	0.88
1:B:16:VAL:HG11	1:B:21:ALA:HB2	1.56	0.86
1:B:71:SER:HB2	1:B:73:ALA:N	1.92	0.83
1:A:68:LYS:O	1:A:72:GLY:CA	2.28	0.82
1:B:70:GLU:CD	1:B:70:GLU:H	1.82	0.81
1:B:71:SER:CB	1:B:73:ALA:H	1.93	0.81
1:A:158:LEU:O	1:A:159:LEU:HD23	1.81	0.80
1:A:82:PHE:CD2	1:A:92:VAL:HG21	2.15	0.80
1:B:68:LYS:O	1:B:72:GLY:HA3	1.81	0.80
1:B:71:SER:HB2	1:B:72:GLY:HA2	1.66	0.78
1:B:16:VAL:CG1	1:B:21:ALA:HB2	2.12	0.78
1:B:71:SER:HB2	1:B:72:GLY:CA	2.17	0.75
1:B:17:HIS:HB2	1:B:56:GLY:O	1.86	0.74
1:A:23:LEU:HD21	1:A:108:TYR:HD1	1.51	0.73
3:A:503:P6G:H32	3:A:503:P6G:C8	2.18	0.73
1:A:71:SER:HB2	1:A:73:ALA:H	1.53	0.72
1:A:20:VAL:HG13	1:A:60:ILE:HD11	1.73	0.71
1:A:158:LEU:HG	1:A:159:LEU:CD2	2.22	0.70
1:A:82:PHE:CD2	1:A:92:VAL:CG2	2.75	0.70
1:B:68:LYS:O	1:B:72:GLY:CA	2.40	0.69
1:A:34:GLY:HA3	1:A:46:TYR:CZ	2.28	0.69
1:B:41:ILE:HG12	1:B:42:PRO:N	2.05	0.69
1:A:47:GLY:HA3	1:A:67:TRP:NE1	2.09	0.67
1:A:121:LEU:C	1:A:121:LEU:HD23	2.14	0.67
1:B:37:GLU:HG2	4:B:640:HOH:O	1.92	0.67
1:A:101:VAL:O	1:A:101:VAL:HG23	1.94	0.67
1:A:87:ASP:HB3	4:A:617:HOH:O	1.95	0.66
1:B:17:HIS:CD2	1:B:19:PHE:H	2.10	0.66
1:A:17:HIS:CG	1:A:18:PRO:HD2	2.31	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:82:PHE:CG	1:A:92:VAL:HG22	2.32	0.65
1:B:60:ILE:HB	1:B:82:PHE:HB2	1.78	0.65
1:B:46:TYR:OH	1:B:159:LEU:HD22	1.98	0.64
1:A:82:PHE:HA	1:A:92:VAL:HG22	1.80	0.64
1:B:133:ARG:NH1	1:B:144:TYR:OH	2.29	0.64
1:A:35:GLU:HG3	1:A:45:ARG:HG2	1.81	0.63
3:B:503:P6G:H121	4:B:602:HOH:O	1.97	0.63
1:A:82:PHE:CE2	1:A:92:VAL:HG21	2.33	0.63
1:A:46:TYR:HE2	1:A:48:GLU:OE1	1.83	0.62
1:B:84:PRO:HA	1:B:90:ILE:HG13	1.81	0.62
1:B:64:GLN:C	1:B:64:GLN:HE21	2.03	0.62
1:A:158:LEU:HG	1:A:159:LEU:HD21	1.82	0.61
1:A:19:PHE:CE1	1:A:86:PRO:HD3	2.36	0.61
1:A:158:LEU:C	1:A:159:LEU:HD23	2.20	0.61
1:A:104:GLN:OE1	1:A:118:LYS:N	2.34	0.61
1:B:16:VAL:HG11	1:B:21:ALA:CB	2.30	0.58
1:A:52:PHE:HA	1:A:61:ALA:O	2.03	0.58
1:A:36:GLY:HA2	1:A:158:LEU:O	2.06	0.56
1:B:93:VAL:HG12	1:B:103:VAL:HA	1.88	0.56
1:A:126:SER:HB3	1:A:127:LYS:CE	2.27	0.55
1:A:71:SER:CB	1:A:73:ALA:H	2.20	0.54
1:A:132:SER:OG	1:A:147:ARG:HB2	2.07	0.54
1:A:82:PHE:CG	1:A:92:VAL:CG2	2.91	0.54
1:A:146:VAL:HB	1:A:159:LEU:HB2	1.89	0.54
1:B:30:TRP:CE3	1:B:142:LEU:HB2	2.43	0.53
1:A:154:PRO:HD2	1:A:156:GLN:HE22	1.72	0.53
1:B:70:GLU:CD	1:B:70:GLU:N	2.59	0.53
1:A:80:GLY:HA3	1:A:93:VAL:O	2.08	0.53
1:A:101:VAL:O	1:A:101:VAL:CG2	2.55	0.53
1:B:90:ILE:HG22	1:B:106:GLY:O	2.09	0.53
1:B:17:HIS:HD2	1:B:19:PHE:N	1.99	0.52
1:B:60:ILE:N	1:B:82:PHE:O	2.29	0.52
1:A:133:ARG:O	1:A:134:GLU:HG3	2.10	0.52
1:A:141:LYS:HG2	1:A:164:ASP:OD1	2.09	0.52
1:B:57:LYS:HB3	1:B:58:PRO:HD2	1.92	0.52
1:B:53:SER:O	1:B:60:ILE:HG23	2.11	0.51
1:B:46:TYR:CD1	1:B:46:TYR:N	2.78	0.51
1:A:55:SER:N	4:A:632:HOH:O	2.32	0.51
1:A:88:GLY:O	1:A:108:TYR:CD2	2.63	0.51
1:A:38:TYR:CE1	1:A:156:GLN:HG3	2.46	0.51
1:B:19:PHE:HE2	1:B:85:ARG:HG2	1.75	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:35:GLU:HG3	1:A:45:ARG:CG	2.41	0.50
1:B:41:ILE:CG1	1:B:42:PRO:CD	2.76	0.50
1:B:19:PHE:CE2	1:B:85:ARG:HG2	2.46	0.50
1:A:17:HIS:CD2	1:A:19:PHE:H	2.29	0.49
1:A:17:HIS:HD2	1:A:19:PHE:CB	2.04	0.49
1:A:138:VAL:HG13	1:A:143:SER:HB3	1.94	0.49
1:A:38:TYR:CD2	1:A:39:PRO:HD2	2.47	0.49
1:B:71:SER:CB	1:B:72:GLY:HA2	2.40	0.49
1:A:46:TYR:HD2	1:A:47:GLY:O	1.95	0.48
1:B:119:SER:HB3	1:B:131:ILE:H	1.79	0.48
1:A:38:TYR:HB2	1:A:158:LEU:HD12	1.93	0.48
1:B:45:ARG:HH21	1:B:45:ARG:HG3	1.78	0.48
1:B:59:VAL:HG22	1:B:83:ARG:CG	2.33	0.48
1:A:162:ILE:C	1:A:163:LEU:HD12	2.33	0.48
1:A:110:VAL:HG23	4:A:606:HOH:O	2.13	0.48
1:A:20:VAL:C	1:A:22:PRO:HD2	2.34	0.47
1:B:41:ILE:HD13	1:B:44:PHE:CD1	2.49	0.47
1:B:25:TYR:HD1	1:B:137:LEU:HD22	1.79	0.47
1:A:47:GLY:HA3	1:A:67:TRP:CE2	2.48	0.47
1:B:49:GLU:O	1:B:64:GLN:HA	2.14	0.47
1:B:133:ARG:HG3	1:B:146:VAL:HG22	1.96	0.47
1:B:115:ILE:HG22	1:B:117:LEU:HD21	1.95	0.47
1:A:17:HIS:CD2	1:A:18:PRO:HD2	2.49	0.47
1:A:158:LEU:HG	1:A:159:LEU:HD23	1.97	0.47
1:A:38:TYR:CG	1:A:39:PRO:HD2	2.50	0.46
1:A:121:LEU:HD23	1:A:121:LEU:O	2.14	0.46
1:B:64:GLN:NE2	1:B:78:GLU:HG3	2.30	0.46
1:B:123:GLY:O	1:B:124:ASN:HB3	2.16	0.46
1:B:101:VAL:O	1:B:101:VAL:HG23	2.15	0.46
1:A:17:HIS:HD2	1:A:19:PHE:H	1.63	0.46
1:B:25:TYR:O	1:B:26:LEU:C	2.51	0.46
1:B:109:ASN:OD1	1:B:109:ASN:C	2.54	0.46
1:B:19:PHE:HE2	1:B:85:ARG:NH1	2.13	0.46
1:B:137:LEU:HD12	1:B:137:LEU:HA	1.70	0.46
1:B:141:LYS:HE2	4:B:635:HOH:O	2.15	0.46
1:A:130:GLU:C	1:A:131:ILE:HG13	2.36	0.46
1:A:83:ARG:HA	1:A:84:PRO:HD2	1.83	0.46
1:B:42:PRO:O	1:B:43:SER:C	2.53	0.45
1:A:154:PRO:O	1:A:156:GLN:NE2	2.26	0.45
1:A:82:PHE:HB3	1:A:90:ILE:HD11	1.98	0.45
1:A:117:LEU:O	1:A:118:LYS:HG2	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:88:GLY:O	1:A:108:TYR:HD2	1.99	0.45
1:A:121:LEU:HD11	1:B:121:LEU:HD21	1.99	0.45
1:B:82:PHE:CD1	1:B:92:VAL:HG13	2.52	0.45
1:A:115:ILE:HB	1:A:135:PHE:HB2	1.98	0.45
1:A:19:PHE:CZ	1:A:86:PRO:HD3	2.51	0.44
1:A:128:VAL:HG13	1:A:148:LEU:CD1	2.47	0.44
1:A:82:PHE:CD1	1:A:82:PHE:N	2.86	0.44
1:B:25:TYR:CD1	1:B:137:LEU:HD22	2.53	0.44
1:B:104:GLN:HB3	1:B:117:LEU:HB3	1.99	0.44
1:B:122:VAL:HG11	1:B:128:VAL:HG12	1.99	0.44
1:A:38:TYR:HB2	1:A:158:LEU:CD1	2.47	0.44
1:A:69:LEU:HD23	1:A:69:LEU:HA	1.25	0.44
1:B:50:ILE:HG12	1:B:64:GLN:HG3	2.00	0.44
1:A:80:GLY:C	1:A:81:TYR:CD2	2.92	0.44
1:B:26:LEU:HD23	1:B:26:LEU:HA	1.54	0.43
1:B:108:TYR:O	1:B:108:TYR:CD1	2.70	0.43
1:A:46:TYR:CD2	1:A:66:THR:HG22	2.54	0.43
1:A:107:THR:OG1	1:A:107:THR:O	2.28	0.43
1:B:41:ILE:HD13	1:B:44:PHE:CE1	2.53	0.43
1:B:26:LEU:CD1	1:B:115:ILE:HD11	2.48	0.43
1:A:87:ASP:OD1	1:A:89:SER:OG	2.27	0.43
1:B:85:ARG:HB3	1:B:86:PRO:HD2	2.00	0.43
1:B:116:LYS:C	1:B:117:LEU:HD23	2.39	0.43
1:A:38:TYR:CG	1:A:39:PRO:CD	3.02	0.43
1:B:129:LYS:HA	1:B:129:LYS:HE2	2.00	0.43
1:B:84:PRO:C	1:B:85:ARG:HG3	2.39	0.42
1:B:33:GLN:HA	1:B:47:GLY:HA2	2.01	0.42
1:A:36:GLY:HA3	1:A:44:PHE:CE1	2.54	0.42
1:A:128:VAL:HG13	1:A:148:LEU:HD12	2.01	0.42
1:B:17:HIS:CD2	1:B:19:PHE:HB2	2.54	0.42
1:B:123:GLY:O	1:B:124:ASN:CB	2.68	0.42
1:B:114:SER:HB3	1:B:136:GLU:HG3	2.01	0.42
1:B:16:VAL:HG12	1:B:21:ALA:HB2	1.96	0.41
1:B:82:PHE:CE1	1:B:92:VAL:HG13	2.55	0.41
1:A:150:THR:O	1:A:151:THR:C	2.58	0.41
1:A:121:LEU:C	1:A:121:LEU:CD2	2.84	0.41
1:A:104:GLN:OE1	1:A:118:LYS:C	2.58	0.41
1:B:95:ALA:C	1:B:96:CYS:SG	2.97	0.41
1:A:162:ILE:N	1:A:163:LEU:HD12	2.35	0.41
1:B:25:TYR:CG	1:B:26:LEU:N	2.89	0.41
1:B:133:ARG:CG	1:B:146:VAL:HG22	2.51	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:166:LEU:HD22	1:A:166:LEU:HA	1.80	0.41
1:B:25:TYR:O	1:B:27:LEU:N	2.53	0.41
1:B:62:TYR:O	1:B:79:SER:HA	2.21	0.40
1:B:114:SER:HA	1:B:136:GLU:HA	2.02	0.40
1:B:76:LEU:HA	1:B:76:LEU:HD23	1.50	0.40
1:A:38:TYR:CZ	1:A:148:LEU:HD23	2.56	0.40
1:A:14:PRO:HA	1:A:15:PRO:HD3	1.74	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	151/174 (87%)	128 (85%)	19 (13%)	4 (3%)	7	3
1	B	151/174 (87%)	127 (84%)	23 (15%)	1 (1%)	26	25
All	All	302/348 (87%)	255 (84%)	42 (14%)	5 (2%)	11	7

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	126	SER
1	A	16	VAL
1	A	121	LEU
1	A	43	SER
1	B	71	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	133/153 (87%)	117 (88%)	16 (12%)	6	5
1	B	133/153 (87%)	115 (86%)	18 (14%)	5	3
All	All	266/306 (87%)	232 (87%)	34 (13%)	5	4

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	PHE
1	A	24	SER
1	A	51	ARG
1	A	57	LYS
1	A	64	GLN
1	A	66	THR
1	A	87	ASP
1	A	96	CYS
1	A	138	VAL
1	A	139	ASP
1	A	141	LYS
1	A	143	SER
1	A	148	LEU
1	A	152	THR
1	A	160	LYS
1	A	166	LEU
1	B	41	ILE
1	B	43	SER
1	B	55	SER
1	B	64	GLN
1	B	100	LEU
1	B	107	THR
1	B	109	ASN
1	B	118	LYS
1	B	129	LYS
1	B	130	GLU
1	B	133	ARG
1	B	137	LEU
1	B	138	VAL
1	B	143	SER
1	B	148	LEU
1	B	151	THR
1	B	165	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	166	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	17	HIS
1	A	64	GLN
1	A	156	GLN
1	B	17	HIS
1	B	64	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 4 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	P6G	A	503	-	15,15,18	0.79	0	14,14,17	0.64	0
3	P6G	B	503	-	15,15,18	0.68	0	14,14,17	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	P6G	A	503	-	-	0/13/13/16	0/0/0/0
3	P6G	B	503	-	-	0/13/13/16	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	503	P6G	2	0
3	B	503	P6G	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	153/174 (87%)	-0.61	0 100 100	16, 32, 45, 54	0
1	B	153/174 (87%)	-0.49	1 (0%) 89 88	16, 35, 46, 59	0
All	All	306/348 (87%)	-0.55	1 (0%) 94 94	16, 34, 46, 59	0

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	166	LEU	3.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	P6G	A	503	16/19	0.88	0.10	0.87	57,65,70,71	0
3	P6G	B	503	16/19	0.91	0.10	-0.19	34,60,76,77	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	BA	A	502	1/1	1.00	0.07	-1.52	55,55,55,55	0
2	BA	B	502	1/1	1.00	0.07	-	44,44,44,44	0
2	BA	B	501	1/1	0.96	0.06	-	93,93,93,93	1
2	BA	A	501	1/1	0.98	0.02	-	86,86,86,86	1

6.5 Other polymers [i](#)

There are no such residues in this entry.