



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:17 AM GMT

PDB ID : 2WK4
Title : DIMERIC STRUCTURE OF D347G D348G MUTANT OF THE SAP-
POROVIRUS RNA DEPENDENT RNA POLYMERASE
Authors : Fullerton, S.W.B.; Robel, I.; Schuldt, L.; Gebhardt, J.; Tucker, P.A.; Rohayem,
J.
Deposited on : 2009-06-05
Resolution : 2.98 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.98 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1992 (3.00-2.96)
Clashscore	102246	2349 (3.00-2.96)
Ramachandran outliers	100387	2274 (3.00-2.96)
Sidechain outliers	100360	2277 (3.00-2.96)
RSRZ outliers	91569	2007 (3.00-2.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	515	 2% 61% 29% 6% . .
1	B	515	 4% 61% 29% 8% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GOL	A	1503	-	-	-	X

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 7917 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PROTEASE-POLYMERASE P70.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	499	Total	C	N	O	S	0	0	0
			3831	2432	662	720	17			
1	B	502	Total	C	N	O	S	0	0	0
			3859	2450	665	727	17			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	347	GLY	ASP	ENGINEERED MUTATION	UNP Q69014
A	348	GLY	ASP	ENGINEERED MUTATION	UNP Q69014
B	347	GLY	ASP	ENGINEERED MUTATION	UNP Q69014
B	348	GLY	ASP	ENGINEERED MUTATION	UNP Q69014

- Molecule 2 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	112	Total	O	0	0
			112	112		
3	B	97	Total	O	0	0
			97	97		


3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: PROTEASE-POLYMERASE P70



• Molecule 1: PROTEASE-POLYMERASE P70





4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	132.61Å 132.61Å 150.58Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	26.01 – 2.98 26.01 – 2.98	Depositor EDS
% Data completeness (in resolution range)	99.8 (26.01-2.98) 99.8 (26.01-2.98)	Depositor EDS
R_{merge}	0.21	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.72 (at 3.00Å)	Xtriage
Refinement program	REFMAC 5.5.0072	Depositor
R, R_{free}	0.198 , 0.292 0.194 , 0.279	Depositor DCC
R_{free} test set	1410 reflections (5.31%)	DCC
Wilson B-factor (Å ²)	49.8	Xtriage
Anisotropy	0.018	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 44.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 27979 reflections	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	7917	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.28% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.64	0/3930	0.76	2/5367 (0.0%)
1	B	0.63	0/3959	0.73	0/5406
All	All	0.64	0/7889	0.75	2/10773 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	2
All	All	0	4

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	420	LEU	CA-CB-CG	5.68	128.37	115.30
1	A	376	THR	N-CA-C	-5.27	96.77	111.00

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	376	THR	Peptide
1	A	493	ILE	Peptide
1	B	133	GLU	Peptide
1	B	376	THR	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3831	0	3785	139	0
1	B	3859	0	3807	146	0
2	A	12	0	16	0	0
2	B	6	0	8	0	0
3	A	112	0	0	35	0
3	B	97	0	0	19	0
All	All	7917	0	7616	279	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (279) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:425:THR:HG22	3:A:2009:HOH:O	1.53	1.07
1:B:404:ILE:H	1:B:404:ILE:HD12	1.17	1.06
1:A:351:TYR:HA	3:A:2085:HOH:O	1.61	1.01
1:A:302:MET:O	1:A:305:THR:HG22	1.59	1.00
1:A:425:THR:HG23	1:A:427:ASP:H	1.27	0.96
1:B:377:ALA:CB	1:B:382:ASP:HB3	1.96	0.95
1:B:377:ALA:HB1	1:B:382:ASP:HB3	1.46	0.93
1:B:6:LYS:HB2	3:B:2002:HOH:O	1.68	0.93
1:A:58:THR:HG21	3:A:2019:HOH:O	1.67	0.92
1:A:57:GLN:HE21	1:A:181:ARG:HH12	1.06	0.92
1:B:28:ARG:HD3	1:B:32:TRP:O	1.72	0.90
1:B:479:THR:HG22	3:B:2087:HOH:O	1.72	0.89
1:B:91:ILE:HD12	1:B:95:ILE:HG12	1.53	0.88
1:A:250:GLN:HE21	1:A:312:ASN:HD22	1.18	0.86
1:A:76:PRO:HG2	3:A:2080:HOH:O	1.76	0.86
1:B:220:ASN:H	1:B:225:GLN:NE2	1.74	0.86
1:A:57:GLN:NE2	1:A:181:ARG:HH12	1.74	0.85
1:B:250:GLN:HE21	1:B:312:ASN:HD22	1.23	0.85
1:B:118:CYS:HB2	1:B:124:GLY:O	1.78	0.81
1:B:380:LYS:HD3	1:B:380:LYS:H	1.48	0.78
1:A:351:TYR:HD1	3:A:2085:HOH:O	1.66	0.78

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:383:ALA:CB	1:B:384:ILE:HG22	2.13	0.78
1:A:94:ILE:HD13	1:A:95:ILE:N	1.99	0.78
1:B:263:GLU:HB2	1:B:276:ILE:HD11	1.64	0.77
1:A:205:ARG:HD2	3:A:2029:HOH:O	1.84	0.77
1:A:301:GLY:H	1:A:305:THR:HG21	1.50	0.77
1:B:103:LEU:HB2	1:B:197:ALA:HA	1.67	0.76
1:B:40:THR:HG22	1:B:41:HIS:ND1	2.01	0.76
1:A:114:ARG:HD2	3:A:2037:HOH:O	1.87	0.74
1:B:220:ASN:H	1:B:225:GLN:HE22	1.35	0.74
1:A:481:TYR:CE1	3:A:2102:HOH:O	2.42	0.73
1:B:404:ILE:CD1	1:B:404:ILE:H	1.90	0.73
1:A:460:THR:O	1:A:464:ILE:HG13	1.88	0.72
1:B:399:GLN:HE21	1:B:400:THR:H	1.36	0.72
1:B:365:LEU:O	1:B:369:THR:HG22	1.90	0.71
1:A:135:GLN:HG2	3:A:2042:HOH:O	1.90	0.70
1:B:104:THR:H	1:B:107:GLN:HE21	1.39	0.70
1:A:213:THR:HG22	1:A:215:VAL:H	1.57	0.70
1:B:234:LYS:HE3	3:B:2047:HOH:O	1.92	0.69
1:A:28:ARG:HH22	1:A:418:TYR:HB3	1.57	0.69
1:A:31:ALA:HB2	1:A:471:GLY:HA3	1.73	0.69
1:B:416:GLN:HG2	1:B:442:GLN:HE21	1.59	0.68
1:B:72:THR:HG23	1:B:251:ASN:HD22	1.58	0.68
1:B:205:ARG:HD2	3:B:2038:HOH:O	1.94	0.67
1:A:106:HIS:NE2	3:A:2033:HOH:O	2.26	0.67
1:B:425:THR:HG23	1:B:427:ASP:H	1.59	0.67
1:A:350:MET:O	3:A:2085:HOH:O	2.13	0.67
1:A:336:VAL:O	1:A:340:GLU:HB2	1.95	0.66
1:A:4:GLN:HG2	3:A:2002:HOH:O	1.94	0.66
1:A:57:GLN:HE21	1:A:181:ARG:NH1	1.88	0.66
1:A:58:THR:O	1:A:62:VAL:HG23	1.97	0.65
1:A:60:MET:SD	1:A:60:MET:N	2.67	0.65
1:B:28:ARG:NH2	1:B:39:GLU:OE1	2.30	0.65
1:A:28:ARG:NH2	1:A:418:TYR:HB3	2.11	0.65
1:A:497:VAL:HG21	1:B:495:GLY:HA2	1.78	0.65
1:A:89:SER:O	1:A:93:THR:HG23	1.98	0.64
1:B:102:VAL:HA	3:B:2019:HOH:O	1.96	0.64
1:B:36:GLN:HA	3:B:2010:HOH:O	1.96	0.64
1:A:104:THR:HG22	1:A:107:GLN:H	1.62	0.64
1:A:342:ILE:HA	3:A:2085:HOH:O	1.98	0.64
1:A:37:PRO:HA	3:A:2012:HOH:O	1.96	0.63
1:A:493:ILE:HB	1:B:208:VAL:HG21	1.81	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:324:ALA:O	1:B:328:HIS:HD2	1.82	0.62
1:B:5:TRP:HZ3	1:B:62:VAL:HG23	1.65	0.62
1:A:379:ASP:O	1:A:380:LYS:C	2.37	0.62
1:B:284:GLU:HA	1:B:292:PHE:O	2.00	0.62
1:B:383:ALA:HA	1:B:384:ILE:HG22	1.81	0.62
1:A:296:GLY:HA3	3:A:2023:HOH:O	2.00	0.61
1:A:87:VAL:O	1:A:91:ILE:HG23	2.00	0.61
1:B:383:ALA:CA	1:B:384:ILE:HG22	2.30	0.61
1:B:44:ALA:HB1	1:B:181:ARG:HG3	1.81	0.61
1:B:50:ASP:OD1	1:B:52:ARG:HD3	2.01	0.61
1:A:223:SER:OG	1:A:225:GLN:HB2	2.01	0.61
1:B:57:GLN:HA	1:B:57:GLN:HE21	1.65	0.61
1:B:35:GLU:O	3:B:2010:HOH:O	2.16	0.61
1:B:416:GLN:HG2	1:B:442:GLN:NE2	2.16	0.61
1:A:162:TYR:CE1	1:A:187:CYS:HB2	2.35	0.61
1:A:381:SER:O	1:A:383:ALA:N	2.30	0.60
1:B:477:VAL:HG12	1:B:483:GLN:HG2	1.82	0.60
1:A:46:PHE:CZ	1:A:50:ASP:HB3	2.36	0.60
1:A:213:THR:CG2	1:A:215:VAL:H	2.15	0.60
1:A:382:ASP:CB	3:A:2089:HOH:O	2.50	0.60
1:B:79:LEU:HD13	1:B:319:ALA:HB1	1.85	0.59
1:B:94:ILE:HD11	1:B:213:THR:OG1	2.01	0.59
1:B:269:HIS:HE1	1:B:271:ILE:HG12	1.68	0.59
1:B:213:THR:CG2	1:B:215:VAL:H	2.16	0.59
1:A:409:ASP:HB2	3:A:2093:HOH:O	2.03	0.58
1:A:98:HIS:O	1:A:205:ARG:NH2	2.31	0.58
1:B:213:THR:HG22	1:B:215:VAL:H	1.68	0.58
1:A:27:HIS:HE1	1:A:423:ASN:O	1.86	0.58
1:B:383:ALA:HB1	1:B:384:ILE:HG22	1.86	0.58
1:A:382:ASP:HB3	3:A:2089:HOH:O	2.03	0.57
1:A:103:LEU:HB2	1:A:197:ALA:HA	1.85	0.57
1:B:340:GLU:HG2	1:B:353:VAL:HG12	1.85	0.57
1:A:36:GLN:HG3	3:A:2011:HOH:O	2.04	0.57
1:B:380:LYS:CD	1:B:380:LYS:H	2.16	0.57
1:A:94:ILE:C	1:A:94:ILE:HD13	2.25	0.57
1:A:493:ILE:N	1:A:494:GLY:HA3	2.19	0.57
1:B:313:HIS:NE2	1:B:351:TYR:OH	2.29	0.57
1:B:382:ASP:HA	1:B:383:ALA:C	2.25	0.57
1:A:157:ALA:HA	1:A:274:CYS:HB3	1.87	0.57
1:A:395:ARG:HB3	1:A:406:ALA:HB1	1.86	0.56
1:B:151:LYS:HB3	1:B:156:ILE:HG22	1.87	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:394:LYS:HG3	3:B:2078:HOH:O	2.06	0.56
1:B:56:SER:N	1:B:59:GLU:OE1	2.38	0.56
1:B:399:GLN:HE21	1:B:400:THR:N	2.04	0.55
1:B:23:GLY:HA2	1:B:46:PHE:CD2	2.41	0.55
1:B:177:LYS:C	1:B:179:GLY:H	2.10	0.55
1:A:79:LEU:HD13	1:A:319:ALA:HB1	1.89	0.54
1:B:275:ALA:O	1:B:279:LEU:HG	2.07	0.54
1:A:379:ASP:O	1:A:381:SER:N	2.41	0.54
1:A:71:PRO:HA	3:A:2023:HOH:O	2.08	0.54
1:B:45:PRO:O	1:B:181:ARG:HD2	2.08	0.54
1:A:107:GLN:HA	3:A:2034:HOH:O	2.08	0.53
1:B:340:GLU:HG3	1:B:353:VAL:HA	1.89	0.53
1:B:295:ARG:HD2	3:B:2057:HOH:O	2.09	0.53
1:A:477:VAL:C	1:A:479:THR:H	2.13	0.52
1:A:387:THR:OG1	1:A:388:ASN:N	2.42	0.52
1:B:457:MET:SD	1:B:457:MET:C	2.88	0.52
1:A:50:ASP:C	1:A:52:ARG:H	2.13	0.52
1:A:69:THR:HG21	3:A:2022:HOH:O	2.09	0.52
1:B:269:HIS:CE1	1:B:271:ILE:HG12	2.45	0.52
1:A:113:GLU:O	1:A:116:THR:HG22	2.10	0.52
1:A:209:VAL:O	1:A:212:MET:HG2	2.10	0.52
1:B:17:VAL:HG13	1:B:163:LYS:HE2	1.92	0.51
1:B:91:ILE:HD11	1:B:265:PHE:CE2	2.46	0.51
1:B:66:LYS:N	1:B:67:PRO:HD2	2.25	0.51
1:B:395:ARG:CB	1:B:406:ALA:HB1	2.41	0.51
1:B:104:THR:OG1	1:B:107:GLN:NE2	2.44	0.51
1:B:130:TRP:HA	3:B:2026:HOH:O	2.09	0.51
1:B:160:ASN:HB2	1:B:278:ALA:O	2.11	0.51
1:A:363:THR:HG22	3:A:2087:HOH:O	2.10	0.51
1:A:47:GLY:HA3	1:A:57:GLN:HG3	1.92	0.51
1:A:309:ASN:HB3	1:A:346:GLY:HA2	1.92	0.51
1:B:28:ARG:HH22	1:B:39:GLU:CD	2.14	0.51
1:A:451:SER:HB3	1:A:484:ALA:HB1	1.93	0.51
1:B:116:THR:HG22	1:B:126:LYS:NZ	2.26	0.51
1:B:31:ALA:HB2	1:B:471:GLY:HA3	1.93	0.51
1:A:378:ALA:O	1:A:379:ASP:CB	2.59	0.50
1:B:395:ARG:HB3	1:B:406:ALA:HB1	1.93	0.50
1:B:135:GLN:HA	1:B:135:GLN:OE1	2.12	0.50
1:A:498:PRO:HB3	1:B:207:GLN:OE1	2.12	0.50
1:B:85:THR:HG22	1:B:88:ARG:HH22	1.77	0.50
1:A:165:ALA:HB1	3:A:2052:HOH:O	2.12	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:36:GLN:NE2	1:B:37:PRO:HD2	2.27	0.50
1:A:114:ARG:CD	3:A:2037:HOH:O	2.51	0.50
1:B:47:GLY:HA2	1:B:55:PHE:O	2.11	0.50
1:A:30:PRO:HD2	1:A:472:GLU:HG2	1.94	0.50
1:B:119:GLY:HA3	1:B:188:ASP:HA	1.94	0.49
1:B:167:LYS:HB3	1:B:169:GLU:OE2	2.13	0.49
1:A:409:ASP:OD2	1:A:411:THR:OG1	2.23	0.49
1:A:11:VAL:HG12	1:A:291:LYS:HG2	1.95	0.49
1:A:104:THR:HB	1:A:107:GLN:HG3	1.93	0.49
1:A:220:ASN:H	1:A:225:GLN:NE2	2.10	0.48
1:A:8:LEU:O	1:A:10:VAL:N	2.41	0.48
1:A:192:THR:HA	1:A:303:PRO:HG3	1.96	0.48
1:A:57:GLN:HA	1:A:60:MET:CE	2.44	0.48
1:B:86:HIS:HD2	1:B:336:VAL:H	1.61	0.48
1:B:476:LEU:O	1:B:479:THR:HB	2.14	0.48
1:A:281:SER:HB2	1:A:282:PRO:HD2	1.95	0.48
1:A:381:SER:C	1:A:383:ALA:H	2.16	0.47
1:B:404:ILE:HD13	3:B:2045:HOH:O	2.13	0.47
1:B:463:GLN:OE1	1:B:463:GLN:HA	2.14	0.47
1:A:259:LEU:HD12	1:A:280:SER:HB3	1.96	0.47
1:A:498:PRO:O	1:A:499:ASP:O	2.32	0.47
1:A:132:GLU:OE1	1:A:132:GLU:HA	2.15	0.47
1:A:4:GLN:HB3	3:A:2003:HOH:O	2.14	0.47
1:B:302:MET:O	1:B:305:THR:HG22	2.14	0.47
1:A:231:ASP:O	1:A:234:LYS:HG2	2.14	0.47
1:A:496:THR:CG2	3:B:2041:HOH:O	2.62	0.47
1:B:5:TRP:CZ3	1:B:62:VAL:HG23	2.48	0.46
1:A:172:PRO:HG2	1:A:175:LYS:HD2	1.97	0.46
1:A:175:LYS:HG2	1:A:180:LYS:HD2	1.97	0.46
1:B:224:VAL:HA	1:B:227:GLN:HG3	1.97	0.46
1:B:226:MET:CE	1:B:227:GLN:HG2	2.46	0.46
1:A:481:TYR:HE1	3:A:2102:HOH:O	1.91	0.46
1:A:376:THR:HB	1:A:377:ALA:HB3	1.98	0.46
1:A:333:THR:N	3:A:2081:HOH:O	2.48	0.46
1:B:384:ILE:O	1:B:384:ILE:HG23	2.15	0.46
1:A:378:ALA:O	1:A:379:ASP:HB2	2.15	0.46
1:A:323:GLN:HE21	1:A:367:ASN:CG	2.19	0.46
1:A:86:HIS:HD2	1:A:336:VAL:H	1.62	0.46
1:A:382:ASP:HB2	3:A:2089:HOH:O	2.15	0.46
1:B:60:MET:HB3	1:B:179:GLY:O	2.15	0.46
1:A:66:LYS:O	1:A:69:THR:HB	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:496:THR:HG23	3:B:2041:HOH:O	2.16	0.45
1:A:72:THR:HG21	3:A:2070:HOH:O	2.15	0.45
1:B:421:LYS:O	1:B:422:ALA:HB2	2.16	0.45
1:B:226:MET:HE3	1:B:227:GLN:HG2	1.97	0.45
1:A:497:VAL:CG2	1:B:495:GLY:HA2	2.45	0.45
1:A:250:GLN:NE2	1:A:312:ASN:HD22	2.00	0.45
1:A:87:VAL:HG13	1:A:314:MET:HE2	1.98	0.45
1:B:8:LEU:HA	1:B:9:PRO:HD3	1.85	0.45
1:B:383:ALA:HA	1:B:384:ILE:CG2	2.46	0.44
1:B:457:MET:HA	1:B:460:THR:HG23	1.97	0.44
1:A:230:ASN:HB2	1:A:397:PHE:CD1	2.51	0.44
1:A:28:ARG:NH1	1:A:32:TRP:O	2.49	0.44
1:A:340:GLU:HG3	1:A:353:VAL:HG12	1.98	0.44
1:A:292:PHE:C	1:A:292:PHE:CD2	2.91	0.44
1:B:116:THR:HG22	1:B:126:LYS:HZ1	1.80	0.44
1:B:376:THR:HB	1:B:377:ALA:HB3	1.99	0.44
1:B:109:CYS:HA	1:B:112:LEU:HD12	1.99	0.44
1:B:320:ALA:HB1	1:B:367:ASN:HB2	2.00	0.44
1:B:365:LEU:HA	1:B:368:LEU:HD12	1.98	0.44
1:B:104:THR:H	1:B:107:GLN:NE2	2.12	0.44
1:A:290:ILE:C	1:A:290:ILE:HD12	2.37	0.44
1:B:376:THR:CB	1:B:377:ALA:HB3	2.47	0.44
1:B:498:PRO:HB2	1:B:499:ASP:H	1.64	0.44
1:B:59:GLU:O	1:B:62:VAL:HB	2.16	0.44
1:B:85:THR:HG22	1:B:88:ARG:NH2	2.33	0.43
1:B:466:ILE:O	1:B:470:GLN:HG3	2.17	0.43
1:B:400:THR:HB	1:B:401:PRO:HD2	1.99	0.43
1:A:56:SER:HB3	1:A:59:GLU:OE1	2.18	0.43
1:B:45:PRO:HD3	1:B:176:ASN:CG	2.38	0.43
1:B:436:ARG:NH2	1:B:472:GLU:O	2.50	0.43
1:A:342:ILE:HG23	3:A:2085:HOH:O	2.18	0.43
1:B:219:ILE:HD13	1:B:229:MET:HE3	2.01	0.43
1:B:102:VAL:HG22	3:B:2020:HOH:O	2.18	0.43
1:B:280:SER:HA	3:B:2055:HOH:O	2.16	0.43
1:A:410:ILE:HG12	1:A:457:MET:HE2	2.00	0.43
1:A:477:VAL:O	1:A:479:THR:N	2.51	0.43
1:B:67:PRO:HB2	1:B:248:SER:HB2	2.01	0.43
1:B:309:ASN:O	1:B:312:ASN:HB2	2.18	0.43
1:B:118:CYS:SG	1:B:141:LEU:HD22	2.58	0.43
1:A:269:HIS:CE1	1:A:271:ILE:HG12	2.54	0.43
1:B:66:LYS:O	1:B:69:THR:OG1	2.36	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:173:ILE:HA	1:A:176:ASN:HD22	1.83	0.43
1:B:410:ILE:CD1	1:B:457:MET:HE1	2.49	0.43
1:B:166:LEU:HD13	1:B:181:ARG:HD3	2.01	0.43
1:A:57:GLN:NE2	1:A:181:ARG:NH1	2.55	0.42
1:B:407:LEU:HB3	1:B:453:HIS:CE1	2.54	0.42
1:B:241:LEU:HB2	1:B:349:CYS:SG	2.59	0.42
1:A:489:ASN:O	1:A:493:ILE:HG23	2.19	0.42
1:A:324:ALA:O	1:A:328:HIS:HD2	2.02	0.42
1:B:250:GLN:NE2	1:B:312:ASN:HD22	2.03	0.42
1:B:124:GLY:HA2	3:B:2025:HOH:O	2.19	0.42
1:A:493:ILE:CB	1:B:208:VAL:HG21	2.47	0.42
1:B:499:ASP:HA	1:B:500:PRO:HD2	1.71	0.42
1:B:431:PRO:HA	1:B:432:PRO:HD3	1.82	0.42
1:B:404:ILE:CD1	1:B:404:ILE:N	2.71	0.42
1:A:65:LEU:HD13	1:A:292:PHE:CD1	2.54	0.42
1:A:480:ASN:O	1:A:483:GLN:HB2	2.19	0.42
1:B:483:GLN:O	1:B:487:THR:CG2	2.67	0.42
1:B:199:PHE:O	1:B:200:LYS:C	2.57	0.42
1:A:85:THR:HB	3:A:2026:HOH:O	2.20	0.42
1:A:86:HIS:CE1	1:A:322:LEU:HD11	2.55	0.42
1:A:216:ALA:O	1:A:219:ILE:HG22	2.20	0.42
1:A:437:GLN:HB3	3:A:2101:HOH:O	2.19	0.42
1:A:210:THR:HG23	1:A:225:GLN:NE2	2.35	0.41
1:A:28:ARG:NH2	1:A:39:GLU:OE1	2.53	0.41
1:B:299:PRO:HG2	1:B:302:MET:HB3	2.01	0.41
1:B:226:MET:HB3	1:B:226:MET:HE3	1.93	0.41
1:A:478:ASN:ND2	3:A:2106:HOH:O	2.53	0.41
1:B:286:TYR:CD1	1:B:286:TYR:N	2.89	0.41
1:A:332:TYR:OH	1:A:336:VAL:HA	2.20	0.41
1:B:497:VAL:HA	1:B:498:PRO:HD3	1.73	0.41
1:A:502:GLY:HA2	1:B:491:TRP:CE2	2.55	0.41
1:B:269:HIS:CE1	1:B:271:ILE:CG1	3.03	0.41
1:B:135:GLN:N	3:B:2027:HOH:O	2.53	0.41
1:B:26:TYR:CE1	1:B:421:LYS:HE3	2.55	0.41
1:B:136:GLN:HG2	3:B:2027:HOH:O	2.20	0.41
1:B:109:CYS:HA	1:B:112:LEU:CD1	2.51	0.41
1:B:219:ILE:HG13	1:B:225:GLN:HE21	1.85	0.41
1:B:53:TYR:HB3	1:B:55:PHE:CD1	2.56	0.41
1:A:440:SER:O	1:A:444:GLU:HG2	2.21	0.41
1:A:354:CYS:HA	1:A:355:PRO:HD2	1.83	0.41
1:A:497:VAL:HA	1:A:498:PRO:HD3	1.61	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1:ASP:HB3	3:B:2001:HOH:O	2.22	0.40
1:B:123:GLN:OE1	1:B:123:GLN:HA	2.21	0.40
1:A:91:ILE:O	1:A:92:GLU:C	2.59	0.40
1:A:113:GLU:O	1:A:126:LYS:HD2	2.22	0.40
1:A:286:TYR:CD1	1:A:286:TYR:N	2.90	0.40
1:A:12:LYS:HE2	1:A:289:ASP:OD1	2.21	0.40
1:A:4:GLN:CG	3:A:2002:HOH:O	2.63	0.40
1:B:71:PRO:HB3	1:B:295:ARG:O	2.21	0.40
1:A:68:TYR:HB3	1:A:294:THR:HG22	2.02	0.40
1:A:418:TYR:OH	1:A:464:ILE:HD13	2.22	0.40
1:B:410:ILE:HG12	1:B:457:MET:HE1	2.03	0.40
1:A:250:GLN:NE2	1:A:312:ASN:HB3	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	497/515 (96%)	468 (94%)	22 (4%)	7 (1%)	14	50
1	B	500/515 (97%)	437 (87%)	50 (10%)	13 (3%)	7	32
All	All	997/1030 (97%)	905 (91%)	72 (7%)	20 (2%)	9	39

All (20) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	380	LYS
1	A	382	ASP
1	A	499	ASP
1	B	117	SER
1	B	422	ALA
1	B	500	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	478	ASN
1	B	21	PRO
1	B	50	ASP
1	B	132	GLU
1	B	178	ALA
1	B	384	ILE
1	B	498	PRO
1	A	422	ALA
1	A	498	PRO
1	B	48	SER
1	A	377	ALA
1	B	288	ASN
1	B	499	ASP
1	B	346	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	410/425 (96%)	358 (87%)	52 (13%)	5	22
1	B	413/425 (97%)	363 (88%)	50 (12%)	6	24
All	All	823/850 (97%)	721 (88%)	102 (12%)	6	23

All (102) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	LEU
1	A	11	VAL
1	A	24	THR
1	A	28	ARG
1	A	35	GLU
1	A	51	LYS
1	A	52	ARG
1	A	56	SER
1	A	58	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	59	GLU
1	A	61	LEU
1	A	66	LYS
1	A	69	THR
1	A	79	LEU
1	A	91	ILE
1	A	93	THR
1	A	94	ILE
1	A	102	VAL
1	A	113	GLU
1	A	115	THR
1	A	117	SER
1	A	123	GLN
1	A	138	THR
1	A	150	ASP
1	A	207	GLN
1	A	209	VAL
1	A	213	THR
1	A	244	SER
1	A	264	ARG
1	A	284	GLU
1	A	292	PHE
1	A	295	ARG
1	A	302	MET
1	A	305	THR
1	A	340	GLU
1	A	350	MET
1	A	363	THR
1	A	369	THR
1	A	374	LYS
1	A	376	THR
1	A	380	LYS
1	A	384	ILE
1	A	387	THR
1	A	420	LEU
1	A	425	THR
1	A	460	THR
1	A	463	GLN
1	A	464	ILE
1	A	467	LYS
1	A	474	LEU
1	A	482	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	493	ILE
1	B	11	VAL
1	B	17	VAL
1	B	22	THR
1	B	28	ARG
1	B	48	SER
1	B	57	GLN
1	B	60	MET
1	B	61	LEU
1	B	62	VAL
1	B	79	LEU
1	B	81	SER
1	B	91	ILE
1	B	94	ILE
1	B	104	THR
1	B	116	THR
1	B	118	CYS
1	B	133	GLU
1	B	134	GLN
1	B	147	GLN
1	B	151	LYS
1	B	156	ILE
1	B	170	LEU
1	B	193	LEU
1	B	200	LYS
1	B	208	VAL
1	B	209	VAL
1	B	213	THR
1	B	229	MET
1	B	245	LYS
1	B	264	ARG
1	B	288	ASN
1	B	295	ARG
1	B	305	THR
1	B	363	THR
1	B	369	THR
1	B	376	THR
1	B	380	LYS
1	B	382	ASP
1	B	385	LYS
1	B	400	THR
1	B	404	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	411	THR
1	B	420	LEU
1	B	425	THR
1	B	427	ASP
1	B	436	ARG
1	B	460	THR
1	B	475	VAL
1	B	479	THR
1	B	487	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	27	HIS
1	A	57	GLN
1	A	86	HIS
1	A	135	GLN
1	A	225	GLN
1	A	250	GLN
1	A	323	GLN
1	A	328	HIS
1	A	399	GLN
1	A	452	GLN
1	A	453	HIS
1	A	470	GLN
1	B	36	GLN
1	B	57	GLN
1	B	86	HIS
1	B	107	GLN
1	B	143	ASN
1	B	225	GLN
1	B	250	GLN
1	B	288	ASN
1	B	328	HIS
1	B	388	ASN
1	B	399	GLN
1	B	452	GLN
1	B	453	HIS
1	B	470	GLN
1	B	478	ASN
1	B	483	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GOL	A	1503	-	5,5,5	0.78	0	5,5,5	0.98	0
2	GOL	A	1504	-	5,5,5	0.32	0	5,5,5	0.20	0
2	GOL	B	1503	-	5,5,5	0.49	0	5,5,5	0.29	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	A	1503	-	-	0/4/4/4	0/0/0/0
2	GOL	A	1504	-	-	0/4/4/4	0/0/0/0
2	GOL	B	1503	-	-	0/4/4/4	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	499/515 (96%)	-0.35	9 (1%) 71 49	16, 31, 56, 69	0
1	B	502/515 (97%)	-0.17	21 (4%) 40 22	20, 37, 70, 77	0
All	All	1001/1030 (97%)	-0.26	30 (2%) 54 32	16, 35, 65, 77	0

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	431	PRO	4.8
1	A	500	PRO	4.5
1	B	133	GLU	3.8
1	B	500	PRO	3.7
1	A	333	THR	3.4
1	B	179	GLY	3.3
1	B	48	SER	3.1
1	B	132	GLU	3.1
1	B	178	ALA	3.1
1	B	424	ARG	2.9
1	B	425	THR	2.7
1	A	498	PRO	2.6
1	B	14	GLY	2.6
1	B	426	SER	2.6
1	A	499	ASP	2.5
1	B	456	VAL	2.5
1	A	501	VAL	2.5
1	B	429	SER	2.4
1	B	70	GLU	2.4
1	B	177	LYS	2.4
1	B	430	SER	2.3
1	B	499	ASP	2.2
1	B	51	LYS	2.2
1	B	432	PRO	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	51	LYS	2.1
1	B	15	LEU	2.1
1	A	380	LYS	2.1
1	A	382	ASP	2.1
1	A	379	ASP	2.1
1	B	380	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	GOL	A	1503	6/6	0.88	0.23	4.95	27,31,34,35	0
2	GOL	A	1504	6/6	0.80	0.25	0.68	50,51,53,55	0
2	GOL	B	1503	6/6	0.93	0.14	-0.01	35,38,39,41	0

6.5 Other polymers [i](#)

There are no such residues in this entry.