



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:20 AM GMT

PDB ID : 2WOX  
Title : BETAINE ALDEHYDE DEHYDROGENASE FROM PSEUDOMONAS AERUGINOSA WITH NAD(P)H-CATALYTIC THIOL ADDUCT.  
Authors : Gonzalez-Segura, L.; Rudino-Pinera, E.; Diaz-Sanchez, A.G.; Munoz-Clares, R.A.  
Deposited on : 2009-07-30  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3852 (2.30-2.30)
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)
RSRZ outliers	91569	3857 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	489	<div> <div>%</div> <div> <div></div> <div>84%</div> <div>15%</div> <div>.</div> </div> </div>
1	B	489	<div> <div>%</div> <div> <div></div> <div>84%</div> <div>15%</div> <div>.</div> </div> </div>
1	C	489	<div> <div></div> <div> <div></div> <div>88%</div> <div>12%</div> <div>.</div> </div> </div>
1	D	489	<div> <div>%</div> <div> <div></div> <div>87%</div> <div>13%</div> <div>.</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NDP	A	1491	-	-	-	X
2	NDP	B	1491	X	-	X	-
2	NDP	C	1491[A]	-	-	-	X
2	NDP	C	1491[B]	-	-	-	X
2	NDP	D	1491	X	-	X	X
3	K	A	1493	-	-	-	X
3	K	C	1492	-	-	-	X
3	K	D	1493	-	-	-	X
4	GOL	A	1494	-	-	X	X
4	GOL	B	1490	-	-	-	X
4	GOL	B	1495	-	-	-	X
4	GOL	B	1496	-	-	X	X
4	GOL	C	1496	-	-	-	X
4	GOL	C	1497	-	-	X	X
4	GOL	C	1498	-	-	-	X
4	GOL	C	1499	-	-	X	X
4	GOL	D	1494	-	-	-	X
4	GOL	D	1495	-	-	-	X
4	GOL	D	1496	-	-	-	X
5	7PE	A	1495	-	-	-	X
5	7PE	A	1496	-	-	X	X
5	7PE	B	1499	-	-	-	X
5	7PE	B	1500	-	-	-	X
5	7PE	C	1501	-	-	X	X
6	BME	C	1600	-	-	X	-

## 2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 16607 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called BETAINE ALDEHYDE DEHYDROGENASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	489	Total	C	N	O	S	0	7	0
			3797	2382	667	733	15			
1	B	489	Total	C	N	O	S	0	5	0
			3787	2376	666	730	15			
1	C	489	Total	C	N	O	S	0	4	0
			3778	2371	664	728	15			
1	D	489	Total	C	N	O	S	0	3	0
			3770	2365	663	727	15			

- Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula:  $C_{21}H_{30}N_7O_{17}P_3$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	
			60	26	7	23	4	
2	D	1	Total	C	N	O	P	
			48	21	7	17	3	

- Molecule 3 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	2	Total	K		
			2	2	0	0
3	A	2	Total	K		
			2	2	0	0
3	D	2	Total	K		
			2	2	0	0
3	C	2	Total	K		
			2	2	0	0

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O		
			6	3	3	0	0
4	B	1	Total	C	O		
			6	3	3	0	0
4	B	1	Total	C	O		
			6	3	3	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is 2-(2-(2-(2-(2-ETHOXYETHOXY)ETHOXY)ETHOXY)ETHOXY)ETHOXY)ETHANOL (three-letter code: 7PE) (formula: C<sub>14</sub>H<sub>30</sub>O<sub>7</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total 4	C 2	O 1	S 1	0	0
6	C	1	Total 4	C 2	O 1	S 1	0	0

- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	225	Total 225	O 225	0	0
7	B	265	Total 265	O 265	0	0
7	C	363	Total 363	O 363	0	0
7	D	235	Total 235	O 235	0	0




### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: BETAINE ALDEHYDE DEHYDROGENASE




#### • Molecule 1: BETAINE ALDEHYDE DEHYDROGENASE



#### • Molecule 1: BETAINE ALDEHYDE DEHYDROGENASE



#### • Molecule 1: BETAINE ALDEHYDE DEHYDROGENASE



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	151.75Å 151.75Å 242.05Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	63.41 – 2.30 75.87 – 2.30	Depositor EDS
% Data completeness (in resolution range)	98.9 (63.41-2.30) 98.7 (75.87-2.30)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.21 (at 2.29Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, $R_{free}$	0.159 , 0.198 0.137 , 0.197	Depositor DCC
$R_{free}$ test set	7081 reflections (5.28%)	DCC
Wilson B-factor (Å <sup>2</sup> )	35.7	Xtriage
Anisotropy	0.120	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 58.4	EDS
Estimated twinning fraction	0.016 for -h,-k,l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 141297 reflections	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	16607	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.36% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, K, 7PE, NDP, BME

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.35	0/3865	0.51	0/5237
1	B	0.38	0/3855	0.51	0/5223
1	C	0.42	0/3846	0.55	0/5211
1	D	0.41	1/3838 (0.0%)	0.50	0/5200
All	All	0.39	1/15404 (0.0%)	0.52	0/20871

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	353	CYS	CB-SG	-5.46	1.73	1.81

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3797	0	3761	79	0
1	B	3787	0	3752	83	0
1	C	3778	0	3744	69	0
1	D	3770	0	3736	70	0
2	A	48	0	25	16	0
2	B	48	0	24	25	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	60	0	14	8	0
2	D	48	0	24	21	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
3	C	2	0	0	0	0
3	D	2	0	0	0	0
4	A	6	0	8	8	0
4	B	30	0	40	15	0
4	C	36	0	48	11	0
4	D	24	0	32	1	0
5	A	32	0	41	16	0
5	B	24	0	24	9	0
5	C	15	0	21	10	0
6	A	4	0	5	2	0
6	C	4	0	5	5	0
7	A	225	0	0	3	0
7	B	265	0	0	7	0
7	C	363	0	0	8	0
7	D	235	0	0	5	0
All	All	16607	0	15304	321	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (321) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:1496:7PE:H111	7:A:2224:HOH:O	1.28	1.24
1:C:307[B]:LEU:HD21	1:C:352:LEU:CG	1.67	1.24
1:B:68:ARG:NH2	4:B:1496:GOL:H12	1.54	1.20
1:B:68:ARG:HH22	4:B:1496:GOL:C1	1.55	1.19
1:A:307[B]:LEU:HD21	1:A:352:LEU:CD2	1.85	1.07
1:A:157:GLN:HE22	5:A:1496:7PE:H121	1.12	1.06
1:C:307[B]:LEU:CD2	1:C:352:LEU:HG	1.85	1.05
1:B:252:GLU:HB3	2:B:1491:NDP:O7N	1.54	1.03
4:A:1494:GOL:H11	5:A:1496:7PE:O19	1.59	1.01
1:C:389:PHE:CE1	2:C:1491[A]:NDP:H2D	1.95	1.00
1:B:286[A]:CYS:SG	2:B:1491:NDP:C5N	2.50	0.98
1:A:157:GLN:HE22	5:A:1496:7PE:C12	1.78	0.97
1:C:447:SER:H	4:C:1499:GOL:H2	1.29	0.96
1:D:252:GLU:HB3	2:D:1491:NDP:O7N	1.64	0.95

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:228:THR:HG23	2:A:1491:NDP:C5N	1.96	0.95
4:A:1494:GOL:H12	5:A:1496:7PE:H172	1.52	0.92
1:B:68:ARG:HH22	4:B:1496:GOL:H12	0.75	0.92
1:B:286[B]:CYS:SG	2:B:1491:NDP:N7N	2.45	0.90
1:C:307[B]:LEU:HD21	1:C:352:LEU:HG	0.91	0.88
1:B:284:GLN:HE22	1:B:329:VAL:H	1.22	0.88
1:D:286[A]:CYS:SG	2:D:1491:NDP:C5N	2.57	0.87
1:C:219:HIS:HD2	1:C:221:LEU:H	1.23	0.87
1:C:307[B]:LEU:HD23	1:C:353:CYS:SG	2.14	0.86
1:D:284:GLN:HE22	1:D:329:VAL:H	1.19	0.86
1:C:210:ARG:HG3	2:C:1491[B]:NDP:H1D	1.57	0.85
1:A:307[B]:LEU:HD21	1:A:352:LEU:HG	1.59	0.85
1:A:307[B]:LEU:HD21	1:A:352:LEU:CG	2.06	0.85
1:B:143:LEU:HD23	1:B:475:ARG:HG2	1.58	0.84
1:D:389:PHE:CE1	2:D:1491:NDP:H2D	2.11	0.84
1:B:286[A]:CYS:HB3	2:B:1491:NDP:H71N	1.42	0.84
1:B:219:HIS:HD2	1:B:221:LEU:H	1.24	0.83
1:C:286[B]:CYS:SG	7:C:2356:HOH:O	2.35	0.83
4:A:1494:GOL:C1	5:A:1496:7PE:O19	2.28	0.82
4:A:1494:GOL:H11	5:A:1496:7PE:C18	2.10	0.82
1:C:307[B]:LEU:HD21	1:C:352:LEU:CD2	2.09	0.82
1:B:199:ASP:HB2	5:B:1499:7PE:H122	1.61	0.82
4:B:1496:GOL:H2	7:B:2265:HOH:O	1.79	0.81
1:C:456:TYR:CZ	1:D:475:ARG:HD3	2.14	0.81
1:B:389:PHE:CE1	2:B:1491:NDP:H2D	2.15	0.81
1:D:219:HIS:HD2	1:D:221:LEU:H	1.29	0.80
1:B:447:SER:H	5:B:1500:7PE:C12	1.95	0.79
1:A:303:GLU:O	1:A:307[B]:LEU:HG	1.81	0.79
1:C:284:GLN:HE22	1:C:329:VAL:H	1.27	0.79
1:B:286[B]:CYS:SG	2:B:1491:NDP:H42N	2.24	0.78
1:D:286[A]:CYS:HB3	2:D:1491:NDP:H71N	1.48	0.78
1:A:157:GLN:NE2	5:A:1496:7PE:H121	1.97	0.78
1:A:307[B]:LEU:CD2	1:A:352:LEU:CD2	2.62	0.77
1:B:230:GLY:HA2	2:B:1491:NDP:O3D	1.84	0.77
1:B:295:HIS:CD2	1:B:297:SER:H	2.02	0.77
1:B:199:ASP:N	5:B:1499:7PE:H121	2.00	0.76
1:B:353:CYS:SG	7:B:2126:HOH:O	2.44	0.76
1:A:252:GLU:O	2:A:1491:NDP:H5N	1.84	0.76
1:A:307[B]:LEU:CD2	1:A:352:LEU:HD23	2.15	0.76
1:D:230:GLY:HA2	2:D:1491:NDP:O3D	1.86	0.76
4:A:1494:GOL:H32	5:A:1496:7PE:H151	1.68	0.75

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:286[B]:CYS:SG	2:D:1491:NDP:H42N	2.27	0.75
1:D:286[B]:CYS:HB2	2:D:1491:NDP:H71N	1.51	0.74
1:B:199:ASP:H	5:B:1499:7PE:H121	1.49	0.74
1:A:228:THR:CG2	2:A:1491:NDP:H42N	2.18	0.74
1:A:284:GLN:HE22	1:A:329:VAL:H	1.35	0.74
2:B:1491:NDP:H42N	7:B:2195:HOH:O	1.89	0.73
1:A:295:HIS:HD2	1:A:297:SER:OG	1.71	0.73
1:A:153:ASN:ND2	2:A:1491:NDP:N7N	2.36	0.72
1:C:307[A]:LEU:HD13	6:C:1600:BME:S2	2.30	0.72
1:D:353:CYS:SG	7:D:2091:HOH:O	2.47	0.72
1:C:444:TRP:CD1	5:C:1501:7PE:H82	2.25	0.71
1:C:445:GLY:HA3	5:C:1501:7PE:H112	1.72	0.71
1:A:475:ARG:HD3	1:B:456:TYR:CZ	2.26	0.71
1:B:219:HIS:CD2	1:B:221:LEU:H	2.07	0.70
1:A:228:THR:HG23	2:A:1491:NDP:C4N	2.23	0.69
1:C:187:LYS:NZ	4:C:1495:GOL:H12	2.07	0.69
1:A:219:HIS:HD2	1:A:221:LEU:H	1.42	0.68
2:D:1491:NDP:H42N	7:D:2235:HOH:O	1.93	0.67
1:A:307[B]:LEU:HD21	1:A:352:LEU:HD23	1.67	0.67
4:B:1496:GOL:O3	7:B:2264:HOH:O	2.12	0.67
1:C:307[B]:LEU:CD2	1:C:353:CYS:SG	2.82	0.67
1:B:286[B]:CYS:HB3	2:B:1491:NDP:C2N	2.24	0.67
1:C:219:HIS:CD2	1:C:221:LEU:H	2.10	0.67
1:A:228:THR:HG23	2:A:1491:NDP:H5N	1.77	0.67
1:B:286[B]:CYS:HB2	2:B:1491:NDP:H71N	1.60	0.66
5:C:1501:7PE:H172	7:C:2363:HOH:O	1.95	0.66
1:A:429[A]:ARG:HG3	1:D:483:LEU:HD13	1.76	0.66
1:A:219:HIS:CD2	1:A:221:LEU:H	2.14	0.66
1:D:286[B]:CYS:SG	2:D:1491:NDP:N7N	2.70	0.65
1:D:219:HIS:CD2	1:D:221:LEU:H	2.13	0.65
1:C:288:ASN:OD1	5:C:1501:7PE:H81	1.96	0.65
6:C:1600:BME:H12	7:C:2119:HOH:O	1.96	0.65
5:A:1496:7PE:C11	7:A:2224:HOH:O	2.07	0.65
1:D:379:ASP:OD2	1:D:407:ARG:HD2	1.96	0.65
1:C:475:ARG:HD3	1:D:456:TYR:CZ	2.32	0.64
1:B:47:GLU:OE1	1:B:219:HIS:HE1	1.81	0.64
1:C:445:GLY:HA2	5:C:1501:7PE:H91	1.79	0.64
1:A:143:LEU:HD23	1:A:475:ARG:HG2	1.80	0.64
1:C:307[B]:LEU:CD2	1:C:352:LEU:CD2	2.76	0.64
1:D:116:TYR:OH	1:D:465:ASN:HA	1.98	0.63
1:D:47:GLU:OE1	1:D:219:HIS:HE1	1.80	0.63

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:353[B]:CYS:SG	6:A:1600:BME:S2	2.95	0.63
1:D:286[B]:CYS:HB3	2:D:1491:NDP:C2N	2.28	0.62
4:A:1494:GOL:C1	5:A:1496:7PE:C18	2.77	0.62
1:C:47:GLU:OE1	1:C:219:HIS:HE1	1.82	0.62
1:D:295:HIS:HD2	1:D:297:SER:OG	1.82	0.62
1:A:307[A]:LEU:HD11	6:A:1600:BME:H12	1.80	0.61
1:C:303:GLU:O	1:C:307[B]:LEU:HG	2.00	0.61
1:C:307[A]:LEU:CD1	6:C:1600:BME:S2	2.88	0.61
1:D:286[B]:CYS:CB	2:D:1491:NDP:H71N	2.14	0.61
1:D:387:GLU:OE2	7:D:2186:HOH:O	2.16	0.61
1:A:456:TYR:CZ	1:B:475:ARG:HD3	2.36	0.61
1:B:199:ASP:H	5:B:1499:7PE:C12	2.13	0.61
1:A:157:GLN:NE2	5:A:1496:7PE:C12	2.59	0.60
1:D:286[A]:CYS:SG	2:D:1491:NDP:C2D	2.89	0.60
1:A:389:PHE:CE1	2:A:1491:NDP:H2D	2.36	0.60
1:D:231:THR:HA	1:D:253:LEU:HD13	1.82	0.60
1:A:307[B]:LEU:HD21	1:A:352:LEU:HD21	1.81	0.60
1:B:295:HIS:HD2	1:B:297:SER:H	1.46	0.60
1:B:261[B]:ILE:HD13	1:B:270:ALA:HB1	1.84	0.60
5:C:1501:7PE:H211	1:D:487:ALA:O	2.02	0.59
1:B:8:LYS:HE2	1:B:17:GLU:OE2	2.02	0.59
4:B:1490:GOL:H2	2:B:1491:NDP:N7A	2.18	0.59
1:B:379:ASP:OD2	1:B:407:ARG:HD2	2.03	0.59
4:A:1494:GOL:C3	5:A:1496:7PE:H151	2.33	0.59
1:C:445:GLY:CA	5:C:1501:7PE:H91	2.33	0.59
1:A:228:THR:CG2	2:A:1491:NDP:C5N	2.78	0.58
1:C:379:ASP:OD2	1:C:407:ARG:HD2	2.04	0.58
1:D:253:LEU:O	2:D:1491:NDP:N7N	2.36	0.58
1:B:252:GLU:CB	2:B:1491:NDP:O7N	2.42	0.58
1:D:286[A]:CYS:CB	2:D:1491:NDP:H71N	2.14	0.57
1:B:286[B]:CYS:SG	2:B:1491:NDP:C7N	2.91	0.57
1:C:295:HIS:CD2	1:C:297:SER:H	2.23	0.57
4:B:1490:GOL:H2	2:B:1491:NDP:H61A	1.70	0.57
1:C:219:HIS:CD2	1:C:220:PRO:HD2	2.39	0.57
1:B:286[B]:CYS:CB	2:B:1491:NDP:C2N	2.83	0.56
1:A:119:LEU:HD21	1:D:122:ALA:HB2	1.87	0.56
1:B:229:GLY:O	1:B:253:LEU:HA	2.05	0.56
1:D:284:GLN:HE22	1:D:329:VAL:N	1.96	0.56
1:C:187:LYS:HZ3	4:C:1495:GOL:H12	1.70	0.56
1:D:295:HIS:CD2	1:D:297:SER:H	2.23	0.56
1:C:230:GLY:HA2	2:C:1491[A]:NDP:O3D	2.06	0.56

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:1494:GOL:H12	5:A:1496:7PE:C17	2.31	0.56
1:C:447:SER:H	4:C:1499:GOL:C2	2.09	0.56
1:A:43:ARG:HG3	1:A:215:TRP:CE2	2.40	0.56
1:A:50:VAL:O	1:A:54:VAL:HG23	2.05	0.56
1:B:286[A]:CYS:CB	2:B:1491:NDP:H71N	2.14	0.56
1:C:389:PHE:CZ	2:C:1491[A]:NDP:H2D	2.37	0.55
1:B:286[B]:CYS:CB	2:B:1491:NDP:H71N	2.16	0.55
1:B:286[A]:CYS:HB3	2:B:1491:NDP:N7N	2.17	0.55
4:C:1497:GOL:H32	7:C:2338:HOH:O	2.07	0.55
1:D:285:VAL:HB	1:D:288:ASN:OD1	2.07	0.54
1:A:379:ASP:OD2	1:A:407:ARG:HD2	2.07	0.54
1:A:295:HIS:CD2	1:A:297:SER:H	2.26	0.54
1:D:464:GLU:O	1:D:465:ASN:HB2	2.07	0.54
1:B:210:ARG:C	1:B:211:GLU:HG3	2.28	0.54
1:B:397:VAL:O	1:B:407:ARG:NH2	2.41	0.54
1:D:328:LEU:HD12	1:D:334:MET:HA	1.89	0.54
1:C:280:PHE:CD2	5:C:1501:7PE:H141	2.43	0.53
1:D:286[B]:CYS:SG	1:D:287:THR:HG23	2.49	0.53
1:D:120:VAL:HB	1:D:121:PRO:HD3	1.91	0.53
1:C:444:TRP:HD1	5:C:1501:7PE:H82	1.70	0.53
1:A:228:THR:HG23	2:A:1491:NDP:H42N	1.84	0.52
1:B:285:VAL:HB	1:B:288:ASN:OD1	2.10	0.51
1:D:116:TYR:OH	1:D:465:ASN:CA	2.58	0.51
1:C:284:GLN:HE22	1:C:329:VAL:N	2.03	0.51
1:A:229:GLY:O	2:A:1491:NDP:H6N	2.11	0.51
1:D:261:ILE:HD12	1:D:270:ALA:HB1	1.92	0.50
1:B:162:LYS:O	1:B:165:PRO:HD2	2.10	0.50
1:A:153:ASN:HD21	2:A:1491:NDP:H72N	1.53	0.50
1:A:379:ASP:OD2	1:A:407:ARG:CD	2.59	0.50
1:D:415:LEU:HD21	2:D:1491:NDP:H72N	1.76	0.50
1:D:315:LEU:C	1:D:315:LEU:HD23	2.32	0.50
1:B:152:TRP:CE3	1:B:329:VAL:HG11	2.47	0.50
1:B:59:VAL:HG11	5:B:1499:7PE:H92	1.94	0.50
1:C:187:LYS:HZ1	4:C:1495:GOL:H12	1.77	0.50
1:C:454:GLY:HA3	1:C:463:ARG:HD3	1.93	0.50
1:D:415:LEU:HD21	2:D:1491:NDP:N7N	2.26	0.49
1:A:295:HIS:CD2	1:A:297:SER:OG	2.58	0.49
1:D:152:TRP:CE3	1:D:329:VAL:HG11	2.48	0.49
1:A:152:TRP:CE3	1:A:329:VAL:HG11	2.48	0.49
1:A:243:SER:HB3	1:B:239:ALA:HB2	1.95	0.49
1:B:238:MET:HG3	1:B:249:VAL:HG21	1.93	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:307[B]:LEU:HG	1:C:352:LEU:HD21	1.93	0.49
1:A:353[A]:CYS:O	1:A:372:THR:HA	2.13	0.49
1:B:453:VAL:HG21	4:B:1495:GOL:H31	1.94	0.49
1:C:311:GLN:HG3	6:C:1600:BME:H21	1.96	0.48
6:C:1600:BME:C1	7:C:2119:HOH:O	2.57	0.48
1:D:462:GLY:C	1:D:463:ARG:HG2	2.33	0.48
1:C:102:ARG:NH2	1:C:321:GLU:HG2	2.28	0.48
1:D:284:GLN:NE2	1:D:329:VAL:H	2.00	0.48
1:A:328:LEU:HD12	1:A:334:MET:HA	1.95	0.48
1:A:120:VAL:HB	1:A:121:PRO:HD3	1.95	0.48
1:D:254:GLY:HA2	2:D:1491:NDP:O2D	2.14	0.48
1:C:397:VAL:O	1:C:407:ARG:NH2	2.47	0.48
1:A:417:ALA:O	1:A:439:CYS:HA	2.14	0.48
1:A:304:ALA:HA	1:A:307[B]:LEU:HD12	1.95	0.48
1:A:315:LEU:C	1:A:315:LEU:HD23	2.34	0.48
4:B:1497:GOL:H12	7:B:2002:HOH:O	2.14	0.48
1:D:232:SER:HB3	7:D:2150:HOH:O	2.14	0.47
1:A:307[A]:LEU:HD13	1:A:353[A]:CYS:SG	2.54	0.47
1:D:462:GLY:O	1:D:463:ARG:HG2	2.13	0.47
1:A:228:THR:HG21	2:A:1491:NDP:H42N	1.94	0.47
1:A:229:GLY:O	1:A:253:LEU:HA	2.14	0.47
1:A:122:ALA:HB2	1:D:119:LEU:HD21	1.96	0.47
1:C:447:SER:HB3	4:C:1499:GOL:H31	1.96	0.47
1:B:211:GLU:O	1:B:212:VAL:C	2.52	0.47
1:C:406[A]:ARG:NH1	7:C:2300:HOH:O	2.44	0.47
1:A:231:THR:HA	1:A:253:LEU:HD13	1.97	0.47
1:C:8:LYS:HE2	1:C:17:GLU:OE2	2.15	0.47
1:B:161:TRP:HZ3	4:B:1495:GOL:H12	1.80	0.46
1:B:328:LEU:HD12	1:B:334:MET:HA	1.97	0.46
1:D:219:HIS:CD2	1:D:220:PRO:HD2	2.50	0.46
1:B:286[A]:CYS:CB	2:B:1491:NDP:N7N	2.77	0.46
1:A:347:GLN:O	1:A:348:LYS:HB2	2.16	0.46
1:A:271:ALA:O	1:A:275[A]:VAL:HG22	2.15	0.46
1:B:431:ILE:HG13	1:B:439:CYS:HB3	1.98	0.46
1:D:295:HIS:CD2	1:D:297:SER:OG	2.68	0.46
1:D:286[A]:CYS:SG	2:D:1491:NDP:O2D	2.73	0.46
5:A:1495:7PE:H152	5:A:1495:7PE:H121	1.66	0.46
4:B:1496:GOL:H32	7:B:2262:HOH:O	2.16	0.45
1:A:229:GLY:HA2	2:A:1491:NDP:O4D	2.15	0.45
1:D:116:TYR:OH	1:D:465:ASN:C	2.55	0.45
1:D:315:LEU:HD23	1:D:316:GLY:N	2.31	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:431:ILE:HG13	1:A:439:CYS:HB3	1.98	0.45
1:D:219:HIS:HA	1:D:220:PRO:HD3	1.81	0.45
1:C:286[A]:CYS:SG	2:C:1491[A]:NDP:C2D	3.03	0.45
1:C:389:PHE:CD1	2:C:1491[A]:NDP:H2D	2.49	0.45
5:A:1495:7PE:H51	1:D:467:LEU:HD22	1.99	0.45
1:D:431:ILE:HD12	1:D:434:LEU:HD12	1.98	0.45
1:A:95:GLY:O	1:A:327:PRO:HD2	2.17	0.45
1:B:27:ILE:CD1	1:B:34:VAL:HG22	2.47	0.45
1:D:286[B]:CYS:CB	2:D:1491:NDP:C2N	2.93	0.44
1:B:176:LYS:HD2	1:B:212:VAL:HG22	1.98	0.44
1:A:307[B]:LEU:HD23	1:A:352:LEU:HD23	1.95	0.44
1:A:8:LYS:HE2	1:A:17:GLU:OE2	2.18	0.44
1:B:44:GLU:HG2	7:B:2061:HOH:O	2.16	0.44
1:A:431:ILE:CG1	1:A:439:CYS:HB3	2.47	0.44
1:C:210:ARG:HG3	2:C:1491[B]:NDP:C1D	2.38	0.44
1:D:256:LYS:HE3	1:D:290:THR:OG1	2.17	0.44
4:B:1490:GOL:C2	2:B:1491:NDP:H61A	2.30	0.44
1:D:152:TRP:CZ3	1:D:329:VAL:HG11	2.53	0.44
1:B:286[B]:CYS:SG	1:B:287:THR:HG23	2.57	0.44
1:B:211:GLU:O	1:B:214[A]:GLN:N	2.49	0.44
1:B:199:ASP:CB	5:B:1499:7PE:H122	2.41	0.43
1:C:213:GLY:O	1:C:217:THR:HG23	2.18	0.43
1:B:284:GLN:HE22	1:B:329:VAL:N	2.02	0.43
1:C:219:HIS:HA	1:C:220:PRO:HD3	1.74	0.43
1:B:253:LEU:O	2:B:1491:NDP:N7N	2.51	0.43
1:A:286:CYS:SG	2:A:1491:NDP:C2D	3.03	0.43
1:D:317:ASP:OD1	1:D:318:PRO:HD2	2.19	0.43
1:C:266:ASP:HB3	7:C:2215:HOH:O	2.17	0.43
1:B:286[B]:CYS:SG	1:B:415:LEU:HD21	2.59	0.43
1:C:319:GLN:HE21	1:C:319:GLN:HA	1.83	0.43
1:A:284:GLN:HE22	1:A:329:VAL:N	2.11	0.43
1:B:98:LEU:HA	1:B:98:LEU:HD12	1.89	0.43
1:C:271:ALA:O	1:C:275:VAL:HG22	2.18	0.43
1:D:378:ARG:HG3	1:D:381:MET:CE	2.48	0.43
1:D:454:GLY:HA3	1:D:463:ARG:HD3	2.00	0.42
1:A:257:SER:HA	1:A:258:PRO:HD3	1.93	0.42
1:A:219:HIS:CD2	1:A:220:PRO:HD2	2.54	0.42
1:A:271:ALA:O	1:A:275[B]:VAL:HG23	2.19	0.42
1:C:229:GLY:O	1:C:253:LEU:HA	2.18	0.42
1:B:199:ASP:N	5:B:1499:7PE:C12	2.77	0.42
1:B:199:ASP:O	5:B:1499:7PE:H142	2.20	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:153:ASN:OD1	2:A:1491:NDP:N7N	2.52	0.42
1:B:475:ARG:H	1:B:475:ARG:HG3	1.62	0.42
1:A:47:GLU:OE1	1:A:219:HIS:HE1	2.03	0.42
1:B:161:TRP:CZ3	4:B:1495:GOL:H12	2.54	0.42
1:A:315:LEU:HD23	1:A:316:GLY:N	2.34	0.42
1:B:286[A]:CYS:HB2	2:B:1491:NDP:H42N	2.01	0.42
1:B:415:LEU:HD21	2:B:1491:NDP:N7N	2.34	0.42
1:A:475:ARG:H	1:A:475:ARG:HG3	1.67	0.42
1:A:340:TYR:O	1:A:343:SER:HB3	2.19	0.42
1:D:425:ALA:O	1:D:429[B]:ARG:HB3	2.19	0.42
1:C:286[A]:CYS:SG	2:C:1491[A]:NDP:O2D	2.71	0.42
1:C:447:SER:N	4:C:1499:GOL:H2	2.13	0.42
1:B:228:THR:HG23	2:B:1491:NDP:C3N	2.50	0.42
1:D:286[A]:CYS:HB2	2:D:1491:NDP:H42N	2.02	0.41
1:D:454:GLY:CA	1:D:463:ARG:HD3	2.50	0.41
1:D:431:ILE:HG13	1:D:439:CYS:HB3	2.02	0.41
1:B:309:ARG:O	1:B:312:ARG:HG2	2.20	0.41
1:D:157:GLN:OE1	4:D:1495:GOL:H11	2.19	0.41
1:B:152:TRP:CD2	1:B:329:VAL:HG11	2.55	0.41
1:B:126:GLU:OE2	1:D:124:GLU:OE1	2.39	0.41
1:C:417:ALA:O	1:C:439:CYS:HA	2.21	0.41
1:A:385:ARG:NH1	7:A:2165:HOH:O	2.54	0.41
1:A:3:ARG:HD3	1:A:4:PHE:CZ	2.55	0.41
1:C:28:ASN:HA	1:C:29:PRO:HD3	1.96	0.41
1:B:286[A]:CYS:SG	2:B:1491:NDP:C2D	3.08	0.41
1:B:143:LEU:O	1:B:223:GLU:HG3	2.21	0.41
1:B:219:HIS:HA	1:B:220:PRO:HD3	1.89	0.41
1:D:309:ARG:O	1:D:312:ARG:HG2	2.21	0.41
1:C:280:PHE:CE2	5:C:1501:7PE:H141	2.55	0.41
1:B:15:TYR:CD1	4:B:1498:GOL:H31	2.55	0.41
1:A:235:LYS:HE3	1:A:458:GLN:OE1	2.20	0.41
1:A:229:GLY:C	2:A:1491:NDP:H1D	2.41	0.41
1:B:284:GLN:HE21	1:B:333:HIS:CD2	2.39	0.41
1:B:94:THR:HG22	1:B:181:THR:HG21	2.03	0.41
1:B:217:THR:HG21	1:B:237:VAL:HG13	2.03	0.41
1:B:340:TYR:O	1:B:343:SER:HB3	2.21	0.41
1:A:207:GLY:HA3	1:A:212:VAL:HG11	2.02	0.41
1:C:295:HIS:HE1	1:C:399:ASP:O	2.02	0.41
1:A:106:ILE:N	1:A:106:ILE:HD12	2.36	0.40
1:B:426:ARG:HB2	1:B:429[B]:ARG:NH1	2.36	0.40
1:C:307[B]:LEU:CG	1:C:352:LEU:HD21	2.52	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:463:ARG:HG2	1:D:463:ARG:HH11	1.86	0.40
1:D:319:GLN:HE21	1:D:319:GLN:HA	1.85	0.40
1:C:255:GLY:HA2	1:C:413:TYR:CD1	2.56	0.40
1:B:164:ALA:HB3	1:B:165:PRO:HD3	2.02	0.40
1:A:213:GLY:O	1:A:217:THR:HG23	2.22	0.40
1:A:309:ARG:O	1:A:312:ARG:HG2	2.22	0.40
2:D:1491:NDP:C4N	7:D:2235:HOH:O	2.62	0.40
1:B:273:ILE:HG23	1:B:444:TRP:HB2	2.04	0.40
1:B:7:GLN:OE1	4:B:1497:GOL:H11	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	494/489 (101%)	482 (98%)	11 (2%)	1 (0%)	52	64
1	B	492/489 (101%)	477 (97%)	15 (3%)	0	100	100
1	C	491/489 (100%)	476 (97%)	15 (3%)	0	100	100
1	D	490/489 (100%)	478 (98%)	12 (2%)	0	100	100
All	All	1967/1956 (101%)	1913 (97%)	53 (3%)	1 (0%)	56	68

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	414	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	397/390 (102%)	387 (98%)	10 (2%)	55	73
1	B	395/390 (101%)	385 (98%)	10 (2%)	55	73
1	C	394/390 (101%)	383 (97%)	11 (3%)	51	68
1	D	393/390 (101%)	387 (98%)	6 (2%)	72	85
All	All	1579/1560 (101%)	1542 (98%)	37 (2%)	61	75

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	ARG
1	A	14	ARG
1	A	136	VAL
1	A	210	ARG
1	A	212	VAL
1	A	307[A]	LEU
1	A	307[B]	LEU
1	A	319	GLN
1	A	411	THR
1	A	475	ARG
1	B	40	ARG
1	B	98	LEU
1	B	136	VAL
1	B	211	GLU
1	B	214[A]	GLN
1	B	214[B]	GLN
1	B	319	GLN
1	B	429[A]	ARG
1	B	429[B]	ARG
1	B	475	ARG
1	C	14	ARG
1	C	26	THR
1	C	43	ARG
1	C	44[A]	GLU
1	C	44[B]	GLU
1	C	98	LEU
1	C	136	VAL
1	C	210	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	212	VAL
1	C	319	GLN
1	C	475	ARG
1	D	3	ARG
1	D	98	LEU
1	D	132	GLU
1	D	212	VAL
1	D	319	GLN
1	D	475	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	7	GLN
1	A	83	ASN
1	A	157	GLN
1	A	219	HIS
1	A	284	GLN
1	A	295	HIS
1	A	319	GLN
1	B	83	ASN
1	B	219	HIS
1	B	284	GLN
1	B	295	HIS
1	B	319	GLN
1	C	7	GLN
1	C	83	ASN
1	C	219	HIS
1	C	284	GLN
1	C	295	HIS
1	C	319	GLN
1	D	83	ASN
1	D	219	HIS
1	D	284	GLN
1	D	295	HIS
1	D	319	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 36 ligands modelled in this entry, 8 are monoatomic - leaving 28 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	NDP	A	1491	1	42,52,52	1.54	4 (9%)	55,80,80	2.83	7 (12%)
4	GOL	A	1494	-	5,5,5	0.32	0	5,5,5	0.34	0
5	7PE	A	1495	-	20,20,20	1.51	4 (20%)	19,19,19	1.57	5 (26%)
5	7PE	A	1496	-	10,10,20	0.32	0	9,9,19	0.34	0
6	BME	A	1600	-	3,3,3	0.34	0	2,2,2	0.43	0
4	GOL	B	1490	-	5,5,5	0.66	0	5,5,5	0.60	0
2	NDP	B	1491	-	42,52,52	1.97	12 (28%)	55,80,80	2.50	11 (20%)
4	GOL	B	1495	-	5,5,5	0.28	0	5,5,5	0.56	0
4	GOL	B	1496	-	5,5,5	0.25	0	5,5,5	0.41	0
4	GOL	B	1497	-	5,5,5	0.55	0	5,5,5	0.53	0
4	GOL	B	1498	-	5,5,5	0.37	0	5,5,5	0.32	0
5	7PE	B	1499	-	15,15,20	1.90	2 (13%)	14,14,19	4.67	2 (14%)
5	7PE	B	1500	-	7,7,20	0.32	0	6,6,19	0.33	0
2	NDP	C	1491[A]	-	42,52,52	1.76	5 (11%)	55,80,80	4.64	10 (18%)
2	NDP	C	1491[B]	-	42,52,52	66.56	4 (9%)	55,80,80	4.04	15 (27%)
4	GOL	C	1495	-	5,5,5	0.21	0	5,5,5	0.43	0
4	GOL	C	1496	-	5,5,5	0.29	0	5,5,5	0.24	0
4	GOL	C	1497	-	5,5,5	0.40	0	5,5,5	0.34	0
4	GOL	C	1498	-	5,5,5	0.24	0	5,5,5	0.11	0
4	GOL	C	1499	-	5,5,5	0.47	0	5,5,5	1.27	1 (20%)
4	GOL	C	1500	-	5,5,5	0.69	0	5,5,5	1.14	0



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	7PE	C	1501	-	14,14,20	0.42	0	13,13,19	0.59	0
6	BME	C	1600	1	3,3,3	0.32	0	2,2,2	0.34	0
2	NDP	D	1491	-	42,52,52	1.97	12 (28%)	55,80,80	2.50	11 (20%)
4	GOL	D	1494	-	5,5,5	0.25	0	5,5,5	0.23	0
4	GOL	D	1495	-	5,5,5	0.28	0	5,5,5	0.27	0
4	GOL	D	1496	-	5,5,5	1.37	0	5,5,5	2.30	3 (60%)
4	GOL	D	1497	-	5,5,5	0.43	0	5,5,5	0.61	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NDP	A	1491	1	-	0/30/77/77	0/4/5/5
4	GOL	A	1494	-	-	0/4/4/4	0/0/0/0
5	7PE	A	1495	-	-	0/18/18/18	0/0/0/0
5	7PE	A	1496	-	-	0/8/8/18	0/0/0/0
6	BME	A	1600	-	-	0/1/1/1	0/0/0/0
4	GOL	B	1490	-	-	0/4/4/4	0/0/0/0
2	NDP	B	1491	-	1/1/14/17	0/30/77/77	0/4/5/5
4	GOL	B	1495	-	-	0/4/4/4	0/0/0/0
4	GOL	B	1496	-	-	0/4/4/4	0/0/0/0
4	GOL	B	1497	-	-	0/4/4/4	0/0/0/0
4	GOL	B	1498	-	-	0/4/4/4	0/0/0/0
5	7PE	B	1499	-	-	0/13/13/18	0/0/0/0
5	7PE	B	1500	-	-	0/5/5/18	0/0/0/0
2	NDP	C	1491[A]	-	-	0/30/77/77	0/5/5/5
2	NDP	C	1491[B]	-	-	0/30/77/77	0/4/5/5
4	GOL	C	1495	-	-	0/4/4/4	0/0/0/0
4	GOL	C	1496	-	-	0/4/4/4	0/0/0/0
4	GOL	C	1497	-	-	0/4/4/4	0/0/0/0
4	GOL	C	1498	-	-	0/4/4/4	0/0/0/0
4	GOL	C	1499	-	-	0/4/4/4	0/0/0/0
4	GOL	C	1500	-	-	0/4/4/4	0/0/0/0
5	7PE	C	1501	-	-	0/12/12/18	0/0/0/0
6	BME	C	1600	1	-	0/1/1/1	0/0/0/0
2	NDP	D	1491	-	1/1/14/17	0/30/77/77	0/4/5/5
4	GOL	D	1494	-	-	0/4/4/4	0/0/0/0
4	GOL	D	1495	-	-	0/4/4/4	0/0/0/0
4	GOL	D	1496	-	-	0/4/4/4	0/0/0/0
4	GOL	D	1497	-	-	0/4/4/4	0/0/0/0

All (43) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	1499	7PE	C6-C5	-5.44	1.19	1.49
2	C	1491[A]	NDP	C4N-C5N	-5.31	1.37	1.49
2	C	1491[B]	NDP	C4N-C5N	-5.31	1.37	1.49
5	B	1499	7PE	O7-C6	-4.24	1.24	1.42
5	A	1495	7PE	C11-C12	-3.07	1.33	1.48
2	B	1491	NDP	PN-O5D	-3.04	1.45	1.59
2	D	1491	NDP	PN-O5D	-3.02	1.45	1.59
5	A	1495	7PE	C8-C9	-2.97	1.33	1.48
5	A	1495	7PE	C5-C6	-2.96	1.33	1.48
5	A	1495	7PE	C3-C2	-2.79	1.34	1.49
2	A	1491	NDP	C1D-N1N	-2.78	1.38	1.46
2	B	1491	NDP	P2B-O3X	-2.73	1.44	1.54
2	D	1491	NDP	P2B-O3X	-2.72	1.44	1.54
2	D	1491	NDP	P2B-O2X	-2.70	1.45	1.54
2	B	1491	NDP	P2B-O2X	-2.70	1.45	1.54
2	D	1491	NDP	PN-O2N	-2.59	1.43	1.54
2	B	1491	NDP	PN-O2N	-2.58	1.43	1.54
2	B	1491	NDP	P2B-O1X	-2.53	1.42	1.51
2	D	1491	NDP	P2B-O1X	-2.53	1.42	1.51
2	D	1491	NDP	C4A-N3A	-2.50	1.31	1.35
2	B	1491	NDP	C4A-N3A	-2.50	1.31	1.35
2	D	1491	NDP	C5A-C4A	-2.37	1.35	1.40
2	B	1491	NDP	C5A-C4A	-2.35	1.35	1.40
2	B	1491	NDP	C5A-N7A	-2.17	1.32	1.39
2	D	1491	NDP	C5A-N7A	-2.17	1.32	1.39
2	C	1491[A]	NDP	C1D-N1N	2.03	1.52	1.46
2	A	1491	NDP	C4N-C5N	2.37	1.54	1.49
2	B	1491	NDP	C4N-C5N	2.39	1.54	1.49
2	D	1491	NDP	C4N-C5N	2.42	1.54	1.49
2	D	1491	NDP	C3D-C4D	2.52	1.59	1.53
2	A	1491	NDP	C3D-C4D	2.53	1.59	1.53
2	B	1491	NDP	C3D-C4D	2.54	1.59	1.53
2	C	1491[A]	NDP	C3D-C4D	2.56	1.59	1.53
2	D	1491	NDP	O5D-C5D	2.65	1.55	1.44
2	B	1491	NDP	O5D-C5D	2.67	1.55	1.44
2	C	1491[A]	NDP	PA-O1A	2.96	1.62	1.51
2	C	1491[B]	NDP	PA-O1A	2.96	1.62	1.51
2	A	1491	NDP	C2N-C3N	7.61	1.53	1.34
2	B	1491	NDP	C2N-C3N	7.62	1.53	1.34
2	D	1491	NDP	C2N-C3N	7.63	1.53	1.34
2	C	1491[A]	NDP	C2N-C3N	7.68	1.53	1.34
2	C	1491[B]	NDP	C2N-C3N	7.68	1.53	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	1491[B]	NDP	C1D-N1N	431.23	14.25	1.46

All (65) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1491[A]	NDP	PN-O3-PA	-26.15	59.29	132.73
2	C	1491[B]	NDP	C2D-C1D-N1N	-21.05	56.47	113.34
2	C	1491[B]	NDP	O4D-C1D-N1N	-12.22	82.26	108.07
2	A	1491	NDP	N3A-C2A-N1A	-10.44	120.90	128.89
2	C	1491[A]	NDP	N3A-C2A-N1A	-10.43	120.91	128.89
2	C	1491[B]	NDP	N3A-C2A-N1A	-10.43	120.91	128.89
2	D	1491	NDP	C3N-C2N-N1N	-8.91	110.39	123.14
2	B	1491	NDP	C3N-C2N-N1N	-8.88	110.43	123.14
2	A	1491	NDP	C3N-C2N-N1N	-8.84	110.49	123.14
2	B	1491	NDP	N3A-C2A-N1A	-8.67	122.26	128.89
2	D	1491	NDP	N3A-C2A-N1A	-8.62	122.30	128.89
2	C	1491[B]	NDP	C1D-N1N-C6N	-8.18	102.51	120.81
2	B	1491	NDP	O5D-C5D-C4D	-4.77	91.54	109.12
2	D	1491	NDP	O5D-C5D-C4D	-4.76	91.57	109.12
2	A	1491	NDP	C1D-N1N-C6N	-4.57	110.57	120.81
2	D	1491	NDP	C1D-N1N-C6N	-3.84	112.22	120.81
2	B	1491	NDP	C1D-N1N-C6N	-3.83	112.24	120.81
2	A	1491	NDP	PN-O3-PA	-3.62	122.56	132.73
2	A	1491	NDP	C2D-C1D-N1N	-2.75	105.90	113.34
2	B	1491	NDP	C4A-C5A-N7A	-2.68	107.01	109.48
2	D	1491	NDP	C4A-C5A-N7A	-2.64	107.05	109.48
2	C	1491[A]	NDP	O5B-PA-O1A	-2.42	100.24	109.62
2	C	1491[B]	NDP	O5B-PA-O1A	-2.42	100.24	109.62
2	C	1491[A]	NDP	C1B-N9A-C4A	-2.39	123.33	126.94
2	C	1491[B]	NDP	C1B-N9A-C4A	-2.39	123.33	126.94
2	C	1491[B]	NDP	O2N-PN-O3	-2.35	94.41	105.09
2	C	1491[A]	NDP	C3N-C2N-N1N	-2.17	120.03	123.14
2	C	1491[B]	NDP	C3N-C2N-N1N	-2.17	120.03	123.14
2	C	1491[B]	NDP	O5D-PN-O1N	-2.11	101.43	109.62
2	D	1491	NDP	C1B-N9A-C4A	-2.07	123.81	126.94
2	B	1491	NDP	C1B-N9A-C4A	-2.06	123.83	126.94
2	D	1491	NDP	C4B-O4B-C1B	2.02	111.94	109.72
2	C	1491[A]	NDP	O3X-P2B-O2X	2.04	115.15	107.38
2	C	1491[B]	NDP	O3X-P2B-O2X	2.04	115.15	107.38
2	B	1491	NDP	C4B-O4B-C1B	2.05	111.97	109.72
4	C	1499	GOL	O1-C1-C2	2.19	120.82	110.18
2	D	1491	NDP	P2B-O2B-C2B	2.22	126.88	121.56

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	1496	GOL	O3-C3-C2	2.22	120.95	110.18
2	B	1491	NDP	P2B-O2B-C2B	2.22	126.90	121.56
5	A	1495	7PE	O4-C3-C2	2.23	120.68	110.43
5	A	1495	7PE	O7-C8-C9	2.23	120.27	110.36
5	A	1495	7PE	O10-C9-C8	2.30	120.57	110.36
4	D	1496	GOL	O2-C2-C1	2.50	120.10	108.65
2	B	1491	NDP	O3X-P2B-O2X	2.68	117.59	107.38
5	A	1495	7PE	O4-C5-C6	2.69	122.31	110.36
2	D	1491	NDP	O3X-P2B-O2X	2.69	117.63	107.38
5	A	1495	7PE	O13-C12-C11	2.72	122.45	110.36
2	C	1491[B]	NDP	O4D-C4D-C5D	2.90	119.68	109.32
2	C	1491[B]	NDP	PN-O3-PA	3.10	141.43	132.73
2	C	1491[A]	NDP	O2A-PA-O3	3.22	119.71	105.09
2	C	1491[B]	NDP	O2A-PA-O3	3.22	119.71	105.09
2	C	1491[A]	NDP	O4D-C1D-N1N	3.33	115.10	108.07
4	D	1496	GOL	O1-C1-C2	3.33	126.34	110.18
2	C	1491[B]	NDP	O3-PN-O5D	3.71	112.78	102.94
2	A	1491	NDP	O4D-C4D-C5D	3.92	123.33	109.32
2	C	1491[B]	NDP	C1D-N1N-C2N	4.32	128.44	120.91
2	B	1491	NDP	O4D-C1D-N1N	6.37	121.52	108.07
2	D	1491	NDP	O4D-C1D-N1N	6.38	121.53	108.07
2	D	1491	NDP	C2D-C1D-N1N	6.93	132.07	113.34
2	B	1491	NDP	C2D-C1D-N1N	6.94	132.10	113.34
2	C	1491[A]	NDP	C2D-C1D-N1N	8.81	137.15	113.34
5	B	1499	7PE	O4-C5-C6	10.17	174.82	112.03
2	A	1491	NDP	O4D-C1D-N1N	12.43	134.30	108.07
5	B	1499	7PE	O7-C6-C5	14.09	175.30	110.43
2	C	1491[A]	NDP	O3-PN-O5D	15.15	143.13	102.94

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	B	1491	NDP	C1D
2	D	1491	NDP	C1D

There are no torsion outliers.

There are no ring outliers.

22 monomers are involved in 136 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1491	NDP	16	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1494	GOL	8	0
5	A	1495	7PE	2	0
5	A	1496	7PE	14	0
6	A	1600	BME	2	0
4	B	1490	GOL	3	0
2	B	1491	NDP	25	0
4	B	1495	GOL	3	0
4	B	1496	GOL	6	0
4	B	1497	GOL	2	0
4	B	1498	GOL	1	0
5	B	1499	7PE	8	0
5	B	1500	7PE	1	0
2	C	1491[A]	NDP	6	0
2	C	1491[B]	NDP	2	0
4	C	1495	GOL	3	0
4	C	1497	GOL	4	0
4	C	1499	GOL	4	0
5	C	1501	7PE	10	0
6	C	1600	BME	5	0
2	D	1491	NDP	21	0
4	D	1495	GOL	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	489/489 (100%)	-0.14	7 (1%) 78 83	22, 46, 75, 102	0
1	B	489/489 (100%)	-0.08	4 (0%) 87 90	21, 41, 72, 91	0
1	C	489/489 (100%)	-0.42	1 (0%) 95 97	20, 31, 51, 82	0
1	D	489/489 (100%)	-0.15	4 (0%) 87 90	22, 42, 73, 93	0
All	All	1956/1956 (100%)	-0.20	16 (0%) 87 90	20, 40, 71, 102	0

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	2	ALA	5.0
1	D	358	VAL	3.0
1	A	358	VAL	2.8
1	D	349	ALA	2.8
1	B	348	LYS	2.6
1	A	307[A]	LEU	2.6
1	B	307	LEU	2.6
1	A	365	LYS	2.5
1	D	307	LEU	2.2
1	A	360	ASP	2.2
1	B	353	CYS	2.2
1	A	368	TYR	2.1
1	A	44[A]	GLU	2.1
1	D	355	GLY	2.1
1	B	352	LEU	2.0
1	C	307[A]	LEU	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
4	GOL	B	1496	6/6	0.72	0.36	17.79	61,82,117,166	0
4	GOL	B	1495	6/6	0.90	0.34	17.40	68,85,90,91	0
4	GOL	A	1494	6/6	0.73	0.27	16.54	88,89,94,96	0
5	7PE	C	1501	15/21	0.93	0.28	13.37	33,84,146,170	0
4	GOL	C	1499	6/6	0.90	0.23	11.82	20,70,158,248	0
5	7PE	B	1500	8/21	0.83	0.24	11.81	35,57,60,77	8
4	GOL	C	1497	6/6	0.79	0.22	10.97	60,68,77,80	0
4	GOL	D	1496	6/6	0.84	0.24	9.24	86,91,97,102	0
4	GOL	B	1490	6/6	0.83	0.32	7.94	74,90,102,105	0
5	7PE	A	1495	21/21	0.79	0.24	7.07	48,80,122,160	0
5	7PE	A	1496	11/21	0.92	0.18	6.46	48,67,126,167	0
4	GOL	D	1494	6/6	0.90	0.19	6.39	54,67,116,128	0
5	7PE	B	1499	16/21	0.88	0.22	5.81	31,77,144,213	0
2	NDP	C	1491[A]	48/48	0.90	0.23	5.41	20,55,145,171	48
2	NDP	C	1491[B]	48/48	0.90	0.23	5.41	20,50,138,169	48
4	GOL	C	1498	6/6	0.88	0.23	5.15	56,83,100,102	0
2	NDP	D	1491	48/48	0.92	0.21	4.73	29,71,151,205	48
4	GOL	C	1496	6/6	0.91	0.16	3.87	43,58,78,93	0
4	GOL	D	1495	6/6	0.91	0.15	3.50	51,84,102,116	0
3	K	C	1492	1/1	0.99	0.15	3.29	41,41,41,41	0
3	K	A	1493	1/1	0.92	0.17	3.05	75,75,75,75	0
2	NDP	A	1491	48/48	0.92	0.22	2.88	28,78,160,189	48
3	K	D	1493	1/1	0.95	0.16	2.42	56,56,56,56	1
4	GOL	C	1500	6/6	0.90	0.17	1.97	60,69,82,88	0
4	GOL	D	1497	6/6	0.93	0.14	1.73	49,63,78,85	0
2	NDP	B	1491	48/48	0.97	0.15	1.63	12,39,128,150	48
4	GOL	C	1495	6/6	0.93	0.16	1.14	53,59,63,78	0
4	GOL	B	1498	6/6	0.88	0.19	0.76	52,76,84,107	0
3	K	C	1493	1/1	0.97	0.12	0.68	53,53,53,53	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
6	BME	C	1600	4/4	0.80	0.18	0.39	107,107,108,116	4
6	BME	A	1600	4/4	0.82	0.21	0.22	113,135,136,139	4
3	K	B	1493	1/1	0.87	0.11	-0.03	53,53,53,53	1
4	GOL	B	1497	6/6	0.97	0.13	-0.71	41,43,65,72	0
3	K	A	1492	1/1	0.96	0.10	-1.28	67,67,67,67	0
3	K	B	1501	1/1	0.94	0.07	-1.33	60,60,60,60	0
3	K	D	1492	1/1	0.98	0.09	-1.83	59,59,59,59	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.