



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 11:16 PM GMT

PDB ID : 1WXY
Title : Crystal structure of adenosine deaminase ligated with a potent inhibitor
Authors : Kinoshita, T.
Deposited on : 2005-02-02
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	4242 (2.50-2.50)
Ramachandran outliers	100387	4156 (2.50-2.50)
Sidechain outliers	100360	4158 (2.50-2.50)
RSRZ outliers	91569	3562 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	356	<div> <div></div> <div>47%</div> <div>34%</div> <div>13%</div> <div>• •</div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 3068 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Adenosine deaminase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	349	Total	C	N	O	S	0	0	0
			2789	1772	471	534	12			


There are 15 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	8	ASP	ASN	SEE REMARK 999	UNP P56658
A	32	LYS	ARG	SEE REMARK 999	UNP P56658
A	33	ARG	LYS	SEE REMARK 999	UNP P56658
A	57	THR	SER	SEE REMARK 999	UNP P56658
A	60	ASP	GLU	SEE REMARK 999	UNP P56658
A	77	ASP	GLU	SEE REMARK 999	UNP P56658
A	79	ILE	VAL	SEE REMARK 999	UNP P56658
A	199	GLN	LYS	SEE REMARK 999	UNP P56658
A	246	THR	ALA	SEE REMARK 999	UNP P56658
A	261	ILE	VAL	SEE REMARK 999	UNP P56658
A	279	ALA	PRO	SEE REMARK 999	UNP P56658
A	281	ILE	VAL	SEE REMARK 999	UNP P56658
A	313	LYS	ASN	SEE REMARK 999	UNP P56658
A	314	ASP	GLU	SEE REMARK 999	UNP P56658
A	352	ARG	GLY	SEE REMARK 999	UNP P56658

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		

- Molecule 3 is N-[4,5-BIS(4-HYDROXYPHENYL)-1,3-THIAZOL-2-YL]HEXANAMIDE (three-letter code: FRK) (formula: C₂₁H₂₂N₂O₃S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			27	21	2	3	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	251	Total	O	0	0
			251	251		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Adenosine deaminase



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	76.87Å 76.87Å 134.13Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.15 – 2.50 29.15 – 2.35	Depositor EDS
% Data completeness (in resolution range)	99.3 (29.15-2.50) 99.4 (29.15-2.35)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.78 (at 2.36Å)	Xtriage
Refinement program	CNX 2002	Depositor
R, R_{free}	0.264 , 0.280 0.217 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	38.7	Xtriage
Anisotropy	0.370	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 83.4	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 17300 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	3068	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: FRK, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.29	8/2853 (0.3%)	2.04	71/3867 (1.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	18

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	101	ARG	NE-CZ	7.10	1.42	1.33
1	A	173	ARG	NE-CZ	7.06	1.42	1.33
1	A	260	GLU	CD-OE1	-6.04	1.19	1.25
1	A	213	VAL	CA-CB	6.04	1.67	1.54
1	A	324	ARG	NE-CZ	5.85	1.40	1.33
1	A	149	ARG	NE-CZ	5.54	1.40	1.33
1	A	290	TYR	CG-CD2	5.33	1.46	1.39
1	A	97	TYR	CE1-CZ	5.14	1.45	1.38

All (71) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	348	TYR	CB-CG-CD2	-11.79	113.93	121.00
1	A	81	ARG	NE-CZ-NH1	-11.52	114.54	120.30
1	A	34	ARG	NE-CZ-NH1	11.02	125.81	120.30
1	A	249	TYR	CB-CG-CD1	-10.89	114.47	121.00
1	A	97	TYR	CB-CG-CD1	-10.34	114.80	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	102	TYR	CB-CG-CD1	-10.29	114.83	121.00
1	A	89	MET	CA-CB-CG	9.77	129.91	113.30
1	A	101	ARG	NE-CZ-NH2	9.69	125.14	120.30
1	A	211	ARG	NE-CZ-NH1	-8.52	116.04	120.30
1	A	34	ARG	NE-CZ-NH2	-8.15	116.22	120.30
1	A	57	THR	CA-CB-CG2	7.99	123.58	112.40
1	A	215	ALA	C-N-CA	-7.74	106.04	122.30
1	A	149	ARG	NE-CZ-NH1	7.64	124.12	120.30
1	A	166	VAL	CB-CA-C	-7.56	97.03	111.40
1	A	282	ARG	NE-CZ-NH2	-7.50	116.55	120.30
1	A	50	ILE	CA-CB-CG1	7.49	125.24	111.00
1	A	121	GLU	C-N-CA	-7.33	106.92	122.30
1	A	76	ARG	N-CA-CB	-7.24	97.57	110.60
1	A	194	PHE	CB-CG-CD2	-7.14	115.80	120.80
1	A	173	ARG	NE-CZ-NH1	7.11	123.86	120.30
1	A	29	TYR	CB-CG-CD2	-7.07	116.76	121.00
1	A	97	TYR	CG-CD1-CE1	-6.93	115.76	121.30
1	A	267	TYR	CB-CG-CD2	-6.83	116.90	121.00
1	A	251	ARG	CD-NE-CZ	-6.80	114.08	123.60
1	A	348	TYR	CG-CD1-CE1	-6.79	115.87	121.30
1	A	142	ARG	NE-CZ-NH1	6.74	123.67	120.30
1	A	95	VAL	CA-CB-CG1	6.70	120.95	110.90
1	A	181	ASP	CB-CG-OD1	-6.40	112.54	118.30
1	A	149	ARG	NE-CZ-NH2	-6.37	117.11	120.30
1	A	166	VAL	CG1-CB-CG2	6.36	121.07	110.90
1	A	192	SER	CB-CA-C	-6.25	98.23	110.10
1	A	97	TYR	CD1-CG-CD2	6.11	124.62	117.90
1	A	40	ALA	CB-CA-C	-6.07	101.00	110.10
1	A	148	VAL	C-N-CA	-6.05	106.57	121.70
1	A	218	VAL	CG1-CB-CG2	6.04	120.56	110.90
1	A	325	LEU	CA-CB-CG	6.03	129.16	115.30
1	A	317	PHE	CB-CG-CD2	-5.93	116.65	120.80
1	A	84	TYR	CB-CG-CD2	-5.82	117.51	121.00
1	A	172	TYR	CB-CG-CD1	-5.77	117.54	121.00
1	A	85	GLU	N-CA-CB	-5.77	100.22	110.60
1	A	292	LEU	CB-CG-CD1	5.76	120.79	111.00
1	A	348	TYR	CD1-CG-CD2	5.75	124.23	117.90
1	A	81	ARG	NE-CZ-NH2	5.71	123.16	120.30
1	A	351	TYR	CB-CG-CD1	-5.71	117.58	121.00
1	A	156	ARG	CD-NE-CZ	5.68	131.55	123.60
1	A	233	THR	CB-CA-C	-5.67	96.28	111.60
1	A	258	HIS	CA-CB-CG	-5.62	104.05	113.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	295	ASP	CB-CA-C	5.60	121.61	110.40
1	A	76	ARG	CB-CA-C	5.57	121.53	110.40
1	A	267	TYR	C-N-CA	-5.55	107.83	121.70
1	A	192	SER	N-CA-C	5.54	125.96	111.00
1	A	304	LEU	CB-CG-CD2	-5.54	101.59	111.00
1	A	322	PHE	CB-CG-CD1	-5.50	116.95	120.80
1	A	326	ASN	CA-CB-CG	-5.42	101.48	113.40
1	A	143	ASP	CB-CG-OD2	5.37	123.13	118.30
1	A	29	TYR	CD1-CG-CD2	5.36	123.80	117.90
1	A	194	PHE	CB-CG-CD1	5.32	124.52	120.80
1	A	89	MET	CB-CA-C	5.25	120.90	110.40
1	A	30	TYR	CB-CG-CD1	-5.25	117.85	121.00
1	A	337	GLU	CA-CB-CG	5.24	124.92	113.40
1	A	244	GLU	CA-CB-CG	-5.22	101.91	113.40
1	A	33	ARG	NE-CZ-NH1	5.22	122.91	120.30
1	A	277	GLU	CA-CB-CG	5.20	124.84	113.40
1	A	143	ASP	CB-CG-OD1	-5.18	113.63	118.30
1	A	229	ASP	CB-CG-OD2	-5.14	113.68	118.30
1	A	219	GLY	CA-C-N	-5.11	105.95	117.20
1	A	21	ALA	CB-CA-C	-5.09	102.46	110.10
1	A	12	VAL	CA-CB-CG2	5.09	118.54	110.90
1	A	281	ILE	CA-CB-CG1	5.03	120.56	111.00
1	A	30	TYR	CG-CD2-CE2	-5.03	117.28	121.30
1	A	257	MET	CG-SD-CE	-5.02	92.17	100.20

There are no chirality outliers.

All (18) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	101	ARG	Sidechain
1	A	142	ARG	Sidechain
1	A	167	GLU	Peptide
1	A	172	TYR	Sidechain
1	A	173	ARG	Peptide
1	A	211	ARG	Sidechain
1	A	236	LEU	Peptide
1	A	253	ARG	Sidechain
1	A	266	SER	Peptide
1	A	276	THR	Peptide
1	A	334	PHE	Sidechain
1	A	348	TYR	Sidechain
1	A	351	TYR	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	A	56	LEU	Peptide
1	A	67	TYR	Sidechain
1	A	68	TYR	Sidechain
1	A	81	ARG	Sidechain
1	A	84	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2789	0	2743	103	0
2	A	1	0	0	0	0
3	A	27	0	22	2	0
4	A	251	0	0	11	0
All	All	3068	0	2765	103	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (103) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:278:HIS:HD2	1:A:280:VAL:H	1.22	0.87
1:A:129:VAL:HA	4:A:555:HOH:O	1.81	0.81
1:A:174:GLU:O	1:A:176:THR:HA	1.81	0.78
1:A:278:HIS:CD2	1:A:280:VAL:H	2.03	0.77
1:A:115:ILE:HD11	1:A:121:GLU:HG3	1.73	0.71
1:A:57:THR:HG23	1:A:59:PRO:HD2	1.72	0.70
1:A:322:PHE:HA	1:A:325:LEU:HD13	1.78	0.64
1:A:245:ASP:HB2	4:A:628:HOH:O	1.98	0.62
1:A:253:ARG:HG2	4:A:402:HOH:O	1.99	0.62
1:A:174:GLU:C	1:A:176:THR:HA	2.21	0.61
1:A:137:LEU:HG	1:A:148:VAL:HG11	1.84	0.60
1:A:23:LYS:HD2	1:A:85:GLU:HG2	1.84	0.60
1:A:174:GLU:HB2	4:A:497:HOH:O	2.01	0.60
1:A:97:TYR:HD1	1:A:147:LYS:HB3	1.66	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:72:ILE:HD12	1:A:79:ILE:HD13	1.84	0.59
1:A:109:ASN:HB3	1:A:119:GLN:OE1	2.03	0.58
1:A:269:THR:HB	3:A:401:FRK:H152	1.85	0.58
1:A:213:VAL:HG23	1:A:233:THR:HG23	1.85	0.58
1:A:13:GLU:O	1:A:98:VAL:HA	2.04	0.57
1:A:79:ILE:HG21	4:A:555:HOH:O	2.05	0.57
1:A:162:SER:OG	1:A:197:HIS:HD2	1.87	0.57
1:A:28:LEU:HD22	1:A:46:LEU:HD22	1.87	0.56
1:A:215:ALA:HB1	1:A:223:VAL:HG13	1.86	0.56
1:A:273:LYS:HE2	1:A:276:THR:HG23	1.86	0.56
1:A:220:SER:O	1:A:223:VAL:HG12	2.06	0.55
1:A:151:ILE:HG12	1:A:179:ALA:HB3	1.87	0.55
1:A:278:HIS:CD2	1:A:280:VAL:HG12	2.42	0.55
1:A:267:TYR:HD1	1:A:268:LEU:HD23	1.72	0.54
1:A:28:LEU:HB2	1:A:46:LEU:HD22	1.89	0.54
1:A:267:TYR:CD1	1:A:268:LEU:HD23	2.43	0.54
1:A:83:ALA:HB1	1:A:137:LEU:HD13	1.90	0.53
1:A:283:PHE:HB3	1:A:288:VAL:HB	1.90	0.53
1:A:167:GLU:HB2	4:A:553:HOH:O	2.07	0.53
1:A:28:LEU:HD13	1:A:38:LEU:HD12	1.90	0.53
1:A:320:GLU:HG2	4:A:622:HOH:O	2.08	0.53
1:A:67:TYR:O	1:A:70:PRO:HD2	2.09	0.52
1:A:237:GLY:O	1:A:238:HIS:HB2	2.09	0.52
1:A:78:ALA:O	1:A:82:ILE:HG23	2.10	0.51
1:A:64:LYS:HA	1:A:67:TYR:HD1	1.76	0.51
1:A:273:LYS:HE2	1:A:276:THR:CG2	2.40	0.50
1:A:134:ASN:O	1:A:138:GLN:HG2	2.12	0.49
1:A:99:GLU:HA	1:A:149:ARG:O	2.13	0.49
1:A:52:MET:HE2	1:A:268:LEU:HB3	1.95	0.49
1:A:257:MET:O	1:A:289:ASN:HB3	2.13	0.48
1:A:261:ILE:HD11	1:A:283:PHE:CD2	2.48	0.48
1:A:101:ARG:HG3	1:A:153:CYS:SG	2.53	0.48
1:A:195:PRO:HD2	4:A:466:HOH:O	2.13	0.48
1:A:132:LEU:HD12	4:A:555:HOH:O	2.14	0.48
1:A:250:ASN:O	1:A:253:ARG:HD2	2.14	0.48
1:A:18:LEU:HB3	1:A:102:TYR:HB3	1.95	0.48
1:A:157:HIS:CD2	1:A:158:GLN:HG2	2.49	0.47
1:A:339:GLU:HA	1:A:342:GLU:OE1	2.14	0.47
1:A:240:TYR:HE1	1:A:261:ILE:HG23	1.78	0.47
1:A:324:ARG:O	1:A:327:ILE:HG22	2.14	0.47
1:A:57:THR:HG22	1:A:60:ASP:H	1.80	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:284:LYS:HE2	1:A:285:ASN:OD1	2.14	0.46
1:A:261:ILE:HG12	1:A:290:TYR:HB2	1.97	0.46
1:A:156:ARG:CD	1:A:186:GLU:HA	2.44	0.46
1:A:278:HIS:HD2	1:A:280:VAL:N	2.03	0.46
1:A:308:TYR:CD2	1:A:322:PHE:CE2	3.04	0.46
1:A:267:TYR:CD2	1:A:274:PRO:HG3	2.51	0.45
1:A:258:HIS:HA	1:A:289:ASN:O	2.16	0.45
1:A:171:LYS:HD2	1:A:172:TYR:CE2	2.52	0.45
1:A:186:GLU:OE1	1:A:223:VAL:HG11	2.17	0.45
1:A:261:ILE:HD11	1:A:283:PHE:CE2	2.53	0.44
1:A:124:LEU:HD23	1:A:128:GLU:HG2	1.99	0.44
1:A:267:TYR:CD1	1:A:267:TYR:C	2.90	0.44
1:A:262:CYS:SG	1:A:295:ASP:HB2	2.57	0.44
1:A:159:PRO:HA	1:A:197:HIS:CD2	2.51	0.44
1:A:273:LYS:HA	1:A:274:PRO:HD3	1.86	0.44
1:A:280:VAL:HG22	1:A:317:PHE:HZ	1.83	0.43
1:A:57:THR:HG23	1:A:59:PRO:CD	2.46	0.43
1:A:272:TRP:O	1:A:274:PRO:HD3	2.17	0.43
1:A:42:THR:HA	1:A:43:PRO:HD3	1.88	0.43
1:A:104:PRO:O	1:A:105:HIS:C	2.57	0.43
1:A:308:TYR:CD2	1:A:322:PHE:CD2	3.06	0.43
1:A:28:LEU:HB2	1:A:46:LEU:CD2	2.48	0.43
1:A:179:ALA:HB2	1:A:334:PHE:CD2	2.54	0.42
1:A:262:CYS:O	1:A:265:SER:HB3	2.20	0.42
1:A:284:LYS:HB2	1:A:321:GLU:OE2	2.18	0.42
1:A:46:LEU:HD12	1:A:46:LEU:HA	1.85	0.42
1:A:46:LEU:HG	1:A:50:ILE:HD13	2.01	0.42
1:A:7:PHE:CE1	1:A:9:LYS:HG3	2.55	0.42
1:A:228:VAL:O	1:A:232:LYS:HA	2.19	0.42
1:A:313:LYS:HB2	4:A:548:HOH:O	2.19	0.42
1:A:27:ILE:HG21	1:A:27:ILE:HD13	1.83	0.42
1:A:61:PHE:O	1:A:64:LYS:HG3	2.19	0.42
1:A:102:TYR:HA	4:A:576:HOH:O	2.19	0.42
1:A:115:ILE:HA	1:A:116:PRO:HD3	1.62	0.41
1:A:299:ILE:HG21	1:A:299:ILE:HD13	1.65	0.41
1:A:151:ILE:HG21	1:A:151:ILE:HD13	1.85	0.41
1:A:156:ARG:HD2	1:A:186:GLU:HA	2.03	0.41
1:A:39:PRO:HG3	1:A:67:TYR:CD2	2.55	0.41
1:A:64:LYS:HA	1:A:67:TYR:CD1	2.55	0.41
1:A:62:LEU:HD22	3:A:401:FRK:C31	2.50	0.41
1:A:58:LEU:HB3	1:A:59:PRO:HD3	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:180:ILE:HG21	1:A:180:ILE:HD13	1.77	0.41
1:A:124:LEU:HD22	1:A:129:VAL:HG23	2.03	0.40
1:A:54:LYS:HB2	1:A:54:LYS:HE2	1.88	0.40
1:A:17:HIS:HA	1:A:101:ARG:O	2.20	0.40
1:A:169:CYS:HA	1:A:177:VAL:HG21	2.02	0.40
1:A:30:TYR:O	1:A:34:ARG:HG2	2.21	0.40
1:A:142:ARG:HG2	1:A:142:ARG:H	1.70	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	347/356 (98%)	305 (88%)	27 (8%)	15 (4%)	3 4

All (15) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	121	GLU
1	A	174	GLU
1	A	277	GLU
1	A	40	ALA
1	A	50	ILE
1	A	185	ASP
1	A	237	GLY
1	A	238	HIS
1	A	55	PRO
1	A	105	HIS
1	A	76	ARG
1	A	298	LEU
1	A	104	PRO
1	A	165	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	208	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	304/309 (98%)	257 (84%)	47 (16%)	3 6

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	THR
1	A	36	ILE
1	A	41	ASP
1	A	45	GLU
1	A	50	ILE
1	A	54	LYS
1	A	57	THR
1	A	62	LEU
1	A	64	LYS
1	A	72	ILE
1	A	77	ASP
1	A	80	LYS
1	A	85	GLU
1	A	101	ARG
1	A	124	LEU
1	A	128	GLU
1	A	131	SER
1	A	137	LEU
1	A	142	ARG
1	A	149	ARG
1	A	155	MET
1	A	166	VAL
1	A	168	LEU
1	A	174	GLU
1	A	175	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	193	LEU
1	A	207	SER
1	A	209	VAL
1	A	218	VAL
1	A	223	VAL
1	A	233	THR
1	A	253	ARG
1	A	257	MET
1	A	273	LYS
1	A	275	ASP
1	A	277	GLU
1	A	281	ILE
1	A	284	LYS
1	A	292	LEU
1	A	313	LYS
1	A	321	GLU
1	A	325	LEU
1	A	327	ILE
1	A	331	LYS
1	A	335	LEU
1	A	345	ASP
1	A	347	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	48	ASN
1	A	118	ASN
1	A	134	ASN
1	A	135	GLN
1	A	197	HIS
1	A	210	HIS
1	A	250	ASN
1	A	278	HIS
1	A	309	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	FRK	A	401	-	25,29,29	1.43	4 (16%)	25,39,39	0.90	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FRK	A	401	-	-	0/15/17/17	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	401	FRK	C1-N7	-3.37	1.30	1.36
3	A	401	FRK	C21-C4	-2.25	1.46	1.49
3	A	401	FRK	C6-C3	-2.21	1.46	1.48
3	A	401	FRK	C4-N5	4.22	1.47	1.37

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	401	FRK	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	349/356 (98%)	-0.32	3 (0%) 85 88	16, 34, 60, 74	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	275	ASP	3.3
1	A	4	THR	2.4
1	A	267	TYR	2.2

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	FRK	A	401	27/27	0.88	0.18	1.02	29,43,59,63	0
2	ZN	A	400	1/1	1.00	0.12	-1.96	33,33,33,33	0

6.5 Other polymers

There are no such residues in this entry.