



# Full wwPDB NMR Structure Validation Report ⓘ

Apr 27, 2016 – 09:38 AM BST

PDB ID : 2WY2  
Title : NMR structure of the IIACHitobiose-IIbhitobiose phosphoryl transition state complex of the N,N'-diacetylchitobiose branch of the E. coli phosphotransferase system.  
Authors : Sang, Y.S.; Cai, M.; Clore, G.M.  
Deposited on : 2009-11-11

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)  
NmrClust : Kelley et al. (1996)  
MolProbity : 4.02b-467  
Mogul : 1.7.1 (RC1), CSD as537be (2016)  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
ShiftChecker : rb-20027457  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20027457


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Mol	Chain	Length	Quality of chain
1	A	103	78% 19% .
1	B	103	80% 17% .
1	C	103	81% 17% .
2	D	103	82% 17% .

## 2 Ensemble composition and analysis

This entry contains 64 models. Model 35 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:1-A:103, B:1-B:103, C:1-C:103, D:3-D:105 (412)	0.01	35

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 5 clusters and 2 single-model clusters were found.

Cluster number	Models
1	4, 5, 6, 7, 9, 13, 14, 15, 16, 25, 26, 30, 34, 38, 40, 41, 42, 45, 51, 59, 61
2	8, 19, 20, 21, 24, 27, 29, 36, 39, 43, 44, 47, 52, 54, 56, 60, 62
3	2, 3, 12, 17, 28, 32, 33, 35, 37, 46, 48, 49, 50, 53, 55, 57, 58, 63, 64
4	11, 22
5	18, 23, 31
Single-model clusters	1; 10

### 3 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6432 atoms, of which 3303 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT.

Mol	Chain	Residues	Atoms						Trace
1	A	103	Total	C	H	N	O	S	0
			1607	491	824	136	149	7	
1	B	103	Total	C	H	N	O	S	0
			1607	491	824	136	149	7	
1	C	103	Total	C	H	N	O	S	0
			1607	491	824	136	149	7	


There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	79	LEU	ASP	ENGINEERED MUTATION	UNP P69791
B	79	LEU	ASP	ENGINEERED MUTATION	UNP P69791
C	79	LEU	ASP	ENGINEERED MUTATION	UNP P69791

- Molecule 2 is a protein called N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT.

Mol	Chain	Residues	Atoms						Trace
2	D	103	Total	C	H	N	O	S	0
			1607	504	831	127	141	4	

- Molecule 3 is PHOSPHITE ION (three-letter code: PO3) (formula: O<sub>3</sub>P).




Mol	Chain	Residues	Atoms		
			Total	O	P
3	D	1	4	3	1


## 4 Residue-property plots [i](#)

### 4.1 Average score per residue in the NMR ensemble


These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.


- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A: 




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B: 





- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C: 



- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D: 




### 4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


### 4.2.1 Score per residue for model 1

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  79% 18%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  77% 20%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  78% 19%




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D:  83% 15%




### 4.2.2 Score per residue for model 2

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  76% 21%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT


Chain B:  78% 19%



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT




#### 4.2.3 Score per residue for model 3


- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT



- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT







#### 4.2.4 Score per residue for model 4

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A: 78% 19%



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B: 80% 17%



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C: 81% 17%



- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D: 82% 16%




#### 4.2.5 Score per residue for model 5

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A: 77% 20%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  80% 17%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  81% 17%




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT


Chain D:  82% 17%




#### 4.2.6 Score per residue for model 6

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  77% 20%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  79% 18%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  81% 17%




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D:  82% 17% .




#### 4.2.7 Score per residue for model 7

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  76% 21% .





- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  78% 19% .




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  80% 17% .




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D:  82% 17% .




#### 4.2.8 Score per residue for model 8

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  77% 20% .




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  80% 17%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  80% 17%




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D:  82% 16%




#### 4.2.9 Score per residue for model 9

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  76% 21%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  78% 19%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  79% 18%




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D:  82% 17% .




#### 4.2.10 Score per residue for model 10

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  78% 19% .





- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  80% 17% .




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  81% 17% .




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D:  82% 17% .



#### 4.2.11 Score per residue for model 11

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  76% 21% .



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B: 78% 19%



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C: 79% 18%



- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D: 83% 16%

#### 4.2.12 Score per residue for model 12

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A: 77% 20%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B: 78% 19%





- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C: 80% 17%




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT




#### 4.2.13 Score per residue for model 13


- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT





- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT




#### 4.2.14 Score per residue for model 14

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  78% 19%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  80% 17%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  81% 17%




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D:  82% 15%




#### 4.2.15 Score per residue for model 15

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  77% 20%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT


Chain B:  78% 19%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT



Chain C:  80% 17%




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D:  82% 16%




#### 4.2.16 Score per residue for model 16

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  77% 20%





- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  78% 19%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  80% 17%




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D:  82% 17%




#### 4.2.17 Score per residue for model 17

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A: 




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B: 




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C: 



- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D: 




#### 4.2.18 Score per residue for model 18

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A: 




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT


Chain B: 



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT




#### 4.2.19 Score per residue for model 19


- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT



- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT





#### 4.2.20 Score per residue for model 20

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A: 78% 19% .



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B: 80% 17% .



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C: 81% 17% .



- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D: 82% 16% .




#### 4.2.21 Score per residue for model 21

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A: 76% 21% .




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  77% 20%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  79% 18%




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT


Chain D:  82% 16%




#### 4.2.22 Score per residue for model 22

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  76% 21%





- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  78% 19%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  80% 17%




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D:  83% 15% .




#### 4.2.23 Score per residue for model 23

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  77% 20% .





- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  78% 19% .




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  80% 17% .




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D:  83% 16% .




#### 4.2.24 Score per residue for model 24

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  78% 19% .




- Molecule 1: N,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  80% 17%




- Molecule 1: N,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  81% 17%




- Molecule 2: N,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D:  82% 16%




#### 4.2.25 Score per residue for model 25

- Molecule 1: N,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  77% 20%




- Molecule 1: N,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  77% 20%




- Molecule 1: N,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  79% 18%




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D:  82% 17% .




#### 4.2.26 Score per residue for model 26

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  77% 20% .





- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  78% 19% .




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  80% 17% .




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D:  82% 17% .



#### 4.2.27 Score per residue for model 27

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  78% 19% .





- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B: 80% 17%



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C: 81% 17%



- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D: 82% 16%



#### 4.2.28 Score per residue for model 28

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A: 78% 19%



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B: 80% 17%



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C: 81% 17%



- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D: 82% 16% .



#### 4.2.29 Score per residue for model 29

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A: 76% 21% .



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B: 78% 19% .



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C: 80% 17% .




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D: 82% 16% .




#### 4.2.30 Score per residue for model 30


- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  78% 19%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  79% 18%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  80% 17%




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D:  82% 16%




#### 4.2.31 Score per residue for model 31

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  77% 20%





- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  78% 19%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  80% 17%




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D:  83% 16%




#### 4.2.32 Score per residue for model 32


- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  78% 18%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  78% 18%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  79% 17%




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D:  82% 17%




#### 4.2.33 Score per residue for model 33

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  78% 19%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  80% 17%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  81% 17%




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D:  82% 17%



#### 4.2.34 Score per residue for model 34

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  77% 19%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT


Chain B:  75% 22%



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT



- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT




#### 4.2.35 Score per residue for model 35 (medoid)


- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT



- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT





#### 4.2.36 Score per residue for model 36

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A: 78% 19%



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B: 79% 18%



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C: 80% 17%



- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D: 82% 15%




#### 4.2.37 Score per residue for model 37

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A: 78% 19%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  80% 17%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  81% 17%




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT


Chain D:  82% 16%




#### 4.2.38 Score per residue for model 38


- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  78% 19%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  79% 18%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  80% 17%



- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT



Chain D:  82% 17% .




#### 4.2.39 Score per residue for model 39

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  77% 20% .




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  80% 17% .




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  81% 17% .



- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT


Chain D:  82% 16% .




#### 4.2.40 Score per residue for model 40

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  75% 22% .




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  77% 20%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  80% 17%




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D:  82% 17%




#### 4.2.41 Score per residue for model 41

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  78% 19%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  79% 18%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  80% 17%




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D:  82% 17% .




#### 4.2.42 Score per residue for model 42


- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  77% 20% .





- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  79% 18% .




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  80% 17% .



- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D:  82% 17% .



#### 4.2.43 Score per residue for model 43

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  77% 20% .



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B: 80% 17%



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C: 81% 17%



- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D: 82% 17%

#### 4.2.44 Score per residue for model 44

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A: 77% 20%



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B: 78% 19%



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C: 80% 17%



- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D: 82% 17% .



#### 4.2.45 Score per residue for model 45

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A: 78% 19% .



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B: 80% 17% .



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C: 81% 17% .




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D: 82% 16% .




#### 4.2.46 Score per residue for model 46

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  77% 20%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  78% 19%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  80% 17%




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D:  82% 17%




#### 4.2.47 Score per residue for model 47

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  77% 20%





- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  78% 19%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  80% 17%




- Molecule 2: N,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D:  82% 15%




#### 4.2.48 Score per residue for model 48


- Molecule 1: N,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  77% 20%





- Molecule 1: N,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  79% 18%




- Molecule 1: N,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  80% 17%




- Molecule 2: N,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D:  82% 17%




#### 4.2.49 Score per residue for model 49

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  78% 19%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  80% 17%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  81% 17%




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D:  82% 17%




#### 4.2.50 Score per residue for model 50

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  78% 19%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  80% 17%






- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT




#### 4.2.51 Score per residue for model 51


- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT



- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT





#### 4.2.52 Score per residue for model 52

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A: 77% 20% .



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B: 80% 17% .



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C: 81% 17% .



- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D: 82% 16% .




#### 4.2.53 Score per residue for model 53

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A: 78% 19% .




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  79% 18%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  80% 17%




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D:  82% 17%




#### 4.2.54 Score per residue for model 54

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  77% 20%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  78% 19%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  80% 17%




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT




#### 4.2.55 Score per residue for model 55


- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT



#### 4.2.56 Score per residue for model 56

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  77% 20%



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  79% 18%




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D:  82% 16%




#### 4.2.57 Score per residue for model 57

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  78% 19%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  80% 17%





- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  81% 17%



- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT


Chain D:  82% 17% .




#### 4.2.58 Score per residue for model 58

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  77% 20% .





- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  78% 19% .




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  80% 17% .




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D:  82% 17% .




#### 4.2.59 Score per residue for model 59

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT


Chain A:  78% 19% .




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT




#### 4.2.60 Score per residue for model 60


- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT





- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT




#### 4.2.61 Score per residue for model 61



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT



- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT



#### 4.2.62 Score per residue for model 62


- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT



Chain A: 




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B: 




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C: 




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D: 




#### 4.2.63 Score per residue for model 63

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A: 





- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B: 




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  80% 17%




- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D:  83% 16%




#### 4.2.64 Score per residue for model 64

- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain A:  78% 19%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain B:  80% 17%




- Molecule 1: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIA COMPONENT

Chain C:  81% 17%



- Molecule 2: N\,N'-DIACETYLCHITOBIOSE-SPECIFIC PHOSPHOTRANSFERASE ENZYME IIB COMPONENT

Chain D:  82% 17%



## 5 Refinement protocol and experimental data overview ⓘ

The models were refined using the following method: ?.

Of the 64 calculated structures, 64 were deposited, based on the following criterion: ?.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
XPLOR-NIH 2.23	refinement	

No chemical shift data was provided. No validations of the models with respect to experimental NMR restraints is performed at this time.

## 6 Model quality [i](#)

### 6.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	0.86±0.02	1±0/788 (0.1±0.0%)	0.72±0.00	0±0/1053 (0.0±0.0%)
1	B	0.72±0.00	0±0/788 (0.0±0.0%)	0.72±0.00	0±0/1053 (0.0±0.0%)
1	C	0.73±0.00	0±0/788 (0.0±0.0%)	0.72±0.00	0±0/1053 (0.0±0.0%)
2	D	0.57±0.00	0±0/788 (0.0±0.0%)	0.72±0.00	0±0/1064 (0.0±0.0%)
All	All	0.73	63/201728 (0.0%)	0.72	0/270272 (0.0%)

All unique bond outliers are listed below.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	75	VAL	C-N	13.44	1.65	1.34	28	63

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 6.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	783	824	821	25±1
1	B	783	824	821	20±1
1	C	783	824	821	19±1
2	D	776	831	828	27±1
3	D	4	0	0	5±1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes
All	All	200256	211392	210624	5469

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:D:12:ALA:HB3	3:D:200:PO3:O2	0.88	1.68	53	20
2:D:12:ALA:HB3	3:D:200:PO3:O3	0.88	1.67	10	24
2:D:12:ALA:HB3	3:D:200:PO3:O1	0.88	1.69	44	20
2:D:10:CYS:O	2:D:41:GLU:N	0.83	2.11	18	64
2:D:10:CYS:SG	2:D:13:GLY:N	0.78	2.56	22	64
2:D:13:GLY:O	2:D:17:SER:OG	0.75	2.03	11	64
1:A:13:ILE:HD13	2:D:11:SER:OG	0.70	1.86	35	18
1:C:59:ILE:HG23	2:D:13:GLY:O	0.68	1.89	13	64
2:D:13:GLY:N	3:D:200:PO3:O1	0.66	2.28	47	20
1:A:8:VAL:O	1:A:12:ILE:HG12	0.65	1.90	41	63
2:D:14:MET:O	2:D:17:SER:N	0.65	2.28	27	64
2:D:13:GLY:N	3:D:200:PO3:O3	0.65	2.29	54	24
2:D:59:GLN:N	2:D:59:GLN:OE1	0.65	2.30	57	31
2:D:59:GLN:OE1	2:D:59:GLN:N	0.65	2.30	61	33
2:D:10:CYS:SG	2:D:13:GLY:HA2	0.64	2.32	62	64
2:D:13:GLY:N	3:D:200:PO3:O2	0.64	2.30	29	20
2:D:10:CYS:O	2:D:40:PRO:HA	0.62	1.95	31	56
1:A:9:MET:CG	2:D:15:SER:CB	0.62	2.77	13	64
2:D:10:CYS:SG	2:D:13:GLY:CA	0.61	2.88	28	64
2:D:59:GLN:OE1	2:D:59:GLN:CA	0.61	2.48	57	29
2:D:59:GLN:CA	2:D:59:GLN:OE1	0.61	2.48	9	35
2:D:14:MET:H	3:D:200:PO3:P	0.60	2.19	8	64
1:A:9:MET:SD	2:D:15:SER:OG	0.60	2.60	11	34
1:B:4:LEU:O	1:B:8:VAL:HG23	0.60	1.97	57	64
1:C:4:LEU:O	1:C:8:VAL:HG23	0.60	1.96	57	64
1:A:4:LEU:O	1:A:8:VAL:HG23	0.59	1.96	57	64
1:A:78:GLN:HE22	1:B:76:HIS:CE1	0.59	2.15	58	7
1:B:78:GLN:HE22	1:C:76:HIS:CD2	0.58	2.16	59	23
2:D:14:MET:N	3:D:200:PO3:O2	0.58	2.36	18	20
1:A:78:GLN:HE22	1:B:76:HIS:CD2	0.58	2.16	62	17
1:A:88:ARG:NH2	1:A:92:THR:OG1	0.58	2.37	57	64
2:D:11:SER:O	2:D:40:PRO:CB	0.58	2.51	13	58
1:C:102:LYS:HZ3	1:C:103:ALA:N	0.58	1.96	57	64
1:A:12:ILE:CD1	1:A:76:HIS:CE1	0.58	2.87	51	63

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:12:ILE:HD12	1:A:76:HIS:CE1	0.57	2.35	51	55
2:D:14:MET:N	3:D:200:PO3:O1	0.56	2.38	47	20
2:D:14:MET:N	3:D:200:PO3:O3	0.56	2.38	43	24
1:B:102:LYS:HZ3	1:B:103:ALA:N	0.56	1.99	57	64
2:D:12:ALA:CB	3:D:200:PO3:O2	0.55	2.51	8	10
2:D:12:ALA:CB	3:D:200:PO3:O1	0.55	2.52	47	12
1:C:88:ARG:NH2	1:C:92:THR:OG1	0.54	2.41	57	64
1:A:12:ILE:HG21	3:D:200:PO3:O2	0.54	2.03	22	3
1:A:9:MET:SD	2:D:15:SER:CB	0.54	2.96	22	63
1:A:12:ILE:HG13	1:A:76:HIS:NE2	0.53	2.18	19	13
2:D:20:VAL:HG21	2:D:38:ALA:HB2	0.53	1.80	57	64
1:A:5:GLU:OE1	2:D:15:SER:OG	0.53	2.26	32	1
1:A:102:LYS:HZ3	1:A:103:ALA:N	0.52	2.02	57	64
1:C:88:ARG:C	1:C:88:ARG:NH1	0.52	2.63	57	30
1:C:88:ARG:NH1	1:C:88:ARG:C	0.52	2.63	17	34
1:C:5:GLU:OE2	1:C:9:MET:SD	0.52	2.68	34	3
1:B:5:GLU:OE2	1:B:9:MET:SD	0.52	2.68	34	3
1:B:88:ARG:NH2	1:B:92:THR:OG1	0.51	2.43	57	64
1:C:12:ILE:CD1	1:C:76:HIS:CE1	0.50	2.95	60	2
1:B:78:GLN:HE22	1:C:76:HIS:CE1	0.49	2.24	34	3
2:D:12:ALA:CB	3:D:200:PO3:O3	0.49	2.58	1	11
1:A:9:MET:SD	2:D:15:SER:HB2	0.49	2.48	56	29
1:C:88:ARG:HH11	1:C:88:ARG:C	0.48	2.12	57	29
1:C:88:ARG:C	1:C:88:ARG:HH11	0.48	2.12	9	35
1:A:94:LEU:O	1:A:98:HIS:ND1	0.48	2.45	57	64
1:B:8:VAL:O	1:B:12:ILE:HG12	0.48	2.09	41	13
1:B:76:HIS:CE1	1:B:80:HIS:CD2	0.48	3.02	19	2
1:A:5:GLU:OE2	1:A:9:MET:SD	0.47	2.72	34	2
2:D:12:ALA:HB3	3:D:200:PO3:P	0.47	2.49	18	6
1:A:12:ILE:HG22	2:D:11:SER:OG	0.47	2.08	10	5
1:A:56:THR:O	1:A:59:ILE:HG22	0.47	2.10	40	1
1:C:88:ARG:NH1	1:C:88:ARG:O	0.47	2.47	57	35
1:C:88:ARG:O	1:C:88:ARG:NH1	0.47	2.47	9	29
2:D:14:MET:O	2:D:17:SER:HB2	0.47	2.10	1	64
1:C:101:LEU:O	1:C:102:LYS:CB	0.47	2.63	57	64
1:A:5:GLU:OE2	1:A:5:GLU:O	0.46	2.33	34	1
2:D:59:GLN:OE1	2:D:59:GLN:HA	0.46	2.08	57	26
1:A:9:MET:SD	2:D:15:SER:HB3	0.46	2.51	40	35
1:A:88:ARG:CZ	1:A:92:THR:OG1	0.46	2.64	57	64
2:D:59:GLN:HA	2:D:59:GLN:OE1	0.46	2.08	9	38
1:A:79:LEU:HD23	1:C:78:GLN:NE2	0.46	2.26	18	4

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:5:GLU:OE1	1:A:5:GLU:C	0.46	2.54	32	1
1:B:88:ARG:NH1	1:B:88:ARG:C	0.46	2.70	57	30
1:B:88:ARG:C	1:B:88:ARG:NH1	0.46	2.70	17	34
1:C:59:ILE:HD11	2:D:14:MET:HB2	0.46	1.87	40	2
1:A:12:ILE:HG21	3:D:200:PO3:O1	0.45	2.11	13	5
1:B:88:ARG:HH11	1:B:88:ARG:C	0.45	2.14	57	26
1:C:1:ALA:O	1:C:5:GLU:N	0.45	2.40	57	64
1:B:88:ARG:C	1:B:88:ARG:HH11	0.45	2.14	9	38
1:A:12:ILE:CG2	2:D:11:SER:OG	0.45	2.64	10	4
1:B:94:LEU:O	1:B:98:HIS:ND1	0.45	2.46	57	64
1:A:102:LYS:HB3	1:A:102:LYS:HZ3	0.45	1.70	57	32
1:A:102:LYS:HZ3	1:A:102:LYS:HB3	0.45	1.70	9	32
1:A:101:LEU:O	1:A:102:LYS:CB	0.45	2.64	57	64
1:B:1:ALA:O	1:B:5:GLU:CB	0.44	2.65	1	64
1:A:1:ALA:O	1:A:5:GLU:CB	0.44	2.65	1	64
1:B:78:GLN:NE2	1:C:79:LEU:HD23	0.44	2.28	18	4
1:A:102:LYS:CB	1:A:102:LYS:HZ3	0.44	2.25	57	35
1:C:1:ALA:O	1:C:5:GLU:CB	0.44	2.66	1	64
1:A:102:LYS:HZ3	1:A:102:LYS:CB	0.44	2.25	61	29
2:D:14:MET:O	2:D:16:THR:N	0.44	2.51	27	57
1:B:12:ILE:CD1	1:B:76:HIS:CE1	0.44	3.00	56	1
1:A:78:GLN:NE2	1:B:79:LEU:HD23	0.44	2.27	18	4
1:C:102:LYS:HZ3	1:C:102:LYS:C	0.44	2.16	57	32
1:C:102:LYS:C	1:C:102:LYS:HZ3	0.44	2.16	9	32
2:D:12:ALA:H	3:D:200:PO3:P	0.44	2.36	8	1
1:B:101:LEU:O	1:B:102:LYS:CB	0.44	2.65	57	64
1:B:1:ALA:O	1:B:5:GLU:N	0.44	2.39	57	64
1:B:41:MET:SD	1:B:95:ILE:HD12	0.44	2.53	57	64
1:B:1:ALA:O	1:B:2:GLU:C	0.44	2.56	57	64
1:C:100:LYS:C	1:C:102:LYS:H	0.43	2.17	57	64
1:C:49:ASN:C	1:C:49:ASN:OD1	0.43	2.57	57	35
1:C:49:ASN:OD1	1:C:49:ASN:C	0.43	2.57	9	29
2:D:12:ALA:C	3:D:200:PO3:O2	0.43	2.56	8	1
1:A:41:MET:SD	1:A:95:ILE:HD12	0.43	2.54	57	64
1:C:8:VAL:O	1:C:12:ILE:HG12	0.43	2.13	34	14
1:B:12:ILE:HD12	1:B:80:HIS:CG	0.43	2.49	34	4
1:C:59:ILE:CG2	2:D:13:GLY:O	0.43	2.67	51	6
1:A:12:ILE:HD12	1:A:80:HIS:CG	0.43	2.49	1	1
1:C:94:LEU:O	1:C:98:HIS:ND1	0.43	2.46	57	64
1:C:41:MET:SD	1:C:95:ILE:HD12	0.43	2.54	57	64
1:A:9:MET:CG	2:D:15:SER:OG	0.43	2.67	30	27

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:B:100:LYS:C	1:B:102:LYS:H	0.42	2.16	57	64
1:A:102:LYS:O	1:A:103:ALA:OXT	0.42	2.37	57	64
1:C:1:ALA:O	1:C:2:GLU:C	0.42	2.56	57	64
1:C:76:HIS:CE1	1:C:80:HIS:CD2	0.42	3.07	34	1
1:B:56:THR:O	1:B:59:ILE:HG22	0.42	2.14	40	1
1:C:12:ILE:HD12	1:C:80:HIS:CG	0.42	2.49	34	4
1:A:12:ILE:HG21	3:D:200:PO3:O3	0.42	2.15	18	3
1:A:1:ALA:O	1:A:2:GLU:C	0.42	2.56	57	64
2:D:13:GLY:H	3:D:200:PO3:P	0.42	2.37	45	22
1:A:49:ASN:OD1	1:A:49:ASN:C	0.42	2.57	57	36
1:A:49:ASN:C	1:A:49:ASN:OD1	0.42	2.57	9	28
1:B:102:LYS:C	1:B:102:LYS:HZ3	0.42	2.18	57	30
1:A:1:ALA:O	1:A:5:GLU:N	0.42	2.41	57	64
1:B:102:LYS:HZ3	1:B:102:LYS:C	0.42	2.18	48	34
1:B:49:ASN:OD1	1:B:49:ASN:C	0.42	2.57	57	29
1:B:49:ASN:C	1:B:49:ASN:OD1	0.42	2.57	61	35
1:A:102:LYS:HZ3	1:A:102:LYS:C	0.42	2.19	57	37
1:A:100:LYS:C	1:A:102:LYS:H	0.42	2.17	57	64
2:D:10:CYS:SG	2:D:11:SER:N	0.42	2.93	40	3
1:A:102:LYS:C	1:A:102:LYS:HZ3	0.42	2.19	9	27
2:D:14:MET:C	2:D:16:THR:N	0.42	2.72	27	11
1:C:102:LYS:O	1:C:103:ALA:OXT	0.42	2.38	57	64
1:B:62:ASP:OD1	1:B:62:ASP:N	0.41	2.54	57	31
1:B:62:ASP:N	1:B:62:ASP:OD1	0.41	2.54	9	33
1:B:3:GLU:O	1:B:7:VAL:N	0.41	2.40	57	64
2:D:3:LYS:HA	2:D:33:PRO:O	0.41	2.16	57	64
1:B:88:ARG:O	1:B:88:ARG:NH1	0.41	2.54	57	28
1:B:88:ARG:NH1	1:B:88:ARG:O	0.41	2.54	9	36
1:A:5:GLU:CD	2:D:15:SER:OG	0.41	2.59	32	1
2:D:40:PRO:HD2	2:D:43:LEU:HD12	0.41	1.93	57	64
1:A:62:ASP:OD1	1:A:62:ASP:N	0.41	2.54	57	32
1:A:62:ASP:N	1:A:62:ASP:OD1	0.41	2.54	9	32
2:D:11:SER:O	2:D:40:PRO:HB3	0.41	2.14	13	1
1:A:5:GLU:OE2	1:A:5:GLU:C	0.41	2.60	34	1
1:B:88:ARG:CG	1:B:88:ARG:HH11	0.41	2.29	57	31
1:B:88:ARG:HH11	1:B:88:ARG:CG	0.41	2.29	9	33
2:D:7:TYR:CD1	2:D:51:ALA:HB2	0.40	2.50	57	64
2:D:14:MET:O	2:D:15:SER:C	0.40	2.60	1	1
1:C:8:VAL:HG21	1:C:73:VAL:HB	0.40	1.93	57	64
1:B:102:LYS:HZ3	1:B:102:LYS:HB3	0.40	1.76	57	29
1:B:102:LYS:HB3	1:B:102:LYS:HZ3	0.40	1.76	9	35



## 6.3 Torsion angles

### 6.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	101/103 (98%)	96±0 (95±0%)	3±0 (3±0%)	2±0 (2±0%)	14	55
1	B	101/103 (98%)	96±0 (95±0%)	3±0 (3±0%)	2±0 (2±0%)	14	55
1	C	101/103 (98%)	96±0 (95±0%)	3±0 (3±0%)	2±0 (2±0%)	14	55
2	D	101/103 (98%)	98±0 (97±0%)	3±1 (3±1%)	0±0 (0±0%)	56	85
All	All	25856/26368 (98%)	24689 (95%)	772 (3%)	395 (2%)	18	63

All 7 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	2	GLU	64
1	B	2	GLU	64
1	C	2	GLU	64
1	C	67	LYS	64
1	A	67	LYS	64
1	B	67	LYS	64
2	D	15	SER	11

### 6.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	81/81 (100%)	78±0 (96±0%)	3±0 (4±0%)	45	87
1	B	81/81 (100%)	78±0 (96±0%)	3±0 (4±0%)	45	87
1	C	81/81 (100%)	78±0 (96±0%)	3±0 (4±0%)	44	86
2	D	82/82 (100%)	79±1 (96±1%)	3±1 (4±1%)	42	84
All	All	20800/20800 (100%)	20004 (96%)	796 (4%)	44	86

All 19 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	B	44	SER	64
2	D	59	GLN	64
1	C	102	LYS	64
1	A	44	SER	64
1	C	88	ARG	64
1	B	102	LYS	64
1	A	88	ARG	64
2	D	41	GLU	64
1	C	44	SER	64
2	D	22	LYS	64
1	B	88	ARG	64
1	A	102	LYS	64
2	D	11	SER	19
2	D	14	MET	2
1	A	5	GLU	2
1	C	76	HIS	2
1	B	76	HIS	1
1	B	5	GLU	1
1	C	5	GLU	1

### 6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds for which Mogul statistics could be retrieved, the number of bonds that are observed in the model and the number of bonds that are defined in the chemical component dictionary. The Link column lists molecule types,

if any, to which the group is linked. The Z score for a bond length is the number of standard deviations the observed value is removed from the expected value. A bond length with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond lengths.

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
3	PO3	D	200	-	0,3,3	0.00±0.00	-

In the following table, the Counts columns list the number of angles for which Mogul statistics could be retrieved, the number of angles that are observed in the model and the number of angles that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond angle is the number of standard deviations the observed value is removed from the expected value. A bond angle with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond angles.

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
3	PO3	D	200	-	0,3,3	0.00±0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PO3	D	200	-	-	0±0,0,0,0	0±0,0,0,0

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 6.7 Other polymers [i](#)

There are no such molecules in this entry.

## 6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 7 Chemical shift validation

No chemical shift data were provided