



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 10:12 PM GMT

PDB ID : 4X0Q
Title : Ternary complex of human DNA polymerase theta C-terminal domain binding
ddGTP opposite dCMP
Authors : Zahn, K.E.; Doubleie, S.
Deposited on : 2014-11-22
Resolution : 3.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1014 (4.28-3.52)
Clashscore	102246	1031 (4.24-3.56)
Ramachandran outliers	100387	1012 (4.26-3.54)
Sidechain outliers	100360	1004 (4.26-3.54)
RSRZ outliers	91569	1018 (4.28-3.52)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	772	<div> <div>4%</div> <div>51%</div> <div>29%</div> <div>•</div> <div>19%</div> </div>
1	B	772	<div> <div>5%</div> <div>53%</div> <div>27%</div> <div>•</div> <div>19%</div> </div>
2	E	17	<div> <div>6%</div> <div>24%</div> <div>53%</div> <div>24%</div> </div>
2	G	17	<div> <div>6%</div> <div>6%</div> <div>65%</div> <div>6%</div> <div>24%</div> </div>
3	F	13	<div> <div>31%</div> <div>38%</div> <div>31%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	H	13	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GOL	A	2601	-	-	-	X
4	GOL	A	2602	-	-	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 10902 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA polymerase theta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	625	Total	C	N	O	S	0	0	0
			4963	3157	848	929	29			
1	B	625	Total	C	N	O	S	0	0	0
			4963	3157	848	929	29			

- Molecule 2 is a DNA chain called DNA (5'-D(*CP*GP*TP*CP*CP*AP*AP*TP*GP*AP*CP*AP*G)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	E	13	Total	C	N	O	P	0	0	0
			263	126	51	74	12			
2	G	13	Total	C	N	O	P	0	0	0
			263	126	51	74	12			

- Molecule 3 is a DNA chain called DNA (5'-D(P*CP*TP*GP*TP*CP*AP*TP*TP*G)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	F	9	Total	C	N	O	P	0	0	0
			182	88	29	56	9			
3	H	9	Total	C	N	O	P	0	0	0
			182	88	29	56	9			

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	1	Total	Mg	0	0
			1	1		
5	A	1	Total	Mg	0	0
			1	1		

- Molecule 6 is 2'-3'-DIDEOXYGUANOSINE-5'-TRIPHOSPHATE (three-letter code: DG3) (formula: C₁₀H₁₆N₅O₁₂P₃).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total 30	C 10	N 5	O 12	P 3	0	0
6	B	1	Total 30	C 10	N 5	O 12	P 3	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DNA polymerase theta




- Molecule 1: DNA polymerase theta



- Molecule 2: DNA (5'-D(*CP*GP*TP*CP*CP*AP*AP*TP*GP*AP*CP*AP*G)-3')




- Molecule 2: DNA (5'-D(*CP*GP*TP*CP*CP*AP*AP*TP*GP*AP*CP*AP*G)-3')



- Molecule 3: DNA (5'-D(P*CP*TP*GP*TP*CP*AP*TP*TP*G)-3')

Chain F:  31% 38% 31%



- Molecule 3: DNA (5'-D(P*CP*TP*GP*TP*CP*AP*TP*TP*G)-3')

Chain H:  8% 31% 38% 31%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 2 21	Depositor
Cell constants a, b, c, α , β , γ	99.70Å 135.39Å 159.82Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.93 – 3.90 39.82 – 3.85	Depositor EDS
% Data completeness (in resolution range)	82.5 (29.93-3.90) 82.6 (39.82-3.85)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.05 (at 3.87Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.9_1692)	Depositor
R, R_{free}	0.258 , 0.316 0.291 , 0.346	Depositor DCC
R_{free} test set	878 reflections (5.26%)	DCC
Wilson B-factor (Å ²)	102.3	Xtriage
Anisotropy	0.997	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.26 , 68.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	6 of 17455 reflections (0.034%)	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	10902	wwPDB-VP
Average B, all atoms (Å ²)	145.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 42.70 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 1.9642e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, MG, DG3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.31	0/5056	0.57	0/6818
1	B	0.30	0/5056	0.57	0/6818
2	E	0.57	0/295	0.87	0/453
2	G	0.57	0/295	0.88	1/453 (0.2%)
3	F	0.60	0/202	1.07	0/309
3	H	0.63	0/202	1.04	0/309
All	All	0.34	0/11106	0.62	1/15160 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	B	0	4
All	All	0	7

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
2	G	5	DC	O4'-C1'-N1	5.12	111.58	108.00

There are no chirality outliers.

All (7) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1953	ARG	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	A	2245	THR	Peptide
1	A	2583	GLY	Peptide
1	B	1953	ARG	Peptide
1	B	2245	THR	Peptide
1	B	2246	GLU	Peptide
1	B	2583	GLY	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4963	0	4980	156	0
1	B	4963	0	4980	157	0
2	E	263	0	147	12	0
2	G	263	0	147	14	0
3	F	182	0	102	9	0
3	H	182	0	102	6	0
4	A	12	0	16	3	0
4	B	12	0	16	1	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
6	A	30	0	12	4	0
6	B	30	0	12	4	0
All	All	10902	0	10514	345	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (345) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:2030:GLN:HB3	1:A:2045:ARG:HB3	1.53	0.91
1:A:1857:GLU:HB3	1:A:1858:LYS:HD3	1.55	0.88
1:B:2030:GLN:HB3	1:B:2045:ARG:HB3	1.56	0.87
1:A:1968:ILE:HD13	1:A:2233:SER:HB3	1.57	0.86
1:B:1968:ILE:HD13	1:B:2233:SER:HB3	1.61	0.83

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:2004:THR:HB	1:B:2026:SER:HB3	1.60	0.83
1:A:2243:THR:HG21	2:E:7:DA:H2"	1.64	0.80
6:A:2604:DG3:O1B	6:A:2604:DG3:O1A	1.96	0.79
6:B:2604:DG3:O1B	6:B:2604:DG3:O1A	1.98	0.79
2:E:10:DA:H2"	2:E:11:DC:H5"	1.64	0.79
1:B:2581:SER:OG	1:B:2582:TRP:N	2.17	0.78
1:B:2248:ASN:HD22	2:G:8:DT:H4'	1.47	0.78
2:E:11:DC:H2"	2:E:12:DA:H5"	1.70	0.73
2:G:11:DC:H2"	2:G:12:DA:H5"	1.70	0.73
1:A:2315:ARG:HB2	1:A:2582:TRP:CD1	2.24	0.73
6:A:2604:DG3:O1B	6:A:2604:DG3:O1G	2.06	0.72
1:A:2022:GLY:O	1:A:2040:HIS:NE2	2.22	0.72
1:B:1857:GLU:HB3	1:B:1858:LYS:HD3	1.72	0.72
2:G:9:DG:H2"	2:G:10:DA:C8	2.24	0.71
1:A:2004:THR:HB	1:A:2026:SER:HB3	1.71	0.71
1:A:2041:SER:HA	1:A:2045:ARG:HE	1.56	0.70
1:B:1965:TYR:HB3	1:B:2029:ILE:HG22	1.73	0.70
1:A:1948:LEU:HD22	1:A:1980:ILE:HD13	1.72	0.70
1:B:2041:SER:HA	1:B:2045:ARG:HE	1.57	0.70
2:E:9:DG:H2"	2:E:10:DA:C8	2.27	0.69
3:H:9:DC:H2'	3:H:10:DA:C8	2.27	0.69
1:B:2025:THR:HB	1:B:2036:ALA:HB3	1.76	0.68
1:B:2186:LYS:HE2	1:B:2194:PRO:HB3	1.76	0.68
1:B:1994:TRP:CD1	1:B:2236:HIS:HA	2.29	0.68
1:B:2193:LEU:HG	1:B:2196:LEU:HD13	1.74	0.68
1:A:2093:GLY:HA2	1:A:2228:ARG:HG2	1.75	0.67
1:B:1940:THR:O	1:B:1944:ARG:NH1	2.28	0.67
1:A:1963:VAL:HG11	1:A:2057:MET:HG2	1.77	0.66
2:G:10:DA:H2"	2:G:11:DC:H5"	1.77	0.66
1:A:2577:LYS:HG2	1:A:2586:LYS:HB2	1.78	0.65
3:F:9:DC:H2'	3:F:10:DA:C8	2.31	0.65
1:B:2187:LEU:HD11	1:B:2198:LEU:HD22	1.77	0.65
1:A:2470:ASN:HD21	2:E:6:DA:H5'	1.62	0.65
1:B:2535:ILE:HD11	1:B:2545:GLU:HB3	1.79	0.65
1:A:2535:ILE:HD11	1:A:2545:GLU:HB3	1.78	0.64
1:A:1965:TYR:HB3	1:A:2029:ILE:HG22	1.78	0.64
1:A:1994:TRP:CD1	1:A:2236:HIS:HA	2.33	0.63
6:B:2604:DG3:O1G	6:B:2604:DG3:O1B	2.16	0.63
1:A:2581:SER:OG	1:A:2582:TRP:N	2.22	0.62
1:B:2093:GLY:HA2	1:B:2228:ARG:HG2	1.82	0.62
1:A:1972:LYS:HG2	1:A:2089:LEU:HD21	1.82	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:2604:DG3:O1A	6:A:2604:DG3:O1G	2.18	0.62
1:B:2243:THR:HG21	2:G:7:DA:H2"	1.81	0.61
1:B:1902:GLY:HA2	1:B:1917:LEU:HD13	1.81	0.61
1:A:1941:LEU:HD23	1:A:1944:ARG:HH12	1.65	0.61
1:A:2030:GLN:O	1:A:2045:ARG:NH1	2.34	0.60
1:B:1963:VAL:HG11	1:B:2057:MET:HG2	1.84	0.60
1:A:2568:LEU:HD12	1:A:2570:VAL:H	1.66	0.60
1:B:1963:VAL:HG12	1:B:1987:GLU:HB2	1.84	0.60
1:A:2208:THR:HA	1:A:2212:PHE:CD1	2.36	0.60
1:B:2109:LYS:HB2	1:B:2258:ILE:HD11	1.85	0.59
1:A:2102:GLN:NE2	1:A:2313:SER:O	2.33	0.59
2:G:12:DA:H2"	2:G:13:DG:H5"	1.85	0.58
1:A:2012:PHE:O	1:A:2014:PRO:HD3	2.03	0.58
1:A:2037:GLY:O	1:A:2041:SER:N	2.36	0.58
1:B:2102:GLN:NE2	1:B:2313:SER:O	2.33	0.58
1:A:2096:THR:OG1	1:A:2227:GLU:OE2	2.18	0.58
1:B:2538:LEU:HB2	1:B:2541:GLU:CB	2.34	0.58
1:A:2077:GLU:OE2	1:A:2482:LYS:NZ	2.36	0.58
1:B:1972:LYS:HG2	1:B:2089:LEU:HD21	1.85	0.57
1:A:2025:THR:HB	1:A:2036:ALA:HB3	1.85	0.57
1:A:1849:ARG:NH1	1:A:1987:GLU:OE1	2.37	0.57
1:B:1948:LEU:HD22	1:B:1980:ILE:HD13	1.86	0.57
1:A:2243:THR:HA	1:A:2250:GLN:NE2	2.20	0.57
1:A:2096:THR:OG1	1:A:2218:LYS:NZ	2.36	0.57
1:A:1848:LYS:O	1:A:1960:CYS:HB2	2.04	0.57
1:B:2084:LEU:HD11	1:B:2242:ILE:HD13	1.86	0.57
1:B:2077:GLU:OE2	1:B:2482:LYS:NZ	2.38	0.57
1:B:1834:GLN:HG2	1:B:1939:LEU:HD13	1.86	0.56
1:B:2022:GLY:O	1:B:2040:HIS:NE2	2.38	0.56
1:B:2241:ARG:HD3	1:B:2539:HIS:CE1	2.39	0.56
1:A:2474:GLN:NE2	2:E:5:DC:O2	2.38	0.56
1:B:1982:LEU:O	1:B:1986:TYR:OH	2.24	0.56
1:A:1940:THR:O	1:A:1944:ARG:NH1	2.39	0.56
1:B:2538:LEU:HB2	1:B:2541:GLU:HB2	1.88	0.55
1:B:1848:LYS:O	1:B:1960:CYS:HB2	2.06	0.55
1:A:2243:THR:HA	1:A:2250:GLN:HE22	1.70	0.55
1:A:1834:GLN:HG2	1:A:1939:LEU:HD13	1.87	0.55
1:B:2364:ALA:O	1:B:2369:ILE:HA	2.06	0.55
1:B:2568:LEU:HD12	1:B:2570:VAL:H	1.71	0.55
1:B:2213:PRO:O	1:B:2217:GLU:HG2	2.06	0.55
1:B:2087:LEU:HD12	1:B:2534:PHE:CE2	2.42	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:2469:ILE:O	1:B:2473:VAL:HG12	2.07	0.55
1:A:2186:LYS:HE3	1:A:2190:LEU:HD23	1.89	0.55
1:B:2037:GLY:O	1:B:2041:SER:N	2.39	0.54
1:A:2186:LYS:HE2	1:A:2194:PRO:HB3	1.90	0.54
1:B:2444:LEU:HD21	1:B:2483:ILE:HD11	1.89	0.54
1:A:2463:HIS:O	1:A:2467:GLN:HB2	2.07	0.54
2:E:12:DA:H2''	2:E:13:DG:H5''	1.88	0.54
1:A:2248:ASN:HD22	2:E:8:DT:H4'	1.71	0.54
1:B:2012:PHE:O	1:B:2014:PRO:HD3	2.07	0.54
1:B:2216:ARG:NH2	1:B:2217:GLU:HB3	2.22	0.54
1:B:2251:ASN:HA	3:H:12:DT:H1'	1.90	0.54
1:A:2333:GLN:HB3	1:A:2336:LEU:HD12	1.89	0.54
1:B:1941:LEU:HD23	1:B:1944:ARG:HH12	1.73	0.54
1:B:1897:ASP:O	1:B:1977:SER:OG	2.26	0.54
1:A:2350:GLN:O	1:A:2354:THR:HG22	2.08	0.53
1:B:2577:LYS:HA	1:B:2586:LYS:HB2	1.90	0.53
1:A:2338:ILE:HD11	1:A:2480:ILE:HD12	1.91	0.53
1:B:2245:THR:HA	1:B:2247:PRO:O	2.08	0.53
1:B:2047:SER:O	1:B:2051:ILE:HG22	2.09	0.53
1:A:1982:LEU:O	1:A:1986:TYR:OH	2.26	0.53
1:A:2469:ILE:O	1:A:2473:VAL:HG12	2.09	0.53
1:A:2330:ASP:OD1	1:A:2331:TYR:O	2.26	0.53
1:B:1972:LYS:HD3	1:B:2088:GLU:OE1	2.09	0.53
1:B:2481:VAL:HG21	1:B:2539:HIS:O	2.09	0.53
1:B:2092:ILE:HB	1:B:2535:ILE:HG23	1.90	0.53
1:A:2141:LEU:HD22	1:A:2186:LYS:HZ2	1.74	0.53
1:A:1963:VAL:HG12	1:A:1987:GLU:HB2	1.91	0.52
1:B:2470:ASN:HD21	2:G:6:DA:H5'	1.75	0.52
1:B:2243:THR:HA	1:B:2250:GLN:NE2	2.23	0.52
1:B:2096:THR:OG1	1:B:2227:GLU:OE2	2.18	0.52
1:B:2087:LEU:HB2	1:B:2534:PHE:CD2	2.45	0.52
1:A:2208:THR:HA	1:A:2212:PHE:HD1	1.75	0.52
1:A:2321:PHE:HB2	1:A:2322:PRO:HD2	1.91	0.52
1:B:2232:VAL:O	1:B:2244:PHE:HA	2.09	0.52
3:H:9:DC:H2'	3:H:10:DA:H8	1.73	0.52
1:B:2117:ALA:HA	1:B:2193:LEU:HD21	1.92	0.52
1:B:2220:LEU:HA	1:B:2227:GLU:HA	1.92	0.52
1:A:2072:VAL:O	1:A:2076:VAL:HB	2.09	0.52
1:A:2538:LEU:HB2	1:A:2541:GLU:CB	2.40	0.52
1:A:2364:ALA:O	1:A:2369:ILE:HA	2.09	0.52
1:B:1965:TYR:HB2	1:B:2053:ILE:HD11	1.92	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:2372:GLU:HG3	1:B:2373:SER:H	1.75	0.52
1:B:2481:VAL:O	1:B:2485:THR:HG23	2.11	0.51
1:B:2096:THR:OG1	1:B:2218:LYS:NZ	2.40	0.51
1:B:1983:GLU:O	1:B:1984:GLN:HG3	2.10	0.51
1:A:2538:LEU:HB2	1:A:2541:GLU:HB3	1.92	0.51
1:A:1901:VAL:HG23	1:A:1902:GLY:H	1.75	0.51
1:A:1852:ILE:HG12	1:A:1905:VAL:HG22	1.91	0.51
1:A:1943:ASP:N	1:A:1943:ASP:OD1	2.43	0.51
1:A:2245:THR:HA	1:A:2247:PRO:O	2.10	0.51
1:A:2087:LEU:HD12	1:A:2534:PHE:CE2	2.45	0.51
1:A:2184:LEU:HD12	1:A:2187:LEU:HD22	1.91	0.51
1:B:2321:PHE:HB2	1:B:2322:PRO:HD2	1.93	0.51
3:F:9:DC:H2'	3:F:10:DA:H8	1.75	0.51
1:B:2313:SER:HB2	1:B:2316:HIS:HB2	1.93	0.51
1:B:2208:THR:HA	1:B:2212:PHE:CD1	2.45	0.51
1:A:2221:ASN:ND2	1:A:2230:TYR:OH	2.44	0.51
1:B:1943:ASP:OD1	1:B:1943:ASP:N	2.43	0.51
1:A:2220:LEU:HA	1:A:2227:GLU:HA	1.92	0.51
1:A:1983:GLU:HA	1:A:1986:TYR:OH	2.12	0.51
1:A:2251:ASN:HA	3:F:12:DT:H1'	1.93	0.51
1:A:2193:LEU:HG	1:A:2196:LEU:HD13	1.91	0.51
1:B:2315:ARG:HB2	1:B:2582:TRP:CD1	2.46	0.50
1:B:2536:LEU:HD22	1:B:2543:LEU:HD12	1.93	0.50
1:B:1901:VAL:HG23	1:B:1902:GLY:H	1.74	0.50
1:B:2221:ASN:HB3	1:B:2224:LEU:HD13	1.93	0.50
1:A:2482:LYS:O	1:A:2485:THR:OG1	2.23	0.50
1:A:1902:GLY:HA2	1:A:1917:LEU:HD13	1.93	0.50
1:B:2216:ARG:HH21	1:B:2217:GLU:HB3	1.75	0.50
1:A:1972:LYS:HD3	1:A:2088:GLU:OE1	2.12	0.49
1:A:2087:LEU:HB2	1:A:2534:PHE:CD2	2.48	0.49
1:B:2186:LYS:HE3	1:B:2190:LEU:HD23	1.95	0.49
1:A:1983:GLU:O	1:A:1984:GLN:HG3	2.12	0.49
1:A:2135:GLU:O	1:A:2139:LEU:HB2	2.13	0.49
1:A:2444:LEU:HD21	1:A:2483:ILE:HD11	1.95	0.49
1:A:2442:THR:HG21	1:A:2446:ARG:HH21	1.78	0.49
6:A:2604:DG3:O4'	3:F:13:DG:H2'	2.12	0.49
1:B:2576:VAL:O	1:B:2586:LYS:HG3	2.13	0.49
1:B:2575:LYS:HE3	1:B:2586:LYS:HE2	1.93	0.49
1:A:2461:LYS:O	1:A:2465:GLU:HG3	2.13	0.49
1:B:2135:GLU:O	1:B:2139:LEU:HB2	2.13	0.48
1:A:1991:VAL:HG21	1:A:2081:GLN:HG3	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:2187:LEU:HD11	1:A:2198:LEU:HD22	1.95	0.48
1:B:2463:HIS:O	1:B:2467:GLN:HB2	2.12	0.48
1:A:1844:TRP:CZ3	1:A:1951:CYS:HB3	2.48	0.48
1:B:2340:ALA:HB1	1:B:2349:ILE:HD13	1.94	0.48
1:A:2536:LEU:HD22	1:A:2543:LEU:HD12	1.94	0.48
1:B:1844:TRP:CZ3	1:B:1951:CYS:HB3	2.49	0.48
6:B:2604:DG3:O4'	3:H:13:DG:H2'	2.14	0.48
1:B:2203:ILE:O	1:B:2207:ILE:HG22	2.12	0.48
1:A:2232:VAL:O	1:A:2244:PHE:HA	2.14	0.48
1:A:2576:VAL:O	1:A:2586:LYS:HG3	2.13	0.48
1:A:2213:PRO:O	1:A:2217:GLU:HG2	2.14	0.48
1:B:2427:MET:SD	4:B:2601:GOL:O1	2.66	0.48
1:B:1956:SER:C	1:B:1958:LYS:H	2.17	0.48
1:A:2372:GLU:HG3	1:A:2373:SER:H	1.78	0.48
1:B:2208:THR:HA	1:B:2212:PHE:HD1	1.77	0.48
1:A:1941:LEU:HA	1:A:1944:ARG:NH1	2.29	0.48
1:B:2441:GLN:HE21	1:B:2445:GLY:HA2	1.79	0.48
1:B:2499:PHE:HZ	1:B:2505:ARG:HE	1.52	0.47
1:A:2105:ILE:HD13	1:A:2310:PHE:CE2	2.48	0.47
1:A:2427:MET:SD	4:A:2601:GOL:O1	2.72	0.47
1:A:2575:LYS:HE3	1:A:2586:LYS:HE2	1.96	0.47
1:B:2180:SER:O	1:B:2183:VAL:HG12	2.14	0.47
1:A:2534:PHE:HA	1:A:2544:TYR:CD1	2.50	0.47
1:A:2047:SER:O	1:A:2051:ILE:HG22	2.13	0.47
1:A:2084:LEU:HB3	1:A:2233:SER:HB2	1.97	0.47
1:B:2470:ASN:ND2	2:G:5:DC:H2''	2.30	0.47
1:A:2195:GLY:O	1:A:2198:LEU:HB3	2.14	0.47
1:B:2243:THR:HA	1:B:2250:GLN:HE22	1.78	0.47
1:B:2534:PHE:HA	1:B:2544:TYR:CD1	2.50	0.47
1:A:2074:ARG:HG3	1:A:2075:LYS:HG2	1.96	0.47
1:B:1837:PHE:O	1:B:1840:PHE:HB3	2.15	0.47
1:B:2234:GLN:HG3	1:B:2235:SER:O	2.13	0.47
1:B:2184:LEU:HD12	1:B:2187:LEU:HD22	1.95	0.47
1:A:2215:GLN:HA	1:A:2218:LYS:HE3	1.95	0.47
1:B:2184:LEU:O	1:B:2187:LEU:HB3	2.15	0.46
1:B:2577:LYS:HG2	1:B:2586:LYS:HB2	1.97	0.46
1:A:2481:VAL:HG21	1:A:2539:HIS:O	2.14	0.46
2:G:12:DA:H2''	2:G:13:DG:C5'	2.45	0.46
1:B:2258:ILE:HG23	1:B:2310:PHE:HB3	1.97	0.46
1:B:2374:VAL:HG13	1:B:2378:LEU:HD23	1.96	0.46
1:A:2366:TRP:HZ2	1:A:2402:MET:HB3	1.81	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:2242:ILE:HD11	1:B:2482:LYS:HE2	1.98	0.46
1:A:2092:ILE:HB	1:A:2535:ILE:HG23	1.97	0.46
1:A:2203:ILE:O	1:A:2207:ILE:HG22	2.16	0.46
1:A:2499:PHE:HZ	1:A:2505:ARG:HH21	1.64	0.46
1:B:2090:ASN:ND2	1:B:2533:PHE:HB3	2.31	0.46
1:B:1852:ILE:HG12	1:B:1905:VAL:HG22	1.97	0.45
1:A:2487:ASN:HB3	1:A:2561:GLU:OE1	2.16	0.45
1:A:1941:LEU:O	1:A:1944:ARG:NH2	2.49	0.45
1:B:2484:ALA:O	1:B:2488:ILE:HG13	2.15	0.45
1:A:1956:SER:C	1:A:1958:LYS:H	2.19	0.45
1:B:2542:LEU:HD23	1:B:2542:LEU:HA	1.70	0.45
1:A:2109:LYS:HB2	1:A:2258:ILE:HD11	1.98	0.45
1:B:2030:GLN:O	1:B:2045:ARG:NH1	2.42	0.45
1:A:2481:VAL:O	1:A:2485:THR:HG23	2.16	0.45
3:H:11:DT:H4'	3:H:12:DT:OP1	2.16	0.45
1:B:1968:ILE:HG13	1:B:1969:GLN:N	2.32	0.45
1:A:2180:SER:O	1:A:2183:VAL:HG12	2.17	0.45
6:B:2604:DG3:O1G	6:B:2604:DG3:O1A	2.34	0.45
1:A:2470:ASN:ND2	2:E:5:DC:H2''	2.32	0.45
1:A:2374:VAL:HG13	1:A:2378:LEU:HD23	1.98	0.45
1:B:2141:LEU:HD22	1:B:2186:LYS:HZ1	1.81	0.44
1:B:2113:ILE:HG23	1:B:2196:LEU:HG	1.99	0.44
1:A:2392:GLY:HA3	4:A:2601:GOL:H2	1.99	0.44
1:B:1988:ASP:OD2	1:B:1990:LYS:HG2	2.17	0.44
1:B:2125:PHE:CZ	1:B:2136:VAL:HB	2.52	0.44
1:A:1968:ILE:HD11	4:A:2602:GOL:O2	2.18	0.44
1:B:2427:MET:O	1:B:2430:THR:HG22	2.17	0.44
1:B:2084:LEU:HD13	1:B:2233:SER:OG	2.18	0.44
1:B:2543:LEU:HD11	1:B:2582:TRP:CZ2	2.53	0.44
1:B:1983:GLU:HA	1:B:1986:TYR:OH	2.17	0.44
1:B:2500:LYS:HB3	1:B:2504:HIS:CE1	2.52	0.44
1:A:2234:GLN:HG3	1:A:2235:SER:O	2.17	0.44
1:B:2333:GLN:HB3	1:B:2336:LEU:HD12	1.99	0.44
1:A:1968:ILE:HG13	1:A:1969:GLN:N	2.32	0.44
1:B:2220:LEU:HD12	1:B:2222:PRO:HD3	2.00	0.44
1:A:2498:THR:OG1	1:A:2499:PHE:N	2.51	0.44
1:A:2397:SER:O	1:A:2400:GLU:HB3	2.18	0.44
1:A:1828:ILE:HD12	1:A:1913:TYR:CE1	2.52	0.44
2:G:1:DC:H3'	2:G:2:DG:H5''	1.99	0.44
1:A:2500:LYS:HE2	1:A:2500:LYS:HB2	1.80	0.44
1:B:2366:TRP:HZ2	1:B:2402:MET:HB3	1.82	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1975:LEU:HD23	1:A:2089:LEU:HD13	1.99	0.44
1:A:2184:LEU:O	1:A:2187:LEU:HB3	2.16	0.44
1:B:2324:GLY:HA2	1:B:2547:ALA:HA	1.99	0.44
1:A:2238:ALA:HB1	1:A:2448:ARG:CZ	2.47	0.44
1:A:2254:ARG:HD3	1:A:2376:ASP:OD2	2.17	0.44
1:B:2384:GLN:HB2	1:B:2384:GLN:HE21	1.58	0.43
1:B:2102:GLN:HA	1:B:2105:ILE:HD12	1.99	0.43
3:F:11:DT:H4'	3:F:12:DT:OP1	2.18	0.43
1:B:1855:ALA:HB1	1:B:2045:ARG:NH2	2.33	0.43
1:B:2340:ALA:HB1	1:B:2349:ILE:CD1	2.47	0.43
1:A:1825:LEU:HD11	1:A:1827:ILE:HG12	2.00	0.43
1:A:2125:PHE:CZ	1:A:2136:VAL:HB	2.54	0.43
1:B:2341:HIS:HD2	1:B:2342:LEU:HD12	1.83	0.43
1:A:2241:ARG:HH12	3:F:13:DG:H21	1.65	0.43
1:B:1994:TRP:CZ2	1:B:2240:GLY:HA2	2.53	0.43
1:B:2072:VAL:O	1:B:2076:VAL:HB	2.17	0.43
1:B:1940:THR:HB	1:B:1943:ASP:HB2	2.00	0.43
1:A:2217:GLU:HG3	1:A:2229:ILE:HD11	2.01	0.43
1:B:2256:PHE:CZ	1:B:2312:ILE:HD11	2.54	0.43
2:E:8:DT:H3	3:F:10:DA:H61	1.65	0.43
1:A:1855:ALA:HB1	1:A:2045:ARG:NH2	2.34	0.43
1:B:2538:LEU:HB2	1:B:2541:GLU:HB3	2.00	0.43
3:F:11:DT:H2'	3:F:12:DT:C6	2.53	0.43
1:B:2500:LYS:HB2	1:B:2500:LYS:HE2	1.85	0.43
1:A:2500:LYS:HB3	1:A:2504:HIS:CE1	2.53	0.43
1:B:1969:GLN:HA	1:B:1972:LYS:HB2	2.00	0.43
3:F:12:DT:H6	3:F:12:DT:H5''	1.83	0.43
1:A:2542:LEU:HD23	1:A:2542:LEU:HA	1.80	0.43
1:A:2102:GLN:HA	1:A:2105:ILE:HD12	2.01	0.42
1:A:2113:ILE:HA	1:A:2113:ILE:HD13	1.88	0.42
1:B:2482:LYS:O	1:B:2485:THR:OG1	2.29	0.42
1:A:2249:ILE:HA	1:A:2252:VAL:HG13	2.00	0.42
1:B:2330:ASP:OD1	1:B:2331:TYR:O	2.37	0.42
1:B:1849:ARG:NH1	1:B:1987:GLU:OE1	2.50	0.42
1:A:2023:MET:CE	1:A:2048:VAL:HG11	2.50	0.42
1:B:2255:ASP:N	1:B:2255:ASP:OD1	2.52	0.42
1:A:1897:ASP:N	1:A:1897:ASP:OD1	2.53	0.42
1:B:2084:LEU:HD21	1:B:2242:ILE:HG21	2.00	0.42
1:A:2340:ALA:HB1	1:A:2349:ILE:HD13	2.00	0.42
1:B:2536:LEU:HD23	1:B:2537:GLN:N	2.34	0.42
1:B:2191:HIS:O	1:B:2193:LEU:N	2.51	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1994:TRP:HB2	1:A:2236:HIS:NE2	2.34	0.42
1:B:1991:VAL:HG21	1:B:2081:GLN:HG3	2.01	0.42
1:A:2536:LEU:HD23	1:A:2537:GLN:N	2.35	0.42
1:A:2427:MET:O	1:A:2430:THR:HG22	2.19	0.42
1:A:2130:SER:HA	1:A:2133:ILE:HD12	2.00	0.42
1:B:2238:ALA:HB1	1:B:2448:ARG:CZ	2.50	0.42
1:A:2415:SER:O	1:A:2419:ARG:HG2	2.20	0.42
1:B:1897:ASP:OD1	1:B:1897:ASP:N	2.50	0.42
1:A:2583:GLY:C	1:A:2584:GLU:HG3	2.40	0.42
1:A:2384:GLN:HB2	1:A:2384:GLN:HE21	1.64	0.42
1:A:1969:GLN:HA	1:A:1972:LYS:HB2	2.02	0.42
1:A:2470:ASN:ND2	2:E:6:DA:H5'	2.30	0.42
1:A:1837:PHE:O	1:A:1840:PHE:HB3	2.20	0.42
1:A:2204:THR:O	1:A:2208:THR:HG22	2.20	0.41
1:A:2256:PHE:CZ	1:A:2312:ILE:HD11	2.55	0.41
1:A:1964:ILE:O	1:A:1989:PRO:HD2	2.19	0.41
1:A:1975:LEU:O	1:A:1979:GLY:HA2	2.20	0.41
1:B:1956:SER:O	1:B:1958:LYS:N	2.53	0.41
1:B:1825:LEU:HD11	1:B:1827:ILE:HG12	2.02	0.41
1:A:1988:ASP:OD2	1:A:1990:LYS:HG2	2.20	0.41
1:B:1994:TRP:HB2	1:B:2236:HIS:NE2	2.35	0.41
1:B:2505:ARG:O	1:B:2508:MET:HB3	2.20	0.41
1:B:2583:GLY:C	1:B:2584:GLU:HG3	2.40	0.41
1:A:1956:SER:O	1:A:1958:LYS:N	2.53	0.41
1:B:1964:ILE:O	1:B:1989:PRO:HD2	2.20	0.41
1:A:2412:TYR:O	1:A:2415:SER:HB3	2.21	0.41
1:A:2484:ALA:O	1:A:2488:ILE:HG13	2.20	0.41
2:E:12:DA:H2''	2:E:13:DG:C5'	2.51	0.41
1:B:2105:ILE:HD13	1:B:2310:PHE:CE2	2.56	0.41
1:A:1828:ILE:HD12	1:A:1913:TYR:HE1	1.84	0.41
1:B:1968:ILE:O	1:B:1972:LYS:HG3	2.20	0.41
1:B:2249:ILE:HA	1:B:2252:VAL:HG13	2.02	0.41
1:A:2237:THR:OG1	1:A:2241:ARG:N	2.54	0.41
1:A:1940:THR:HB	1:A:1943:ASP:HB2	2.02	0.41
2:G:1:DC:H2'	2:G:2:DG:N7	2.36	0.41
1:A:2457:ASN:HA	1:A:2458:PRO:HD3	1.85	0.41
1:B:2180:SER:HB2	3:H:10:DA:OP2	2.21	0.41
2:G:4:DC:H2''	2:G:5:DC:H5'	2.02	0.41
2:G:5:DC:H2''	2:G:6:DA:H5'	2.02	0.41
1:A:2543:LEU:HD23	1:A:2543:LEU:HA	1.76	0.41
1:A:2433:ASN:O	1:A:2436:ARG:HG2	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:2141:LEU:HD13	1:B:2186:LYS:HZ1	1.86	0.41
1:B:1952:LEU:HD23	1:B:1982:LEU:HD13	2.02	0.40
1:B:2204:THR:O	1:B:2208:THR:HG22	2.21	0.40
1:B:1988:ASP:HA	1:B:1989:PRO:HD2	1.93	0.40
1:A:2443:ILE:HG13	1:A:2476:SER:OG	2.21	0.40
1:B:1975:LEU:O	1:B:1979:GLY:HA2	2.21	0.40
1:B:2186:LYS:HB3	1:B:2194:PRO:HB3	2.03	0.40
1:A:1859:ILE:HG23	1:A:1859:ILE:O	2.21	0.40
1:B:2443:ILE:HG13	1:B:2476:SER:OG	2.22	0.40
1:B:2049:GLU:HG2	1:B:2053:ILE:HD12	2.04	0.40
1:B:1941:LEU:HA	1:B:1944:ARG:NH1	2.36	0.40
2:G:5:DC:H2'	2:G:6:DA:C8	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	613/772 (79%)	545 (89%)	67 (11%)	1 (0%)	52	86
1	B	613/772 (79%)	541 (88%)	70 (11%)	2 (0%)	46	82
All	All	1226/1544 (79%)	1086 (89%)	137 (11%)	3 (0%)	52	86

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	2144	PRO
1	B	2144	PRO
1	B	1859	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	551/675 (82%)	533 (97%)	18 (3%)	45	77
1	B	551/675 (82%)	532 (97%)	19 (3%)	44	77
All	All	1102/1350 (82%)	1065 (97%)	37 (3%)	44	77

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1854	LEU
1	A	1858	LYS
1	A	1899	LEU
1	A	1943	ASP
1	A	2141	LEU
1	A	2177	PHE
1	A	2187	LEU
1	A	2236	HIS
1	A	2245	THR
1	A	2377	ASP
1	A	2384	GLN
1	A	2393	MET
1	A	2416	PHE
1	A	2424	ASN
1	A	2470	ASN
1	A	2537	GLN
1	A	2566	VAL
1	A	2582	TRP
1	B	1854	LEU
1	B	1858	LYS
1	B	1899	LEU
1	B	1943	ASP
1	B	1977	SER
1	B	2141	LEU
1	B	2177	PHE
1	B	2236	HIS
1	B	2245	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	2255	ASP
1	B	2377	ASP
1	B	2384	GLN
1	B	2393	MET
1	B	2416	PHE
1	B	2424	ASN
1	B	2470	ASN
1	B	2537	GLN
1	B	2566	VAL
1	B	2582	TRP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1838	GLN
1	A	1984	GLN
1	A	2061	ASN
1	A	2215	GLN
1	A	2221	ASN
1	A	2384	GLN
1	A	2470	ASN
1	B	1984	GLN
1	B	2215	GLN
1	B	2384	GLN
1	B	2470	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 8 ligands modelled in this entry, 2 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	GOL	A	2601	-	5,5,5	0.31	0	5,5,5	0.30	0
4	GOL	A	2602	-	5,5,5	0.37	0	5,5,5	0.31	0
6	DG3	A	2604	5	24,32,32	1.13	2 (8%)	31,50,50	2.51	10 (32%)
4	GOL	B	2601	-	5,5,5	0.33	0	5,5,5	0.31	0
4	GOL	B	2602	-	5,5,5	0.38	0	5,5,5	0.40	0
6	DG3	B	2604	5	24,32,32	1.14	2 (8%)	31,50,50	2.42	10 (32%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	2601	-	-	0/4/4/4	0/0/0/0
4	GOL	A	2602	-	-	0/4/4/4	0/0/0/0
6	DG3	A	2604	5	-	0/18/31/31	0/3/3/3
4	GOL	B	2601	-	-	0/4/4/4	0/0/0/0
4	GOL	B	2602	-	-	0/4/4/4	0/0/0/0
6	DG3	B	2604	5	-	0/18/31/31	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	2604	DG3	C5-C4	2.99	1.47	1.40
6	B	2604	DG3	C5-C4	3.06	1.47	1.40
6	A	2604	DG3	C6-C5	3.73	1.48	1.41
6	B	2604	DG3	C6-C5	3.80	1.48	1.41

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	2604	DG3	PA-O3A-PB	-7.09	112.83	132.73
6	B	2604	DG3	PA-O3A-PB	-6.78	113.69	132.73
6	A	2604	DG3	PB-O3B-PG	-5.26	115.03	132.67
6	B	2604	DG3	PB-O3B-PG	-5.11	115.52	132.67
6	B	2604	DG3	C5-C6-N1	-4.00	118.12	123.59
6	A	2604	DG3	C5-C6-N1	-3.95	118.19	123.59
6	A	2604	DG3	C6-C5-C4	-3.49	116.72	120.90
6	B	2604	DG3	C6-C5-C4	-3.39	116.84	120.90
6	B	2604	DG3	C4-C5-N7	-3.28	106.46	109.48
6	A	2604	DG3	N3-C2-N1	-3.15	122.65	127.44
6	A	2604	DG3	C4-C5-N7	-3.13	106.60	109.48
6	B	2604	DG3	N3-C2-N1	-2.98	122.91	127.44
6	A	2604	DG3	C3'-C4'-C5'	-2.28	106.75	116.05
6	B	2604	DG3	O4'-C1'-N9	2.01	111.19	107.72
6	A	2604	DG3	O3G-PG-O2G	2.21	115.78	107.38
6	B	2604	DG3	O3G-PG-O2G	2.36	116.38	107.38
6	B	2604	DG3	C3'-C2'-C1'	2.95	106.01	102.71
6	A	2604	DG3	C3'-C2'-C1'	3.23	106.32	102.71
6	B	2604	DG3	C6-N1-C2	4.47	122.14	115.94
6	A	2604	DG3	C6-N1-C2	4.48	122.16	115.94

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	2601	GOL	2	0
4	A	2602	GOL	1	0
6	A	2604	DG3	4	0
4	B	2601	GOL	1	0
6	B	2604	DG3	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	625/772 (80%)	0.21	31 (4%) 32 24	72, 137, 251, 323	0
1	B	625/772 (80%)	0.21	40 (6%) 23 14	65, 128, 234, 303	0
2	E	13/17 (76%)	0.90	1 (7%) 16 11	118, 139, 269, 363	0
2	G	13/17 (76%)	0.53	1 (7%) 16 11	98, 130, 231, 307	0
3	F	9/13 (69%)	0.27	0 100 100	115, 135, 286, 323	0
3	H	9/13 (69%)	0.28	1 (11%) 7 5	110, 134, 214, 256	0
All	All	1294/1604 (80%)	0.22	74 (5%) 27 19	65, 132, 242, 363	0

All (74) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	2178	SER	8.7
1	B	2307	GLY	7.7
1	A	2179	THR	7.2
1	A	2307	GLY	6.7
1	B	2135	GLU	6.4
1	A	2587	ASP	4.9
1	B	2120	LEU	4.8
1	A	2135	GLU	4.5
2	E	13	DG	4.5
1	B	2117	ALA	4.3
1	A	2185	ASN	4.1
1	B	2015	HIS	4.0
1	A	2177	PHE	4.0
1	A	2117	ALA	3.9
1	B	1833	ASP	3.9
1	A	2176	GLN	3.8
1	A	2137	LEU	3.8
1	B	2133	ILE	3.6
1	B	2178	SER	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	2587	ASP	3.5
1	A	2139	LEU	3.4
1	B	1936	ASP	3.3
1	B	2185	ASN	3.2
1	B	1835	ASN	3.2
1	B	2402	MET	3.1
1	A	2182	ASP	3.1
1	B	2035	ASN	3.1
1	B	2141	LEU	3.1
1	B	2193	LEU	3.0
1	B	2188	LYS	3.0
1	A	2141	LEU	3.0
1	B	2589	ASP	3.0
1	B	2189	ALA	3.0
1	A	2590	VAL	3.0
1	B	2137	LEU	3.0
1	A	2027	GLN	2.9
1	B	2546	VAL	2.9
1	B	1957	ASP	2.9
1	A	2138	PHE	2.8
1	A	2589	ASP	2.7
2	G	13	DG	2.7
1	B	2134	ALA	2.7
1	B	2179	THR	2.7
1	A	2454	LYS	2.7
3	H	13	DG	2.6
1	A	2028	GLY	2.5
1	B	2113	ILE	2.5
1	A	2402	MET	2.5
1	A	2012	PHE	2.5
1	B	2139	LEU	2.5
1	B	2531	GLY	2.4
1	B	2044	TYR	2.4
1	A	1935	LEU	2.4
1	B	2588	PHE	2.3
1	A	2133	ILE	2.3
1	A	2308	MET	2.2
1	B	2590	VAL	2.2
1	B	2455	ASP	2.2
1	B	2309	PRO	2.2
1	A	2188	LYS	2.2
1	B	1965	TYR	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	2015	HIS	2.2
1	B	2177	PHE	2.2
1	A	2123	HIS	2.1
1	B	2553	GLN	2.1
1	A	2035	ASN	2.1
1	B	2194	PRO	2.1
1	B	2452	GLY	2.1
1	B	2039	GLU	2.1
1	A	1955	GLU	2.1
1	B	1834	GLN	2.0
1	B	2454	LYS	2.0
1	A	1957	ASP	2.0
1	A	1833	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	GOL	A	2601	6/6	0.61	0.60	3.85	120,136,145,151	0
4	GOL	A	2602	6/6	0.91	0.44	2.90	72,72,73,79	0
4	GOL	B	2602	6/6	0.88	0.36	1.16	54,55,56,56	0
6	DG3	A	2604	30/30	0.92	0.32	0.88	95,102,141,146	0
6	DG3	B	2604	30/30	0.92	0.32	0.05	72,76,113,120	0
5	MG	B	2603	1/1	0.91	0.27	-	76,76,76,76	0
5	MG	A	2603	1/1	0.93	0.31	-	95,95,95,95	0
4	GOL	B	2601	6/6	0.63	0.56	-	107,137,143,147	0

6.5 Other polymers

There are no such residues in this entry.