



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 2, 2016 – 12:03 AM GMT

PDB ID : 9XIM
Title : PROTEIN ENGINEERING OF XYLOSE (GLUCOSE) ISOMERASE FROM ACTINOPLANES MISSOURIENSIS. 1. CRYSTALLOGRAPHY AND SITE-DIRECTED MUTAGENESIS OF METAL BINDING SITES
Authors : Janin, J.
Deposited on : 1992-04-03
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	3407 (2.40-2.40)
Ramachandran outliers	100387	3351 (2.40-2.40)
Sidechain outliers	100360	3352 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	393	
1	B	393	
1	C	393	
1	D	393	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 13214 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called D-XYLOSE ISOMERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	392	Total	C	N	O	S	0	0	0
			3049	1937	533	575	4			
1	B	392	Total	C	N	O	S	0	0	0
			3049	1937	533	575	4			
1	C	391	Total	C	N	O	S	0	0	0
			3042	1932	532	574	4			
1	D	392	Total	C	N	O	S	0	0	0
			3048	1936	533	575	4			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	186	GLN	GLU	CONFLICT	UNP P12851
B	186	GLN	GLU	CONFLICT	UNP P12851
C	186	GLN	GLU	CONFLICT	UNP P12851
D	186	GLN	GLU	CONFLICT	UNP P12851

- Molecule 2 is SUGAR (D-XYLOSE (LINEAR FORM)) (three-letter code: XLS) (formula: C₅H₁₀O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			10	5	5		
2	B	1	Total	C	O	0	0
			10	5	5		
2	C	1	Total	C	O	0	0
			10	5	5		
2	D	1	Total	C	O	0	0
			10	5	5		

- Molecule 3 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	2	Total	Mn	0	0
			2	2		
3	A	2	Total	Mn	0	0
			2	2		
3	D	2	Total	Mn	0	0
			2	2		
3	C	2	Total	Mn	0	0
			2	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	242	Total	O	0	0
			242	242		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	240	Total 240	O 240	0	0
4	C	257	Total 257	O 257	0	0
4	D	239	Total 239	O 239	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: D-XYLOSE ISOMERASE



• Molecule 1: D-XYLOSE ISOMERASE



• Molecule 1: D-XYLOSE ISOMERASE




● Molecule 1: D-XYLOSE ISOMERASE

Chain D:

79%

18%



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	143.45Å 143.45Å 231.50Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	(Not available) – 2.40	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-2.40)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	PROLSQ	Depositor
R, R_{free}	0.144 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	13214	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MN, XLS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.82	0/3121	1.67	62/4228 (1.5%)
1	B	0.81	0/3121	1.65	46/4228 (1.1%)
1	C	0.81	0/3114	1.66	52/4218 (1.2%)
1	D	0.84	1/3119 (0.0%)	1.65	57/4224 (1.3%)
All	All	0.82	1/12475 (0.0%)	1.66	217/16898 (1.3%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	169	SER	C-N	-8.53	1.14	1.34

All (217) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	313	ARG	CD-NE-CZ	19.65	151.11	123.60
1	C	313	ARG	CD-NE-CZ	18.50	149.50	123.60
1	B	394	ARG	NE-CZ-NH2	-17.84	111.38	120.30
1	B	117	ARG	NE-CZ-NH1	17.19	128.90	120.30
1	C	313	ARG	NE-CZ-NH1	16.51	128.56	120.30
1	A	172	ARG	NE-CZ-NH1	14.35	127.48	120.30
1	D	117	ARG	NE-CZ-NH1	14.02	127.31	120.30
1	A	117	ARG	NE-CZ-NH1	13.96	127.28	120.30
1	B	157	ARG	NE-CZ-NH1	13.46	127.03	120.30
1	B	313	ARG	NE-CZ-NH2	13.31	126.96	120.30
1	C	117	ARG	NE-CZ-NH1	13.15	126.87	120.30
1	D	117	ARG	NE-CZ-NH2	-12.67	113.97	120.30
1	D	157	ARG	NE-CZ-NH1	11.79	126.20	120.30
1	C	326	ARG	NE-CZ-NH2	11.75	126.17	120.30
1	D	326	ARG	NE-CZ-NH2	11.61	126.10	120.30
1	B	330	GLU	OE1-CD-OE2	11.56	137.17	123.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	208	ARG	NE-CZ-NH1	-11.45	114.58	120.30
1	A	313	ARG	NE-CZ-NH1	11.43	126.02	120.30
1	C	109	ARG	NE-CZ-NH1	-11.24	114.68	120.30
1	D	35	ASP	CB-CG-OD1	11.24	128.41	118.30
1	C	157	ARG	NE-CZ-NH1	11.00	125.80	120.30
1	A	121	ARG	NE-CZ-NH2	-10.97	114.81	120.30
1	C	80	ASP	CB-CG-OD1	-10.74	108.63	118.30
1	D	289	ARG	NE-CZ-NH2	-10.46	115.07	120.30
1	A	199	ALA	CB-CA-C	10.31	125.56	110.10
1	D	330	GLU	OE1-CD-OE2	10.23	135.58	123.30
1	D	289	ARG	NE-CZ-NH1	10.20	125.40	120.30
1	A	80	ASP	CB-CG-OD1	-10.10	109.21	118.30
1	B	117	ARG	NE-CZ-NH2	-10.06	115.27	120.30
1	D	150	ASP	CB-CG-OD2	-9.89	109.40	118.30
1	D	121	ARG	NE-CZ-NH2	-9.78	115.41	120.30
1	A	394	ARG	NE-CZ-NH1	-9.59	115.51	120.30
1	D	257	ASP	CB-CG-OD1	9.27	126.64	118.30
1	C	208	ARG	CD-NE-CZ	-9.17	110.76	123.60
1	A	321	ARG	NE-CZ-NH1	9.16	124.88	120.30
1	B	68	ARG	NE-CZ-NH1	-9.15	115.72	120.30
1	B	321	ARG	NE-CZ-NH2	-9.07	115.76	120.30
1	A	205	GLU	OE1-CD-OE2	-9.06	112.42	123.30
1	C	117	ARG	NE-CZ-NH2	-9.03	115.79	120.30
1	A	113	ARG	NE-CZ-NH1	8.95	124.78	120.30
1	B	257	ASP	CB-CG-OD2	8.95	126.35	118.30
1	A	300	ASP	CB-CG-OD1	8.88	126.29	118.30
1	C	245	ASP	CB-CG-OD1	8.78	126.20	118.30
1	A	23	ARG	CD-NE-CZ	8.73	135.82	123.60
1	D	150	ASP	CB-CG-OD1	8.72	126.15	118.30
1	A	172	ARG	NE-CZ-NH2	-8.67	115.97	120.30
1	A	23	ARG	NE-CZ-NH1	8.64	124.62	120.30
1	A	257	ASP	CB-CG-OD2	8.47	125.93	118.30
1	A	159	ARG	NE-CZ-NH1	8.46	124.53	120.30
1	D	361	ARG	NE-CZ-NH1	-8.41	116.09	120.30
1	B	394	ARG	NH1-CZ-NH2	8.40	128.64	119.40
1	D	292	ASP	CB-CG-OD2	8.36	125.83	118.30
1	A	245	ASP	CB-CG-OD2	-8.35	110.79	118.30
1	C	172	ARG	NE-CZ-NH1	-8.33	116.13	120.30
1	B	156	ASP	CB-CG-OD2	-8.30	110.83	118.30
1	C	159	ARG	NE-CZ-NH1	-8.22	116.19	120.30
1	C	257	ASP	CB-CG-OD2	8.22	125.70	118.30
1	B	80	ASP	CB-CG-OD1	-8.16	110.95	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	109	ARG	NE-CZ-NH1	8.15	124.38	120.30
1	A	68	ARG	CD-NE-CZ	8.11	134.96	123.60
1	A	188	ARG	CD-NE-CZ	8.02	134.83	123.60
1	D	255	ASP	CB-CG-OD1	8.02	125.52	118.30
1	A	68	ARG	NE-CZ-NH1	8.01	124.30	120.30
1	D	112	ARG	NE-CZ-NH1	7.96	124.28	120.30
1	C	113	ARG	NE-CZ-NH2	7.89	124.25	120.30
1	D	23	ARG	NE-CZ-NH2	-7.85	116.37	120.30
1	B	326	ARG	NE-CZ-NH1	7.80	124.20	120.30
1	D	394	ARG	NE-CZ-NH2	-7.75	116.43	120.30
1	C	313	ARG	NH1-CZ-NH2	-7.67	110.96	119.40
1	A	150	ASP	CB-CG-OD1	7.56	125.11	118.30
1	D	146	ASP	CB-CG-OD1	7.56	125.11	118.30
1	A	273	ASP	CB-CG-OD1	7.47	125.03	118.30
1	D	113	ARG	NE-CZ-NH2	-7.46	116.57	120.30
1	B	394	ARG	N-CA-CB	7.42	123.95	110.60
1	A	172	ARG	CD-NE-CZ	7.41	133.97	123.60
1	C	394	ARG	NE-CZ-NH2	-7.38	116.61	120.30
1	C	158	TYR	CB-CG-CD2	7.32	125.39	121.00
1	D	330	GLU	CG-CD-OE2	-7.29	103.71	118.30
1	C	245	ASP	CB-CG-OD2	-7.25	111.77	118.30
1	B	330	GLU	CG-CD-OE2	-7.23	103.84	118.30
1	D	113	ARG	NE-CZ-NH1	7.22	123.91	120.30
1	B	328	ASP	CB-CG-OD2	7.08	124.67	118.30
1	B	156	ASP	CB-CG-OD1	6.92	124.53	118.30
1	A	113	ARG	NE-CZ-NH2	-6.91	116.85	120.30
1	B	68	ARG	NE-CZ-NH2	6.89	123.74	120.30
1	A	158	TYR	CB-CG-CD2	6.82	125.09	121.00
1	A	117	ARG	NE-CZ-NH2	-6.81	116.89	120.30
1	A	313	ARG	NH1-CZ-NH2	-6.80	111.92	119.40
1	C	174	TYR	CB-CG-CD1	6.78	125.07	121.00
1	B	297	ARG	NE-CZ-NH2	-6.76	116.92	120.30
1	A	245	ASP	CB-CG-OD1	6.73	124.36	118.30
1	B	23	ARG	NE-CZ-NH1	6.67	123.64	120.30
1	B	188	ARG	NE-CZ-NH2	-6.67	116.97	120.30
1	A	394	ARG	NH1-CZ-NH2	6.66	126.72	119.40
1	A	333	GLU	OE1-CD-OE2	6.66	131.29	123.30
1	B	140	ARG	NE-CZ-NH1	6.62	123.61	120.30
1	D	109	ARG	NE-CZ-NH2	-6.56	117.02	120.30
1	C	394	ARG	NE-CZ-NH1	-6.55	117.03	120.30
1	A	146	ASP	CB-CG-OD1	6.53	124.17	118.30
1	D	57	ASP	CB-CG-OD1	-6.50	112.45	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	255	ASP	CB-CG-OD1	6.50	124.15	118.30
1	D	171	ASP	CB-CG-OD2	-6.47	112.48	118.30
1	D	208	ARG	NE-CZ-NH2	-6.46	117.07	120.30
1	D	313	ARG	CA-CB-CG	6.45	127.59	113.40
1	C	207	GLU	CG-CD-OE2	-6.41	105.48	118.30
1	C	7	ARG	NE-CZ-NH1	6.40	123.50	120.30
1	C	321	ARG	NE-CZ-NH1	6.39	123.50	120.30
1	D	172	ARG	NE-CZ-NH1	6.37	123.48	120.30
1	A	55	ASP	CB-CG-OD1	6.35	124.02	118.30
1	D	289	ARG	CD-NE-CZ	6.35	132.49	123.60
1	C	172	ARG	NE-CZ-NH2	6.34	123.47	120.30
1	D	297	ARG	NE-CZ-NH2	-6.33	117.13	120.30
1	D	80	ASP	CB-CG-OD1	-6.33	112.61	118.30
1	C	208	ARG	NH1-CZ-NH2	6.31	126.34	119.40
1	A	124	ASP	CB-CG-OD1	6.26	123.94	118.30
1	C	394	ARG	NH1-CZ-NH2	6.25	126.28	119.40
1	C	276	GLU	CG-CD-OE2	6.22	130.75	118.30
1	D	326	ARG	NE-CZ-NH1	-6.20	117.20	120.30
1	C	281	GLY	N-CA-C	-6.20	97.60	113.10
1	C	57	ASP	CB-CG-OD2	6.13	123.82	118.30
1	C	297	ARG	NE-CZ-NH1	-6.13	117.24	120.30
1	C	204	GLN	OE1-CD-NE2	-6.11	107.84	121.90
1	B	158	TYR	CB-CG-CD2	6.10	124.66	121.00
1	B	255	ASP	CB-CG-OD1	6.09	123.78	118.30
1	B	394	ARG	CD-NE-CZ	-6.08	115.08	123.60
1	D	188	ARG	NE-CZ-NH2	6.08	123.34	120.30
1	A	300	ASP	CB-CG-OD2	-6.08	112.83	118.30
1	A	121	ARG	NE-CZ-NH1	6.01	123.30	120.30
1	B	190	ASP	CB-CG-OD2	5.98	123.68	118.30
1	B	356	GLU	OE1-CD-OE2	-5.96	116.15	123.30
1	A	276	GLU	OE1-CD-OE2	-5.96	116.15	123.30
1	B	140	ARG	NE-CZ-NH2	-5.95	117.33	120.30
1	B	245	ASP	CB-CG-OD1	5.93	123.63	118.30
1	B	57	ASP	CB-CG-OD2	5.91	123.61	118.30
1	C	207	GLU	CG-CD-OE1	5.91	130.11	118.30
1	C	113	ARG	NE-CZ-NH1	-5.89	117.35	120.30
1	A	109	ARG	NE-CZ-NH2	-5.88	117.36	120.30
1	B	45	GLU	CA-CB-CG	5.87	126.31	113.40
1	D	360	ASP	CB-CG-OD1	-5.86	113.03	118.30
1	D	157	ARG	NH1-CZ-NH2	-5.85	112.97	119.40
1	A	80	ASP	CA-CB-CG	-5.85	100.53	113.40
1	D	31	ARG	NE-CZ-NH2	-5.84	117.38	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	56	ASP	CB-CG-OD2	5.82	123.54	118.30
1	A	361	ARG	NE-CZ-NH1	5.82	123.21	120.30
1	D	208	ARG	CD-NE-CZ	-5.78	115.51	123.60
1	A	255	ASP	CB-CG-OD1	5.75	123.48	118.30
1	B	109	ARG	NE-CZ-NH1	5.74	123.17	120.30
1	D	170	GLU	N-CA-CB	5.73	120.91	110.60
1	D	356	GLU	CG-CD-OE2	5.72	129.74	118.30
1	A	112	ARG	NE-CZ-NH1	-5.72	117.44	120.30
1	C	276	GLU	OE1-CD-OE2	-5.72	116.44	123.30
1	C	177	ARG	NE-CZ-NH1	5.70	123.15	120.30
1	D	159	ARG	NE-CZ-NH2	-5.69	117.45	120.30
1	A	289	ARG	CD-NE-CZ	5.67	131.54	123.60
1	D	273	ASP	CB-CG-OD2	5.66	123.39	118.30
1	A	328	ASP	CB-CG-OD2	5.64	123.38	118.30
1	D	171	ASP	CB-CG-OD1	5.64	123.38	118.30
1	C	361	ARG	NE-CZ-NH2	5.64	123.12	120.30
1	A	49	TYR	CB-CG-CD2	-5.62	117.62	121.00
1	D	361	ARG	NE-CZ-NH2	5.61	123.10	120.30
1	B	342	GLU	OE1-CD-OE2	-5.58	116.61	123.30
1	C	140	ARG	CD-NE-CZ	5.58	131.41	123.60
1	B	55	ASP	CB-CG-OD1	5.57	123.31	118.30
1	B	326	ARG	NH1-CZ-NH2	-5.56	113.28	119.40
1	C	328	ASP	CB-CG-OD2	5.54	123.29	118.30
1	A	128	GLU	CG-CD-OE1	-5.54	107.22	118.30
1	D	204	GLN	OE1-CD-NE2	-5.53	109.17	121.90
1	C	145	TYR	CB-CG-CD2	5.53	124.32	121.00
1	B	304	VAL	CA-CB-CG2	5.52	119.18	110.90
1	A	205	GLU	CG-CD-OE2	5.51	129.33	118.30
1	D	276	GLU	CG-CD-OE2	5.51	129.32	118.30
1	A	289	ARG	NE-CZ-NH1	-5.50	117.55	120.30
1	D	31	ARG	NE-CZ-NH1	5.47	123.04	120.30
1	C	340	VAL	CB-CA-C	5.42	121.70	111.40
1	D	101	ASP	CB-CG-OD2	5.42	123.18	118.30
1	D	68	ARG	NE-CZ-NH2	5.38	122.99	120.30
1	C	370	ASP	CB-CG-OD2	5.37	123.13	118.30
1	C	114	TYR	CB-CG-CD2	-5.32	117.81	121.00
1	C	257	ASP	OD1-CG-OD2	-5.32	113.19	123.30
1	C	174	TYR	CB-CG-CD2	-5.30	117.82	121.00
1	C	308	ALA	N-CA-CB	5.30	117.52	110.10
1	D	169	SER	CA-C-O	-5.29	108.99	120.10
1	B	257	ASP	OD1-CG-OD2	-5.28	113.26	123.30
1	A	158	TYR	CB-CG-CD1	-5.28	117.83	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	205	GLU	CG-CD-OE2	5.28	128.85	118.30
1	A	109	ARG	NE-CZ-NH1	5.27	122.94	120.30
1	C	187	PRO	N-CA-C	5.27	125.79	112.10
1	A	101	ASP	CB-CG-OD2	5.26	123.03	118.30
1	B	313	ARG	CA-CB-CG	5.24	124.93	113.40
1	B	54	HIS	N-CA-CB	5.23	120.02	110.60
1	B	157	ARG	NE-CZ-NH2	-5.21	117.70	120.30
1	B	302	ASP	CB-CG-OD1	5.20	122.98	118.30
1	D	313	ARG	CD-NE-CZ	-5.20	116.32	123.60
1	D	35	ASP	CB-CG-OD2	-5.19	113.63	118.30
1	C	55	ASP	CB-CG-OD1	5.18	122.97	118.30
1	A	57	ASP	CB-CG-OD1	-5.17	113.64	118.30
1	B	204	GLN	CG-CD-OE1	5.17	131.94	121.60
1	D	245	ASP	CB-CG-OD1	5.15	122.94	118.30
1	C	68	ARG	NE-CZ-NH2	-5.15	117.73	120.30
1	A	244	ILE	O-C-N	5.13	130.91	122.70
1	D	321	ARG	NE-CZ-NH2	5.13	122.86	120.30
1	A	394	ARG	NE-CZ-NH2	-5.12	117.74	120.30
1	D	24	ASP	CB-CG-OD2	-5.09	113.72	118.30
1	A	326	ARG	NE-CZ-NH1	5.08	122.84	120.30
1	B	31	ARG	NE-CZ-NH2	5.08	122.84	120.30
1	A	143	ALA	N-CA-CB	-5.08	102.98	110.10
1	A	177	ARG	CB-CA-C	5.08	120.56	110.40
1	C	158	TYR	CA-CB-CG	5.07	123.04	113.40
1	A	80	ASP	OD1-CG-OD2	5.06	132.92	123.30
1	A	356	GLU	OE1-CD-OE2	-5.06	117.23	123.30
1	C	109	ARG	CD-NE-CZ	-5.06	116.52	123.60
1	B	354	TYR	CB-CG-CD1	-5.05	117.97	121.00
1	B	286	ASP	CB-CG-OD1	5.04	122.84	118.30
1	A	361	ARG	NE-CZ-NH2	-5.03	117.79	120.30
1	A	199	ALA	N-CA-CB	-5.02	103.08	110.10
1	D	388	GLU	CG-CD-OE1	-5.02	108.27	118.30
1	A	7	ARG	NE-CZ-NH2	-5.01	117.80	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3049	0	2952	27	0
1	B	3049	0	2952	37	0
1	C	3042	0	2943	35	0
1	D	3048	0	2946	30	0
2	A	10	0	8	0	0
2	B	10	0	8	0	0
2	C	10	0	8	0	0
2	D	10	0	8	0	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
3	C	2	0	0	0	0
3	D	2	0	0	0	0
4	A	242	0	0	3	0
4	B	240	0	0	3	0
4	C	257	0	0	1	0
4	D	239	0	0	5	0
All	All	13214	0	11825	116	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (116) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:204:GLN:OE1	1:C:204:GLN:OE1	1.56	1.24
1:B:204:GLN:OE1	1:D:204:GLN:OE1	1.64	1.15
1:B:234:GLN:HE21	1:B:238:HIS:HE1	1.18	0.86
1:D:234:GLN:HE21	1:D:238:HIS:HE1	1.23	0.86
1:A:234:GLN:HE21	1:A:238:HIS:HE1	1.24	0.85
1:C:22:ALA:HB1	1:C:297:ARG:HG3	1.68	0.75
1:C:234:GLN:HE21	1:C:238:HIS:HE1	1.34	0.73
1:D:3:VAL:HG23	4:D:579:HOH:O	1.90	0.71
1:C:177:ARG:HD3	4:C:612:HOH:O	1.92	0.70
1:B:164:LEU:HD12	1:D:348:LEU:HD11	1.75	0.69
1:A:277:ASN:OD1	1:A:323:LYS:HE3	1.93	0.69
1:B:388:GLU:CD	1:C:313:ARG:HH11	1.98	0.67
1:A:313:ARG:HG3	4:A:639:HOH:O	1.94	0.66
1:B:205:GLU:OE2	1:D:238:HIS:HD2	1.79	0.65
1:B:294:LYS:HE2	4:B:547:HOH:O	1.99	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:299:GLU:HB3	1:A:303:GLY:HA3	1.83	0.61
1:B:238:HIS:HD2	1:D:205:GLU:OE2	1.83	0.61
1:A:238:HIS:HD2	1:C:205:GLU:OE2	1.84	0.60
1:B:388:GLU:OE2	1:C:313:ARG:HD3	2.00	0.60
1:A:205:GLU:OE2	1:C:238:HIS:HD2	1.86	0.58
1:A:167:GLN:OE1	1:A:208:ARG:NH2	2.36	0.58
1:B:7:ARG:HD3	4:B:496:HOH:O	2.06	0.56
1:D:394:ARG:NH1	4:D:610:HOH:O	2.08	0.55
1:C:7:ARG:HH11	1:C:7:ARG:HG3	1.71	0.55
1:B:152:SER:HB2	4:D:411:HOH:O	2.07	0.54
1:A:279:PRO:HG2	4:A:614:HOH:O	2.08	0.54
1:C:319:LYS:O	1:C:323:LYS:HG2	2.08	0.53
1:A:22:ALA:HB1	1:A:297:ARG:HG3	1.89	0.53
1:A:54:HIS:CD2	1:A:90:THR:HG23	2.44	0.53
1:A:305:TRP:O	1:A:309:LYS:HG3	2.10	0.52
1:B:22:ALA:HB1	1:B:297:ARG:HG3	1.91	0.52
4:A:542:HOH:O	1:C:152:SER:HB2	2.09	0.51
1:A:254:PHE:HB3	1:B:186:GLN:NE2	2.25	0.51
1:D:168:TYR:CE1	1:D:172:ARG:HD3	2.45	0.50
1:A:388:GLU:HB3	1:A:394:ARG:HG2	1.92	0.50
1:D:102:GLY:HA2	1:D:140:ARG:HB2	1.93	0.49
1:D:234:GLN:HE21	1:D:238:HIS:CE1	2.15	0.49
1:B:77:LYS:O	1:B:80:ASP:HB2	2.13	0.49
1:B:3:VAL:HG12	1:B:4:GLN:H	1.79	0.48
1:A:361:ARG:HA	1:A:365:GLU:OE1	2.12	0.48
1:D:361:ARG:HA	1:D:365:GLU:OE1	2.13	0.48
1:C:238:HIS:O	1:C:239:LYS:HB2	2.14	0.48
1:B:234:GLN:HE21	1:B:238:HIS:CE1	2.10	0.47
1:B:178:PHE:HB2	1:B:212:PHE:CD2	2.50	0.47
1:A:352:GLU:HG3	1:A:356:GLU:HB2	1.96	0.47
1:C:20:TRP:CZ2	1:C:22:ALA:HA	2.50	0.47
1:B:167:GLN:OE1	1:B:208:ARG:NH2	2.48	0.46
1:B:76:LYS:NZ	1:B:128:GLU:OE2	2.42	0.46
1:D:35:ASP:OD1	1:D:37:VAL:HB	2.16	0.46
1:A:6:THR:O	1:A:9:ASP:HB2	2.17	0.45
1:D:168:TYR:O	1:D:172:ARG:HG3	2.17	0.45
1:B:313:ARG:HH21	1:C:388:GLU:CD	2.19	0.45
1:C:86:VAL:O	1:C:131:ALA:HA	2.17	0.45
1:B:294:LYS:HE2	4:B:563:HOH:O	2.16	0.45
1:C:7:ARG:HH11	1:C:7:ARG:CG	2.28	0.45
1:B:219:GLY:O	1:B:223:MET:HG3	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:178:PHE:HB2	1:A:212:PHE:CD2	2.52	0.45
1:C:72:ILE:O	1:C:76:LYS:HG3	2.17	0.45
1:D:42:LYS:HD2	4:D:578:HOH:O	2.17	0.45
1:C:328:ASP:HA	1:C:329:PRO:HD3	1.79	0.44
1:B:172:ARG:HB3	1:B:172:ARG:HE	1.31	0.44
1:A:36:PRO:O	1:A:40:VAL:HG23	2.18	0.44
1:C:278:GLY:HA3	1:C:282:ALA:O	2.18	0.44
1:C:178:PHE:HB2	1:C:212:PHE:CD2	2.52	0.44
1:C:208:ARG:HD3	1:C:208:ARG:HH11	1.32	0.44
1:D:50:GLY:HA2	1:D:85:ILE:O	2.18	0.43
1:A:96:HIS:HA	1:A:97:PRO:HD3	1.88	0.43
1:B:154:ALA:HB2	1:D:343:LEU:HD21	2.01	0.43
1:B:193:LEU:N	1:B:194:PRO:HD3	2.34	0.43
1:C:109:ARG:HD3	1:C:109:ARG:HH11	1.49	0.43
1:C:394:ARG:HD3	1:C:394:ARG:HH11	1.58	0.42
1:D:352:GLU:HG3	1:D:356:GLU:HB2	2.02	0.42
1:C:159:ARG:HG3	1:C:206:LEU:HD23	2.01	0.42
1:C:294:LYS:HA	1:C:295:PRO:HD3	1.87	0.42
1:B:42:LYS:HB3	1:B:42:LYS:HE2	1.66	0.42
1:D:186:GLN:HA	1:D:187:PRO:HA	1.80	0.42
1:B:164:LEU:C	1:B:164:LEU:HD23	2.39	0.42
1:C:294:LYS:HE2	4:D:424:HOH:O	2.19	0.42
1:C:96:HIS:HA	1:C:97:PRO:HD3	1.88	0.42
1:D:43:LEU:HD12	1:D:51:ILE:HD12	2.02	0.42
1:C:193:LEU:N	1:C:194:PRO:HD3	2.35	0.42
1:D:116:ILE:HD13	1:D:116:ILE:HG21	1.88	0.41
1:A:9:ASP:HB3	1:A:11:PHE:CE2	2.55	0.41
1:D:129:LEU:HD23	1:D:129:LEU:HA	1.93	0.41
1:A:186:GLN:HA	1:A:187:PRO:HA	1.72	0.41
1:B:21:GLN:O	1:B:22:ALA:HB3	2.20	0.41
1:B:193:LEU:N	1:B:194:PRO:CD	2.83	0.41
1:D:5:ALA:HB2	1:D:312:ILE:HG21	2.02	0.41
1:D:172:ARG:HB3	1:D:172:ARG:HE	1.62	0.41
1:D:294:LYS:HA	1:D:295:PRO:HD3	1.89	0.41
1:D:54:HIS:CD2	1:D:90:THR:HG23	2.55	0.41
1:C:249:GLN:HG3	1:C:250:HIS:N	2.36	0.41
1:D:244:ILE:O	1:D:290:HIS:HB3	2.21	0.41
1:B:238:HIS:O	1:B:239:LYS:HB2	2.20	0.41
1:C:7:ARG:CG	1:C:7:ARG:NH1	2.84	0.41
1:C:43:LEU:HD12	1:C:51:ILE:HD12	2.03	0.41
1:A:328:ASP:HA	1:A:329:PRO:HD2	1.83	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:282:ALA:HA	1:A:283:PRO:HD3	1.89	0.41
1:B:72:ILE:O	1:B:76:LYS:HG3	2.21	0.41
1:B:338:SER:HA	1:B:377:PHE:O	2.21	0.41
1:B:51:ILE:O	1:B:86:VAL:HA	2.20	0.41
1:C:35:ASP:HA	1:C:36:PRO:HD3	1.82	0.41
1:B:5:ALA:HB2	1:B:312:ILE:HG21	2.02	0.41
1:D:38:GLU:O	1:D:42:LYS:HG2	2.21	0.41
1:D:305:TRP:O	1:D:309:LYS:HG3	2.21	0.41
1:B:278:GLY:CA	1:B:282:ALA:O	2.69	0.41
1:B:206:LEU:O	1:B:209:PRO:HD3	2.20	0.41
1:C:15:LEU:HA	1:C:15:LEU:HD12	1.81	0.40
1:B:142:GLY:HA3	1:B:190:ASP:O	2.20	0.40
1:A:278:GLY:CA	1:A:282:ALA:O	2.69	0.40
1:A:306:GLU:HG2	1:D:381:LYS:HB2	2.03	0.40
1:C:172:ARG:HE	1:C:172:ARG:HB3	1.14	0.40
1:A:35:ASP:HA	1:A:36:PRO:HD3	1.86	0.40
1:D:96:HIS:HA	1:D:97:PRO:HD3	1.94	0.40
1:B:37:VAL:HG13	1:B:78:ALA:HB2	2.04	0.40
1:C:186:GLN:HA	1:C:187:PRO:HA	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	390/393 (99%)	377 (97%)	12 (3%)	1 (0%)	46	63
1	B	390/393 (99%)	378 (97%)	10 (3%)	2 (0%)	34	48
1	C	389/393 (99%)	373 (96%)	12 (3%)	4 (1%)	19	28
1	D	390/393 (99%)	375 (96%)	14 (4%)	1 (0%)	46	63
All	All	1559/1572 (99%)	1503 (96%)	48 (3%)	8 (0%)	34	48

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	280	ASP
1	A	186	GLN
1	B	186	GLN
1	C	186	GLN
1	C	364	PHE
1	D	186	GLN
1	B	281	GLY
1	C	279	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	305/310 (98%)	294 (96%)	11 (4%)	42	63
1	B	305/310 (98%)	297 (97%)	8 (3%)	54	74
1	C	304/310 (98%)	295 (97%)	9 (3%)	48	70
1	D	304/310 (98%)	293 (96%)	11 (4%)	42	63
All	All	1218/1240 (98%)	1179 (97%)	39 (3%)	46	68

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	ARG
1	A	42	LYS
1	A	49	TYR
1	A	76	LYS
1	A	80	ASP
1	A	158	TYR
1	A	185	ASN
1	A	187	PRO
1	A	203	VAL
1	A	313	ARG
1	A	323	LYS
1	B	42	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	49	TYR
1	B	81	GLU
1	B	132	LYS
1	B	158	TYR
1	B	172	ARG
1	B	185	ASN
1	B	394	ARG
1	C	7	ARG
1	C	49	TYR
1	C	80	ASP
1	C	158	TYR
1	C	172	ARG
1	C	177	ARG
1	C	185	ASN
1	C	279	PRO
1	C	375	LYS
1	D	3	VAL
1	D	49	TYR
1	D	80	ASP
1	D	158	TYR
1	D	172	ARG
1	D	177	ARG
1	D	185	ASN
1	D	187	PRO
1	D	313	ARG
1	D	320	GLU
1	D	323	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	185	ASN
1	A	204	GLN
1	A	238	HIS
1	B	185	ASN
1	B	204	GLN
1	B	238	HIS
1	C	185	ASN
1	C	222	GLN
1	C	238	HIS
1	D	41	HIS
1	D	238	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 12 ligands modelled in this entry, 8 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	XLS	A	397	3	9,9,9	1.81	1 (11%)	11,11,11	2.33	3 (27%)
2	XLS	B	397	3	9,9,9	1.73	1 (11%)	11,11,11	1.89	2 (18%)
2	XLS	C	397	3	9,9,9	1.64	1 (11%)	11,11,11	1.65	4 (36%)
2	XLS	D	397	3	9,9,9	1.81	1 (11%)	11,11,11	1.60	1 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	XLS	A	397	3	-	0/10/12/12	0/0/0/0
2	XLS	B	397	3	-	0/10/12/12	0/0/0/0
2	XLS	C	397	3	-	0/10/12/12	0/0/0/0
2	XLS	D	397	3	-	0/10/12/12	0/0/0/0

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	397	XLS	O1-C1	4.89	1.42	1.19
2	B	397	XLS	O1-C1	4.99	1.42	1.19
2	D	397	XLS	O1-C1	5.13	1.43	1.19
2	A	397	XLS	O1-C1	5.16	1.43	1.19

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	397	XLS	O1-C1-C2	-5.32	110.10	125.60
2	A	397	XLS	O1-C1-C2	-4.57	112.29	125.60
2	D	397	XLS	O1-C1-C2	-4.49	112.50	125.60
2	C	397	XLS	O1-C1-C2	-3.38	115.76	125.60
2	A	397	XLS	C3-C2-C1	-3.11	107.09	111.68
2	C	397	XLS	O5-C5-C4	-2.43	105.81	111.10
2	C	397	XLS	O3-C3-C2	2.18	112.78	108.93
2	C	397	XLS	O4-C4-C3	2.22	114.59	109.02
2	B	397	XLS	O4-C4-C3	2.68	115.75	109.02
2	A	397	XLS	O4-C4-C3	3.90	118.82	109.02

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.