



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 10:24 PM GMT

PDB ID : 4XLO
Title : Crystal Structure of EncM (crystallized with 4 mM NADPH)
Authors : Teufel, R.
Deposited on : 2015-01-13
Resolution : 1.67 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.67 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	4802 (1.70-1.66)
Clashscore	102246	5317 (1.70-1.66)
Ramachandran outliers	100387	5225 (1.70-1.66)
Sidechain outliers	100360	5224 (1.70-1.66)
RSRZ outliers	91569	4813 (1.70-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	464	<div> <div>3%</div> <div>87%</div> <div>11%</div> <div>..</div> </div>
1	B	464	<div> <div>2%</div> <div>86%</div> <div>13%</div> <div>.</div> </div>
1	C	464	<div> <div>4%</div> <div>87%</div> <div>12%</div> <div>.</div> </div>
1	D	464	<div> <div>3%</div> <div>86%</div> <div>12%</div> <div>..</div> </div>

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 16464 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called FAD-dependent oxygenase EncM.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	458	Total	C	N	O	S	0	4	0
			3508	2212	627	655	14			
1	B	461	Total	C	N	O	S	0	6	0
			3553	2245	632	661	15			
1	C	461	Total	C	N	O	S	0	3	0
			3527	2227	629	657	14			
1	D	461	Total	C	N	O	S	0	5	0
			3544	2236	634	660	14			

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	D	1	Total	C	N	O	P	0	0
			53	27	9	15	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	535	Total	O	0	0
			535	535		
3	B	539	Total	O	0	0
			539	539		
3	C	504	Total	O	0	0
			504	504		
3	D	542	Total	O	0	0
			542	542		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: FAD-dependent oxygenase EncM




- Molecule 1: FAD-dependent oxygenase EncM



- Molecule 1: FAD-dependent oxygenase EncM



- Molecule 1: FAD-dependent oxygenase EncM



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	166.06Å 175.02Å 132.29Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.69 – 1.67 29.69 – 1.67	Depositor EDS
% Data completeness (in resolution range)	98.3 (29.69-1.67) 98.4 (29.69-1.67)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.37 (at 1.67Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.185 , 0.230 0.182 , 0.227	Depositor DCC
R_{free} test set	12765 reflections (6.24%)	DCC
Wilson B-factor (Å ²)	20.5	Xtriage
Anisotropy	0.079	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 46.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Outliers	3 of 217320 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	16464	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 48.37 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 8.6873e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.09	8/3597 (0.2%)	1.02	7/4902 (0.1%)
1	B	1.10	4/3645 (0.1%)	1.04	10/4967 (0.2%)
1	C	1.08	3/3618 (0.1%)	1.02	9/4930 (0.2%)
1	D	1.12	5/3635 (0.1%)	1.05	9/4952 (0.2%)
All	All	1.10	20/14495 (0.1%)	1.03	35/19751 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	D	0	1
All	All	0	2

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	189	TRP	CD2-CE2	6.93	1.49	1.41
1	C	305	TYR	CE1-CZ	6.75	1.47	1.38
1	A	99	SER	CB-OG	-6.14	1.34	1.42
1	D	403	GLU	CG-CD	6.13	1.61	1.51
1	D	233	TRP	CD2-CE2	5.98	1.48	1.41
1	A	275	TRP	CD2-CE2	5.87	1.48	1.41
1	B	152	TRP	CD2-CE2	5.87	1.48	1.41
1	A	189	TRP	CG-CD1	5.82	1.44	1.36
1	D	134	GLY	C-O	5.80	1.32	1.23
1	C	275	TRP	CD2-CE2	5.76	1.48	1.41
1	A	37	TRP	CD2-CE2	5.68	1.48	1.41
1	B	24	TRP	CD2-CE2	5.67	1.48	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	121	ASP	CB-CG	5.32	1.62	1.51
1	D	189	TRP	CD2-CE2	5.27	1.47	1.41
1	D	189	TRP	CG-CD1	5.25	1.44	1.36
1	B	388	TRP	CD2-CE2	5.24	1.47	1.41
1	A	416	TYR	CE1-CZ	5.12	1.45	1.38
1	A	403	GLU	CG-CD	5.10	1.59	1.51
1	B	53	SER	CA-CB	5.05	1.60	1.52
1	C	358	TYR	CG-CD1	5.04	1.45	1.39

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	186	ASP	CB-CG-OD1	8.57	126.01	118.30
1	C	186	ASP	CB-CG-OD1	8.54	125.99	118.30
1	A	186	ASP	CB-CG-OD1	8.04	125.54	118.30
1	B	105	ARG	NE-CZ-NH1	7.83	124.22	120.30
1	C	390	ASP	CB-CG-OD1	7.19	124.77	118.30
1	B	96	LEU	CB-CG-CD1	-6.89	99.28	111.00
1	B	155	ARG	NE-CZ-NH2	-6.87	116.86	120.30
1	D	121	ASP	CB-CG-OD2	6.50	124.15	118.30
1	A	396	ARG	CA-CB-CG	6.35	127.37	113.40
1	A	340	VAL	CG1-CB-CG2	-6.27	100.86	110.90
1	B	287	GLU	CA-CB-CG	-6.23	99.69	113.40
1	C	155	ARG	NE-CZ-NH1	6.23	123.42	120.30
1	C	402	ARG	NE-CZ-NH2	-6.07	117.27	120.30
1	A	155	ARG	NE-CZ-NH1	6.04	123.32	120.30
1	A	155	ARG	NE-CZ-NH2	-5.99	117.30	120.30
1	C	313	PHE	N-CA-C	-5.93	94.99	111.00
1	D	215	ARG	NE-CZ-NH2	-5.87	117.36	120.30
1	B	287	GLU	OE1-CD-OE2	5.74	130.18	123.30
1	C	181	ASP	CB-CG-OD2	-5.59	113.27	118.30
1	C	31	ASP	CB-CG-OD1	5.57	123.31	118.30
1	D	414	GLY	N-CA-C	-5.51	99.33	113.10
1	A	306	ARG	NE-CZ-NH2	-5.49	117.56	120.30
1	D	412	LEU	CB-CG-CD1	-5.43	101.76	111.00
1	D	31	ASP	CB-CG-OD2	-5.29	113.54	118.30
1	A	110	ARG	NE-CZ-NH2	-5.21	117.69	120.30
1	C	104	ARG	NE-CZ-NH2	-5.21	117.70	120.30
1	D	50	ARG	NE-CZ-NH1	-5.18	117.71	120.30
1	B	108	ARG	NE-CZ-NH1	-5.17	117.72	120.30
1	B	87	ASP	CB-CG-OD1	5.09	122.89	118.30
1	C	356	LEU	CB-CG-CD1	-5.09	102.34	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	202	THR	CA-CB-CG2	-5.07	105.31	112.40
1	B	406	ARG	NE-CZ-NH1	5.06	122.83	120.30
1	B	105	ARG	NE-CZ-NH2	-5.01	117.79	120.30
1	D	56	ASP	CB-CG-OD1	5.01	122.81	118.30
1	B	394	ASP	CB-CG-OD1	5.01	122.81	118.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	461	PRO	Peptide
1	D	461	PRO	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3508	0	3416	39	0
1	B	3553	0	3457	41	0
1	C	3527	0	3434	38	0
1	D	3544	0	3450	47	0
2	A	53	0	30	2	0
2	B	53	0	30	1	0
2	C	53	0	30	0	0
2	D	53	0	30	2	0
3	A	535	0	0	18	0
3	B	539	0	0	22	0
3	C	504	0	0	16	1
3	D	542	0	0	22	1
All	All	16464	0	13877	162	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (162) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:228:GLN:HG3	3:D:1030:HOH:O	1.58	1.02
1:B:365:ARG:HD3	3:B:959:HOH:O	1.60	0.99
1:C:227:PRO:O	1:C:231:ARG:HG3	1.61	0.98
1:B:283:GLU:HG2	3:B:704:HOH:O	1.64	0.97
1:D:318:VAL:HA	3:D:895:HOH:O	1.66	0.94
1:B:338:ASP:O	1:B:342:GLU:HG3	1.69	0.93
1:A:225:GLU:OE2	3:A:601:HOH:O	1.87	0.92
1:C:406:ARG:NH1	3:C:601:HOH:O	2.03	0.92
1:C:35:ARG:NH2	3:C:1051:HOH:O	2.04	0.91
1:D:313:PHE:O	3:D:601:HOH:O	1.89	0.89
1:B:35:ARG:NH2	3:B:601:HOH:O	2.05	0.88
1:D:393:GLU:HG2	1:D:396:ARG:NH2	1.89	0.87
1:D:35:ARG:NH1	3:D:602:HOH:O	2.07	0.86
1:C:25:PRO:HB3	3:C:978:HOH:O	1.78	0.81
1:A:21:GLU:HB3	3:A:1030:HOH:O	1.79	0.81
1:D:454:ARG:CZ	3:D:982:HOH:O	2.28	0.81
1:D:429:ARG:HD3	3:D:1120:HOH:O	1.80	0.80
1:C:402:ARG:NH1	3:C:602:HOH:O	2.05	0.79
1:B:451:ASN:HD21	1:B:458:ASN:HD21	1.29	0.79
1:A:402:ARG:HB3	1:A:406:ARG:HH21	1.45	0.79
1:A:454:ARG:NE	3:A:1031:HOH:O	2.17	0.77
1:A:403:GLU:OE2	1:A:406:ARG:CZ	2.32	0.77
1:C:451:ASN:HD21	1:C:458:ASN:HD21	1.33	0.76
1:C:35:ARG:NH1	3:C:706:HOH:O	2.13	0.76
1:C:216:PHE:HZ	1:C:272:MET:HE3	1.52	0.74
1:D:454:ARG:NE	3:D:982:HOH:O	2.20	0.73
1:D:454:ARG:NH2	3:D:982:HOH:O	2.21	0.73
1:C:2:GLN:NE2	1:C:3:PHE:CE1	2.57	0.72
1:A:426:ASP:HA	3:A:629:HOH:O	1.88	0.72
1:A:451:ASN:HD21	1:A:458:ASN:HD21	1.33	0.72
1:A:216:PHE:HZ	1:A:272:MET:HE3	1.54	0.71
1:B:3:PHE:N	1:B:4:PRO:HD3	2.05	0.70
1:B:29:ASP:HB3	3:B:695:HOH:O	1.91	0.70
1:D:451:ASN:HD21	1:D:458:ASN:HD21	1.38	0.68
1:A:406:ARG:HD2	3:A:634:HOH:O	1.93	0.68
1:B:324[B]:THR:HG22	3:B:781:HOH:O	1.94	0.67
1:C:262:ASP:O	1:C:266:LYS:HE2	1.95	0.66
1:A:19:ARG:NH1	1:C:19:ARG:HD2	2.12	0.65
1:C:428:THR:OG1	3:C:1034:HOH:O	2.14	0.65
1:A:342:GLU:HG3	3:A:959:HOH:O	1.97	0.65
1:D:391:PRO:O	3:D:1025:HOH:O	2.14	0.64
1:B:343:HIS:HB3	3:B:927:HOH:O	1.99	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:106:LEU:HB3	1:D:108:ARG:HH11	1.64	0.62
1:A:454:ARG:CZ	3:A:1031:HOH:O	2.46	0.62
1:A:205:GLU:OE2	3:A:837:HOH:O	2.16	0.59
1:D:429:ARG:HB2	3:D:987:HOH:O	2.02	0.59
1:B:454:ARG:NH2	3:B:996:HOH:O	2.35	0.59
1:D:108:ARG:NH2	3:D:605:HOH:O	2.30	0.58
1:A:343:HIS:ND1	3:A:1034:HOH:O	2.21	0.58
1:C:128:MET:CE	1:C:210:ARG:HH12	2.16	0.58
1:A:337:THR:O	1:A:340:VAL:HG12	2.03	0.58
1:C:413:SER:O	1:C:414:GLY:O	2.22	0.57
1:D:106:LEU:HB3	1:D:108:ARG:NH1	2.18	0.57
1:D:3:PHE:N	1:D:4:PRO:HD2	2.19	0.57
1:B:121:ASP:OD2	3:B:793:HOH:O	2.16	0.57
1:C:231:ARG:HG2	3:C:1015:HOH:O	2.05	0.57
1:D:429:ARG:CG	3:D:1120:HOH:O	2.53	0.57
1:A:314:PRO:HA	3:A:992:HOH:O	2.04	0.57
1:D:429:ARG:CD	3:D:1120:HOH:O	2.46	0.57
1:D:370:ALA:HB1	3:D:1127:HOH:O	2.04	0.57
1:D:53:SER:HB2	1:D:55:PRO:HD2	1.87	0.56
1:D:314:PRO:HA	3:D:683:HOH:O	2.04	0.56
1:B:35:ARG:CZ	3:B:601:HOH:O	2.51	0.56
1:A:349[B]:SER:HB3	1:A:352:THR:HG1	1.69	0.56
1:B:3:PHE:H	1:B:4:PRO:HD3	1.70	0.56
1:A:19:ARG:NH2	1:A:55:PRO:HB2	2.20	0.56
1:C:128:MET:HE1	1:C:210:ARG:HH12	1.71	0.55
1:D:393:GLU:HG2	1:D:396:ARG:HH22	1.69	0.55
1:C:66:LYS:NZ	3:C:1043:HOH:O	2.34	0.55
1:D:78:HIS:HE2	1:D:138:HIS:HD2	1.54	0.55
1:B:19:ARG:HD2	1:D:19:ARG:NH1	2.21	0.55
1:A:5:GLN:NE2	3:A:1076:HOH:O	2.39	0.55
1:C:335:GLU:HG2	3:C:619:HOH:O	2.06	0.55
1:D:108:ARG:NH1	3:D:607:HOH:O	2.33	0.54
1:A:210:ARG:NH2	1:C:316:ALA:O	2.41	0.54
1:A:5:GLN:HB2	3:A:1016:HOH:O	2.08	0.54
3:B:637:HOH:O	1:D:128:MET:HE2	2.08	0.54
1:C:199:GLY:HA2	1:C:453:PHE:CE2	2.44	0.53
1:B:287:GLU:OE1	3:B:602:HOH:O	2.18	0.53
1:D:438:GLU:HG2	3:D:1140:HOH:O	2.09	0.53
1:D:365:ARG:NH2	3:D:1069:HOH:O	2.26	0.52
1:D:439:ARG:NH1	3:D:1063:HOH:O	2.38	0.52
1:B:313[A]:PHE:CD2	1:B:314:PRO:HD2	2.46	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:318:VAL:HG23	3:B:637:HOH:O	2.09	0.51
1:B:287:GLU:HG3	3:B:804:HOH:O	2.10	0.51
1:C:316:ALA:HB1	3:C:1098:HOH:O	2.11	0.50
1:B:107:ARG:NH1	3:B:612:HOH:O	2.45	0.49
1:D:80:MET:HE1	3:D:1079:HOH:O	2.12	0.49
1:B:353:GLN:NE2	3:B:923:HOH:O	2.44	0.49
1:C:216:PHE:CZ	1:C:272:MET:HE3	2.40	0.49
1:C:402:ARG:HD3	1:C:406:ARG:CZ	2.42	0.49
1:C:296:HIS:CD2	3:C:1101:HOH:O	2.64	0.49
1:B:65:ARG:HD2	3:B:1131:HOH:O	2.13	0.49
1:C:223:LEU:HD22	1:C:267:PRO:HB2	1.93	0.49
1:C:316:ALA:HB2	3:C:1050:HOH:O	2.13	0.49
1:B:294:LYS:HD3	1:B:296:HIS:CE1	2.47	0.49
1:A:353:GLN:NE2	3:A:896:HOH:O	2.43	0.49
1:C:222:SER:HB3	3:C:1101:HOH:O	2.11	0.49
1:A:251:ARG:HD2	1:A:353:GLN:HE21	1.79	0.48
1:A:337:THR:HA	1:A:340:VAL:HG12	1.95	0.48
1:C:316:ALA:N	3:C:1050:HOH:O	2.47	0.47
1:A:317:VAL:CG1	1:A:318:VAL:N	2.77	0.47
1:D:446:LYS:HE2	1:D:447:TYR:CZ	2.50	0.47
1:B:329:LEU:HB2	1:B:380:PHE:HB2	1.96	0.47
1:B:21:GLU:HG2	1:B:50:ARG:HB2	1.96	0.47
1:A:337:THR:O	1:A:340:VAL:CG1	2.63	0.46
1:A:35:ARG:NH1	3:A:910:HOH:O	2.48	0.46
1:B:41:ILE:HG13	1:B:82:GLY:HA3	1.97	0.46
1:B:250:LEU:HD12	1:B:250:LEU:N	2.31	0.46
1:A:329:LEU:HB2	1:A:380:PHE:HB2	1.97	0.46
1:D:393:GLU:CG	1:D:396:ARG:NH2	2.70	0.45
1:B:3:PHE:N	1:B:4:PRO:CD	2.76	0.45
1:C:78:HIS:HE2	1:C:138:HIS:HD2	1.65	0.45
1:B:220:TYR:OH	1:B:313[A]:PHE:HZ	1.99	0.45
1:C:101:LYS:NZ	3:C:934:HOH:O	2.49	0.45
1:D:223:LEU:HD12	1:D:223:LEU:HA	1.78	0.45
1:B:220:TYR:HH	1:B:313[A]:PHE:HZ	1.63	0.44
1:D:214:VAL:HG21	1:D:308:LEU:HD22	1.98	0.44
1:C:223:LEU:HA	1:C:223:LEU:HD12	1.73	0.44
1:B:342:GLU:HG2	3:B:1056:HOH:O	2.18	0.44
1:B:406:ARG:HD3	3:B:1058:HOH:O	2.17	0.44
1:D:3:PHE:N	1:D:4:PRO:CD	2.81	0.44
1:B:365:ARG:CD	3:B:959:HOH:O	2.40	0.43
1:A:177:LEU:HD22	3:A:925:HOH:O	2.17	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:315:GLY:HA3	1:D:316:ALA:HB2	1.99	0.43
1:A:5:GLN:N	3:A:1042:HOH:O	2.50	0.43
1:B:421:ASN:HB2	1:B:422:PRO:CD	2.49	0.43
1:B:243:GLU:HB2	1:B:275:TRP:CH2	2.54	0.43
1:D:337:THR:O	1:D:340:VAL:HG22	2.18	0.43
3:B:637:HOH:O	1:D:128:MET:CE	2.64	0.43
1:C:421:ASN:HB2	1:C:422:PRO:CD	2.50	0.42
1:B:94:LEU:O	1:B:114:GLY:HA3	2.19	0.42
1:B:36:ILE:CD1	1:B:82:GLY:HA2	2.49	0.42
1:D:90:ILE:HG23	1:D:90:ILE:O	2.18	0.42
1:D:78:HIS:HB3	2:D:501:FAD:HM81	1.98	0.42
1:C:146:LEU:HD21	1:C:201:VAL:HG21	2.01	0.42
1:B:405:TYR:CE1	1:B:412:LEU:HD13	2.54	0.42
1:B:210:ARG:NH2	3:D:604:HOH:O	2.52	0.42
1:A:7:ASP:HA	1:A:8:PRO:HD3	1.92	0.42
1:B:104:ARG:CZ	3:B:626:HOH:O	2.68	0.42
1:D:50:ARG:HD2	1:D:50:ARG:HH11	1.69	0.41
1:A:231:ARG:NH2	3:A:1047:HOH:O	2.53	0.41
1:D:98:ASN:OD1	1:D:115:CYS:HA	2.20	0.41
1:D:133:ALA:O	1:D:151:GLY:HA3	2.20	0.41
1:C:316:ALA:CB	3:C:1098:HOH:O	2.67	0.41
1:A:78:HIS:CE1	2:A:501:FAD:HM71	2.56	0.41
1:B:37:TRP:CH2	2:B:501:FAD:HM82	2.55	0.41
1:A:365:ARG:NH2	3:A:1001:HOH:O	2.50	0.41
1:A:216:PHE:CZ	1:A:272:MET:HE3	2.44	0.41
1:D:94:LEU:O	1:D:114:GLY:HA3	2.20	0.41
1:C:416:TYR:CZ	1:C:418:ASN:HB2	2.55	0.41
1:C:2:GLN:HE21	1:C:3:PHE:HE1	1.64	0.41
1:C:94:LEU:O	1:C:114:GLY:HA3	2.21	0.41
1:A:37:TRP:CH2	2:A:501:FAD:HM82	2.55	0.41
1:D:461:PRO:O	1:D:462:SER:HB3	2.20	0.41
1:D:318:VAL:O	3:D:603:HOH:O	2.21	0.40
1:D:37:TRP:CH2	2:D:501:FAD:HM82	2.55	0.40
1:A:94:LEU:O	1:A:114:GLY:HA3	2.21	0.40
1:C:36:ILE:CD1	1:C:82:GLY:HA2	2.52	0.40
1:A:416:TYR:CZ	1:A:418:ASN:HB2	2.56	0.40
1:A:427:ARG:O	1:A:430:GLU:HG2	2.22	0.40
1:B:457:GLN:HG2	3:B:820:HOH:O	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:1065:HOH:O	3:D:1125:HOH:O[5_555]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	460/464 (99%)	454 (99%)	6 (1%)	0	100	100
1	B	465/464 (100%)	452 (97%)	12 (3%)	1 (0%)	52	31
1	C	462/464 (100%)	451 (98%)	9 (2%)	2 (0%)	39	19
1	D	464/464 (100%)	455 (98%)	7 (2%)	2 (0%)	39	19
All	All	1851/1856 (100%)	1812 (98%)	34 (2%)	5 (0%)	46	25

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	316	ALA
1	C	414	GLY
1	C	5	GLN
1	B	3	PHE
1	D	3	PHE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	357/359 (99%)	352 (99%)	5 (1%)	74	57

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	362/359 (101%)	356 (98%)	6 (2%)	68	49
1	C	359/359 (100%)	356 (99%)	3 (1%)	86	78
1	D	361/359 (101%)	353 (98%)	8 (2%)	60	37
All	All	1439/1436 (100%)	1417 (98%)	22 (2%)	72	54

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	GLN
1	A	67	SER
1	A	131	THR
1	A	234	ARG
1	A	396	ARG
1	B	2	GLN
1	B	3	PHE
1	B	131	THR
1	B	214	VAL
1	B	396	ARG
1	B	462	SER
1	C	21	GLU
1	C	131	THR
1	C	317	VAL
1	D	2	GLN
1	D	5	GLN
1	D	45	PRO
1	D	131	THR
1	D	214	VAL
1	D	396	ARG
1	D	457	GLN
1	D	462	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	184	ASN
1	A	330	ASN
1	A	353	GLN
1	A	375	ASN
1	A	418	ASN
1	A	458	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	228	GLN
1	B	330	ASN
1	B	353	GLN
1	B	418	ASN
1	B	458	ASN
1	C	330	ASN
1	C	353	GLN
1	C	418	ASN
1	C	457	GLN
1	C	458	ASN
1	D	330	ASN
1	D	353	GLN
1	D	418	ASN
1	D	458	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FAD	A	501	-	48,58,58	1.88	14 (29%)	54,89,89	2.64	18 (33%)
2	FAD	B	501	1	48,58,58	1.69	10 (20%)	54,89,89	2.54	17 (31%)
2	FAD	C	501	-	48,58,58	1.32	8 (16%)	54,89,89	2.41	18 (33%)
2	FAD	D	501	1	48,58,58	1.61	13 (27%)	54,89,89	2.54	22 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	A	501	-	-	0/30/50/50	0/6/6/6
2	FAD	B	501	1	-	0/30/50/50	0/6/6/6
2	FAD	C	501	-	-	0/30/50/50	0/6/6/6
2	FAD	D	501	1	-	0/30/50/50	0/6/6/6

All (45) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	FAD	C1'-N10	-3.16	1.45	1.48
2	B	501	FAD	C1'-N10	-2.42	1.45	1.48
2	D	501	FAD	C1'-N10	-2.19	1.46	1.48
2	C	501	FAD	PA-O2A	-2.05	1.46	1.54
2	D	501	FAD	PA-O2A	-2.02	1.46	1.54
2	A	501	FAD	C10-N10	2.03	1.41	1.39
2	A	501	FAD	C6-C7	2.07	1.43	1.37
2	D	501	FAD	O3B-C3B	2.14	1.48	1.43
2	A	501	FAD	C9A-N10	2.15	1.41	1.38
2	C	501	FAD	C9A-C5X	2.16	1.47	1.42
2	D	501	FAD	C4A-N3A	2.18	1.38	1.35
2	C	501	FAD	O4B-C1B	2.21	1.44	1.41
2	A	501	FAD	C8-C7	2.22	1.46	1.41
2	D	501	FAD	C4-C4X	2.23	1.45	1.41
2	C	501	FAD	C5A-C4A	2.23	1.45	1.40
2	C	501	FAD	C8-C7	2.28	1.47	1.41
2	B	501	FAD	C4X-C10	2.33	1.45	1.41
2	D	501	FAD	C9A-N10	2.34	1.42	1.38
2	B	501	FAD	O3'-C3'	2.34	1.48	1.43
2	B	501	FAD	C10-N10	2.35	1.41	1.39
2	A	501	FAD	O3'-C3'	2.41	1.48	1.43
2	D	501	FAD	O2B-C2B	2.42	1.48	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	FAD	O4-C4	2.46	1.30	1.24
2	A	501	FAD	O4B-C1B	2.48	1.44	1.41
2	C	501	FAD	C4-C4X	2.56	1.46	1.41
2	A	501	FAD	C7M-C7	2.61	1.56	1.51
2	D	501	FAD	C5A-C4A	2.70	1.46	1.40
2	D	501	FAD	C8-C7	2.72	1.48	1.41
2	C	501	FAD	C4X-N5	2.79	1.37	1.33
2	A	501	FAD	C8A-N7A	2.82	1.40	1.34
2	A	501	FAD	C4A-N3A	2.82	1.39	1.35
2	B	501	FAD	C8-C7	2.82	1.48	1.41
2	D	501	FAD	C9A-C5X	3.18	1.49	1.42
2	D	501	FAD	C4X-N5	3.35	1.38	1.33
2	B	501	FAD	C9A-C5X	3.47	1.49	1.42
2	B	501	FAD	C4A-N3A	3.57	1.40	1.35
2	A	501	FAD	C4X-C10	3.67	1.47	1.41
2	D	501	FAD	C4X-C10	3.92	1.48	1.41
2	D	501	FAD	O4B-C1B	4.00	1.46	1.41
2	B	501	FAD	C4-C4X	4.13	1.49	1.41
2	A	501	FAD	C4-C4X	4.24	1.49	1.41
2	C	501	FAD	C4X-C10	4.25	1.49	1.41
2	A	501	FAD	C4X-N5	4.63	1.40	1.33
2	A	501	FAD	C9A-C5X	5.42	1.53	1.42
2	B	501	FAD	O4B-C1B	5.48	1.48	1.41

All (75) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	FAD	N3A-C2A-N1A	-6.92	123.60	128.89
2	A	501	FAD	N3A-C2A-N1A	-6.35	124.03	128.89
2	C	501	FAD	C4-C4X-C10	-5.86	116.19	119.94
2	D	501	FAD	N3A-C2A-N1A	-5.78	124.47	128.89
2	A	501	FAD	C4-C4X-C10	-5.67	116.31	119.94
2	A	501	FAD	C4X-C10-N10	-5.52	117.27	120.52
2	D	501	FAD	C4-C4X-C10	-5.04	116.72	119.94
2	A	501	FAD	C4X-C4-N3	-4.95	116.83	123.59
2	B	501	FAD	C4X-C10-N10	-4.70	117.75	120.52
2	B	501	FAD	C4-C4X-C10	-4.37	117.14	119.94
2	D	501	FAD	C4X-C4-N3	-4.30	117.70	123.59
2	C	501	FAD	N3A-C2A-N1A	-4.24	125.65	128.89
2	C	501	FAD	C4X-C4-N3	-4.15	117.91	123.59
2	D	501	FAD	C4X-C10-N10	-4.12	118.09	120.52
2	B	501	FAD	C4X-C4-N3	-4.07	118.03	123.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	FAD	O4B-C1B-N9A	-3.78	100.18	108.10
2	C	501	FAD	O3P-P-O5'	-3.78	92.91	102.94
2	A	501	FAD	O3P-P-O5'	-3.61	93.37	102.94
2	D	501	FAD	C4B-O4B-C1B	-3.53	105.84	109.72
2	C	501	FAD	C4A-C5A-N7A	-3.37	106.38	109.48
2	B	501	FAD	O2'-C2'-C1'	-3.34	101.74	109.94
2	C	501	FAD	C4X-C10-N10	-3.28	118.59	120.52
2	B	501	FAD	C1B-N9A-C4A	-3.24	122.05	126.94
2	D	501	FAD	C1B-N9A-C4A	-3.23	122.06	126.94
2	D	501	FAD	O2'-C2'-C1'	-3.17	102.16	109.94
2	D	501	FAD	O4'-C4'-C5'	-3.06	103.52	110.19
2	A	501	FAD	C9A-C5X-N5	-2.91	118.05	122.36
2	A	501	FAD	O2'-C2'-C1'	-2.66	103.41	109.94
2	A	501	FAD	O4B-C1B-N9A	-2.58	102.70	108.10
2	C	501	FAD	C1'-C2'-C3'	-2.54	102.54	109.82
2	D	501	FAD	C9A-C5X-N5	-2.54	118.59	122.36
2	A	501	FAD	C1'-C2'-C3'	-2.54	102.57	109.82
2	B	501	FAD	C9A-C5X-N5	-2.50	118.66	122.36
2	C	501	FAD	O2'-C2'-C1'	-2.43	103.97	109.94
2	C	501	FAD	O4B-C1B-N9A	-2.40	103.07	108.10
2	A	501	FAD	O3B-C3B-C4B	-2.29	104.18	111.05
2	C	501	FAD	C1B-N9A-C4A	-2.28	123.50	126.94
2	A	501	FAD	C1B-N9A-C4A	-2.20	123.63	126.94
2	D	501	FAD	C1'-C2'-C3'	-2.16	103.63	109.82
2	D	501	FAD	O4B-C1B-N9A	-2.13	103.63	108.10
2	D	501	FAD	C2B-C3B-C4B	-2.13	98.24	102.61
2	A	501	FAD	C7M-C7-C8	-2.10	116.12	120.73
2	B	501	FAD	C5X-C9A-N10	-2.05	116.06	117.62
2	D	501	FAD	C1'-N10-C9A	2.05	121.16	118.86
2	B	501	FAD	C1'-N10-C9A	2.10	121.22	118.86
2	B	501	FAD	C2B-C1B-N9A	2.11	117.51	114.29
2	D	501	FAD	C2A-N1A-C6A	2.16	122.63	118.77
2	C	501	FAD	O2P-P-O1P	2.20	124.45	112.53
2	B	501	FAD	O2A-PA-O3P	2.25	115.30	105.09
2	C	501	FAD	C2A-N1A-C6A	2.29	122.86	118.77
2	B	501	FAD	O2P-P-O1P	2.43	125.72	112.53
2	A	501	FAD	O2P-P-O1P	2.49	126.02	112.53
2	B	501	FAD	C2A-N1A-C6A	2.49	123.22	118.77
2	C	501	FAD	O2A-PA-O3P	2.54	116.60	105.09
2	D	501	FAD	O4B-C4B-C3B	2.62	110.42	105.15
2	A	501	FAD	C2B-C1B-N9A	2.72	118.44	114.29
2	D	501	FAD	C5X-C9A-N10	2.86	119.80	117.62

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	501	FAD	N6A-C6A-N1A	2.90	125.44	119.20
2	A	501	FAD	C5X-C9A-N10	2.91	119.83	117.62
2	C	501	FAD	C4X-N5-C5X	3.07	120.30	116.76
2	D	501	FAD	C6-C5X-N5	3.29	123.19	118.96
2	A	501	FAD	C2A-N1A-C6A	3.42	124.88	118.77
2	D	501	FAD	C4-C4X-N5	3.58	123.06	118.72
2	C	501	FAD	C2B-C1B-N9A	3.69	119.93	114.29
2	C	501	FAD	C1'-N10-C9A	3.74	123.06	118.86
2	B	501	FAD	C4-C4X-N5	3.80	123.33	118.72
2	A	501	FAD	C4X-N5-C5X	3.89	121.24	116.76
2	C	501	FAD	C4-C4X-N5	4.10	123.69	118.72
2	D	501	FAD	C2B-C1B-N9A	4.16	120.65	114.29
2	D	501	FAD	C4X-N5-C5X	4.96	122.47	116.76
2	B	501	FAD	C4X-N5-C5X	7.12	124.95	116.76
2	B	501	FAD	C4-N3-C2	8.05	122.21	115.25
2	D	501	FAD	C4-N3-C2	8.44	122.54	115.25
2	C	501	FAD	C4-N3-C2	9.14	123.15	115.25
2	A	501	FAD	C4-N3-C2	9.85	123.76	115.25

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	FAD	2	0
2	B	501	FAD	1	0
2	D	501	FAD	2	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	458/464 (98%)	-0.01	12 (2%) 59 62	11, 19, 35, 69	0
1	B	461/464 (99%)	0.01	10 (2%) 65 69	10, 19, 34, 98	1 (0%)
1	C	461/464 (99%)	0.11	20 (4%) 39 41	9, 20, 39, 88	0
1	D	461/464 (99%)	0.04	12 (2%) 59 62	10, 18, 33, 77	0
All	All	1841/1856 (99%)	0.04	54 (2%) 55 58	9, 19, 36, 98	1 (0%)

All (54) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	4	PRO	11.2
1	B	4	PRO	10.2
1	B	3	PHE	9.8
1	C	3	PHE	8.6
1	D	4	PRO	8.2
1	B	313[A]	PHE	7.8
1	D	3	PHE	7.5
1	D	317	VAL	6.2
1	C	316	ALA	6.2
1	C	5	GLN	6.0
1	D	316	ALA	5.4
1	A	5	GLN	5.3
1	B	5	GLN	5.1
1	B	2	GLN	5.1
1	D	5	GLN	4.9
1	C	2	GLN	4.7
1	A	6	LEU	4.3
1	A	11	LEU	3.7
1	C	13	ALA	3.5
1	A	317	VAL	3.5
1	D	2	GLN	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	15	SER	3.3
1	C	10	THR	3.3
1	A	316	ALA	3.2
1	C	317	VAL	3.2
1	A	8	PRO	3.2
1	A	10	THR	3.0
1	C	17	ALA	2.8
1	A	7	ASP	2.8
1	C	144	LEU	2.7
1	B	261	ALA	2.7
1	C	9	ALA	2.7
1	C	6	LEU	2.6
1	D	292	ALA	2.5
1	B	144	LEU	2.5
1	C	335	GLU	2.5
1	C	146	LEU	2.4
1	B	6	LEU	2.4
1	C	224	ASP	2.4
1	B	317	VAL	2.3
1	C	462	SER	2.3
1	D	262	ASP	2.3
1	A	19	ARG	2.2
1	D	462	SER	2.2
1	B	145	VAL	2.2
1	C	314	PRO	2.1
1	A	9	ALA	2.1
1	C	150	PHE	2.1
1	A	144	LEU	2.1
1	D	429	ARG	2.1
1	D	224	ASP	2.1
1	C	19	ARG	2.0
1	C	16	ALA	2.0
1	D	19	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	FAD	A	501	53/53	0.98	0.12	0.13	10,12,15,16	0
2	FAD	B	501	53/53	0.98	0.11	-0.00	10,12,14,15	0
2	FAD	C	501	53/53	0.98	0.11	-0.08	11,13,15,16	0
2	FAD	D	501	53/53	0.98	0.11	-0.10	10,11,13,14	0

6.5 Other polymers [i](#)

There are no such residues in this entry.