



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 11:32 PM GMT

PDB ID : 1XO7  
Title : Crystal structure of cyclophilin from Trypanosoma cruzi  
Authors : Caruthers, J.M.; Hol, W.G.J.; Structural Genomics of Pathogenic Protozoa Consortium (SGPP)  
Deposited on : 2004-10-05  
Resolution : 1.61 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.61 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3202 (1.64-1.60)
Clashscore	102246	3500 (1.64-1.60)
Ramachandran outliers	100387	3411 (1.64-1.60)
Sidechain outliers	100360	3410 (1.64-1.60)
RSRZ outliers	91569	3207 (1.64-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	166	<div> <div></div> <div>80%16% . .</div> </div>
1	B	166	<div> <div></div> <div>81%14%5% .</div> </div>
1	C	166	<div> <div>2%</div> <div>77%19% . .</div> </div>
1	D	166	<div> <div>4%</div> <div>77%19% .</div> </div>

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 5896 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called cyclophilin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	166	Total	C	N	O	S	0	0	0
			1272	811	218	238	5			
1	B	166	Total	C	N	O	S	0	0	0
			1272	811	218	238	5			
1	C	166	Total	C	N	O	S	0	0	0
			1272	811	218	238	5			
1	D	166	Total	C	N	O	S	0	0	0
			1272	811	218	238	5			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	196	Total	O	0	0
			196	196		
2	B	205	Total	O	0	0
			205	205		
2	C	200	Total	O	0	0
			200	200		
2	D	207	Total	O	0	0
			207	207		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: cyclophilin




#### • Molecule 1: cyclophilin




#### • Molecule 1: cyclophilin



#### • Molecule 1: cyclophilin





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	53.31Å 62.14Å 64.64Å 109.55° 104.21° 104.92°	Depositor
Resolution (Å)	56.80 – 1.61 13.37 – 1.61	Depositor EDS
% Data completeness (in resolution range)	93.4 (56.80-1.61) 80.2 (13.37-1.61)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.10	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.92 (at 1.61Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, $R_{free}$	0.179 , 0.198 0.190 , 0.210	Depositor DCC
$R_{free}$ test set	4251 reflections (5.26%)	DCC
Wilson B-factor (Å <sup>2</sup> )	14.7	Xtriage
Anisotropy	0.056	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 51.6	EDS
Estimated twinning fraction	0.018 for -h,-l,-k	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 85106 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	5896	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.62% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	1.72	15/1299 (1.2%)	1.49	13/1751 (0.7%)
1	B	1.60	12/1299 (0.9%)	1.46	15/1751 (0.9%)
1	C	1.82	18/1299 (1.4%)	1.42	15/1751 (0.9%)
1	D	1.60	14/1299 (1.1%)	1.34	12/1751 (0.7%)
All	All	1.69	59/5196 (1.1%)	1.43	55/7004 (0.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	0	5
All	All	0	6

All (59) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	101	MET	C-N	-18.62	0.91	1.34
1	C	101	MET	CB-CG	14.20	1.96	1.51
1	A	44	GLY	C-N	13.39	1.64	1.34
1	D	144	GLU	CD-OE1	11.63	1.38	1.25
1	C	63	MET	SD-CE	-11.28	1.14	1.77
1	A	100	SER	C-N	11.27	1.59	1.34
1	C	44	GLY	C-N	10.30	1.57	1.34
1	A	45	GLU	CD-OE1	9.88	1.36	1.25
1	A	45	GLU	CD-OE2	9.32	1.35	1.25
1	A	101	MET	CG-SD	-9.31	1.56	1.81
1	C	45	GLU	C-N	9.14	1.55	1.34
1	D	63	MET	SD-CE	-8.10	1.32	1.77
1	B	1	MET	CG-SD	7.91	2.01	1.81
1	D	144	GLU	CD-OE2	-7.87	1.17	1.25

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	55	PHE	CE1-CZ	7.84	1.52	1.37
1	C	9	TYR	CD2-CE2	7.70	1.50	1.39
1	C	9	TYR	CD1-CE1	7.34	1.50	1.39
1	D	62	PHE	CB-CG	-7.32	1.39	1.51
1	B	153	LYS	CE-NZ	7.25	1.67	1.49
1	C	101	MET	CA-CB	7.21	1.69	1.53
1	B	45	GLU	CD-OE2	7.09	1.33	1.25
1	B	50	TYR	CG-CD2	6.76	1.48	1.39
1	D	78	LYS	CE-NZ	6.52	1.65	1.49
1	A	27	PHE	CE2-CZ	6.41	1.49	1.37
1	A	165	VAL	CB-CG2	6.35	1.66	1.52
1	C	95	PHE	C-O	-6.28	1.11	1.23
1	A	48	PHE	CE2-CZ	6.15	1.49	1.37
1	A	79	SER	CB-OG	6.13	1.50	1.42
1	A	23	VAL	CB-CG2	6.01	1.65	1.52
1	A	85	PHE	CD2-CE2	5.83	1.50	1.39
1	D	99	VAL	CB-CG2	5.82	1.65	1.52
1	C	45	GLU	CB-CG	-5.82	1.41	1.52
1	C	130	PHE	CD1-CE1	5.81	1.50	1.39
1	D	84	ARG	NE-CZ	5.80	1.40	1.33
1	D	50	TYR	CE1-CZ	5.74	1.46	1.38
1	B	58	VAL	CB-CG1	5.71	1.64	1.52
1	C	58	VAL	CB-CG1	-5.65	1.41	1.52
1	C	130	PHE	CE2-CZ	5.59	1.48	1.37
1	B	60	ARG	NE-CZ	5.58	1.40	1.33
1	B	113	PHE	CE2-CZ	5.57	1.48	1.37
1	C	100	SER	C-N	5.57	1.46	1.34
1	D	27	PHE	CE1-CZ	5.56	1.48	1.37
1	C	101	MET	CG-SD	5.47	1.95	1.81
1	A	38	PHE	CE2-CZ	5.39	1.47	1.37
1	C	114	PHE	CE2-CZ	5.28	1.47	1.37
1	A	8	VAL	CB-CG2	5.24	1.63	1.52
1	D	155	LYS	CE-NZ	5.20	1.62	1.49
1	A	39	LYS	CE-NZ	5.19	1.62	1.49
1	D	155	LYS	CD-CE	5.18	1.64	1.51
1	D	165	VAL	CB-CG1	5.18	1.63	1.52
1	B	92	ILE	CB-CG2	-5.17	1.36	1.52
1	D	144	GLU	CG-CD	5.14	1.59	1.51
1	B	36	GLU	CD-OE1	5.13	1.31	1.25
1	B	48	PHE	CD1-CE1	5.11	1.49	1.39
1	A	71	ASN	CB-CG	5.08	1.62	1.51
1	B	114	PHE	CD2-CE2	5.07	1.49	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	36	GLU	CD-OE2	-5.03	1.20	1.25
1	D	111	SER	CB-OG	5.02	1.48	1.42
1	C	1	MET	SD-CE	5.00	2.05	1.77

All (55) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	63	MET	CG-SD-CE	-20.61	67.22	100.20
1	B	63	MET	CG-SD-CE	-15.69	75.09	100.20
1	A	101	MET	CG-SD-CE	-15.42	75.53	100.20
1	A	101	MET	CA-CB-CG	-13.63	90.12	113.30
1	B	16	ASP	CB-CG-OD2	11.87	128.98	118.30
1	D	138	ASP	CB-CG-OD2	11.19	128.37	118.30
1	B	30	ASP	CB-CG-OD2	10.90	128.11	118.30
1	B	155	LYS	CD-CE-NZ	10.05	134.82	111.70
1	A	45	GLU	O-C-N	-9.65	107.26	122.70
1	D	16	ASP	CB-CG-OD2	9.19	126.57	118.30
1	B	6	ASP	CB-CG-OD1	8.92	126.33	118.30
1	D	45	GLU	CA-CB-CG	8.61	132.33	113.40
1	C	126	ARG	NE-CZ-NH2	-8.24	116.18	120.30
1	A	101	MET	CB-CG-SD	8.21	137.04	112.40
1	C	100	SER	O-C-N	-8.15	109.66	122.70
1	C	126	ARG	NE-CZ-NH1	8.08	124.34	120.30
1	A	6	ASP	CB-CG-OD2	8.01	125.51	118.30
1	C	95	PHE	CB-CA-C	7.77	125.95	110.40
1	C	86	ASP	CB-CG-OD1	7.43	124.99	118.30
1	B	92	ILE	CG1-CB-CG2	-7.40	95.12	111.40
1	C	95	PHE	O-C-N	-7.22	111.15	122.70
1	C	101	MET	CB-CA-C	6.98	124.37	110.40
1	C	10	PHE	CB-CG-CD2	-6.87	115.99	120.80
1	D	6	ASP	CB-CG-OD1	6.83	124.45	118.30
1	A	138	ASP	CB-CG-OD1	6.71	124.34	118.30
1	C	126	ARG	CG-CD-NE	-6.46	98.24	111.80
1	C	10	PHE	CB-CG-CD1	6.39	125.28	120.80
1	D	144	GLU	CG-CD-OE1	6.36	131.02	118.30
1	D	63	MET	CG-SD-CE	6.36	110.37	100.20
1	D	162	ASP	CB-CG-OD1	6.20	123.88	118.30
1	B	155	LYS	CB-CG-CD	-6.19	95.52	111.60
1	B	16	ASP	OD1-CG-OD2	-6.06	111.78	123.30
1	B	152	ASP	CB-CG-OD2	6.02	123.72	118.30
1	B	27	PHE	CB-CG-CD1	-6.01	116.59	120.80
1	D	11	ASP	CB-CG-OD2	5.93	123.64	118.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	33	LYS	CD-CE-NZ	-5.71	98.58	111.70
1	A	30	ASP	CB-CG-OD2	5.67	123.40	118.30
1	B	73	ASP	CB-CG-OD2	5.53	123.27	118.30
1	B	27	PHE	CB-CG-CD2	5.50	124.65	120.80
1	C	45	GLU	CA-CB-CG	5.47	125.44	113.40
1	A	123	LEU	CB-CG-CD1	-5.43	101.77	111.00
1	B	45	GLU	OE1-CD-OE2	5.32	129.68	123.30
1	C	87	ASP	CB-CG-OD2	5.30	123.07	118.30
1	B	155	LYS	CG-CD-CE	-5.30	96.00	111.90
1	C	55	PHE	CB-CG-CD2	-5.29	117.10	120.80
1	B	33	LYS	CD-CE-NZ	-5.28	99.55	111.70
1	A	137	MET	CG-SD-CE	-5.27	91.77	100.20
1	D	30	ASP	CB-CG-OD2	5.23	123.01	118.30
1	D	155	LYS	CB-CG-CD	-5.21	98.06	111.60
1	C	45	GLU	O-C-N	-5.20	114.38	122.70
1	C	101	MET	CB-CG-SD	-5.18	96.84	112.40
1	A	27	PHE	CB-CG-CD1	-5.13	117.21	120.80
1	D	144	GLU	CG-CD-OE2	-5.12	108.05	118.30
1	D	86	ASP	CB-CG-OD1	5.08	122.88	118.30
1	A	45	GLU	CG-CD-OE1	-5.04	108.22	118.30

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	45	GLU	Mainchain
1	C	100	SER	Mainchain
1	C	45	GLU	Mainchain
1	C	95	PHE	Mainchain,Peptide
1	C	97	GLY	Mainchain

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1272	0	1264	13	0
1	B	1272	0	1264	22	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	1272	0	1263	29	0
1	D	1272	0	1264	20	0
2	A	196	0	0	1	0
2	B	205	0	0	3	0
2	C	200	0	0	0	0
2	D	207	0	0	3	0
All	All	5896	0	5055	78	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (78) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1:MET:SD	1:A:1:MET:CE	2.02	1.47
1:B:1:MET:SD	1:B:1:MET:CG	2.01	1.46
1:C:1:MET:SD	1:C:1:MET:CE	2.05	1.44
1:C:101:MET:CB	1:C:101:MET:CG	1.96	1.42
1:C:63:MET:SD	1:C:63:MET:CE	1.14	1.24
1:C:63:MET:CG	1:C:63:MET:CE	2.27	1.11
1:C:63:MET:SD	1:C:63:MET:HE3	1.73	1.10
1:C:63:MET:HE2	1:C:63:MET:SD	1.73	1.09
1:C:63:MET:HE1	1:C:63:MET:SD	1.73	1.08
1:B:46:ASN:ND2	1:D:33:LYS:HE3	1.88	0.88
1:B:43:SER:OG	1:B:45:GLU:HG3	1.77	0.85
1:B:45:GLU:HG2	1:D:81:TYR:HB3	1.58	0.84
1:A:122:TRP:O	1:A:126:ARG:NH2	2.11	0.81
1:A:83:THR:HG22	1:A:84:ARG:HG3	1.64	0.80
1:A:137:MET:O	1:A:141:LYS:HG2	1.81	0.80
1:A:45:GLU:OE2	2:A:178:HOH:O	2.01	0.78
1:B:60:ARG:HH11	1:B:145:ASN:HD21	1.31	0.78
1:B:145:ASN:ND2	2:B:292:HOH:O	2.17	0.75
1:D:84:ARG:NH2	2:D:268:HOH:O	2.21	0.72
1:B:61:ASN:HD21	1:C:57:ARG:HH12	1.40	0.70
1:C:89:ASN:ND2	1:C:91:LYS:H	1.93	0.66
1:B:46:ASN:HD21	1:D:33:LYS:HE3	1.58	0.66
1:D:112:GLN:HB3	2:D:220:HOH:O	1.97	0.64
1:A:52:GLY:HA2	1:A:159:LYS:HE3	1.80	0.64
1:B:148:THR:O	1:B:155:LYS:HE3	2.00	0.62
1:A:123:LEU:HD23	1:A:126:ARG:NH2	2.14	0.62
1:B:148:THR:C	1:B:155:LYS:HE3	2.22	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:62:PHE:CZ	1:D:122:TRP:HZ2	2.20	0.60
1:D:52:GLY:HA2	1:D:159:LYS:HE3	1.83	0.60
1:A:123:LEU:HD23	1:A:126:ARG:HH22	1.66	0.59
1:B:60:ARG:HD2	2:B:292:HOH:O	2.03	0.58
1:B:147:LYS:HB3	1:B:155:LYS:HD2	1.86	0.58
1:C:101:MET:CB	1:C:101:MET:SD	2.93	0.57
1:D:62:PHE:HZ	1:D:122:TRP:HZ2	1.50	0.57
1:C:19:VAL:O	1:C:142:LYS:NZ	2.34	0.56
1:A:122:TRP:C	1:A:126:ARG:HH21	2.07	0.56
1:C:89:ASN:HD21	1:C:92:ILE:H	1.54	0.55
1:C:43:SER:OG	1:C:45:GLU:HG2	2.08	0.54
1:C:89:ASN:ND2	1:C:92:ILE:H	2.05	0.54
1:B:46:ASN:HD21	1:D:33:LYS:CE	2.21	0.53
1:D:40:GLN:HG2	1:D:45:GLU:CD	2.30	0.51
1:D:58:VAL:O	1:D:58:VAL:HG23	2.11	0.51
1:C:63:MET:HG3	1:C:63:MET:CE	2.35	0.50
1:B:23:VAL:HB	1:B:135:GLU:HB2	1.94	0.49
1:D:151:ASN:O	1:D:152:ASP:HB2	2.14	0.48
1:D:14:ILE:HD12	1:D:19:VAL:HG11	1.95	0.48
1:B:89:ASN:HD22	1:B:92:ILE:HD12	1.78	0.47
1:C:63:MET:HE2	1:C:63:MET:CG	2.23	0.47
1:D:100:SER:HB3	1:D:114:PHE:CZ	2.50	0.47
1:C:15:GLY:O	1:C:16:ASP:HB2	2.15	0.46
1:C:155:LYS:HA	1:C:155:LYS:HD2	1.69	0.46
1:C:63:MET:HG3	1:C:63:MET:HE2	1.98	0.46
1:B:148:THR:O	1:B:155:LYS:CE	2.64	0.46
1:C:101:MET:HE2	1:C:109:ASN:HB3	1.98	0.45
1:D:40:GLN:HG2	1:D:45:GLU:OE2	2.17	0.45
1:B:43:SER:HG	1:B:45:GLU:HG3	1.80	0.44
1:C:149:GLY:N	1:C:155:LYS:HD3	2.32	0.44
1:C:14:ILE:HD12	1:C:19:VAL:HG11	2.00	0.44
1:A:147:LYS:HG3	1:A:155:LYS:HG2	2.00	0.43
1:C:60:ARG:HA	1:C:144:GLU:HG2	2.00	0.43
1:C:143:VAL:HG13	1:C:158:VAL:HG11	1.99	0.43
1:B:1:MET:HG2	2:B:255:HOH:O	2.18	0.43
1:B:159:LYS:HE3	1:B:159:LYS:HB2	1.87	0.43
1:B:1:MET:SD	1:B:1:MET:CB	2.95	0.42
1:C:89:ASN:HD22	1:C:89:ASN:C	2.23	0.42
1:C:147:LYS:NZ	1:C:148:THR:H	2.17	0.42
1:B:11:ASP:OD2	1:B:162:ASP:OD1	2.37	0.42
1:D:60:ARG:HG3	1:D:145:ASN:ND2	2.34	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:1:MET:CG	1:C:1:MET:CE	2.94	0.41
1:C:147:LYS:HZ2	1:C:148:THR:H	1.69	0.41
1:A:123:LEU:HA	1:A:126:ARG:NH2	2.35	0.41
1:C:14:ILE:HG12	1:C:158:VAL:HG22	2.02	0.41
1:D:78:LYS:O	1:D:111:SER:HB3	2.21	0.41
1:D:31:VAL:CG1	1:D:89:ASN:HB3	2.51	0.40
1:D:147:LYS:HD2	2:D:232:HOH:O	2.20	0.40
1:A:78:LYS:O	1:A:111:SER:HB3	2.20	0.40
1:B:36:GLU:HG3	1:D:86:ASP:OD2	2.21	0.40
1:A:63:MET:SD	1:A:63:MET:C	3.00	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	164/166 (99%)	157 (96%)	7 (4%)	0	100	100
1	B	164/166 (99%)	159 (97%)	5 (3%)	0	100	100
1	C	164/166 (99%)	157 (96%)	6 (4%)	1 (1%)	30	9
1	D	164/166 (99%)	158 (96%)	6 (4%)	0	100	100
All	All	656/664 (99%)	631 (96%)	24 (4%)	1 (0%)	52	27

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	96	VAL

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	138/138 (100%)	132 (96%)	6 (4%)	35	10
1	B	138/138 (100%)	134 (97%)	4 (3%)	50	20
1	C	138/138 (100%)	135 (98%)	3 (2%)	60	30
1	D	138/138 (100%)	136 (99%)	2 (1%)	74	53
All	All	552/552 (100%)	537 (97%)	15 (3%)	52	22

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	62	PHE
1	A	63	MET
1	A	83	THR
1	A	137	MET
1	A	141	LYS
1	A	155	LYS
1	B	1	MET
1	B	6	ASP
1	B	63	MET
1	B	147	LYS
1	C	84	ARG
1	C	89	ASN
1	C	132	LYS
1	D	150	LEU
1	D	155	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	46	ASN
1	A	56	HIS
1	A	145	ASN
1	A	151	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	46	ASN
1	B	61	ASN
1	B	145	ASN
1	C	46	ASN
1	C	71	ASN
1	C	89	ASN
1	C	151	ASN
1	D	46	ASN
1	D	94	HIS
1	D	145	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	166/166 (100%)	-0.04	2 (1%) 81 80	10, 16, 28, 36	0
1	B	166/166 (100%)	-0.12	2 (1%) 81 80	11, 16, 24, 40	0
1	C	166/166 (100%)	-0.08	4 (2%) 62 59	11, 15, 25, 36	0
1	D	166/166 (100%)	0.01	6 (3%) 46 42	11, 16, 30, 37	0
All	All	664/664 (100%)	-0.06	14 (2%) 67 65	10, 16, 27, 40	0

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	83	THR	5.5
1	D	150	LEU	5.1
1	B	1	MET	3.9
1	C	101	MET	3.7
1	D	62	PHE	3.2
1	C	16	ASP	3.1
1	D	83	THR	2.8
1	A	101	MET	2.6
1	C	104	ALA	2.4
1	A	16	ASP	2.4
1	D	61	ASN	2.4
1	C	83	THR	2.3
1	D	16	ASP	2.3
1	D	91	LYS	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

There are no ligands in this entry.

### 6.5 Other polymers [i](#)

There are no such residues in this entry.