



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 11:32 PM GMT

PDB ID : 1XOG  
Title : N9 Tern Influenza neuraminidase complexed with a 2,5-Disubstituted tetrahydrofuran-5-carboxylic acid  
Authors : Wang, G.T.; Wang, S.; Gentles, R.; Sowin, T.; Maring, C.J.; Kempf, D.J.; Kati, W.M.; Stoll, V.; Stewart, K.D.; Laver, G.  
Deposited on : 2004-10-06  
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	2827 (2.80-2.80)
Ramachandran outliers	100387	2782 (2.80-2.80)
Sidechain outliers	100360	2784 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	387	

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 3187 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Neuraminidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	387	Total	C	N	O	S	0	0	0
			3055	1908	534	590	23			

- Molecule 2 is a polymer of unknown type called SUGAR (6-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	6	Total	C	N	O	0	0
			72	40	2	30		


- Molecule 3 is SUGAR (ALPHA-D-MANNOSE) (three-letter code: MAN) (formula: C<sub>6</sub>H<sub>12</sub>O<sub>6</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			11	6	5		


- Molecule 4 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula:

C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is 5-[1-(ACETYLAMINO)-3-METHYLBUTYL]-2,5-ANHYDRO-3,4-DIDEOXY-4-(METHOXYCARBONYL)PENTONIC ACID (three-letter code: ABW) (formula: C<sub>14</sub>H<sub>23</sub>NO<sub>6</sub>).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			21	14	1	6		

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

#### • Molecule 1: Neuraminidase



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	I 4 3 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	180.34Å 180.34Å 180.34Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	9.99 – 2.80	Depositor
% Data completeness (in resolution range)	85.8 (9.99-2.80)	Depositor
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	CNX 2000	Depositor
R, $R_{free}$	0.221 , 0.297	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3187	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	14.0	wwPDB-VP

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG, ABW, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.39	0/3138	0.71	0/4276

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3055	0	2883	160	0
2	A	72	0	61	2	0
3	A	11	0	10	1	0
4	A	28	0	26	3	0
5	A	21	0	22	2	0
All	All	3187	0	3002	161	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 26.

All (161) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:227:THR:HG22	1:A:228:GLN:H	1.21	1.02
1:A:196:ILE:HD13	1:A:225:LEU:HG	1.41	0.99
1:A:317:GLN:HG2	1:A:318:TYR:H	1.33	0.91
1:A:99:HIS:HE1	1:A:421:ARG:HE	1.14	0.89
1:A:174:ARG:NE	1:A:211:ARG:NH2	2.23	0.86
1:A:396:THR:H	1:A:457:GLN:NE2	1.76	0.82
1:A:395:GLN:HG3	1:A:457:GLN:HE21	1.47	0.80
1:A:348:ASN:ND2	1:A:349:GLY:H	1.81	0.79
1:A:335:VAL:HG12	1:A:388:LYS:HG2	1.67	0.77
1:A:302:ARG:HH12	1:A:326:ASP:HA	1.50	0.74
1:A:396:THR:H	1:A:457:GLN:HE22	1.34	0.73
1:A:153:ARG:HH21	1:A:200:ASN:HD21	1.34	0.73
1:A:119:ARG:HB3	1:A:120:GLU:CD	2.11	0.70
1:A:203:ALA:O	1:A:219:THR:HG23	1.91	0.68
1:A:277:ILE:HG13	1:A:305:ILE:HD11	1.73	0.68
1:A:324:LEU:HD21	1:A:342:TYR:CD2	2.29	0.67
1:A:227:THR:HG22	1:A:228:GLN:N	2.03	0.67
1:A:348:ASN:HD22	1:A:349:GLY:H	1.45	0.65
1:A:317:GLN:HG2	1:A:318:TYR:N	2.10	0.65
1:A:207:ILE:HG12	1:A:259:PHE:CE2	2.32	0.65
1:A:153:ARG:HH21	1:A:200:ASN:ND2	1.95	0.65
1:A:302:ARG:HH12	1:A:326:ASP:CA	2.11	0.63
1:A:302:ARG:HH11	1:A:302:ARG:HG2	1.63	0.63
1:A:256:ILE:HD12	1:A:256:ILE:N	2.14	0.63
1:A:250:GLY:HA2	1:A:297:TRP:CE3	2.35	0.62
1:A:334:THR:HG22	1:A:388:LYS:HE3	1.82	0.62
1:A:227:THR:CG2	1:A:228:GLN:H	2.03	0.61
1:A:99:HIS:CE1	1:A:421:ARG:HE	2.06	0.60
1:A:270:LEU:HD12	1:A:314:HIS:HE1	1.66	0.60
1:A:119:ARG:HB3	1:A:120:GLU:OE2	2.01	0.60
1:A:356:LEU:HD13	1:A:384:LEU:HD23	1.84	0.60
1:A:283:TYR:CE1	1:A:290:THR:HB	2.37	0.59
1:A:290:THR:CG2	1:A:306:ARG:HH11	2.14	0.59
1:A:334:THR:O	1:A:388:LYS:HE3	2.03	0.57
1:A:118:THR:HG22	1:A:136:SER:HA	1.87	0.57
1:A:92:LEU:HD12	1:A:357:ASP:HB2	1.87	0.57
1:A:109:ILE:HG22	1:A:113:SER:OG	2.05	0.57
1:A:320:CYS:HB3	1:A:387:ASP:HA	1.85	0.57
1:A:278:GLU:HG2	5:A:1000:ABW:H103	1.87	0.56
1:A:230:SER:HB3	1:A:351:LYS:HE2	1.88	0.55
1:A:147:ASN:OD1	4:A:511:NAG:C1	2.55	0.55
1:A:365:ARG:HD2	1:A:376:GLU:OE1	2.07	0.55

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:421:ARG:HD3	1:A:449:CYS:HB3	1.89	0.55
1:A:301:ASN:O	1:A:318:TYR:HD2	1.90	0.55
1:A:418:GLU:O	1:A:418:GLU:HG2	2.07	0.55
1:A:345:ASN:C	1:A:346:ASN:HD22	2.10	0.55
1:A:348:ASN:ND2	1:A:349:GLY:N	2.54	0.54
1:A:302:ARG:NH1	1:A:325:THR:O	2.41	0.54
1:A:397:ILE:HD12	1:A:448:MET:SD	2.48	0.54
1:A:85:PHE:CE1	1:A:189:LYS:HD2	2.42	0.54
1:A:311:ALA:O	1:A:313:THR:HG23	2.08	0.54
1:A:324:LEU:HD21	1:A:342:TYR:CE2	2.43	0.54
1:A:466:ILE:O	1:A:470:LEU:HD13	2.07	0.53
1:A:263:LYS:HB2	1:A:263:LYS:NZ	2.23	0.53
1:A:444:SER:HB2	1:A:462:ASP:OD1	2.08	0.53
1:A:84:ASP:HB2	4:A:512:NAG:H83	1.91	0.53
1:A:459:ASP:O	1:A:461:PRO:HD3	2.09	0.53
2:A:503:BMA:O6	3:A:507:MAN:H3	2.08	0.53
1:A:399:LEU:HG	1:A:459:ASP:CB	2.40	0.53
1:A:174:ARG:NE	1:A:211:ARG:HH21	2.04	0.52
1:A:430:ARG:NH1	1:A:435:GLU:OE2	2.42	0.52
1:A:167:PRO:O	1:A:169:THR:HG23	2.09	0.52
1:A:201:ASN:HD21	2:A:501:NAG:H82	1.75	0.52
1:A:317:GLN:CG	1:A:318:TYR:H	2.16	0.52
1:A:182:SER:HA	1:A:194:ILE:O	2.10	0.52
1:A:209:TYR:CE1	1:A:261:GLU:HA	2.45	0.52
1:A:320:CYS:O	1:A:336:GLY:HA3	2.10	0.51
1:A:119:ARG:HB3	1:A:120:GLU:OE1	2.10	0.51
1:A:335:VAL:HG12	1:A:388:LYS:CG	2.39	0.51
1:A:290:THR:HG21	1:A:306:ARG:HH11	1.74	0.51
1:A:446:VAL:HG21	1:A:460:TRP:CB	2.41	0.51
1:A:190:THR:HG22	1:A:209:TYR:CZ	2.46	0.51
1:A:322:PRO:O	1:A:324:LEU:HD13	2.09	0.50
1:A:297:TRP:CD2	1:A:298:GLN:HG3	2.47	0.50
1:A:192:MET:HE1	1:A:259:PHE:HB2	1.93	0.50
1:A:320:CYS:HB3	1:A:387:ASP:CA	2.42	0.50
1:A:467:GLU:H	1:A:467:GLU:CD	2.15	0.50
1:A:136:SER:HB2	1:A:160:ILE:HD13	1.93	0.50
1:A:397:ILE:HG22	1:A:398:VAL:HG23	1.92	0.50
1:A:153:ARG:NH2	1:A:200:ASN:HD21	2.05	0.49
1:A:192:MET:CE	1:A:259:PHE:HB2	2.41	0.49
1:A:147:ASN:ND2	1:A:439:TRP:HB3	2.26	0.49
1:A:327:ASN:HA	1:A:328:PRO:C	2.32	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:233:VAL:HB	1:A:289:ILE:HD13	1.94	0.49
1:A:121:PRO:HB2	1:A:445:ILE:HD11	1.95	0.49
1:A:353:PHE:HE1	1:A:375:TYR:HH	1.59	0.49
1:A:174:ARG:CZ	1:A:211:ARG:HH21	2.26	0.48
1:A:439:TRP:CD1	4:A:511:NAG:H82	2.47	0.48
1:A:187:ASP:OD2	1:A:209:TYR:HE1	1.96	0.48
1:A:131:ARG:HB3	1:A:162:TRP:O	2.14	0.48
1:A:286:ARG:HG2	1:A:286:ARG:HH11	1.79	0.48
1:A:348:ASN:HD22	1:A:349:GLY:N	2.10	0.48
1:A:355:TYR:OH	1:A:409:SER:HB2	2.14	0.48
1:A:395:GLN:HA	1:A:457:GLN:HE22	1.78	0.47
1:A:196:ILE:HD12	1:A:226:ARG:HA	1.96	0.47
1:A:147:ASN:HD22	1:A:147:ASN:C	2.16	0.47
1:A:356:LEU:HD13	1:A:384:LEU:HB2	1.96	0.47
1:A:174:ARG:CD	1:A:211:ARG:NH2	2.77	0.47
1:A:423:CYS:HA	1:A:449:CYS:HA	1.96	0.47
1:A:235:HIS:HB3	1:A:309:PRO:HB2	1.97	0.47
1:A:226:ARG:HB3	5:A:1000:ABW:H72	1.97	0.46
1:A:243:PHE:O	1:A:254:THR:HG23	2.16	0.46
1:A:102:GLY:O	1:A:447:SER:N	2.42	0.46
1:A:430:ARG:NH2	1:A:464:ALA:O	2.48	0.46
1:A:260:LYS:HB3	1:A:265:LEU:HD21	1.97	0.46
1:A:263:LYS:HB2	1:A:263:LYS:HZ2	1.81	0.46
1:A:228:GLN:O	1:A:229:GLU:HB2	2.16	0.45
1:A:270:LEU:HD12	1:A:314:HIS:CE1	2.48	0.45
1:A:356:LEU:CD1	1:A:384:LEU:HD23	2.46	0.45
1:A:99:HIS:HD2	1:A:100:ILE:O	1.98	0.45
1:A:444:SER:OG	1:A:445:ILE:N	2.50	0.45
1:A:332:ASP:CG	1:A:365:ARG:HH22	2.20	0.45
1:A:108:ARG:HD2	1:A:463:GLY:HA3	1.99	0.45
1:A:281:SER:O	1:A:291:CYS:HA	2.16	0.45
1:A:320:CYS:O	1:A:321:SER:C	2.55	0.45
1:A:302:ARG:HH11	1:A:302:ARG:CG	2.28	0.44
1:A:162:TRP:HB2	1:A:163:PRO:HD2	1.99	0.44
1:A:196:ILE:HG12	1:A:205:ALA:HB2	1.99	0.44
1:A:386:ASP:C	1:A:388:LYS:H	2.20	0.44
1:A:209:TYR:CZ	1:A:261:GLU:HA	2.53	0.44
1:A:277:ILE:CG1	1:A:305:ILE:HD11	2.44	0.44
1:A:240:PRO:HA	1:A:257:TYR:O	2.18	0.44
1:A:148:GLY:C	1:A:150:ILE:H	2.20	0.44
1:A:136:SER:O	1:A:157:ARG:HD3	2.17	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:233:VAL:O	1:A:240:PRO:HD2	2.17	0.44
1:A:96:ASN:HB3	1:A:454:PHE:CE1	2.53	0.44
1:A:137:GLN:HE21	1:A:137:GLN:CA	2.30	0.44
1:A:388:LYS:HE2	1:A:388:LYS:HB3	1.76	0.43
1:A:362:TRP:CZ2	1:A:379:LYS:HB2	2.53	0.43
1:A:119:ARG:HB2	1:A:157:ARG:HH12	1.82	0.43
1:A:137:GLN:HA	1:A:137:GLN:NE2	2.33	0.43
1:A:334:THR:HG22	1:A:388:LYS:CE	2.48	0.43
1:A:131:ARG:NH1	1:A:161:SER:OG	2.52	0.43
1:A:185:CYS:HB3	1:A:232:CYS:O	2.19	0.43
1:A:162:TRP:HB2	1:A:163:PRO:CD	2.48	0.43
1:A:230:SER:HB3	1:A:351:LYS:CE	2.48	0.42
1:A:395:GLN:HA	1:A:457:GLN:NE2	2.33	0.42
1:A:256:ILE:N	1:A:256:ILE:CD1	2.81	0.42
1:A:123:VAL:HB	1:A:410:PHE:CD1	2.54	0.42
1:A:90:LYS:HB3	1:A:419:CYS:HA	2.01	0.42
1:A:396:THR:N	1:A:457:GLN:HE22	2.10	0.42
1:A:395:GLN:HG3	1:A:457:GLN:NE2	2.24	0.42
1:A:137:GLN:HE21	1:A:137:GLN:HA	1.84	0.42
1:A:324:LEU:O	1:A:365:ARG:NH2	2.52	0.41
1:A:351:LYS:HB3	1:A:406:TYR:CG	2.55	0.41
1:A:219:THR:HG22	1:A:225:LEU:HB2	2.02	0.41
1:A:300:SER:HB3	1:A:329:ARG:HB2	2.03	0.41
1:A:196:ILE:HG12	1:A:205:ALA:CB	2.51	0.41
1:A:317:GLN:CG	1:A:318:TYR:N	2.80	0.41
1:A:320:CYS:CB	1:A:387:ASP:HA	2.49	0.41
1:A:408:GLY:HA3	1:A:425:TYR:CE2	2.55	0.41
1:A:320:CYS:O	1:A:321:SER:O	2.39	0.41
1:A:277:ILE:O	1:A:278:GLU:OE1	2.39	0.41
1:A:274:ALA:HA	1:A:318:TYR:CE1	2.55	0.41
1:A:374:GLY:HA2	1:A:399:LEU:O	2.21	0.41
1:A:147:ASN:C	1:A:147:ASN:ND2	2.73	0.40
1:A:209:TYR:O	1:A:210:ASN:HB3	2.22	0.40
1:A:434:LYS:HD3	1:A:434:LYS:HA	1.80	0.40
1:A:396:THR:N	1:A:457:GLN:NE2	2.56	0.40
1:A:465:LYS:HE2	1:A:465:LYS:HB3	1.76	0.40
1:A:174:ARG:HE	1:A:211:ARG:NH2	2.11	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	385/387 (100%)	346 (90%)	32 (8%)	7 (2%)	11	34

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	279	GLU
1	A	387	ASP
1	A	202	ASN
1	A	317	GLN
1	A	224	ILE
1	A	321	SER
1	A	374	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	340/340 (100%)	322 (95%)	18 (5%)	28	61

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	147	ASN
1	A	150	ILE
1	A	157	ARG
1	A	201	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	232	CYS
1	A	278	GLU
1	A	288	GLU
1	A	302	ARG
1	A	306	ARG
1	A	314	HIS
1	A	324	LEU
1	A	348	ASN
1	A	387	ASP
1	A	388	LYS
1	A	416	GLU
1	A	418	GLU
1	A	428	LEU
1	A	470	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	99	HIS
1	A	137	GLN
1	A	172	ASN
1	A	201	ASN
1	A	210	ASN
1	A	346	ASN
1	A	348	ASN
1	A	443	ASN
1	A	457	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

6 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	NAG	A	501	2	14,14,15	1.47	2 (14%)	15,19,21	1.53	3 (20%)
2	NAG	A	502	2	14,14,15	0.98	1 (7%)	15,19,21	1.13	2 (13%)
2	BMA	A	503	2	11,11,12	0.83	0	14,15,17	1.15	1 (7%)
2	MAN	A	504	2	11,11,12	1.89	1 (9%)	14,15,17	2.38	4 (28%)
2	MAN	A	505	2	11,11,12	1.21	1 (9%)	14,15,17	1.13	2 (14%)
2	MAN	A	506	2	11,11,12	1.36	4 (36%)	14,15,17	1.39	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	501	2	-	0/6/23/26	0/1/1/1
2	NAG	A	502	2	-	0/6/23/26	0/1/1/1
2	BMA	A	503	2	-	0/2/19/22	0/1/1/1
2	MAN	A	504	2	-	0/2/19/22	0/1/1/1
2	MAN	A	505	2	-	0/2/19/22	0/1/1/1
2	MAN	A	506	2	-	0/2/19/22	0/1/1/1

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	506	MAN	C2-C3	2.08	1.55	1.52
2	A	506	MAN	O5-C5	2.13	1.48	1.43
2	A	506	MAN	C4-C3	2.14	1.58	1.52
2	A	501	NAG	C4-C3	2.15	1.58	1.52
2	A	506	MAN	O5-C1	2.22	1.47	1.43
2	A	502	NAG	C8-C7	2.38	1.55	1.50
2	A	505	MAN	O5-C1	2.59	1.48	1.43
2	A	501	NAG	C4-C5	4.46	1.62	1.53
2	A	504	MAN	C2-C3	5.27	1.59	1.52

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	504	MAN	O2-C2-C1	-3.75	101.69	109.21
2	A	503	BMA	C1-C2-C3	-3.13	105.84	109.54
2	A	501	NAG	O7-C7-C8	-2.91	116.73	122.06
2	A	504	MAN	C3-C4-C5	-2.55	105.76	110.20
2	A	501	NAG	C2-N2-C7	-2.49	119.84	123.04
2	A	505	MAN	C2-C3-C4	-2.48	106.83	111.04
2	A	502	NAG	O7-C7-C8	-2.40	117.65	122.06
2	A	502	NAG	C4-C3-C2	-2.13	107.91	111.23
2	A	504	MAN	O2-C2-C3	2.01	114.17	110.12
2	A	505	MAN	C3-C4-C5	2.12	113.89	110.20
2	A	501	NAG	C1-O5-C5	3.38	116.54	112.25
2	A	506	MAN	C1-O5-C5	4.51	117.97	112.25
2	A	504	MAN	C1-O5-C5	6.46	120.44	112.25

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	NAG	1	0
2	A	503	BMA	1	0

## 5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	ABW	A	1000	-	18,21,21	1.31	3 (16%)	22,29,29	1.25	2 (9%)
3	MAN	A	507	-	11,11,12	1.04	1 (9%)	14,15,17	1.94	3 (21%)
4	NAG	A	511	-	14,14,15	1.25	1 (7%)	15,19,21	1.00	1 (6%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	NAG	A	512	-	14,14,15	1.13	1 (7%)	15,19,21	1.05	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	ABW	A	1000	-	-	0/18/34/34	0/1/1/1
3	MAN	A	507	-	-	0/2/19/22	0/1/1/1
4	NAG	A	511	-	-	0/6/23/26	0/1/1/1
4	NAG	A	512	-	-	0/6/23/26	0/1/1/1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	1000	ABW	O6-C3	-2.80	1.41	1.44
4	A	511	NAG	O5-C1	-2.59	1.39	1.43
4	A	512	NAG	O5-C1	-2.22	1.40	1.43
3	A	507	MAN	O2-C2	-2.12	1.38	1.43
5	A	1000	ABW	C1-C14	2.00	1.55	1.51
5	A	1000	ABW	C13-C8	2.85	1.56	1.52

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	507	MAN	O2-C2-C1	-3.29	102.61	109.21
5	A	1000	ABW	O6-C3-C4	2.11	107.12	103.77
4	A	511	NAG	C2-N2-C7	2.28	125.97	123.04
4	A	512	NAG	C1-O5-C5	2.31	115.18	112.25
3	A	507	MAN	C1-C2-C3	2.42	112.40	109.54
5	A	1000	ABW	C9-C2-C8	3.12	122.40	115.51
3	A	507	MAN	C1-O5-C5	5.43	119.14	112.25

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	1000	ABW	2	0
3	A	507	MAN	1	0
4	A	511	NAG	2	0
4	A	512	NAG	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

### 6.3 Carbohydrates [i](#)

EDS was not executed - this section will therefore be empty.

### 6.4 Ligands [i](#)

EDS was not executed - this section will therefore be empty.

### 6.5 Other polymers [i](#)

EDS was not executed - this section will therefore be empty.