



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 19, 2016 – 08:12 PM GMT

PDB ID : 4XOU
Title : Crystal structure of the SR Ca²⁺-ATPase in the Ca²-E1-MgAMPPCP form determined by serial femtosecond crystallography using an X-ray free-electron laser.
Authors : Bublitz, M.; Nass, K.; Drachmann, N.D.; Markvardsen, A.J.; Gutmann, M.J.; Barends, T.R.M.; Mattle, D.; Shoeman, R.L.; Doak, R.B.; Boutet, S.; Messerschmidt, M.; Seibert, M.M.; Williams, G.J.; Foucar, L.; Reinhard, L.; Sitsel, O.; Gregersen, J.L.; Clausen, J.D.; Boesen, T.; Gotfryd, K.; Wang, K.-T.; Olesen, C.; Moller, J.V.; Nissen, P.; Schlichting, I.
Deposited on : 2015-01-16
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	unknown
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20026982
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20026982


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2393 (2.80-2.80)
Clashscore	102246	2827 (2.80-2.80)
Ramachandran outliers	100387	2782 (2.80-2.80)
Sidechain outliers	100360	2784 (2.80-2.80)
RSRZ outliers	91569	2404 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	994	<div> <div>7%</div> <div>77%</div> <div>22%</div> <div>.</div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7706 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sarcoplasmic/endoplasmic reticulum calcium ATPase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	994	Total	C	N	O	S	0	0	0
			7671	4876	1287	1451	57			


- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	3	Total	Ca	0	0
			3	3		

- Molecule 3 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	K	0	0
			1	1		

- Molecule 4 is PHOSPHOMETHYLPHOSPHONIC ACID ADENYLATE ESTER (three-letter code: ACP) (formula: C₁₁H₁₈N₅O₁₂P₃).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			31	11	5	12	3		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Sarcoplasmic/endoplasmic reticulum calcium ATPase 1



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	162.00Å 76.30Å 151.10Å 90.00° 109.00° 90.00°	Depositor
Resolution (Å)	59.87 – 2.80 59.87 – 2.67	Depositor EDS
% Data completeness (in resolution range)	95.9 (59.87-2.80) 86.1 (59.87-2.67)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.76 (at 2.69Å)	Xtriage
Refinement program	PHENIX (phenix.refine: dev_1702)	Depositor
R, R_{free}	0.304 , 0.343 0.317 , 0.332	Depositor DCC
R_{free} test set	1200 reflections (2.98%)	DCC
Wilson B-factor (Å ²)	100.9	Xtriage
Anisotropy	0.097	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 75.4	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.40$, $\langle L^2 \rangle = 0.23$	Xtriage
Outliers	2 of 42806 reflections (0.005%)	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	7706	wwPDB-VP
Average B, all atoms (Å ²)	114.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.87% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: K, ACP, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.23	0/7812	0.43	0/10592

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7671	0	7765	147	0
2	A	3	0	0	0	0
3	A	1	0	0	0	0
4	A	31	0	14	3	0
All	All	7706	0	7779	147	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (147) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:962:LEU:HB3	1:A:966:GLN:HG3	1.58	0.84
1:A:948:LEU:HD21	1:A:959:LEU:HD23	1.61	0.83
1:A:880:HIS:HB3	1:A:881:PRO:HD2	1.66	0.76
1:A:863:PRO:HB2	1:A:865:VAL:HG23	1.71	0.73
1:A:798:VAL:HG13	1:A:940:SER:HB3	1.71	0.73
1:A:352:LYS:HD2	1:A:635:ILE:HD12	1.73	0.71
1:A:856:PHE:HE1	1:A:896:PRO:HG3	1.55	0.71
1:A:898:THR:HG23	1:A:959:LEU:HG	1.73	0.71
1:A:165:ILE:HD11	1:A:208:LEU:HG	1.74	0.69
1:A:354:GLY:HA2	1:A:359:ASN:HB2	1.74	0.69
1:A:108:GLN:HG3	1:A:317:THR:HG23	1.76	0.68
1:A:866:THR:HG22	1:A:867:TYR:H	1.58	0.68
1:A:287:SER:HB3	1:A:290:ARG:HB3	1.76	0.67
1:A:829:ILE:HD13	1:A:837:TYR:HE2	1.63	0.64
1:A:851:ALA:HB1	1:A:899:MET:HG3	1.79	0.64
1:A:764:LEU:HD11	1:A:804:ALA:HB1	1.81	0.63
1:A:512:MET:HB2	1:A:567:ARG:HB3	1.81	0.62
1:A:759:GLN:OE1	1:A:762:ARG:NH2	2.32	0.62
1:A:777:LEU:HB3	1:A:849:VAL:HG21	1.82	0.62
1:A:832:TRP:CZ3	1:A:836:ARG:HD2	2.35	0.61
1:A:486:GLU:O	1:A:491:ARG:NH2	2.34	0.61
1:A:129:VAL:HG12	1:A:151:VAL:HG22	1.83	0.61
1:A:964:LEU:HD23	1:A:964:LEU:H	1.66	0.61
1:A:762:ARG:NH2	1:A:917:SER:O	2.34	0.61
1:A:894:PRO:HB2	1:A:958:LYS:O	2.01	0.60
1:A:347:VAL:HG11	1:A:691:LEU:HD13	1.83	0.60
1:A:363:VAL:HG21	1:A:448:LEU:HB2	1.83	0.60
1:A:791:GLN:HB3	1:A:901:LEU:HD13	1.86	0.58
1:A:989:ARG:O	1:A:994:GLY:HA2	2.04	0.58
1:A:880:HIS:HB3	1:A:881:PRO:CD	2.34	0.57
1:A:948:LEU:CD2	1:A:959:LEU:HD23	2.35	0.56
1:A:795:VAL:HG11	1:A:904:LEU:HD23	1.86	0.56
1:A:888:CYS:SG	1:A:889:GLU:N	2.80	0.54
1:A:768:ASN:ND2	1:A:800:ASP:OD2	2.38	0.54
1:A:298:ILE:HG12	1:A:789:PRO:HD3	1.90	0.54
1:A:898:THR:OG1	1:A:959:LEU:HD12	2.07	0.54
1:A:784:PRO:HG3	1:A:873:PHE:CE1	2.43	0.54
1:A:794:TRP:HB2	1:A:957:PHE:HE2	1.73	0.53
1:A:856:PHE:CE1	1:A:896:PRO:HG3	2.39	0.53
1:A:243:GLU:OE1	1:A:243:GLU:N	2.41	0.53
1:A:279:PHE:HE1	1:A:292:ALA:HB2	1.74	0.53
1:A:341:THR:HB	1:A:716:ILE:HD11	1.90	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:369:ILE:HG13	1:A:528:VAL:HG13	1.91	0.52
1:A:306:ALA:HA	1:A:768:ASN:HB3	1.92	0.52
1:A:516:GLY:HA2	4:A:1004:ACP:N3	2.24	0.52
1:A:870:LEU:O	1:A:871:THR:OG1	2.25	0.52
1:A:549:ILE:HD11	1:A:596:VAL:HG21	1.92	0.52
1:A:795:VAL:O	1:A:799:THR:OG1	2.27	0.52
1:A:529:ARG:HH21	1:A:534:ARG:HB2	1.75	0.52
1:A:658:PHE:HE2	1:A:686:LYS:HE3	1.75	0.52
1:A:778:THR:HG23	1:A:849:VAL:HG22	1.90	0.51
1:A:288:TRP:HD1	1:A:289:ILE:HG13	1.75	0.51
1:A:49:LEU:HG	1:A:52:LEU:H	1.75	0.51
1:A:766:SER:HB2	1:A:840:ILE:HB	1.91	0.51
1:A:379:LEU:HD12	1:A:548:VAL:HG21	1.93	0.51
1:A:164:ARG:NH1	1:A:165:ILE:O	2.45	0.50
1:A:799:THR:HB	1:A:908:GLU:OE2	2.11	0.50
1:A:648:VAL:HB	1:A:651:ARG:HB2	1.94	0.50
1:A:1:MET:HG2	1:A:225:THR:HG22	1.93	0.50
1:A:813:ASP:OD2	1:A:917:SER:OG	2.29	0.49
1:A:93:VAL:HG13	1:A:797:LEU:HD22	1.95	0.49
1:A:987:ILE:O	1:A:991:TYR:N	2.41	0.49
1:A:767:SER:OG	1:A:911:ASN:ND2	2.39	0.49
1:A:50:TRP:O	1:A:54:ILE:HG13	2.12	0.48
1:A:684:LYS:NZ	1:A:707:ASP:OD1	2.40	0.48
1:A:963:ASP:HA	1:A:967:TRP:CD1	2.49	0.48
1:A:560:ARG:NH2	4:A:1004:ACP:O2B	2.47	0.48
1:A:903:VAL:HA	1:A:970:VAL:HG13	1.95	0.48
1:A:330:ASN:HB2	1:A:737:ASP:HB2	1.95	0.48
1:A:59:ASP:OD1	1:A:60:LEU:N	2.47	0.48
1:A:558:THR:HG21	1:A:635:ILE:HG13	1.94	0.48
1:A:823:SER:HB3	1:A:826:GLU:HG2	1.95	0.48
1:A:947:ILE:HD11	1:A:957:PHE:CE1	2.49	0.48
1:A:331:ALA:HB2	1:A:742:THR:HG21	1.96	0.48
1:A:948:LEU:HD12	1:A:967:TRP:HZ2	1.79	0.47
1:A:49:LEU:O	1:A:53:VAL:HG23	2.14	0.47
1:A:954:PRO:HB3	1:A:959:LEU:O	2.13	0.47
1:A:490:ASP:OD1	1:A:491:ARG:N	2.48	0.47
1:A:242:THR:N	1:A:243:GLU:OE1	2.47	0.47
1:A:54:ILE:O	1:A:56:GLN:N	2.48	0.47
1:A:97:ILE:HD12	1:A:797:LEU:HA	1.97	0.46
1:A:161:ALA:HA	1:A:210:SER:HB2	1.97	0.46
1:A:450:GLU:OE1	1:A:467:ARG:NH1	2.47	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:963:ASP:O	1:A:967:TRP:HD1	1.98	0.46
1:A:832:TRP:CH2	1:A:988:ALA:HB2	2.51	0.46
1:A:944:HIS:O	1:A:947:ILE:HG22	2.16	0.46
1:A:816:ILE:HG23	1:A:817:MET:HG2	1.97	0.46
1:A:158:LYS:NZ	1:A:211:GLY:HA2	2.31	0.46
1:A:881:PRO:HB2	1:A:883:PHE:CD2	2.51	0.46
1:A:60:LEU:O	1:A:64:ILE:HG12	2.16	0.45
1:A:279:PHE:CE1	1:A:292:ALA:HB2	2.51	0.45
1:A:973:ILE:O	1:A:976:PRO:HD2	2.15	0.45
1:A:86:THR:HG22	1:A:790:VAL:HG21	1.98	0.45
1:A:338:SER:HA	1:A:716:ILE:HD12	1.98	0.45
1:A:450:GLU:OE2	1:A:472:ASN:ND2	2.38	0.45
1:A:246:LYS:HE3	1:A:251:GLN:HG2	1.99	0.45
1:A:870:LEU:HD23	1:A:883:PHE:O	2.17	0.45
1:A:844:VAL:HA	1:A:907:ILE:HD13	1.99	0.45
1:A:412:GLU:OE1	1:A:529:ARG:HD2	2.17	0.44
1:A:65:LEU:HG	1:A:304:VAL:HG13	1.99	0.44
1:A:553:GLY:HA3	1:A:631:THR:HG22	1.99	0.44
1:A:528:VAL:HG21	1:A:541:VAL:HG11	1.99	0.44
1:A:627:ASP:OD1	1:A:628:ASN:N	2.42	0.44
1:A:963:ASP:O	1:A:967:TRP:CD1	2.71	0.44
1:A:963:ASP:HA	1:A:967:TRP:HD1	1.82	0.44
1:A:947:ILE:HD11	1:A:957:PHE:CZ	2.52	0.43
1:A:751:ARG:HB2	1:A:816:ILE:HD11	1.99	0.43
1:A:848:THR:HG22	1:A:900:ALA:HB1	1.99	0.43
1:A:57:PHE:HA	1:A:62:VAL:HG11	2.00	0.43
1:A:528:VAL:HG22	1:A:593:PHE:HB3	2.00	0.43
1:A:311:LEU:O	1:A:315:ILE:HG13	2.19	0.43
1:A:958:LYS:C	1:A:959:LEU:HD13	2.39	0.43
1:A:518:PRO:HA	1:A:563:ALA:HB2	2.01	0.43
1:A:304:VAL:HG12	1:A:796:ASN:ND2	2.33	0.43
1:A:267:ILE:O	1:A:271:VAL:HG23	2.19	0.43
1:A:116:ILE:HD11	1:A:323:THR:HG21	2.01	0.43
1:A:712:LYS:HG3	1:A:730:ALA:HB1	2.01	0.43
1:A:549:ILE:HG12	1:A:596:VAL:HG11	2.00	0.42
1:A:823:SER:HA	1:A:824:PRO:HD3	1.92	0.42
1:A:697:ILE:HD12	1:A:715:GLU:HG2	2.00	0.42
1:A:307:ILE:HA	1:A:308:PRO:HD3	1.88	0.42
1:A:281:ASP:HA	1:A:282:PRO:HD3	1.89	0.42
1:A:755:ASN:O	1:A:759:GLN:HG2	2.19	0.42
1:A:389:TYR:HB3	1:A:425:LEU:HD21	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:788:ILE:O	1:A:791:GLN:N	2.53	0.42
1:A:487:PHE:HZ	4:A:1004:ACP:O5'	2.03	0.42
1:A:903:VAL:HG23	1:A:970:VAL:HG22	2.01	0.42
1:A:51:GLU:HA	1:A:54:ILE:HD12	2.02	0.42
1:A:113:GLU:O	1:A:117:GLU:HG2	2.20	0.42
1:A:679:VAL:HB	1:A:683:HIS:HB2	2.02	0.42
1:A:278:HIS:ND1	1:A:281:ASP:OD2	2.38	0.42
1:A:865:VAL:HG11	1:A:870:LEU:HD11	2.01	0.41
1:A:844:VAL:HG13	1:A:907:ILE:HG21	2.02	0.41
1:A:489:ARG:NE	1:A:706:ASN:HB3	2.35	0.41
1:A:763:TYR:HB2	1:A:915:SER:OG	2.20	0.41
1:A:518:PRO:HB3	1:A:549:ILE:HD13	2.02	0.41
1:A:944:HIS:O	1:A:948:LEU:HG	2.20	0.41
1:A:620:ARG:NH2	1:A:622:ILE:HD11	2.35	0.41
1:A:799:THR:HA	1:A:909:MET:HE3	2.02	0.41
1:A:95:LEU:O	1:A:99:ILE:HG12	2.20	0.41
1:A:979:GLY:O	1:A:983:ILE:HG13	2.20	0.41
1:A:784:PRO:HG2	1:A:856:PHE:CE2	2.56	0.41
1:A:855:TRP:HD1	1:A:856:PHE:CD1	2.39	0.41
1:A:520:GLY:O	1:A:524:ARG:HD3	2.21	0.41
1:A:351:ASP:O	1:A:355:THR:HB	2.21	0.40
1:A:25:THR:HA	1:A:132:ALA:HB3	2.03	0.40
1:A:605:LYS:HB3	1:A:605:LYS:HE2	1.88	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	992/994 (100%)	943 (95%)	44 (4%)	5 (0%)	34 69

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	44	GLU
1	A	432	GLY
1	A	867	TYR
1	A	880	HIS
1	A	789	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	840/840 (100%)	822 (98%)	18 (2%)	61 90

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	41	LEU
1	A	45	GLU
1	A	55	GLU
1	A	194	VAL
1	A	279	PHE
1	A	309	GLU
1	A	433	VAL
1	A	491	ARG
1	A	529	ARG
1	A	597	VAL
1	A	867	TYR
1	A	869	GLN
1	A	879	ASP
1	A	959	LEU
1	A	962	LEU
1	A	964	LEU
1	A	977	VAL
1	A	978	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 5 ligands modelled in this entry, 4 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	ACP	A	1004	2	29,33,33	0.86	2 (6%)	29,52,52	0.74	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ACP	A	1004	2	-	0/15/38/38	0/3/3/3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1004	ACP	PB-O2B	-2.09	1.51	1.56
4	A	1004	ACP	PB-O1B	2.12	1.57	1.51

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
4	A	1004	ACP	O2B-PB-C3B	2.84	120.88	107.14

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1004	ACP	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	994/994 (100%)	0.26	74 (7%) 17 9	68, 110, 156, 204	0

All (74) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	991	TYR	9.0
1	A	202	GLN	8.5
1	A	890	ILE	6.5
1	A	778	THR	6.4
1	A	877	THR	6.0
1	A	235	ILE	5.2
1	A	740	PHE	5.1
1	A	782	GLY	5.0
1	A	505	ARG	5.0
1	A	508	VAL	4.7
1	A	784	PRO	4.7
1	A	783	LEU	4.7
1	A	879	ASP	4.7
1	A	241	ALA	4.5
1	A	874	MET	4.4
1	A	891	PHE	4.2
1	A	743	ILE	4.0
1	A	865	VAL	3.9
1	A	232	ILE	3.8
1	A	733	MET	3.8
1	A	781	LEU	3.8
1	A	45	GLU	3.7
1	A	240	ALA	3.7
1	A	236	ARG	3.6
1	A	204	LYS	3.5
1	A	507	ALA	3.5
1	A	878	GLU	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	205	LYS	3.4
1	A	702	GLY	3.3
1	A	900	ALA	3.3
1	A	506	ALA	3.3
1	A	298	ILE	3.3
1	A	198	ARG	3.3
1	A	238	GLN	3.3
1	A	786	ALA	3.2
1	A	611	ILE	3.2
1	A	987	ILE	3.1
1	A	883	PHE	3.1
1	A	348	ILE	3.1
1	A	503	SER	3.0
1	A	209	PHE	3.0
1	A	886	LEU	2.9
1	A	889	GLU	2.9
1	A	613	LEU	2.9
1	A	792	LEU	2.9
1	A	994	GLY	2.8
1	A	80	GLU	2.7
1	A	84	THR	2.7
1	A	78	PHE	2.7
1	A	621	VAL	2.7
1	A	788	ILE	2.7
1	A	315	ILE	2.7
1	A	203	ASP	2.6
1	A	234	LYS	2.6
1	A	180	LEU	2.6
1	A	504	SER	2.4
1	A	864	GLY	2.4
1	A	993	GLU	2.4
1	A	875	GLN	2.3
1	A	873	PHE	2.3
1	A	622	ILE	2.3
1	A	853	ALA	2.3
1	A	882	HIS	2.3
1	A	777	LEU	2.3
1	A	518	PRO	2.2
1	A	62	VAL	2.2
1	A	870	LEU	2.2
1	A	31	ARG	2.1
1	A	923	MET	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	849	VAL	2.1
1	A	256	PHE	2.1
1	A	273	LEU	2.1
1	A	850	GLY	2.1
1	A	294	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	CA	A	1005	1/1	0.98	0.26	1.34	91,91,91,91	0
2	CA	A	1002	1/1	0.95	0.27	0.48	124,124,124,124	0
4	ACP	A	1004	31/31	0.97	0.22	0.12	74,86,99,103	0
2	CA	A	1001	1/1	0.94	0.19	-0.64	122,122,122,122	0
3	K	A	1003	1/1	0.94	0.09	-3.65	91,91,91,91	0

6.5 Other polymers [i](#)

There are no such residues in this entry.