



Full wwPDB NMR Structure Validation Report ⓘ

Apr 26, 2016 – 07:47 PM BST

PDB ID : 1YCM
Title : Solution Structure of matrix metalloproteinase 12 (MMP12) in the presence of N-Isobutyl-N-[4-methoxyphenylsulfonyl]glycyl hydroxamic acid (NNGH)
Authors : Bertini, I.; Calderone, V.; Cosenza, M.; Fragai, M.; Lee, Y.M.; Luchinat, C.; Mangani, S.; Terni, B.; Turano, P.; Structural Proteomics in Europe (SPINE)
Deposited on : 2004-12-22

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : rb-20027457
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027457


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 66%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	159	 71% 19% • 8%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA and RNA chains that are outliers for geometric criteria:

Mol	Chain	Compound	Res	Total models with violations	
				Chirality	Geometry
4	A	NGH	269	9	-

2 Ensemble composition and analysis ⓘ

This entry contains 20 models. Model 2 is the overall representative, medoid model (most similar to other models). The authors have identified model 20 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:111-A:168, A:173-A:261 (147)	0.53	2

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters and 7 single-model clusters were found.

Cluster number	Models
1	2, 3, 5, 6, 8, 12, 13, 18, 19
2	7, 9
3	1, 4
Single-model clusters	10; 11; 14; 15; 16; 17; 20

3 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 2467 atoms, of which 1196 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Macrophage metalloelastase.

Mol	Chain	Residues	Atoms						Trace
1	A	159	Total	C	H	N	O	S	0
			2422	794	1177	217	230	4	

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	105	MET	-	INITIATING METHIONINE	UNP P39900
A	171	ASP	PHE	ENGINEERED	UNP P39900


- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	
2	A	2	Total	Zn
			2	2

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	
3	A	3	Total	Ca
			3	3

- Molecule 4 is N-ISOBUTYL-N-[4-METHOXYPHENYLSULFONYL]GLYCYL HYDROX-AMIC ACID (three-letter code: NGH) (formula: C₁₃H₂₀N₂O₅S).




Mol	Chain	Residues	Atoms					
			Total	C	H	N	O	S
4	A	1	40	13	19	2	5	1

4 Residue-property plots

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Macrophage metalloelastase




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1


- Molecule 1: Macrophage metalloelastase



4.2.2 Score per residue for model 2 (medoid)


- Molecule 1: Macrophage metalloelastase






4.2.3 Score per residue for model 3

- Molecule 1: Macrophage metalloelastase




4.2.4 Score per residue for model 4

- Molecule 1: Macrophage metalloelastase




4.2.5 Score per residue for model 5

- Molecule 1: Macrophage metalloelastase




4.2.6 Score per residue for model 6

- Molecule 1: Macrophage metalloelastase




4.2.7 Score per residue for model 7

- Molecule 1: Macrophage metalloelastase




4.2.8 Score per residue for model 8

- Molecule 1: Macrophage metalloelastase




4.2.9 Score per residue for model 9

- Molecule 1: Macrophage metalloelastase




4.2.10 Score per residue for model 10

- Molecule 1: Macrophage metalloelastase




4.2.11 Score per residue for model 11

- Molecule 1: Macrophage metalloelastase




4.2.12 Score per residue for model 12

- Molecule 1: Macrophage metalloelastase




4.2.13 Score per residue for model 13

- Molecule 1: Macrophage metalloelastase




4.2.14 Score per residue for model 14


- Molecule 1: Macrophage metalloelastase




- Molecule 1: Macrophage metalloelastase



- Molecule 1: Macrophage metalloelastase




- Molecule 1: Macrophage metalloelastase




4.2.18 Score per residue for model 18

- Molecule 1: Macrophage metalloelastase




4.2.19 Score per residue for model 19

- Molecule 1: Macrophage metalloelastase



4.2.20 Score per residue for model 20

- Molecule 1: Macrophage metalloelastase



5 Refinement protocol and experimental data overview

The models were refined using the following method: *distance geometry, simulated annealing, torsion angle dynamics, residue dipolar couplings*.

Of the 200 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
DYANA	structure solution	1.5
AMBER	refinement	6.0

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	BMRB entry 6444
Number of chemical shift lists	1
Total number of shifts	1384
Number of shifts mapped to atoms	1384
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	66%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality [i](#)

6.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, NGH, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	0.63±0.02	0±0/1181 (0.0±0.0%)	1.06±0.05	4±2/1602 (0.2±0.1%)
All	All	0.63	4/23620 (0.0%)	1.06	79/32040 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0.0±0.0	3.2±1.4
All	All	0	64

All unique bond outliers are listed below.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	218	HIS	CB-CG	6.07	1.60	1.50	16	4

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	181	LEU	CB-CA-C	9.97	129.15	110.20	15	2
1	A	218	HIS	N-CA-CB	9.77	128.19	110.60	5	4
1	A	180	ILE	CA-CB-CG2	9.75	130.39	110.90	3	1
1	A	196	HIS	CA-CB-CG	8.03	127.26	113.60	4	5
1	A	180	ILE	CB-CA-C	7.92	127.44	111.60	3	2
1	A	218	HIS	CB-CA-C	-7.73	94.94	110.40	3	3
1	A	180	ILE	N-CA-CB	-7.60	93.32	110.80	3	1
1	A	127	ARG	NE-CZ-NH2	-7.41	116.60	120.30	15	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	196	HIS	N-CA-CB	6.59	122.46	110.60	4	2
1	A	162	VAL	CA-CB-CG1	6.58	120.76	110.90	5	1
1	A	215	THR	N-CA-CB	-6.55	97.85	110.30	14	7
1	A	222	HIS	CA-CB-CG	6.52	124.69	113.60	4	1
1	A	239	THR	N-CA-CB	-6.45	98.05	110.30	19	16
1	A	160	LEU	CB-CA-C	6.12	121.82	110.20	3	3
1	A	124	ASP	CB-CG-OD1	6.07	123.76	118.30	5	6
1	A	199	GLU	OE1-CD-OE2	-5.79	116.36	123.30	20	4
1	A	183	HIS	N-CA-CB	5.76	120.97	110.60	15	1
1	A	116	TYR	CB-CG-CD1	-5.76	117.55	121.00	9	1
1	A	237	PHE	CB-CG-CD2	-5.59	116.89	120.80	5	6
1	A	261	LEU	CB-CA-C	5.59	120.82	110.20	9	2
1	A	198	ASP	CB-CG-OD2	-5.42	113.42	118.30	16	2
1	A	205	THR	CA-CB-CG2	5.33	119.86	112.40	19	2
1	A	200	ASP	CB-CG-OD2	-5.29	113.54	118.30	3	1
1	A	145	THR	CA-CB-CG2	5.29	119.80	112.40	11	1
1	A	117	ARG	NE-CZ-NH2	-5.21	117.69	120.30	18	1
1	A	131	ASP	CA-CB-CG	5.20	124.84	113.40	20	1
1	A	214	LEU	CB-CG-CD1	-5.07	102.38	111.00	20	2

There are no chirality outliers.

All unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Group	Models (Total)
1	A	121	TYR	Sidechain	6
1	A	116	TYR	Sidechain	6
1	A	196	HIS	Sidechain	6
1	A	174	PHE	Sidechain,Peptide	6
1	A	248	PHE	Sidechain	5
1	A	242	TYR	Sidechain	5
1	A	163	PHE	Sidechain	4
1	A	132	TYR	Sidechain	3
1	A	194	ASP	Sidechain	3
1	A	213	PHE	Sidechain	3
1	A	149	PHE	Sidechain	2
1	A	218	HIS	Sidechain	2
1	A	202	PHE	Sidechain	2
1	A	117	ARG	Sidechain	2
1	A	197	PHE	Sidechain	2
1	A	124	ASP	Sidechain	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group	Models (Total)
1	A	113	TYR	Sidechain	1
1	A	127	ARG	Sidechain	1
1	A	222	HIS	Sidechain	1
1	A	168	HIS	Sidechain	1
1	A	240	TYR	Sidechain	1
1	A	195	ALA	Peptide	1

6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1148	1096	1096	16±7
4	A	21	19	19	5±7
All	All	23480	22300	22302	330

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:182:ALA:H	4:A:269:NGH:H102	0.91	1.26	5	2
1:A:145:THR:HG22	1:A:258:ILE:HD13	0.90	1.42	18	4
1:A:182:ALA:H	4:A:269:NGH:C13	0.90	1.78	3	1
1:A:182:ALA:O	4:A:269:NGH:H102	0.89	1.67	17	2
1:A:226:LEU:HD11	1:A:258:ILE:HG22	0.88	1.44	3	6
1:A:141:TRP:CZ3	1:A:258:ILE:HG21	0.86	2.05	8	12
1:A:226:LEU:HD21	1:A:258:ILE:HG22	0.81	1.51	4	1
1:A:182:ALA:O	4:A:269:NGH:H131	0.81	1.76	3	1
1:A:218:HIS:HD1	4:A:269:NGH:H72	0.79	1.35	9	2
1:A:182:ALA:H	4:A:269:NGH:C10	0.79	1.89	5	1
1:A:215:THR:HG23	4:A:269:NGH:H2	0.75	1.58	9	3
1:A:147:LEU:HD13	1:A:224:LEU:HD22	0.75	1.57	1	1
1:A:182:ALA:N	4:A:269:NGH:C13	0.74	2.50	3	1
1:A:181:LEU:H	4:A:269:NGH:H91	0.73	1.43	3	1
1:A:218:HIS:CD2	4:A:269:NGH:O4	0.72	2.42	9	7
1:A:182:ALA:H	4:A:269:NGH:C14	0.71	1.98	3	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:218:HIS:CD2	4:A:269:NGH:HO4	0.70	2.05	9	2
4:A:269:NGH:H12	4:A:269:NGH:C11	0.69	2.16	3	1
4:A:269:NGH:H101	4:A:269:NGH:C1	0.69	2.15	11	1
1:A:182:ALA:N	4:A:269:NGH:H133	0.69	2.02	3	1
1:A:218:HIS:CE1	1:A:237:PHE:O	0.68	2.46	9	7
1:A:181:LEU:N	4:A:269:NGH:H142	0.68	2.03	3	1
1:A:138:PHE:CD1	1:A:220:ILE:HG23	0.67	2.25	14	1
1:A:180:ILE:HG23	4:A:269:NGH:C14	0.66	2.20	3	1
1:A:236:MET:SD	1:A:258:ILE:HG22	0.66	2.30	10	1
1:A:218:HIS:CE1	1:A:222:HIS:CE1	0.66	2.80	2	2
1:A:218:HIS:NE2	1:A:222:HIS:CE1	0.66	2.64	5	3
1:A:182:ALA:N	4:A:269:NGH:H142	0.66	2.06	3	1
4:A:269:NGH:S1	4:A:269:NGH:H143	0.66	2.31	13	1
1:A:218:HIS:ND1	4:A:269:NGH:H72	0.66	2.06	9	1
1:A:218:HIS:CE1	4:A:269:NGH:N1	0.65	2.63	2	2
1:A:218:HIS:HB2	4:A:269:NGH:H72	0.65	1.68	4	2
1:A:222:HIS:CE1	1:A:226:LEU:HD21	0.65	2.26	2	2
1:A:182:ALA:H	4:A:269:NGH:C12	0.65	2.04	3	1
1:A:182:ALA:N	4:A:269:NGH:C14	0.64	2.60	3	1
1:A:217:VAL:CG1	1:A:235:VAL:HG11	0.64	2.22	17	2
1:A:145:THR:HG22	1:A:258:ILE:CD1	0.64	2.22	18	2
4:A:269:NGH:C12	4:A:269:NGH:C11	0.63	2.76	3	1
1:A:218:HIS:CE1	1:A:222:HIS:CD2	0.62	2.87	16	1
1:A:224:LEU:CD1	1:A:261:LEU:HD11	0.62	2.24	6	1
1:A:181:LEU:HB2	4:A:269:NGH:H1	0.62	1.71	12	3
1:A:218:HIS:CD2	1:A:222:HIS:CE1	0.62	2.87	7	2
1:A:140:VAL:HG22	1:A:248:PHE:CE1	0.62	2.30	2	2
1:A:226:LEU:CD1	1:A:258:ILE:HG22	0.61	2.25	6	3
1:A:182:ALA:H	4:A:269:NGH:H133	0.61	1.50	3	1
1:A:182:ALA:N	4:A:269:NGH:H102	0.61	2.05	5	2
1:A:215:THR:HG23	4:A:269:NGH:H4	0.61	1.72	13	1
1:A:218:HIS:CE1	4:A:269:NGH:O5	0.61	2.53	9	1
1:A:164:ALA:HB3	1:A:174:PHE:CZ	0.60	2.31	17	1
1:A:213:PHE:O	1:A:217:VAL:HG23	0.60	1.96	10	9
1:A:250:LEU:N	1:A:250:LEU:HD22	0.60	2.12	17	10
4:A:269:NGH:H132	4:A:269:NGH:HN1	0.59	1.58	3	1
4:A:269:NGH:N1	4:A:269:NGH:C13	0.59	2.65	3	1
1:A:141:TRP:CH2	1:A:250:LEU:HD12	0.58	2.32	7	6
1:A:134:ILE:HD12	1:A:138:PHE:CE2	0.58	2.34	10	1
1:A:140:VAL:HG12	1:A:250:LEU:HD21	0.57	1.74	8	6
1:A:226:LEU:HD12	1:A:228:HIS:H	0.57	1.57	7	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
4:A:269:NGH:N1	4:A:269:NGH:H132	0.57	2.15	3	1
1:A:180:ILE:HA	4:A:269:NGH:O3	0.56	2.00	11	1
1:A:221:GLY:HA2	1:A:224:LEU:HD23	0.56	1.77	6	1
1:A:145:THR:CG2	1:A:258:ILE:HD13	0.56	2.26	18	3
1:A:181:LEU:HB2	4:A:269:NGH:H91	0.56	1.78	3	1
1:A:182:ALA:O	4:A:269:NGH:C10	0.56	2.53	5	1
1:A:222:HIS:ND1	1:A:226:LEU:HD21	0.56	2.16	7	1
1:A:141:TRP:CH2	1:A:258:ILE:HG21	0.56	2.36	16	1
1:A:218:HIS:HD1	4:A:269:NGH:C7	0.55	2.12	9	1
1:A:261:LEU:HD13	1:A:261:LEU:O	0.55	2.01	7	1
1:A:226:LEU:HD13	1:A:236:MET:SD	0.55	2.41	19	4
1:A:182:ALA:O	4:A:269:NGH:C13	0.55	2.54	3	1
1:A:147:LEU:HD11	1:A:261:LEU:HD13	0.54	1.77	16	1
1:A:145:THR:CG2	1:A:258:ILE:HG13	0.54	2.33	17	1
1:A:238:PRO:O	4:A:269:NGH:H91	0.54	2.02	16	1
1:A:136:LYS:O	1:A:140:VAL:HG23	0.54	2.03	1	10
1:A:261:LEU:HD22	1:A:261:LEU:O	0.53	2.03	9	1
1:A:218:HIS:CE1	1:A:236:MET:O	0.53	2.62	1	3
1:A:182:ALA:O	4:A:269:NGH:N1	0.53	2.42	2	3
1:A:224:LEU:HD21	1:A:226:LEU:HD12	0.53	1.79	6	1
1:A:224:LEU:HD11	1:A:261:LEU:HD11	0.53	1.81	6	1
1:A:238:PRO:O	4:A:269:NGH:S1	0.53	2.67	5	1
1:A:218:HIS:CG	4:A:269:NGH:H2	0.52	2.39	16	1
1:A:181:LEU:CB	4:A:269:NGH:H1	0.52	2.35	12	1
4:A:269:NGH:C10	4:A:269:NGH:C1	0.52	2.87	11	1
1:A:218:HIS:CD2	1:A:222:HIS:NE2	0.52	2.64	16	2
1:A:254:ASP:O	1:A:258:ILE:HG23	0.52	2.05	18	3
1:A:174:PHE:CG	1:A:175:ASP:N	0.51	2.77	13	6
1:A:182:ALA:O	4:A:269:NGH:C11	0.51	2.59	5	1
1:A:238:PRO:O	4:A:269:NGH:H5	0.51	2.06	12	1
1:A:140:VAL:HG22	1:A:248:PHE:CD2	0.51	2.41	12	1
1:A:213:PHE:CD1	1:A:245:ILE:HG22	0.50	2.41	6	4
4:A:269:NGH:C6	4:A:269:NGH:C11	0.50	2.88	5	1
4:A:269:NGH:C13	4:A:269:NGH:C11	0.50	2.89	3	1
1:A:258:ILE:HD12	1:A:259:GLN:N	0.50	2.21	8	3
1:A:180:ILE:HD13	4:A:269:NGH:H142	0.50	1.82	13	1
1:A:250:LEU:HD22	1:A:250:LEU:N	0.50	2.22	15	8
1:A:181:LEU:N	4:A:269:NGH:H91	0.50	2.20	3	1
1:A:134:ILE:HD11	1:A:220:ILE:HD11	0.50	1.83	10	2
1:A:258:ILE:O	1:A:261:LEU:HD12	0.50	2.06	7	1
1:A:196:HIS:N	1:A:196:HIS:CD2	0.50	2.80	20	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:182:ALA:O	4:A:269:NGH:H141	0.49	2.06	3	1
4:A:269:NGH:H1	4:A:269:NGH:O5	0.49	2.08	19	1
1:A:181:LEU:CD2	4:A:269:NGH:H1	0.49	2.38	12	1
1:A:214:LEU:CD2	4:A:269:NGH:H71	0.49	2.37	9	1
1:A:147:LEU:HD13	1:A:224:LEU:HD12	0.49	1.83	16	1
1:A:144:VAL:HG12	1:A:258:ILE:HD11	0.49	1.85	4	1
1:A:164:ALA:HB3	1:A:174:PHE:CE2	0.49	2.43	11	1
1:A:138:PHE:CD1	1:A:149:PHE:CD1	0.49	3.01	10	1
4:A:269:NGH:O5	4:A:269:NGH:C5	0.49	2.61	12	1
1:A:218:HIS:HE1	4:A:269:NGH:N1	0.48	2.06	16	1
1:A:119:ASN:ND2	1:A:160:LEU:HD11	0.48	2.23	20	1
1:A:140:VAL:HG22	1:A:248:PHE:CD1	0.48	2.42	15	1
4:A:269:NGH:C13	4:A:269:NGH:HN1	0.48	2.21	3	1
1:A:180:ILE:CD1	4:A:269:NGH:H143	0.48	2.39	3	1
4:A:269:NGH:H92	4:A:269:NGH:O5	0.48	2.09	2	1
1:A:226:LEU:HD11	1:A:258:ILE:HA	0.48	1.86	11	1
1:A:181:LEU:HB2	4:A:269:NGH:H5	0.48	1.85	2	2
1:A:144:VAL:HG21	1:A:250:LEU:HD23	0.47	1.85	17	2
1:A:138:PHE:HB3	1:A:149:PHE:CD2	0.47	2.44	8	3
1:A:114:ILE:HG22	1:A:116:TYR:CE1	0.47	2.44	14	1
1:A:217:VAL:HG21	1:A:248:PHE:CE2	0.47	2.44	13	3
1:A:181:LEU:H	4:A:269:NGH:C9	0.47	2.17	3	1
1:A:145:THR:HG23	1:A:258:ILE:HG12	0.47	1.87	11	1
1:A:226:LEU:HD11	1:A:258:ILE:CG2	0.47	2.40	5	1
4:A:269:NGH:C10	4:A:269:NGH:H132	0.47	2.33	3	1
1:A:145:THR:HG22	1:A:261:LEU:CD2	0.47	2.40	11	1
4:A:269:NGH:O3	4:A:269:NGH:H132	0.46	2.10	5	1
1:A:180:ILE:HD11	4:A:269:NGH:H12	0.46	1.88	9	1
1:A:215:THR:HG23	4:A:269:NGH:C2	0.46	2.40	17	1
1:A:218:HIS:NE2	1:A:237:PHE:O	0.46	2.48	9	1
1:A:239:THR:O	4:A:269:NGH:H4	0.46	2.11	17	1
1:A:138:PHE:CD1	1:A:149:PHE:HB2	0.46	2.46	7	2
1:A:226:LEU:HD22	1:A:258:ILE:HG22	0.46	1.88	1	1
1:A:181:LEU:HD22	4:A:269:NGH:H5	0.46	1.87	19	1
1:A:181:LEU:HD22	4:A:269:NGH:O3	0.46	2.10	3	1
4:A:269:NGH:C11	4:A:269:NGH:C5	0.46	2.94	5	1
1:A:196:HIS:CD2	1:A:196:HIS:C	0.46	2.88	9	1
1:A:140:VAL:CG1	1:A:250:LEU:HD21	0.46	2.41	3	2
1:A:116:TYR:CE2	1:A:134:ILE:HD12	0.46	2.46	12	1
1:A:196:HIS:CD2	1:A:196:HIS:N	0.45	2.84	3	1
1:A:226:LEU:HD13	1:A:258:ILE:HG22	0.45	1.88	1	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:181:LEU:CD2	4:A:269:NGH:H5	0.45	2.41	15	1
4:A:269:NGH:C10	4:A:269:NGH:H1	0.45	2.41	11	1
1:A:138:PHE:CE1	1:A:220:ILE:HG23	0.45	2.46	14	2
1:A:114:ILE:HG21	1:A:149:PHE:CE2	0.45	2.46	3	1
1:A:234:ALA:HB1	1:A:254:ASP:CG	0.45	2.32	10	1
1:A:141:TRP:CZ2	1:A:236:MET:SD	0.45	3.10	7	1
1:A:214:LEU:HD23	1:A:214:LEU:C	0.44	2.33	14	1
1:A:111:LYS:CG	1:A:114:ILE:HD11	0.44	2.43	15	1
1:A:218:HIS:NE2	1:A:222:HIS:CD2	0.44	2.83	19	1
1:A:255:ILE:HA	1:A:258:ILE:CG2	0.44	2.41	11	1
4:A:269:NGH:C11	4:A:269:NGH:H132	0.44	2.42	3	1
1:A:145:THR:HG23	1:A:258:ILE:CD1	0.44	2.43	11	1
1:A:116:TYR:CD2	1:A:138:PHE:CE2	0.44	3.06	14	1
1:A:116:TYR:CE2	1:A:138:PHE:CD1	0.44	3.06	20	1
1:A:218:HIS:CB	4:A:269:NGH:H72	0.44	2.41	4	1
1:A:234:ALA:HB1	1:A:254:ASP:OD1	0.44	2.12	7	2
1:A:174:PHE:C	1:A:174:PHE:CD1	0.43	2.91	13	1
1:A:238:PRO:O	4:A:269:NGH:O2	0.43	2.36	5	1
1:A:250:LEU:H	1:A:250:LEU:HD22	0.43	1.72	13	2
1:A:218:HIS:CD2	1:A:218:HIS:C	0.43	2.91	17	1
1:A:239:THR:O	4:A:269:NGH:H2	0.43	2.14	13	1
1:A:116:TYR:CZ	1:A:138:PHE:CE1	0.43	3.05	18	2
1:A:250:LEU:CD2	1:A:250:LEU:N	0.43	2.81	17	1
1:A:222:HIS:CE1	1:A:228:HIS:CD2	0.43	3.07	14	2
1:A:222:HIS:CE1	1:A:228:HIS:CE1	0.43	3.06	15	1
1:A:226:LEU:HD21	1:A:257:GLY:C	0.43	2.35	17	1
1:A:141:TRP:CZ3	1:A:250:LEU:HG	0.42	2.49	16	2
1:A:218:HIS:CE1	4:A:269:NGH:C11	0.42	3.02	9	1
1:A:114:ILE:HG21	1:A:149:PHE:CE1	0.42	2.49	11	1
1:A:134:ILE:O	1:A:134:ILE:HD13	0.42	2.13	12	1
1:A:238:PRO:O	4:A:269:NGH:H1	0.42	2.13	1	3
1:A:145:THR:HG23	1:A:258:ILE:CG1	0.42	2.44	11	1
1:A:116:TYR:CE1	1:A:138:PHE:CD2	0.42	3.08	3	1
1:A:166:GLY:HA2	1:A:174:PHE:CD1	0.42	2.49	13	1
1:A:258:ILE:HD12	1:A:258:ILE:C	0.42	2.35	18	2
1:A:218:HIS:CE1	1:A:222:HIS:NE2	0.42	2.87	2	1
1:A:168:HIS:CG	1:A:168:HIS:O	0.42	2.73	8	1
1:A:214:LEU:HD23	4:A:269:NGH:H71	0.42	1.91	3	1
1:A:218:HIS:ND1	1:A:237:PHE:O	0.42	2.52	15	1
1:A:131:ASP:OD2	1:A:151:LYS:NZ	0.41	2.51	13	2
1:A:119:ASN:ND2	1:A:163:PHE:H	0.41	2.13	2	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:177:LYS:NZ	1:A:200:ASP:OD1	0.41	2.50	14	1
1:A:134:ILE:CD1	1:A:220:ILE:HD11	0.41	2.45	13	1
1:A:181:LEU:HD22	4:A:269:NGH:H1	0.41	1.93	7	1
1:A:162:VAL:HB	1:A:196:HIS:HD2	0.41	1.75	3	1
1:A:131:ASP:HB3	1:A:151:LYS:NZ	0.41	2.30	20	1
1:A:138:PHE:CZ	1:A:149:PHE:HB2	0.41	2.51	16	1
1:A:238:PRO:O	4:A:269:NGH:O5	0.41	2.39	10	1
1:A:152:ILE:O	1:A:152:ILE:HD12	0.41	2.16	10	1
1:A:222:HIS:CD2	4:A:269:NGH:O4	0.41	2.74	9	1
1:A:160:LEU:HD22	1:A:161:VAL:N	0.40	2.31	20	1
1:A:115:THR:O	1:A:157:ALA:HB1	0.40	2.16	9	1
1:A:218:HIS:CB	4:A:269:NGH:H2	0.40	2.46	16	1
1:A:114:ILE:HD12	1:A:114:ILE:N	0.40	2.32	7	1

6.3 Torsion angles ⓘ

6.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	147/159 (92%)	125±3 (85±2%)	18±4 (12±3%)	4±2 (3±1%)	9	43
All	All	2940/3180 (92%)	2504 (85%)	351 (12%)	85 (3%)	9	43

All 22 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	175	ASP	10
1	A	208	GLY	10
1	A	111	LYS	8
1	A	228	HIS	6
1	A	225	GLY	5
1	A	173	ALA	5
1	A	112	HIS	5
1	A	245	ILE	5
1	A	209	GLY	5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	166	GLY	4
1	A	261	LEU	4
1	A	248	PHE	3
1	A	192	GLY	2
1	A	237	PHE	2
1	A	168	HIS	2
1	A	190	GLY	2
1	A	198	ASP	2
1	A	244	ASP	1
1	A	155	GLY	1
1	A	176	GLY	1
1	A	178	GLY	1
1	A	206	HIS	1

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	119/128 (93%)	96±3 (81±2%)	23±3 (19±2%)	5	37
All	All	2380/2560 (93%)	1923 (81%)	457 (19%)	5	37

All 84 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	239	THR	20
1	A	131	ASP	19
1	A	134	ILE	18
1	A	237	PHE	17
1	A	139	GLN	16
1	A	249	ARG	16
1	A	160	LEU	13
1	A	118	ILE	11
1	A	111	LYS	11
1	A	236	MET	10
1	A	168	HIS	10
1	A	138	PHE	9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	124	ASP	9
1	A	218	HIS	9
1	A	212	LEU	9
1	A	148	LYS	8
1	A	205	THR	8
1	A	241	LYS	8
1	A	224	LEU	7
1	A	254	ASP	7
1	A	196	HIS	7
1	A	142	SER	7
1	A	258	ILE	7
1	A	206	HIS	7
1	A	250	LEU	6
1	A	177	LYS	6
1	A	122	THR	6
1	A	112	HIS	6
1	A	151	LYS	6
1	A	135	ARG	6
1	A	165	ARG	6
1	A	143	ASN	6
1	A	244	ASP	5
1	A	215	THR	5
1	A	163	PHE	5
1	A	226	LEU	5
1	A	117	ARG	5
1	A	185	PHE	5
1	A	149	PHE	5
1	A	248	PHE	5
1	A	159	ILE	5
1	A	204	THR	4
1	A	119	ASN	4
1	A	214	LEU	4
1	A	210	THR	4
1	A	220	ILE	4
1	A	260	SER	4
1	A	211	ASN	4
1	A	115	THR	4
1	A	200	ASP	4
1	A	128	GLU	3
1	A	174	PHE	3
1	A	233	LYS	3
1	A	261	LEU	3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	194	ASP	3
1	A	246	ASN	3
1	A	222	HIS	3
1	A	183	HIS	3
1	A	153	ASN	3
1	A	147	LEU	2
1	A	217	VAL	2
1	A	251	SER	2
1	A	114	ILE	2
1	A	199	GLU	2
1	A	130	VAL	2
1	A	197	PHE	2
1	A	180	ILE	2
1	A	154	THR	2
1	A	150	SER	2
1	A	198	ASP	2
1	A	202	PHE	2
1	A	242	TYR	2
1	A	127	ARG	1
1	A	253	ASP	1
1	A	120	ASN	1
1	A	189	SER	1
1	A	243	VAL	1
1	A	203	TRP	1
1	A	201	GLU	1
1	A	230	SER	1
1	A	116	TYR	1
1	A	152	ILE	1
1	A	207	SER	1
1	A	181	LEU	1

6.3.3 RNA ⓘ

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates

There are no carbohydrates in this entry.

6.6 Ligand geometry

Of 6 ligands modelled in this entry, 5 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds for which Mogul statistics could be retrieved, the number of bonds that are observed in the model and the number of bonds that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length is the number of standard deviations the observed value is removed from the expected value. A bond length with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond lengths.

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
4	NGH	A	269	2	21,21,21	2.92±0.13	2±0 (9±0%)

In the following table, the Counts columns list the number of angles for which Mogul statistics could be retrieved, the number of angles that are observed in the model and the number of angles that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond angle is the number of standard deviations the observed value is removed from the expected value. A bond angle with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond angles.

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
4	NGH	A	269	2	27,29,29	2.31±0.22	2±1 (6±3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NGH	A	269	2	1±0,1,5,5	0±0,24,24,24	0±0,1,1,1

All unique bond outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
4	A	269	NGH	S1-N	10.75	1.79	1.63	11	20
4	A	269	NGH	O4-N1	7.07	1.27	1.39	4	20

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
4	A	269	NGH	O4-N1-C11	7.95	131.62	119.58	17	19
4	A	269	NGH	C10-N-C9	6.64	101.54	117.06	3	1
4	A	269	NGH	C6-S1-N	6.55	99.11	107.31	6	7
4	A	269	NGH	O3-S1-N	5.64	112.24	106.69	3	7
4	A	269	NGH	C10-C11-N1	5.60	126.72	114.94	3	2

All unique chiral outliers are listed below.

Mol	Chain	Res	Type	Atoms	Models (Total)
4	A	269	NGH	N	9

There are no torsion outliers.

There are no ring outliers.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation [i](#)

The completeness of assignment taking into account all chemical shift lists is 66% for the well-defined parts and 63% for the entire structure.

7.1 Chemical shift list 1

File name: BMRB entry 6444

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1384
Number of shifts mapped to atoms	1384
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	18

7.1.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	117	2.76 ± 0.24	Should be applied
$^{13}\text{C}_\beta$	114	2.71 ± 0.16	Should be applied
$^{13}\text{C}'$	0	—	—
^{15}N	145	-0.68 ± 0.35	None needed (imprecise)

7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 66%, i.e. 1162 atoms were assigned a chemical shift out of a possible 1753. 9 out of 17 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	541/725 (75%)	285/289 (99%)	116/294 (39%)	140/142 (99%)
Sidechain	555/810 (69%)	352/473 (74%)	194/303 (64%)	9/34 (26%)

Continued on next page...

Continued from previous page...

	Total	¹H	¹³C	¹⁵N
Aromatic	66/218 (30%)	64/118 (54%)	0/90 (0%)	2/10 (20%)
Overall	1162/1753 (66%)	701/880 (80%)	310/687 (45%)	151/186 (81%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 63%, i.e. 1192 atoms were assigned a chemical shift out of a possible 1896. 9 out of 18 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹H	¹³C	¹⁵N
Backbone	555/783 (71%)	293/312 (94%)	117/318 (37%)	145/153 (95%)
Sidechain	564/868 (65%)	360/508 (71%)	195/323 (60%)	9/37 (24%)
Aromatic	73/245 (30%)	70/132 (53%)	0/101 (0%)	3/12 (25%)
Overall	1192/1896 (63%)	723/952 (76%)	312/742 (42%)	157/202 (78%)

7.1.4 Statistically unusual chemical shifts ⓘ

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	242	TYR	HE2	9.04	7.86 – 5.56	10.1
1	A	242	TYR	HE1	9.04	7.86 – 5.56	10.1
1	A	203	TRP	HB3	0.55	4.94 – 1.34	-7.2
1	A	204	THR	HG22	2.68	2.29 – -0.01	6.7
1	A	204	THR	HG23	2.68	2.29 – -0.01	6.7
1	A	204	THR	HG21	2.68	2.29 – -0.01	6.7
1	A	122	THR	HG21	2.62	2.29 – -0.01	6.4
1	A	122	THR	HG23	2.62	2.29 – -0.01	6.4
1	A	122	THR	HG22	2.62	2.29 – -0.01	6.4
1	A	218	HIS	HD2	9.86	9.28 – 4.78	6.3
1	A	203	TRP	HB2	1.00	4.94 – 1.44	-6.2
1	A	232	PRO	HA	2.43	6.05 – 2.75	-6.0
1	A	151	LYS	HD2	2.97	2.76 – 0.46	5.9
1	A	187	PRO	HB3	-0.12	3.81 – 0.21	-5.9
1	A	210	THR	HB	2.44	5.82 – 2.52	-5.3
1	A	206	HIS	HD2	9.36	9.28 – 4.78	5.2
1	A	138	PHE	HD2	5.54	8.56 – 5.56	-5.1
1	A	138	PHE	HD1	5.54	8.56 – 5.56	-5.1

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

