



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:47 AM GMT

PDB ID : 2YCY  
Title : TURKEY BETA1 ADRENERGIC RECEPTOR WITH STABILISING MUTATIONS AND BOUND ANTAGONIST CYANOPINDOLOL  
Authors : Moukhametzianov, R.; Warne, T.; Edwards, P.C.; Serrano-Vega, M.J.; Leslie, A.G.W.; Tate, C.G.; Schertler, G.F.X.  
Deposited on : 2011-03-17  
Resolution : 3.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 3.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1112 (3.20-3.12)
Clashscore	102246	1249 (3.20-3.12)
Ramachandran outliers	100387	1222 (3.20-3.12)
Sidechain outliers	100360	1221 (3.20-3.12)
RSRZ outliers	91569	1117 (3.20-3.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	313	<div> <div>4%</div> <div>71%</div> <div>21%</div> <div>8%</div> </div>
1	B	313	<div> <div>4%</div> <div>68%</div> <div>25%</div> <div>7%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	P32	B	400	-	-	-	X
3	SOG	A	1360	-	-	-	X
3	SOG	A	1361	-	-	-	X
3	SOG	B	1360	-	-	-	X
3	SOG	B	1361	-	-	-	X
3	SOG	B	1362	-	-	-	X

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 4768 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called BETA-1 ADRENERGIC RECEPTOR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	288	Total	C	N	O	S	0	0	0
			2298	1517	383	378	20			
1	B	291	Total	C	N	O	S	0	0	0
			2324	1534	388	382	20			

There are 92 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	31	MET	-	EXPRESSION TAG	UNP P07700
A	32	GLY	-	EXPRESSION TAG	UNP P07700
A	68	SER	ARG	ENGINEERED MUTATION	UNP P07700
A	90	VAL	MET	ENGINEERED MUTATION	UNP P07700
A	116	LEU	CYS	ENGINEERED MUTATION	UNP P07700
A	227	ALA	TYR	ENGINEERED MUTATION	UNP P07700
A	.	-	CYS	DELETION	UNP P07700
A	.	-	GLU	DELETION	UNP P07700
A	.	-	GLY	DELETION	UNP P07700
A	.	-	ARG	DELETION	UNP P07700
A	.	-	PHE	DELETION	UNP P07700
A	.	-	TYR	DELETION	UNP P07700
A	.	-	GLY	DELETION	UNP P07700
A	.	-	SER	DELETION	UNP P07700
A	.	-	GLN	DELETION	UNP P07700
A	.	-	GLU	DELETION	UNP P07700
A	.	-	GLN	DELETION	UNP P07700
A	.	-	PRO	DELETION	UNP P07700
A	.	-	GLN	DELETION	UNP P07700
A	.	-	PRO	DELETION	UNP P07700
A	.	-	PRO	DELETION	UNP P07700
A	.	-	PRO	DELETION	UNP P07700
A	.	-	LEU	DELETION	UNP P07700
A	.	-	PRO	DELETION	UNP P07700
A	.	-	GLN	DELETION	UNP P07700

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
A	.	-	HIS	DELETION	UNP P07700
A	.	-	GLN	DELETION	UNP P07700
A	.	-	PRO	DELETION	UNP P07700
A	.	-	ILE	DELETION	UNP P07700
A	.	-	LEU	DELETION	UNP P07700
A	.	-	GLY	DELETION	UNP P07700
A	.	-	ASN	DELETION	UNP P07700
A	.	-	GLY	DELETION	UNP P07700
A	.	-	ARG	DELETION	UNP P07700
A	.	-	THR	DELETION	UNP P07700
A	.	-	SER	DELETION	UNP P07700
A	282	LEU	ALA	ENGINEERED MUTATION	UNP P07700
A	327	ALA	PHE	ENGINEERED MUTATION	UNP P07700
A	338	MET	PHE	ENGINEERED MUTATION	UNP P07700
A	358	ALA	CYS	ENGINEERED MUTATION	UNP P07700
A	368	HIS	-	EXPRESSION TAG	UNP P07700
A	369	HIS	-	EXPRESSION TAG	UNP P07700
A	370	HIS	-	EXPRESSION TAG	UNP P07700
A	371	HIS	-	EXPRESSION TAG	UNP P07700
A	372	HIS	-	EXPRESSION TAG	UNP P07700
A	373	HIS	-	EXPRESSION TAG	UNP P07700
B	31	MET	-	EXPRESSION TAG	UNP P07700
B	32	GLY	-	EXPRESSION TAG	UNP P07700
B	68	SER	ARG	ENGINEERED MUTATION	UNP P07700
B	90	VAL	MET	ENGINEERED MUTATION	UNP P07700
B	116	LEU	CYS	ENGINEERED MUTATION	UNP P07700
B	227	ALA	TYR	ENGINEERED MUTATION	UNP P07700
B	.	-	CYS	DELETION	UNP P07700
B	.	-	GLU	DELETION	UNP P07700
B	.	-	GLY	DELETION	UNP P07700
B	.	-	ARG	DELETION	UNP P07700
B	.	-	PHE	DELETION	UNP P07700
B	.	-	TYR	DELETION	UNP P07700
B	.	-	GLY	DELETION	UNP P07700
B	.	-	SER	DELETION	UNP P07700
B	.	-	GLN	DELETION	UNP P07700
B	.	-	GLU	DELETION	UNP P07700
B	.	-	GLN	DELETION	UNP P07700
B	.	-	PRO	DELETION	UNP P07700
B	.	-	GLN	DELETION	UNP P07700
B	.	-	PRO	DELETION	UNP P07700
B	.	-	PRO	DELETION	UNP P07700

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
B	.	-	PRO	DELETION	UNP P07700
B	.	-	LEU	DELETION	UNP P07700
B	.	-	PRO	DELETION	UNP P07700
B	.	-	GLN	DELETION	UNP P07700
B	.	-	HIS	DELETION	UNP P07700
B	.	-	GLN	DELETION	UNP P07700
B	.	-	PRO	DELETION	UNP P07700
B	.	-	ILE	DELETION	UNP P07700
B	.	-	LEU	DELETION	UNP P07700
B	.	-	GLY	DELETION	UNP P07700
B	.	-	ASN	DELETION	UNP P07700
B	.	-	GLY	DELETION	UNP P07700
B	.	-	ARG	DELETION	UNP P07700
B	.	-	THR	DELETION	UNP P07700
B	.	-	SER	DELETION	UNP P07700
B	282	LEU	ALA	ENGINEERED MUTATION	UNP P07700
B	327	ALA	PHE	ENGINEERED MUTATION	UNP P07700
B	338	MET	PHE	ENGINEERED MUTATION	UNP P07700
B	358	ALA	CYS	ENGINEERED MUTATION	UNP P07700
B	368	HIS	-	EXPRESSION TAG	UNP P07700
B	369	HIS	-	EXPRESSION TAG	UNP P07700
B	370	HIS	-	EXPRESSION TAG	UNP P07700
B	371	HIS	-	EXPRESSION TAG	UNP P07700
B	372	HIS	-	EXPRESSION TAG	UNP P07700
B	373	HIS	-	EXPRESSION TAG	UNP P07700

- Molecule 2 is 4-{[(2S)-3-(TERT-BUTYLAMINO)-2-HYDROXYPROPYL]OXY}-3H-INDOLE-2-CARBONITRILE (three-letter code: P32) (formula: C<sub>16</sub>H<sub>21</sub>N<sub>3</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			21	16	3	2		
2	B	1	Total	C	N	O	0	0
			21	16	3	2		

- Molecule 3 is SUGAR (2-HYDROXYMETHYL-6-OCTYLSULFANYL-TETRAHYDRO-PYRAN-3,4,5-TRIOL) (three-letter code: SOG) (formula: C<sub>14</sub>H<sub>28</sub>O<sub>5</sub>S).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	S	0	0
			20	14	5	1		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	S	0	0
			20	14	5	1		
3	B	1	Total	C	O	S	0	0
			20	14	5	1		
3	B	1	Total	C	O	S	0	0
			20	14	5	1		
3	B	1	Total	C	O	S	0	0
			20	14	5	1		

- Molecule 4 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Na	0	0
			1	1		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	O	0	0
			1	1		
5	B	2	Total	O	0	0
			2	2		




### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: BETA-1 ADRENERGIC RECEPTOR



#### • Molecule 1: BETA-1 ADRENERGIC RECEPTOR



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	184.76 Å   56.16 Å   89.78 Å 90.00°   111.27°   90.00°	Depositor
Resolution (Å)	47.51 – 3.15 47.50 – 3.15	Depositor EDS
% Data completeness (in resolution range)	100.0 (47.51-3.15) 82.0 (47.50-3.15)	Depositor EDS
$R_{merge}$	0.14	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.45 (at 3.12 Å)	Xtriage
Refinement program	REFMAC 5.5.0072	Depositor
R, $R_{free}$	0.254   ,   0.292 0.250   ,   0.288	Depositor DCC
$R_{free}$ test set	601 reflections (5.08%)	DCC
Wilson B-factor (Å <sup>2</sup> )	59.7	Xtriage
Anisotropy	0.863	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 63.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.44$ , $\langle L^2 \rangle = 0.26$	Xtriage
Outliers	0 of 12442 reflections	Xtriage
$F_o, F_c$ correlation	0.88	EDS
Total number of atoms	4768	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	68.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.90% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: P32, NA, SOG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.52	0/2353	0.54	0/3203
1	B	0.52	0/2380	0.51	0/3240
All	All	0.52	0/4733	0.52	0/6443

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2298	0	2389	46	0
1	B	2324	0	2422	56	0
2	A	21	0	21	2	0
2	B	21	0	21	0	0
3	A	40	0	56	9	0
3	B	60	0	84	7	0
4	B	1	0	0	0	0
5	A	1	0	0	0	0
5	B	2	0	0	0	0
All	All	4768	0	4993	102	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 10.

All (102) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:1361:SOG:H3'1	1:B:164:THR:HG23	1.59	0.84
1:B:157:ARG:HE	3:B:1362:SOG:H62	1.47	0.79
1:A:174:PHE:HE2	3:A:1360:SOG:H6'1	1.50	0.77
1:A:85:CYS:O	1:A:89:VAL:HG23	1.86	0.74
1:A:352:ALA:HA	1:A:355:ARG:HD2	1.71	0.72
1:B:352:ALA:HA	1:B:355:ARG:HD2	1.71	0.72
1:B:226:VAL:O	1:B:230:VAL:HG23	1.90	0.71
1:B:171:LEU:HD12	1:B:175:LEU:HD12	1.72	0.71
1:A:174:PHE:CE2	3:A:1360:SOG:H6'1	2.28	0.68
1:B:157:ARG:HH21	3:B:1362:SOG:H5	1.59	0.67
1:A:171:LEU:HD12	1:A:175:LEU:HD12	1.78	0.66
1:B:157:ARG:NE	3:B:1362:SOG:H62	2.12	0.65
1:A:206:ALA:HB1	3:A:1361:SOG:H3'2	1.80	0.64
1:A:294:ILE:HG22	1:A:342:ILE:HD13	1.80	0.64
1:A:175:LEU:HD13	1:B:175:LEU:HD13	1.78	0.63
1:A:179:MET:HB2	1:A:181:TRP:CD1	2.34	0.63
1:A:218:ILE:HB	1:A:219:PRO:HD3	1.81	0.62
1:B:218:ILE:HB	1:B:219:PRO:HD3	1.82	0.61
3:A:1361:SOG:H4'2	3:A:1361:SOG:S1	2.42	0.59
1:B:85:CYS:O	1:B:89:VAL:HG23	2.03	0.59
1:B:166:TRP:CE2	3:B:1361:SOG:H6'2	2.38	0.58
3:A:1361:SOG:H3'1	1:B:164:THR:CG2	2.33	0.57
1:A:182:TRP:HE3	1:A:203:THR:HG22	1.69	0.56
1:A:129:ILE:HG13	1:A:219:PRO:HB2	1.87	0.56
1:B:51:VAL:HG23	1:B:52:VAL:N	2.21	0.56
1:B:182:TRP:HE3	1:B:203:THR:HG22	1.71	0.55
1:A:216:PHE:O	1:A:219:PRO:HD2	2.06	0.55
1:B:51:VAL:HG23	1:B:52:VAL:H	1.71	0.55
1:A:56:VAL:O	1:A:60:VAL:HG23	2.07	0.54
1:A:174:PHE:O	1:A:178:MET:HG3	2.08	0.54
1:A:217:TYR:CE2	1:A:311:ILE:HD11	2.43	0.53
1:A:49:ALA:HB3	1:A:50:LEU:HD12	1.90	0.52
1:A:50:LEU:N	1:A:50:LEU:HD12	2.24	0.52
1:B:294:ILE:HG22	1:B:342:ILE:HD13	1.91	0.52
1:A:349:PHE:HB3	1:A:353:PHE:CE2	2.44	0.52
1:A:130:GLU:O	1:A:133:CYS:HB2	2.10	0.51
1:A:174:PHE:HE2	3:A:1360:SOG:C6'	2.20	0.51
1:B:241:ILE:HG23	1:B:272:ALA:HB3	1.94	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:58:GLY:O	1:A:62:VAL:HG23	2.12	0.50
1:B:339:ASN:HB2	1:B:340:PRO:HD3	1.94	0.50
1:A:205:ARG:HB2	3:B:1362:SOG:H6'1	1.94	0.49
1:A:186:ASP:OD1	1:A:187:PRO:HD2	2.12	0.48
1:A:49:ALA:C	1:A:50:LEU:HD12	2.34	0.48
1:B:235:LYS:O	1:B:239:ARG:HB2	2.12	0.48
1:B:47:LEU:HD13	1:B:47:LEU:O	2.15	0.47
1:B:140:TYR:HB2	1:B:230:VAL:HG22	1.95	0.47
1:B:65:ALA:O	1:B:72:LEU:HD12	2.15	0.47
1:B:48:MET:HG2	1:B:99:ALA:CB	2.44	0.47
1:A:208:ALA:HA	2:A:400:P32:N3	2.29	0.47
1:B:304:LEU:HB3	1:B:305:PRO:HD3	1.97	0.46
1:A:143:ILE:HG21	1:A:233:GLU:HB3	1.97	0.46
1:B:166:TRP:NE1	3:B:1361:SOG:H6'2	2.31	0.46
1:B:349:PHE:HB3	1:B:353:PHE:CE2	2.50	0.46
1:B:102:VAL:HG21	1:B:330:TRP:HE1	1.81	0.46
1:B:129:ILE:HG13	1:B:219:PRO:HB2	1.97	0.45
1:B:313:ASN:O	1:B:317:ARG:HG2	2.16	0.45
1:B:89:VAL:HG13	1:B:93:LEU:HD12	1.99	0.45
1:B:95:VAL:HB	1:B:96:PRO:HD3	1.97	0.45
1:B:104:ARG:HG3	1:B:108:LEU:HD11	1.98	0.45
1:B:58:GLY:O	1:B:62:VAL:HG23	2.17	0.45
1:A:140:TYR:HB2	1:A:230:VAL:HG22	1.98	0.45
1:B:351:LYS:O	1:B:355:ARG:HG3	2.17	0.45
1:B:241:ILE:C	1:B:243:ARG:H	2.20	0.45
1:A:235:LYS:O	1:A:239:ARG:HB2	2.16	0.45
1:A:104:ARG:HG3	1:A:108:LEU:HD11	1.99	0.44
1:B:217:TYR:CE2	1:B:311:ILE:HD11	2.52	0.44
1:B:139:ARG:NE	1:B:139:ARG:HA	2.33	0.44
1:A:207:TYR:HA	3:A:1361:SOG:H4'1	1.98	0.44
1:B:216:PHE:O	1:B:219:PRO:HD2	2.18	0.44
1:A:352:ALA:O	1:A:355:ARG:HB2	2.18	0.44
1:A:217:TYR:O	1:A:221:LEU:HG	2.17	0.44
1:B:152:LEU:O	1:B:157:ARG:NH1	2.51	0.43
1:B:216:PHE:CE2	1:B:220:LEU:HD22	2.53	0.43
1:B:175:LEU:HA	1:B:175:LEU:HD23	1.87	0.43
1:A:122:VAL:HG13	2:A:400:P32:C6	2.49	0.43
1:A:133:CYS:SG	1:A:223:MET:HB2	2.59	0.43
1:A:139:ARG:NE	1:A:139:ARG:HA	2.34	0.43
1:A:179:MET:HE2	1:A:181:TRP:HE1	1.84	0.43
1:A:104:ARG:O	1:A:106:THR:HG22	2.19	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:1361:SOG:H2'2	1:B:164:THR:HA	2.00	0.42
1:B:209:ILE:HD11	1:B:314:VAL:HG11	2.01	0.42
1:B:290:LYS:HD3	1:B:345:ARG:HH22	1.85	0.42
1:A:328:PHE:O	1:A:331:LEU:HB3	2.20	0.42
1:B:133:CYS:SG	1:B:223:MET:HB2	2.59	0.42
1:A:313:ASN:O	1:A:317:ARG:HG2	2.19	0.42
1:A:116:LEU:HD12	1:A:116:LEU:O	2.19	0.42
1:A:133:CYS:SG	1:A:219:PRO:O	2.78	0.42
1:A:272:ALA:HB1	1:A:276:LYS:HD2	2.02	0.41
1:A:102:VAL:HG21	1:A:330:TRP:HE1	1.86	0.41
1:B:272:ALA:HB1	1:B:276:LYS:HD2	2.02	0.41
1:B:48:MET:HG2	1:B:99:ALA:HB1	2.03	0.41
1:B:118:THR:O	1:B:122:VAL:HG23	2.20	0.41
1:A:173:SER:O	1:A:177:ILE:HD13	2.20	0.41
1:B:320:VAL:HA	1:B:321:PRO:HD2	1.91	0.41
1:B:166:TRP:HB3	3:B:1361:SOG:H1'2	2.03	0.41
1:B:328:PHE:O	1:B:331:LEU:HB3	2.21	0.41
1:B:179:MET:HE2	1:B:181:TRP:HE1	1.85	0.41
1:B:322:ASP:O	1:B:326:VAL:HG23	2.20	0.41
1:B:100:THR:HG21	1:B:109:TRP:HZ2	1.85	0.41
1:B:96:PRO:O	1:B:100:THR:HG23	2.20	0.41
1:A:96:PRO:O	1:A:100:THR:HG23	2.22	0.40
1:B:205:ARG:CZ	1:B:314:VAL:O	2.70	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	284/313 (91%)	269 (95%)	15 (5%)	0	100	100
1	B	289/313 (92%)	274 (95%)	14 (5%)	1 (0%)	46	84

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	573/626 (92%)	543 (95%)	29 (5%)	1 (0%)	52 88

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	241	ILE

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	249/271 (92%)	244 (98%)	5 (2%)	63 88
1	B	252/271 (93%)	248 (98%)	4 (2%)	70 90
All	All	501/542 (92%)	492 (98%)	9 (2%)	66 89

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	51	VAL
1	A	174	PHE
1	A	200	ASP
1	A	329	ASN
1	A	348	ASP
1	B	174	PHE
1	B	200	ASP
1	B	329	ASN
1	B	348	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 8 ligands modelled in this entry, 1 is monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
3	SOG	A	1360	-	20,20,20	0.61	0	23,25,25	1.22	3 (13%)
3	SOG	A	1361	-	20,20,20	1.16	2 (10%)	23,25,25	1.12	2 (8%)
2	P32	A	400	-	21,22,22	2.71	5 (23%)	26,31,31	1.80	7 (26%)
3	SOG	B	1360	-	20,20,20	1.55	3 (15%)	23,25,25	1.11	3 (13%)
3	SOG	B	1361	-	20,20,20	1.52	4 (20%)	23,25,25	1.17	1 (4%)
3	SOG	B	1362	-	20,20,20	1.12	2 (10%)	23,25,25	1.55	3 (13%)
2	P32	B	400	-	21,22,22	2.63	6 (28%)	26,31,31	2.05	5 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SOG	A	1360	-	-	0/11/31/31	0/1/1/1
3	SOG	A	1361	-	-	0/11/31/31	0/1/1/1
2	P32	A	400	-	-	0/11/21/21	0/2/2/2
3	SOG	B	1360	-	-	1/11/31/31	0/1/1/1
3	SOG	B	1361	-	-	1/11/31/31	0/1/1/1
3	SOG	B	1362	-	-	0/11/31/31	0/1/1/1

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	P32	B	400	-	-	0/11/21/21	0/2/2/2

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	400	P32	C2-C3	-9.76	1.34	1.51
2	A	400	P32	C2-C3	-9.76	1.34	1.51
2	A	400	P32	C4-C3	-4.54	1.34	1.40
2	A	400	P32	C7-C8	-3.80	1.33	1.40
2	B	400	P32	C4-C3	-3.74	1.35	1.40
2	A	400	P32	C8-N1	-3.25	1.33	1.39
2	B	400	P32	C7-C8	-3.19	1.34	1.40
2	B	400	P32	C8-C3	-3.02	1.34	1.40
2	A	400	P32	C8-C3	-2.83	1.34	1.40
2	B	400	P32	C8-N1	-2.79	1.34	1.39
2	B	400	P32	C16-C1	-2.27	1.41	1.44
3	B	1361	SOG	C1-C2	2.25	1.57	1.53
3	B	1361	SOG	C1'-S1	2.26	1.84	1.81
3	B	1362	SOG	C1-S1	2.27	1.84	1.80
3	A	1361	SOG	C1-S1	2.66	1.84	1.80
3	B	1362	SOG	O5-C1	2.69	1.47	1.42
3	B	1361	SOG	C1-S1	3.00	1.85	1.80
3	B	1360	SOG	C1-S1	3.18	1.85	1.80
3	B	1360	SOG	C1'-S1	3.35	1.86	1.81
3	A	1361	SOG	O5-C1	3.62	1.48	1.42
3	B	1360	SOG	O5-C1	3.70	1.48	1.42
3	B	1361	SOG	O5-C1	4.17	1.49	1.42

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	400	P32	C11-N2-C12	-8.06	107.87	116.50
2	A	400	P32	C11-N2-C12	-5.41	110.71	116.50
3	B	1362	SOG	C6-C5-C4	-5.17	100.26	113.02
2	A	400	P32	C9-O1-C4	-3.41	111.11	118.03
3	A	1361	SOG	C1'-S1-C1	-3.22	95.86	100.30
2	A	400	P32	C3-C8-N1	-2.95	108.42	111.86
3	B	1361	SOG	C6-C5-C4	-2.91	105.83	113.02
3	B	1360	SOG	O5-C1-C2	-2.86	106.30	110.19
2	B	400	P32	C3-C8-N1	-2.68	108.73	111.86
2	A	400	P32	C2-C1-N1	-2.56	109.70	113.67
3	B	1360	SOG	C6-C5-C4	-2.51	106.83	113.02

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1360	SOG	C6-C5-C4	-2.40	107.09	113.02
2	B	400	P32	C2-C1-N1	-2.38	109.98	113.67
2	A	400	P32	C14-C12-C13	-2.22	104.16	109.88
2	B	400	P32	C9-O1-C4	-2.13	113.69	118.03
3	A	1360	SOG	O4-C4-C3	2.00	114.85	110.34
2	A	400	P32	O1-C9-C10	2.06	111.59	107.61
3	B	1360	SOG	C1'-S1-C1	2.06	103.14	100.30
3	A	1361	SOG	O5-C5-C6	2.21	111.93	106.36
3	B	1362	SOG	O5-C5-C4	2.47	114.31	109.68
2	A	400	P32	C3-C2-C1	2.51	107.16	102.86
3	A	1360	SOG	O3-C3-C4	2.53	116.03	110.34
2	B	400	P32	C3-C2-C1	2.62	107.34	102.86
3	B	1362	SOG	O5-C5-C6	3.29	114.67	106.36

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	1361	SOG	O5-C1-S1-C1'
3	B	1360	SOG	O5-C1-S1-C1'

There are no ring outliers.

5 monomers are involved in 18 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1360	SOG	3	0
3	A	1361	SOG	6	0
2	A	400	P32	2	0
3	B	1361	SOG	3	0
3	B	1362	SOG	4	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	288/313 (92%)	-0.00	14 (4%) 33 19	31, 55, 137, 185	0
1	B	291/313 (92%)	-0.04	13 (4%) 37 21	32, 56, 140, 183	0
All	All	579/626 (92%)	-0.02	27 (4%) 35 20	31, 55, 140, 185	0

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	242	ASP	5.6
1	B	242	ASP	4.4
1	A	239	ARG	4.4
1	B	234	ALA	4.2
1	A	236	GLU	4.2
1	A	238	ILE	4.0
1	B	285	GLU	3.6
1	A	67	GLY	3.3
1	B	233	GLU	3.3
1	B	359	PHE	3.2
1	A	237	GLN	2.9
1	A	357	LEU	2.9
1	A	233	GLU	2.6
1	B	348	ASP	2.6
1	B	287	LYS	2.6
1	B	143	ILE	2.5
1	B	238	ILE	2.5
1	B	243	ARG	2.5
1	B	144	THR	2.2
1	A	275	ARG	2.2
1	A	281	MET	2.2
1	B	109	TRP	2.1
1	A	194	GLN	2.1
1	B	282	LEU	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	284	ARG	2.1
1	A	185	GLU	2.1
1	A	356	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	SOG	B	1361	20/20	0.70	0.33	5.70	74,91,95,97	0
3	SOG	A	1361	20/20	0.81	0.37	5.53	22,99,120,146	0
3	SOG	B	1360	20/20	0.76	0.36	5.15	46,79,85,97	0
3	SOG	B	1362	20/20	0.72	0.32	3.51	53,137,145,149	0
2	P32	B	400	21/21	0.95	0.29	3.39	36,58,62,64	0
3	SOG	A	1360	20/20	0.92	0.30	2.86	35,59,62,65	0
2	P32	A	400	21/21	0.96	0.21	0.25	32,53,57,59	0
4	NA	B	1363	1/1	0.83	0.17	-0.59	65,65,65,65	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.