



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:51 AM GMT

PDB ID : 2YKN
Title : CRYSTAL STRUCTURE OF HIV-1 REVERSE TRANSCRIPTASE (RT) IN COMPLEX WITH A DIFLUOROMETHYLBENZOXAZOLE (DFMB) PYRIMIDINE THIOETHER DERIVATIVE, A NON-NUCLEOSIDE RT INHIBITOR (NNRTI)
Authors : Boyer, J.; Arnoult, E.; Medebielle, M.; Guillemont, J.; Unge, T.; Unge, J.; Jochmans, D.
Deposited on : 2011-05-28
Resolution : 2.12 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.12 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	4587 (2.14-2.10)
Clashscore	102246	5132 (2.14-2.10)
Ramachandran outliers	100387	5080 (2.14-2.10)
Sidechain outliers	100360	5081 (2.14-2.10)
RSRZ outliers	91569	4597 (2.14-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	562	<div> <div>10%</div> <div> <div></div> <div>68%</div> <div>23%</div> <div>7%</div> <div>..</div> </div> </div>
2	B	428	<div> <div>14%</div> <div> <div></div> <div>64%</div> <div>23%</div> <div>8%</div> <div>..</div> </div> </div>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 8192 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called REVERSE TRANSCRIPTASE/RIBONUCLEASE H.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	558	Total	C	N	O	S	0	1	1
			4506	2917	746	835	8			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	558	HIS	-	EXPRESSION TAG	UNP P03366
A	559	HIS	-	EXPRESSION TAG	UNP P03366
A	560	HIS	-	EXPRESSION TAG	UNP P03366
A	561	HIS	-	EXPRESSION TAG	UNP P03366
A	562	HIS	-	EXPRESSION TAG	UNP P03366
A	57	SER	ASN	CONFLICT	UNP P03366
A	227	LEU	PHE	ENGINEERED MUTATION	UNP P03366
A	478	GLN	GLU	ENGINEERED MUTATION	UNP P03366


- Molecule 2 is a protein called REVERSE TRANSCRIPTASE/RIBONUCLEASE H.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	411	Total	C	N	O	S	0	1	1
			3389	2211	557	615	6			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	280	SER	CYS	CONFLICT	UNP P03366

- Molecule 3 is 2-[DIFLUORO-[(4-METHYL-PYRIMIDINYL)-THIO]METHYL]-BENZOXAZOLE (three-letter code: YKN) (formula: C₁₃H₉F₂N₃OS).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	F	N	O	S	
			20	13	2	3	1	1	0

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Ca		
			1	1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	162	Total	O		
			162	162	0	0
5	B	114	Total	O		
			114	114	0	0


3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: REVERSE TRANSCRIPTASE/RIBONUCLEASE H



• Molecule 2: REVERSE TRANSCRIPTASE/RIBONUCLEASE H





4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	119.05Å 155.58Å 152.76Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.12 19.45 – 2.12	Depositor EDS
% Data completeness (in resolution range)	92.6 (30.00-2.12) 92.6 (19.45-2.12)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.45 (at 2.11Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.227 , 0.279 0.227 , 0.279	Depositor DCC
R_{free} test set	3761 reflections (5.30%)	DCC
Wilson B-factor (Å ²)	39.9	Xtriage
Anisotropy	0.040	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 54.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 74727 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8192	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.26% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, YKN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.07	10/4626 (0.2%)	1.00	18/6289 (0.3%)
2	B	1.05	5/3490 (0.1%)	1.14	8/4747 (0.2%)
All	All	1.06	15/8116 (0.2%)	1.06	26/11036 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	1
2	B	0	3
All	All	1	4

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	90	VAL	CB-CG2	7.41	1.68	1.52
2	B	143	ARG	CG-CD	-6.98	1.34	1.51
1	A	10	VAL	CB-CG1	-6.42	1.39	1.52
2	B	148	VAL	CB-CG1	6.10	1.65	1.52
1	A	57	SER	CB-OG	6.01	1.50	1.42
2	B	152	GLY	N-CA	5.93	1.54	1.46
1	A	6	GLU	CG-CD	5.89	1.60	1.51
1	A	185	ASP	CB-CG	-5.83	1.39	1.51
2	B	266	TRP	CB-CG	-5.70	1.40	1.50
1	A	122	GLU	N-CA	5.70	1.57	1.46
1	A	134	SER	CB-OG	-5.45	1.35	1.42
1	A	396	GLU	CG-CD	5.17	1.59	1.51
2	B	427	TYR	C-N	-5.15	1.22	1.34
1	A	115	TYR	CD2-CE2	5.10	1.47	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	346	PHE	N-CA	-5.00	1.36	1.46

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	427	TYR	O-C-N	-32.69	70.40	122.70
2	B	427	TYR	CA-C-O	-18.30	81.67	120.10
2	B	427	TYR	CA-C-N	15.84	152.04	117.20
1	A	185	ASP	CB-CG-OD1	-10.45	108.90	118.30
1	A	345	PRO	C-N-CA	7.60	140.70	121.70
1	A	151	GLN	C-N-CA	-7.30	106.98	122.30
2	B	151	GLN	C-N-CA	-6.99	107.62	122.30
1	A	484	LEU	CA-CB-CG	6.56	130.40	115.30
1	A	187	LEU	CB-CG-CD1	6.54	122.12	111.00
1	A	346	PHE	CB-CA-C	6.31	123.03	110.40
1	A	108	VAL	CB-CA-C	-6.22	99.58	111.40
1	A	100	LEU	CB-CG-CD1	6.06	121.30	111.00
1	A	345	PRO	O-C-N	5.82	132.02	122.70
2	B	143	ARG	CA-CB-CG	-5.77	100.70	113.40
1	A	143	ARG	NE-CZ-NH2	-5.71	117.45	120.30
1	A	345	PRO	CA-C-N	-5.69	104.69	117.20
2	B	252	TRP	CA-CB-CG	5.62	124.37	113.70
1	A	121	ASP	C-N-CA	-5.48	108.01	121.70
1	A	125	ARG	NE-CZ-NH1	5.45	123.03	120.30
1	A	26	LEU	CA-CB-CG	5.35	127.60	115.30
1	A	533	LEU	CB-CG-CD2	5.34	120.07	111.00
2	B	143	ARG	NE-CZ-NH2	-5.28	117.66	120.30
1	A	185	ASP	CB-CG-OD2	5.14	122.93	118.30
1	A	346	PHE	N-CA-C	5.09	124.75	111.00
2	B	164	MET	CG-SD-CE	5.07	108.31	100.20
1	A	50	ILE	CG1-CB-CG2	5.03	122.47	111.40

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	346	PHE	CA

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	88	TRP	Peptide
2	B	295	LEU	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
2	B	417	VAL	Peptide
2	B	427	TYR	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4506	0	4554	168	0
2	B	3389	0	3416	134	0
3	A	20	0	9	0	0
4	A	1	0	0	0	0
5	A	162	0	0	9	0
5	B	114	0	0	6	0
All	All	8192	0	7979	291	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (291) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:89:GLU:CG	1:A:90:VAL:H	1.28	1.30
2:B:266:TRP:HH2	2:B:427:TYR:OH	1.20	1.20
1:A:107:THR:HG21	1:A:202:ILE:CD1	1.73	1.17
1:A:89:GLU:HG2	1:A:90:VAL:N	1.49	1.12
2:B:271:TYR:HB3	2:B:309:ILE:HD11	1.25	1.12
2:B:420:PRO:O	2:B:421:PRO:O	1.68	1.11
2:B:356:ARG:HH11	2:B:356:ARG:HG2	1.12	1.09
1:A:121:ASP:O	1:A:122:GLU:CB	1.93	1.08
1:A:107:THR:HG21	1:A:202:ILE:HD11	1.37	1.06
2:B:249:LYS:HB2	2:B:252:TRP:HE1	1.21	1.05
2:B:249:LYS:HB2	2:B:252:TRP:NE1	1.71	1.05
2:B:281:LYS:O	2:B:282:LEU:HB2	1.51	1.05
2:B:13:LYS:CD	2:B:86:ASP:HB2	1.88	1.01
5:A:2134:HOH:O	2:B:363:ASN:O	1.78	1.01
1:A:434:ILE:H	1:A:494:ASN:HD21	1.09	1.01

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:89:GLU:O	1:A:90:VAL:HG22	1.60	1.01
2:B:13:LYS:HD2	2:B:86:ASP:CB	1.90	1.00
2:B:363:ASN:HD21	2:B:365:VAL:HG12	1.25	0.98
1:A:107:THR:HG21	1:A:202:ILE:HD13	1.47	0.96
1:A:54:ASN:ND2	1:A:55:PRO:O	2.01	0.94
1:A:451:LYS:O	1:A:470:THR:O	1.87	0.91
2:B:13:LYS:HD2	2:B:86:ASP:HB2	0.94	0.91
1:A:121:ASP:O	1:A:122:GLU:HB2	1.71	0.91
1:A:89:GLU:CG	1:A:90:VAL:N	2.07	0.90
1:A:121:ASP:O	1:A:122:GLU:HB3	1.70	0.90
1:A:122:GLU:HA	1:A:125:ARG:HG3	1.51	0.89
2:B:241:VAL:HG13	2:B:242:GLN:H	1.40	0.87
2:B:282:LEU:HD21	2:B:295:LEU:HB3	1.55	0.86
1:A:89:GLU:HG2	1:A:90:VAL:H	0.70	0.86
2:B:281:LYS:O	2:B:282:LEU:CB	2.22	0.86
1:A:325:LEU:HD23	1:A:385:LYS:HE2	1.56	0.85
1:A:243:PRO:HD2	1:A:244:ILE:HG13	1.57	0.85
2:B:420:PRO:O	2:B:421:PRO:C	2.12	0.84
1:A:240:THR:HG22	1:A:241:VAL:H	1.42	0.84
1:A:325:LEU:CD2	1:A:385:LYS:HE2	2.08	0.83
2:B:266:TRP:CH2	2:B:427:TYR:CZ	2.67	0.82
2:B:282:LEU:CD2	2:B:295:LEU:HB3	2.10	0.81
1:A:107:THR:CG2	1:A:202:ILE:HD11	2.11	0.79
1:A:361:HIS:HD2	1:A:513:SER:OG	1.66	0.79
1:A:63:ILE:HG13	1:A:64:LYS:N	1.97	0.79
2:B:363:ASN:ND2	2:B:365:VAL:HG12	1.97	0.78
2:B:337:TRP:HE1	2:B:367:GLN:HE21	1.30	0.77
2:B:266:TRP:HH2	2:B:427:TYR:CZ	2.02	0.77
2:B:232:TYR:HD1	2:B:233:GLU:H	1.33	0.77
2:B:122:GLU:H	2:B:122:GLU:CD	1.89	0.75
2:B:164:MET:CE	2:B:187:LEU:HD11	2.17	0.74
2:B:356:ARG:HG2	2:B:356:ARG:NH1	1.92	0.74
2:B:356:ARG:HH11	2:B:356:ARG:CG	1.97	0.74
2:B:249:LYS:HB2	2:B:252:TRP:CD1	2.22	0.74
1:A:507:GLN:O	1:A:509[B]:GLN:NE2	2.21	0.73
2:B:24[B]:TRP:CH2	2:B:399:GLU:OE1	2.41	0.73
1:A:63:ILE:HG13	1:A:64:LYS:H	1.52	0.73
2:B:232:TYR:O	2:B:233:GLU:HB2	1.88	0.73
2:B:164:MET:HE1	2:B:187:LEU:HD11	1.69	0.73
1:A:494:ASN:HD22	1:A:532:TYR:HB3	1.54	0.72
1:A:63:ILE:HG23	1:A:65:LYS:HG2	1.71	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:325:LEU:HD23	1:A:385:LYS:CE	2.21	0.70
1:A:134:SER:OG	1:A:139:THR:HG22	1.91	0.70
1:A:37:ILE:HG22	1:A:41:MET:HE2	1.73	0.70
2:B:295:LEU:O	2:B:296:THR:OG1	2.08	0.70
1:A:357:MET:SD	1:A:357:MET:N	2.64	0.70
2:B:420:PRO:C	2:B:421:PRO:O	2.29	0.70
1:A:361:HIS:CD2	1:A:513:SER:OG	2.45	0.69
2:B:249:LYS:CB	2:B:252:TRP:HE1	2.03	0.69
1:A:97:PRO:HA	1:A:100:LEU:HD22	1.73	0.69
1:A:12:LEU:HD21	1:A:127:TYR:CE2	2.28	0.69
2:B:257:ILE:HD11	2:B:293:ILE:HG13	1.75	0.69
2:B:364:ASP:N	5:B:2106:HOH:O	1.70	0.69
1:A:89:GLU:O	1:A:90:VAL:CG2	2.37	0.68
1:A:351:THR:HG22	1:A:352:GLY:N	2.08	0.68
1:A:406:TRP:CD2	2:B:420:PRO:HG3	2.29	0.67
1:A:395:LYS:HD2	1:A:414:TRP:CH2	2.30	0.67
1:A:218:ASP:HB2	1:A:222:GLN:HB2	1.77	0.67
1:A:54:ASN:HD22	1:A:54:ASN:C	1.99	0.66
2:B:356:ARG:HD3	2:B:367:GLN:HG2	1.78	0.66
1:A:235:HIS:ND1	5:A:2090:HOH:O	2.30	0.65
2:B:250:ASP:CG	2:B:251:SER:N	2.49	0.65
1:A:369:THR:OG1	1:A:398:TRP:HZ3	1.80	0.65
2:B:206:ARG:HD3	2:B:217:PRO:O	1.96	0.65
1:A:406:TRP:HE3	1:A:407:GLN:HE21	1.45	0.65
1:A:434:ILE:H	1:A:494:ASN:ND2	1.87	0.65
1:A:92:LEU:HD23	1:A:92:LEU:C	2.17	0.64
1:A:369:THR:HG1	1:A:398:TRP:HZ3	1.44	0.63
2:B:293:ILE:HD13	2:B:293:ILE:O	1.99	0.63
1:A:434:ILE:N	1:A:494:ASN:HD21	1.89	0.62
1:A:216:THR:HB	1:A:218:ASP:OD1	1.99	0.62
1:A:70:LYS:O	1:A:71:TRP:HB2	1.97	0.62
2:B:354:TYR:OH	2:B:370:GLU:OE1	2.15	0.61
1:A:89:GLU:C	1:A:90:VAL:HG22	2.19	0.61
2:B:363:ASN:HB3	5:B:2106:HOH:O	1.99	0.61
2:B:363:ASN:O	2:B:364:ASP:HB2	1.98	0.61
1:A:356:ARG:HA	1:A:357:MET:SD	2.41	0.61
1:A:139:THR:OG1	1:A:140:PRO:CD	2.49	0.61
1:A:90:VAL:HG13	5:A:2037:HOH:O	2.00	0.60
1:A:19:PRO:O	1:A:56:TYR:HA	2.02	0.60
1:A:458:VAL:HG12	2:B:286:THR:HG21	1.82	0.60
1:A:182:GLN:HB3	5:A:2078:HOH:O	2.01	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:33:ALA:O	1:A:37:ILE:HG12	2.02	0.60
2:B:243:PRO:HG3	2:B:351:THR:OG1	2.01	0.60
1:A:107:THR:CG2	1:A:202:ILE:CD1	2.65	0.59
1:A:64:LYS:NZ	1:A:69:THR:HA	2.17	0.59
1:A:503:LEU:CD2	2:B:422:LEU:HD12	2.33	0.59
1:A:406:TRP:CE3	2:B:420:PRO:HG3	2.37	0.59
1:A:122:GLU:CA	1:A:125:ARG:HG3	2.28	0.58
2:B:249:LYS:CB	2:B:252:TRP:NE1	2.59	0.58
1:A:63:ILE:CG1	1:A:64:LYS:H	2.16	0.58
1:A:142:ILE:N	1:A:142:ILE:CD1	2.66	0.58
1:A:61:PHE:CE2	1:A:74:LEU:HD12	2.38	0.58
2:B:35:VAL:HG23	5:B:2013:HOH:O	2.04	0.58
1:A:254:VAL:HG22	1:A:293:ILE:HD11	1.86	0.58
1:A:287:LYS:HB3	1:A:291:GLU:OE2	2.04	0.57
2:B:354:TYR:CD1	2:B:374:LYS:HD3	2.40	0.57
1:A:240:THR:HG22	1:A:241:VAL:N	2.17	0.57
1:A:406:TRP:CZ3	2:B:418:ASN:O	2.58	0.57
2:B:109:LEU:HA	2:B:218:ASP:HA	1.87	0.57
1:A:139:THR:OG1	1:A:140:PRO:HD2	2.04	0.57
2:B:388:LYS:HG2	2:B:413:GLU:HB2	1.85	0.57
1:A:55:PRO:O	1:A:56:TYR:CB	2.49	0.56
1:A:351:THR:CG2	1:A:352:GLY:N	2.68	0.56
1:A:92:LEU:O	1:A:92:LEU:HD23	2.04	0.56
2:B:249:LYS:HD2	2:B:252:TRP:HD1	1.71	0.55
2:B:363:ASN:HB3	2:B:366:LYS:HB3	1.87	0.55
1:A:63:ILE:CG1	1:A:64:LYS:N	2.67	0.55
2:B:214:LEU:HD13	2:B:215:THR:H	1.71	0.55
1:A:142:ILE:N	1:A:142:ILE:HD13	2.21	0.55
1:A:122:GLU:HA	1:A:125:ARG:CG	2.28	0.55
2:B:266:TRP:CH2	2:B:427:TYR:OH	2.11	0.55
1:A:76:ASP:OD1	1:A:78:ARG:HG2	2.07	0.55
1:A:202:ILE:HG21	1:A:221:HIS:HB3	1.89	0.54
1:A:63:ILE:CG2	1:A:65:LYS:HG2	2.38	0.54
2:B:206:ARG:HG2	2:B:217:PRO:HD2	1.88	0.54
2:B:92:LEU:HB3	2:B:158:ALA:HB1	1.90	0.53
2:B:88:TRP:N	2:B:88:TRP:CD1	2.73	0.53
2:B:363:ASN:CA	5:B:2106:HOH:O	2.56	0.53
2:B:241:VAL:CG1	2:B:242:GLN:H	2.17	0.53
1:A:89:GLU:HG3	1:A:90:VAL:H	1.52	0.53
1:A:151:GLN:NE2	1:A:151:GLN:H	2.06	0.53
1:A:548:VAL:O	1:A:552:VAL:HG23	2.08	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:354:TYR:HD1	2:B:374:LYS:HD3	1.73	0.53
2:B:183:TYR:CE2	2:B:184:MET:HG3	2.43	0.53
1:A:287:LYS:O	1:A:288:ALA:CB	2.56	0.53
1:A:43:LYS:HG2	5:A:2024:HOH:O	2.08	0.53
2:B:363:ASN:HD21	2:B:365:VAL:CG1	2.10	0.53
1:A:543:GLY:HA3	2:B:283:LEU:O	2.08	0.53
2:B:250:ASP:OD1	2:B:251:SER:N	2.42	0.52
1:A:198:HIS:NE2	1:A:202:ILE:HD11	2.25	0.52
1:A:235:HIS:CE1	5:A:2090:HOH:O	2.61	0.52
1:A:369:THR:OG1	1:A:398:TRP:CZ3	2.53	0.52
2:B:420:PRO:HG2	2:B:420:PRO:O	2.09	0.52
1:A:243:PRO:CD	1:A:244:ILE:HG13	2.35	0.52
1:A:325:LEU:CD2	1:A:385:LYS:CE	2.83	0.52
1:A:364:ASP:HB3	1:A:423:VAL:HG13	1.91	0.52
1:A:106:VAL:HA	1:A:189:VAL:O	2.10	0.51
2:B:104:LYS:O	2:B:235:HIS:HD2	1.93	0.51
2:B:155:GLY:O	2:B:159:ILE:HG12	2.10	0.51
1:A:218:ASP:CB	1:A:222:GLN:HB2	2.40	0.51
1:A:38:CYS:HA	1:A:41:MET:CE	2.41	0.51
2:B:326:ILE:HD13	2:B:390:LYS:HD2	1.93	0.51
1:A:41:MET:HE1	1:A:73:LYS:CD	2.42	0.50
1:A:279:LEU:HD22	1:A:302:GLU:OE1	2.11	0.50
1:A:90:VAL:HG12	5:A:2030:HOH:O	2.10	0.50
1:A:60:VAL:HG11	1:A:130:PHE:CD2	2.45	0.50
1:A:466:VAL:CG2	1:A:551:LEU:HD13	2.42	0.50
2:B:286:THR:O	2:B:286:THR:HG22	2.11	0.50
1:A:134:SER:HB2	1:A:139:THR:O	2.11	0.50
1:A:406:TRP:CE2	2:B:420:PRO:HG3	2.47	0.50
2:B:73:LYS:NZ	2:B:146:TYR:OH	2.43	0.50
2:B:24[A]:TRP:HA	2:B:24[A]:TRP:CE3	2.47	0.49
2:B:151:GLN:O	2:B:185:ASP:OD1	2.30	0.49
2:B:193:LEU:HB3	2:B:197:GLN:HG3	1.94	0.49
1:A:55:PRO:O	1:A:56:TYR:HB2	2.13	0.49
2:B:296:THR:HG22	2:B:300:GLU:HG2	1.94	0.49
2:B:164:MET:HE2	2:B:187:LEU:HD11	1.94	0.49
2:B:297:GLU:HA	2:B:300:GLU:HG3	1.95	0.49
1:A:427:TYR:CE2	1:A:509[B]:GLN:HG3	2.48	0.49
2:B:11:LYS:HG3	2:B:12:LEU:O	2.13	0.49
1:A:195:ILE:HG22	1:A:199:ARG:CZ	2.43	0.49
1:A:474:ASN:O	1:A:478:GLN:HG2	2.13	0.48
2:B:346:PHE:CD1	2:B:346:PHE:N	2.75	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:335:GLY:HA2	2:B:367:GLN:HE22	1.78	0.48
2:B:164:MET:HE3	2:B:168:LEU:HD21	1.95	0.48
1:A:342:TYR:HA	1:A:349:LEU:HD23	1.96	0.48
2:B:363:ASN:CB	5:B:2106:HOH:O	2.60	0.48
1:A:11:LYS:HE3	1:A:12:LEU:O	2.13	0.48
2:B:206:ARG:CG	2:B:217:PRO:HD2	2.43	0.48
2:B:356:ARG:CD	2:B:367:GLN:HG2	2.44	0.48
2:B:64:LYS:HD3	2:B:68:SER:H	1.78	0.48
2:B:249:LYS:HD2	2:B:252:TRP:CD1	2.49	0.48
1:A:92:LEU:HD22	1:A:92:LEU:N	2.29	0.48
2:B:333:GLY:O	2:B:334:GLN:HB3	2.14	0.48
2:B:232:TYR:HD1	2:B:233:GLU:N	2.08	0.47
1:A:454:LYS:NZ	1:A:555:GLY:HA3	2.30	0.47
1:A:243:PRO:CG	1:A:244:ILE:N	2.77	0.47
2:B:275:LYS:O	2:B:276:VAL:CB	2.58	0.47
2:B:266:TRP:CG	2:B:426:TRP:CD1	3.03	0.47
1:A:395:LYS:HD2	1:A:414:TRP:CZ2	2.48	0.47
2:B:35:VAL:CG2	5:B:2013:HOH:O	2.63	0.47
1:A:240:THR:OG1	1:A:315:HIS:ND1	2.47	0.47
1:A:406:TRP:HZ3	2:B:418:ASN:O	1.97	0.47
1:A:92:LEU:H	1:A:92:LEU:HD22	1.80	0.47
1:A:328:GLU:HG2	1:A:390:LYS:HB2	1.96	0.47
1:A:244:ILE:HD13	1:A:267:ALA:HB2	1.96	0.46
2:B:326:ILE:CD1	2:B:390:LYS:HD2	2.44	0.46
1:A:32:LYS:NZ	1:A:36:GLU:OE2	2.48	0.46
1:A:38:CYS:HA	1:A:41:MET:HE3	1.97	0.46
1:A:89:GLU:HG2	1:A:90:VAL:CA	2.39	0.46
1:A:20:LYS:HG2	1:A:56:TYR:H	1.80	0.46
2:B:183:TYR:CD2	2:B:184:MET:HG3	2.50	0.46
2:B:214:LEU:HD12	2:B:217:PRO:HG3	1.96	0.46
1:A:446:ALA:H	1:A:474:ASN:ND2	2.13	0.46
1:A:92:LEU:CD2	1:A:92:LEU:N	2.78	0.46
1:A:89:GLU:C	1:A:90:VAL:CG2	2.80	0.45
2:B:164:MET:HE2	2:B:168:LEU:HD11	1.98	0.45
2:B:115:TYR:HB3	2:B:149:LEU:HB2	1.98	0.45
1:A:494:ASN:HB3	2:B:289:LEU:HD22	1.98	0.45
1:A:50:ILE:HD13	1:A:51:GLY:H	1.80	0.45
2:B:337:TRP:HE1	2:B:367:GLN:NE2	2.06	0.45
1:A:210:LEU:HA	1:A:210:LEU:HD23	1.76	0.45
2:B:65:LYS:O	2:B:66:LYS:HD3	2.16	0.45
1:A:397:THR:O	1:A:400:THR:HG22	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:271:TYR:CB	2:B:309:ILE:HD11	2.19	0.45
2:B:420:PRO:O	2:B:420:PRO:CG	2.62	0.45
2:B:88:TRP:C	2:B:90:VAL:H	2.21	0.45
1:A:454:LYS:CE	1:A:555:GLY:HA3	2.46	0.45
2:B:63:ILE:HD11	2:B:72:ARG:HD3	1.98	0.45
2:B:57:ASN:HD22	2:B:143:ARG:NH1	2.15	0.45
1:A:89:GLU:HG2	1:A:90:VAL:C	2.37	0.45
1:A:272:PRO:HA	1:A:351:THR:HG21	1.98	0.45
2:B:419:THR:HG22	2:B:421:PRO:HD3	2.00	0.44
2:B:293:ILE:HD12	2:B:293:ILE:H	1.82	0.44
2:B:270:ILE:HG12	2:B:346:PHE:O	2.18	0.44
2:B:167:ILE:HG12	2:B:212:TRP:CD2	2.52	0.44
1:A:469:LEU:HD21	1:A:480:GLN:HG2	2.00	0.44
2:B:260:LEU:HD13	2:B:260:LEU:C	2.38	0.44
2:B:326:ILE:HD12	2:B:327:ALA:N	2.33	0.44
2:B:295:LEU:HD13	2:B:297:GLU:N	2.32	0.44
1:A:401:TRP:HD1	1:A:402:TRP:CD1	2.36	0.44
1:A:361:HIS:HD2	1:A:513:SER:CB	2.30	0.43
1:A:64:LYS:HZ2	1:A:69:THR:HA	1.82	0.43
2:B:315:HIS:C	2:B:315:HIS:ND1	2.70	0.43
2:B:365:VAL:O	2:B:369:THR:HG23	2.18	0.43
1:A:62:ALA:HA	1:A:72:ARG:O	2.18	0.43
2:B:164:MET:CE	2:B:168:LEU:HD21	2.49	0.43
1:A:12:LEU:HD21	1:A:127:TYR:CZ	2.53	0.43
1:A:88:TRP:CE2	2:B:143:ARG:HD3	2.53	0.43
2:B:236:PRO:HA	2:B:239:TRP:CD2	2.54	0.43
1:A:303:LEU:O	1:A:307:ARG:HG3	2.18	0.43
2:B:134:SER:HB3	2:B:139:THR:HG22	2.01	0.43
2:B:341:ILE:HD11	2:B:375:ILE:HG23	1.99	0.43
2:B:341:ILE:HD11	2:B:375:ILE:CG2	2.49	0.42
1:A:287:LYS:O	1:A:288:ALA:HB3	2.18	0.42
1:A:181:TYR:CE2	1:A:183:TYR:HB2	2.55	0.42
1:A:325:LEU:HD21	1:A:385:LYS:HE2	1.97	0.42
2:B:295:LEU:HD11	2:B:297:GLU:HG2	2.02	0.42
1:A:118:VAL:HG13	1:A:119:PRO:HD2	2.02	0.42
1:A:350:LYS:HB2	1:A:350:LYS:HE2	1.77	0.42
1:A:92:LEU:CD2	1:A:92:LEU:C	2.88	0.42
1:A:240:THR:HG23	1:A:314:VAL:O	2.20	0.42
1:A:64:LYS:H	1:A:64:LYS:HG2	1.62	0.42
1:A:368:LEU:HD22	1:A:423:VAL:HG21	2.02	0.42
1:A:60:VAL:HG12	1:A:75:VAL:HG22	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:6:GLU:H	1:A:6:GLU:CD	2.23	0.42
2:B:421:PRO:C	2:B:423:VAL:H	2.23	0.41
2:B:363:ASN:ND2	2:B:366:LYS:H	2.18	0.41
1:A:89:GLU:O	1:A:90:VAL:CB	2.68	0.41
1:A:89:GLU:HG3	1:A:90:VAL:N	2.20	0.41
1:A:41:MET:HE1	1:A:73:LYS:HD2	2.02	0.41
2:B:84:THR:O	2:B:84:THR:HG22	2.20	0.41
1:A:491:LEU:HB3	1:A:529:GLU:HG3	2.02	0.41
1:A:301:LEU:O	1:A:304:ALA:HB3	2.20	0.41
2:B:214:LEU:HD13	2:B:215:THR:N	2.35	0.41
1:A:53:GLU:H	1:A:53:GLU:HG3	1.37	0.41
2:B:275:LYS:O	2:B:276:VAL:HB	2.18	0.41
1:A:243:PRO:HB2	1:A:244:ILE:H	1.48	0.41
1:A:351:THR:HG23	5:A:2107:HOH:O	2.20	0.41
1:A:202:ILE:HG21	1:A:221:HIS:CG	2.56	0.41
1:A:243:PRO:HD2	1:A:244:ILE:CG1	2.38	0.41
1:A:244:ILE:CD1	1:A:267:ALA:HB2	2.51	0.41
1:A:12:LEU:CD2	1:A:127:TYR:CE2	3.02	0.41
2:B:16:MET:CE	2:B:83:ARG:HG3	2.51	0.41
1:A:47:ILE:HG23	1:A:144:TYR:CD1	2.56	0.41
1:A:381:VAL:HG22	2:B:25:PRO:HG2	2.03	0.41
2:B:369:THR:HG22	2:B:398:TRP:CH2	2.56	0.40
1:A:60:VAL:HG13	1:A:130:PHE:HB2	2.03	0.40
2:B:283:LEU:HD23	2:B:283:LEU:HA	1.91	0.40
1:A:295:LEU:HB3	1:A:300:GLU:HG2	2.03	0.40
1:A:126:LYS:HE3	5:A:2055:HOH:O	2.20	0.40
1:A:240:THR:CG2	1:A:241:VAL:H	2.23	0.40
2:B:210:LEU:HA	2:B:214:LEU:O	2.21	0.40
1:A:225:PRO:HB2	1:A:226:PRO:HD3	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	557/562 (99%)	507 (91%)	32 (6%)	18 (3%)	5	1
2	B	406/428 (95%)	375 (92%)	17 (4%)	14 (3%)	5	1
All	All	963/990 (97%)	882 (92%)	49 (5%)	32 (3%)	5	1

All (32) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	90	VAL
1	A	122	GLU
1	A	218	ASP
1	A	222	GLN
1	A	243	PRO
1	A	288	ALA
1	A	311	LYS
1	A	356	ARG
1	A	556	ILE
2	B	2	ILE
2	B	233	GLU
2	B	243	PRO
2	B	276	VAL
2	B	363	ASN
2	B	364	ASP
2	B	420	PRO
2	B	421	PRO
1	A	91	GLN
1	A	223	LYS
1	A	225	PRO
1	A	244	ILE
1	A	286	THR
1	A	289	LEU
2	B	241	VAL
2	B	244	ILE
2	B	282	LEU
2	B	422	LEU
1	A	71	TRP
2	B	296	THR
1	A	448	ARG
2	B	69	THR
1	A	56	TYR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	493/502 (98%)	443 (90%)	50 (10%)	9	5
2	B	373/390 (96%)	326 (87%)	47 (13%)	5	3
All	All	866/892 (97%)	769 (89%)	97 (11%)	8	4

All (97) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	VAL
1	A	24	TRP
1	A	26	LEU
1	A	47	ILE
1	A	50	ILE
1	A	53	GLU
1	A	54	ASN
1	A	68	SER
1	A	71	TRP
1	A	72	ARG
1	A	90	VAL
1	A	92	LEU
1	A	100	LEU
1	A	106	VAL
1	A	107	THR
1	A	142	ILE
1	A	151	GLN
1	A	174	GLN
1	A	187	LEU
1	A	210	LEU
1	A	218	ASP
1	A	219	LYS
1	A	221	HIS
1	A	222	GLN
1	A	224	GLU
1	A	260	LEU
1	A	279	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	286	THR
1	A	287	LYS
1	A	289	LEU
1	A	295	LEU
1	A	323	LYS
1	A	346	PHE
1	A	349	LEU
1	A	350	LYS
1	A	357	MET
1	A	406	TRP
1	A	428	GLN
1	A	478	GLN
1	A	479	LEU
1	A	484	LEU
1	A	500	GLN
1	A	507	GLN
1	A	512	LYS
1	A	517	LEU
1	A	527	LYS
1	A	533	LEU
1	A	540	LYS
1	A	548	VAL
1	A	551	LEU
2	B	3	SER
2	B	5	ILE
2	B	11	LYS
2	B	24[A]	TRP
2	B	24[B]	TRP
2	B	27	THR
2	B	34	LEU
2	B	64	LYS
2	B	83	ARG
2	B	90	VAL
2	B	92	LEU
2	B	104	LYS
2	B	117	SER
2	B	122	GLU
2	B	139	THR
2	B	178	ILE
2	B	193	LEU
2	B	197	GLN
2	B	214	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	216	THR
2	B	232	TYR
2	B	237	ASP
2	B	240	THR
2	B	245	VAL
2	B	249	LYS
2	B	250	ASP
2	B	276	VAL
2	B	277	ARG
2	B	278	GLN
2	B	279	LEU
2	B	289	LEU
2	B	293	ILE
2	B	295	LEU
2	B	296	THR
2	B	309	ILE
2	B	315	HIS
2	B	322	SER
2	B	326	ILE
2	B	346	PHE
2	B	347	LYS
2	B	356	ARG
2	B	363	ASN
2	B	387	PRO
2	B	410	TRP
2	B	420	PRO
2	B	422	LEU
2	B	425	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	54	ASN
1	A	136	ASN
1	A	151	GLN
1	A	161	GLN
1	A	174	GLN
1	A	175	ASN
1	A	221	HIS
1	A	255	ASN
1	A	361	HIS
1	A	367	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	407	GLN
1	A	474	ASN
1	A	494	ASN
1	A	507	GLN
2	B	57	ASN
2	B	147	ASN
2	B	161	GLN
2	B	235	HIS
2	B	242	GLN
2	B	258	GLN
2	B	278	GLN
2	B	363	ASN
2	B	367	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	YKN	A	1559	-	15,22,22	0.81	0	16,32,32	2.78	5 (31%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	YKN	A	1559	-	-	0/0/11/11	0/2/3/3

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1559	YKN	N20-C13-N15	-5.96	119.67	127.66
3	A	1559	YKN	C18-C16-N15	-2.10	118.52	121.44
3	A	1559	YKN	C4-C3-C2	2.83	124.58	120.45
3	A	1559	YKN	C19-N20-C13	2.84	119.47	114.93
3	A	1559	YKN	C13-N15-C16	6.99	123.54	115.91

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	558/562 (99%)	0.52	56 (10%) 9 13	22, 38, 65, 83	0
2	B	411/428 (96%)	0.75	61 (14%) 3 5	21, 38, 73, 93	0
All	All	969/990 (97%)	0.62	117 (12%) 6 7	21, 38, 69, 93	0

All (117) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	294	PRO	12.8
2	B	216	THR	9.6
2	B	2	ILE	9.1
2	B	295	LEU	9.0
2	B	357	MET	9.0
2	B	3	SER	8.6
2	B	86	ASP	8.5
2	B	4	PRO	7.8
2	B	1	PRO	7.3
2	B	87	PHE	7.1
2	B	67	ASP	7.0
2	B	68	SER	6.6
1	A	286	THR	6.3
1	A	301	LEU	5.6
2	B	242	GLN	5.4
1	A	357	MET	5.2
2	B	69	THR	5.2
2	B	418	ASN	5.1
2	B	66	LYS	5.1
1	A	66	LYS	4.9
1	A	70	LYS	4.9
1	A	288	ALA	4.9
1	A	67	ASP	4.8
2	B	88	TRP	4.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	249	LYS	4.5
2	B	419	THR	4.3
1	A	68	SER	4.3
1	A	557	ARG	4.1
2	B	421	PRO	4.1
2	B	218	ASP	4.0
1	A	65	LYS	3.9
2	B	250	ASP	3.9
1	A	539	HIS	3.9
2	B	189	VAL	3.8
1	A	220	LYS	3.8
2	B	362	THR	3.7
2	B	5	ILE	3.7
2	B	252	TRP	3.7
1	A	225	PRO	3.7
2	B	251	SER	3.6
1	A	221	HIS	3.6
1	A	217	PRO	3.6
2	B	356	ARG	3.5
1	A	554	ALA	3.5
2	B	215	THR	3.5
1	A	51	GLY	3.4
1	A	287	LYS	3.3
2	B	241	VAL	3.3
1	A	555	GLY	3.2
2	B	90	VAL	3.2
1	A	541	GLY	3.1
1	A	558	HIS	3.1
2	B	296	THR	3.1
1	A	551	LEU	3.0
1	A	219	LYS	3.0
2	B	217	PRO	3.0
1	A	514	GLU	3.0
2	B	6	GLU	3.0
1	A	224	GLU	2.9
2	B	368	LEU	2.9
1	A	426	TRP	2.9
1	A	482	ILE	2.9
1	A	91	GLN	2.9
1	A	218	ASP	2.8
1	A	311	LYS	2.8
1	A	365	VAL	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	360	ALA	2.8
2	B	205	LEU	2.8
2	B	422	LEU	2.8
2	B	298	GLU	2.7
1	A	550	LYS	2.7
1	A	406	TRP	2.7
1	A	495	ILE	2.7
2	B	95	PRO	2.7
2	B	70	LYS	2.7
1	A	356	ARG	2.7
2	B	279	LEU	2.6
1	A	189	VAL	2.6
1	A	284	ARG	2.6
2	B	248	GLU	2.6
1	A	400	THR	2.6
1	A	98	ALA	2.6
1	A	285	GLY	2.6
1	A	90	VAL	2.6
2	B	284	ARG	2.6
2	B	232	TYR	2.5
1	A	452	LEU	2.5
1	A	69	THR	2.5
1	A	442	VAL	2.5
2	B	240	THR	2.5
1	A	368	LEU	2.5
2	B	92	LEU	2.5
1	A	52	PRO	2.4
1	A	195	ILE	2.4
1	A	187	LEU	2.4
1	A	53	GLU	2.4
2	B	89	GLU	2.4
2	B	329	ILE	2.4
2	B	24[A]	TRP	2.3
2	B	243	PRO	2.3
2	B	85	GLN	2.2
1	A	516	GLU	2.2
2	B	153	TRP	2.2
1	A	451	LYS	2.2
2	B	14	PRO	2.2
1	A	521	ILE	2.1
2	B	180	ILE	2.1
2	B	297	GLU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	372	VAL	2.1
2	B	214	LEU	2.1
2	B	65	LYS	2.1
2	B	15	GLY	2.1
2	B	334	GLN	2.1
1	A	194	GLU	2.0
1	A	297	GLU	2.0
2	B	84	THR	2.0
1	A	447	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	YKN	A	1559	20/20	0.89	0.15	0.21	28,35,46,50	0
4	CA	A	1560	1/1	0.92	0.12	-	73,73,73,73	0

6.5 Other polymers [i](#)

There are no such residues in this entry.