



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 07:00 AM GMT

PDB ID : 2Z4Z
Title : S. cerevisiae geranylgeranyl pyrophosphate synthase in complex with magnesium and BPH-sc01
Authors : Chen, C.K.-M.; Guo, R.T.; Hudock, M.; Cao, R.; Oldfield, E.; Wang, A.H.-J.
Deposited on : 2007-06-26
Resolution : 2.09 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.09 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3939 (2.10-2.10)
Clashscore	102246	4460 (2.10-2.10)
Ramachandran outliers	100387	4413 (2.10-2.10)
Sidechain outliers	100360	4414 (2.10-2.10)
RSRZ outliers	91569	3948 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	340	<div> <div>5%</div> <div> <div></div> <div>64%</div> <div>27%</div> <div>• 7%</div> </div> </div>
1	B	340	<div> <div>4%</div> <div> <div></div> <div>72%</div> <div>16%</div> <div>• 10%</div> </div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 5766 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Geranylgeranyl pyrophosphate synthetase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	315	Total	C	N	O	S	0	0	0
			2578	1657	435	477	9			
1	B	307	Total	C	N	O	S	0	0	0
			2518	1621	426	462	9			


There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	EXPRESSION TAG	UNP Q12051
A	2	THR	-	EXPRESSION TAG	UNP Q12051
A	3	LYS	-	EXPRESSION TAG	UNP Q12051
A	4	ASN	-	EXPRESSION TAG	UNP Q12051
A	5	LYS	-	EXPRESSION TAG	UNP Q12051
B	1	MET	-	EXPRESSION TAG	UNP Q12051
B	2	THR	-	EXPRESSION TAG	UNP Q12051
B	3	LYS	-	EXPRESSION TAG	UNP Q12051
B	4	ASN	-	EXPRESSION TAG	UNP Q12051
B	5	LYS	-	EXPRESSION TAG	UNP Q12051

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mg	0	0
			1	1		

- Molecule 3 is (6E,11E)-HEPTADECA-6,11-DIENE-9,9-DIYLBIS(PHOSPHONIC ACID) (three-letter code: SC0) (formula: C₁₇H₃₄O₆P₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total 25	C 17	O 6	P 2	0	0
3	B	1	Total 25	C 17	O 6	P 2	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	306	Total O 306 306	0	0
4	B	313	Total O 313 313	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Geranylgeranyl pyrophosphate synthetase



- Molecule 1: Geranylgeranyl pyrophosphate synthetase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	47.61Å 116.34Å 129.03Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.09 29.28 – 2.09	Depositor EDS
% Data completeness (in resolution range)	94.1 (30.00-2.09) 94.2 (29.28-2.09)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.84 (at 2.10Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.187 , 0.237 0.188 , 0.236	Depositor DCC
R_{free} test set	2045 reflections (5.01%)	DCC
Wilson B-factor (Å ²)	28.8	Xtriage
Anisotropy	1.004	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 54.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 40792 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	5766	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, SC0

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.71	0/2625	0.75	1/3552 (0.0%)
1	B	0.69	0/2563	0.74	1/3467 (0.0%)
All	All	0.70	0/5188	0.74	2/7019 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	57	LEU	CA-CB-CG	6.26	129.70	115.30
1	B	57	LEU	CA-CB-CG	5.04	126.90	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2578	0	2623	87	0
1	B	2518	0	2567	61	0
2	A	1	0	0	0	0
3	A	25	0	30	3	0
3	B	25	0	30	3	0
4	A	306	0	0	9	1
4	B	313	0	0	14	1

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	5766	0	5250	141	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (141) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:123:THR:HG22	1:A:125:LYS:H	1.27	1.00
1:B:52:ASN:HD21	1:B:57:LEU:H	1.03	0.99
1:A:52:ASN:HD21	1:A:57:LEU:H	1.16	0.93
1:A:223:GLN:HE21	1:A:281:GLN:HE22	1.21	0.89
1:B:92:GLN:HG2	4:B:1208:HOH:O	1.75	0.87
1:A:258:GLN:HE21	1:A:258:GLN:H	1.25	0.85
1:A:41:LYS:HE2	4:A:1440:HOH:O	1.78	0.82
1:B:257:GLU:HG3	4:B:1502:HOH:O	1.80	0.81
1:A:294:LYS:HE2	4:A:1302:HOH:O	1.81	0.79
1:A:180:ARG:HH11	1:A:204:ASN:HD21	1.33	0.77
1:A:38:LYS:HD3	1:A:89:ARG:HG3	1.67	0.76
1:B:59:LYS:HG3	1:B:60:ASP:N	2.01	0.76
1:B:5:LYS:O	1:B:9:LYS:HG3	1.86	0.76
1:B:55:MET:HE2	1:B:187:GLU:HA	1.67	0.75
1:A:123:THR:HG21	1:A:128:LEU:HD23	1.69	0.75
1:B:52:ASN:ND2	1:B:57:LEU:H	1.83	0.75
1:B:55:MET:CE	1:B:187:GLU:HA	2.16	0.74
1:B:206:LEU:HD11	1:B:334:ILE:HG12	1.71	0.71
1:B:183:LEU:HD22	1:B:203:ILE:HB	1.70	0.71
1:B:180:ARG:HH11	1:B:204:ASN:HD21	1.41	0.68
1:B:178:LEU:HD22	4:B:1335:HOH:O	1.94	0.67
1:A:183:LEU:HD22	1:A:203:ILE:HB	1.77	0.66
1:B:249:PHE:CD2	1:B:287:THR:HG22	2.30	0.66
1:B:258:GLN:HG2	1:B:286:ASP:OD2	1.98	0.64
1:A:180:ARG:HH11	1:A:204:ASN:ND2	1.95	0.63
1:A:123:THR:HG22	1:A:125:LYS:N	2.08	0.63
1:B:157:LEU:HD12	1:B:158:PRO:HA	1.80	0.62
1:A:273:LYS:HD3	4:A:1312:HOH:O	1.99	0.62
1:A:331:LEU:HD23	1:A:334:ILE:HD12	1.81	0.61
1:A:246:ALA:HB2	1:A:283:LEU:HD22	1.84	0.60
1:A:96:HIS:HD2	4:A:1541:HOH:O	1.85	0.59
1:A:241:PHE:HB3	1:A:242:PRO:HD3	1.83	0.59
1:A:329:GLU:HG3	4:A:1591:HOH:O	2.01	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:180:ARG:HD3	1:B:204:ASN:HD21	1.68	0.58
1:A:144:HIS:HE1	4:B:1445:HOH:O	1.85	0.58
1:B:180:ARG:HH11	1:B:204:ASN:ND2	2.02	0.57
1:A:314:PRO:HG2	4:A:1573:HOH:O	2.04	0.57
1:A:132:LEU:HD11	1:A:189:LEU:HD21	1.86	0.57
1:A:222:PHE:CD1	1:A:230:PHE:HA	2.40	0.57
1:A:48:ILE:CG2	1:A:62:LEU:HD11	2.34	0.57
1:A:38:LYS:HE3	1:A:89:ARG:O	2.05	0.56
1:A:47:LEU:O	1:A:51:ILE:HG12	2.06	0.55
1:A:174:LYS:HE3	3:A:1201:SC0:HAP1	1.89	0.55
1:B:283:LEU:HG	1:B:289:SER:HB2	1.89	0.54
1:A:230:PHE:CE1	1:A:232:GLU:HB2	2.41	0.54
1:A:123:THR:HG22	1:A:124:THR:N	2.23	0.54
1:B:122:LEU:HD13	1:B:189:LEU:HD11	1.89	0.54
1:A:331:LEU:HA	1:A:334:ILE:HD12	1.88	0.54
1:A:140:LEU:O	1:A:144:HIS:HD2	1.90	0.54
1:B:55:MET:HE1	1:B:187:GLU:HG2	1.89	0.54
1:B:331:LEU:N	4:B:1248:HOH:O	2.40	0.54
1:B:38:LYS:HD2	4:B:1231:HOH:O	2.07	0.53
1:A:35:ILE:HG13	1:A:38:LYS:HD2	1.90	0.53
1:B:28:ILE:HG23	4:B:1491:HOH:O	2.08	0.53
1:A:5:LYS:HE2	1:A:9:LYS:HE2	1.89	0.53
1:A:42:ASN:ND2	4:A:1598:HOH:O	2.41	0.53
1:A:5:LYS:CE	1:A:9:LYS:HE2	2.39	0.52
1:A:197:HIS:HD2	1:A:198:SER:O	1.91	0.52
1:B:42:ASN:HB2	4:B:1333:HOH:O	2.09	0.51
1:A:255:GLN:HB3	1:A:258:GLN:NE2	2.26	0.50
1:B:96:HIS:HE1	4:B:1210:HOH:O	1.95	0.50
1:A:281:GLN:HA	1:A:281:GLN:NE2	2.25	0.50
1:B:38:LYS:HG3	1:B:90:ARG:HG2	1.94	0.50
1:A:230:PHE:CD1	1:A:232:GLU:HB2	2.46	0.50
1:B:34:HIS:HE1	1:B:93:THR:O	1.95	0.50
1:B:55:MET:HE1	1:B:187:GLU:HA	1.93	0.49
1:A:110:TYR:CE1	1:A:114:ARG:HD3	2.48	0.49
1:A:222:PHE:HD1	1:A:230:PHE:HA	1.77	0.49
1:B:55:MET:HE3	1:B:190:SER:HB2	1.94	0.49
1:A:123:THR:CG2	1:A:128:LEU:HD23	2.42	0.48
1:B:174:LYS:HE3	3:B:1202:SC0:OAH	2.13	0.48
1:A:52:ASN:ND2	1:A:57:LEU:H	1.98	0.48
1:B:147:GLN:HA	1:B:147:GLN:HE21	1.77	0.48
1:B:183:LEU:HD21	1:B:199:LEU:C	2.34	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:284:GLU:OE1	1:A:290:LEU:HD12	2.14	0.48
1:A:143:LEU:HD11	3:A:1201:SC0:HAT2	1.95	0.48
1:A:43:PHE:HB3	1:A:340:LEU:HD23	1.96	0.48
1:A:174:LYS:HE2	3:A:1201:SC0:OAH	2.13	0.48
1:A:281:GLN:HE21	1:A:281:GLN:HA	1.78	0.48
1:A:230:PHE:N	4:A:1429:HOH:O	2.47	0.48
1:A:332:TYR:CE1	1:A:336:HIS:CE1	3.02	0.47
1:B:126:GLU:HA	1:B:126:GLU:OE2	2.14	0.47
1:B:273:LYS:HE3	4:B:1246:HOH:O	2.13	0.47
1:B:87:PRO:HD2	4:B:1431:HOH:O	2.14	0.47
1:A:117:GLN:N	1:B:137:ASN:HD21	2.13	0.47
1:A:38:LYS:CD	1:A:89:ARG:HG3	2.40	0.47
1:A:330:LEU:O	1:A:334:ILE:HG13	2.14	0.47
1:A:58:PRO:HG2	1:A:61:GLN:HB2	1.97	0.47
1:B:178:LEU:HD13	3:B:1202:SC0:HAS2	1.96	0.46
1:B:222:PHE:HD2	1:B:280:ILE:HD12	1.80	0.46
1:A:36:LEU:C	1:A:38:LYS:H	2.18	0.46
1:A:20:TRP:CH2	1:A:24:ASN:HB3	2.50	0.46
1:B:157:LEU:CD1	1:B:158:PRO:HA	2.46	0.46
1:B:213:ARG:HD3	4:B:1478:HOH:O	2.16	0.46
1:A:110:TYR:CZ	1:A:114:ARG:HD3	2.51	0.46
1:A:145:ARG:HB3	1:B:20:TRP:CZ3	2.52	0.45
1:A:329:GLU:O	1:A:333:ILE:HG13	2.17	0.45
1:A:329:GLU:O	1:A:332:TYR:HB3	2.17	0.45
1:A:75:SER:OG	1:A:111:MET:HB2	2.17	0.45
1:A:27:LEU:HD13	1:B:152:TYR:CE2	2.51	0.45
1:B:28:ILE:HD13	1:B:28:ILE:N	2.32	0.45
1:B:96:HIS:HD2	4:B:1211:HOH:O	1.98	0.45
1:B:154:ARG:HD2	1:B:236:GLU:HG2	1.99	0.45
1:A:180:ARG:HD3	1:A:204:ASN:HD21	1.81	0.44
1:A:48:ILE:HG22	1:A:62:LEU:HD11	1.99	0.44
1:A:144:HIS:CE1	4:B:1445:HOH:O	2.65	0.44
1:A:42:ASN:CG	4:A:1598:HOH:O	2.55	0.44
1:A:145:ARG:HD3	1:B:20:TRP:CD2	2.53	0.44
1:A:113:PHE:CE2	1:B:140:LEU:HD13	2.53	0.44
1:B:249:PHE:HD2	1:B:287:THR:HG22	1.77	0.44
1:B:230:PHE:O	1:B:276:LYS:NZ	2.41	0.44
1:A:205:LEU:HD23	1:A:304:ILE:HD11	1.99	0.44
1:A:123:THR:HG21	1:A:125:LYS:HB2	2.00	0.44
1:A:10:ILE:O	1:A:14:ILE:HG12	2.18	0.43
1:A:64:ILE:HD13	1:A:121:GLN:HB3	1.99	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:44:ARG:HG3	1:A:340:LEU:OXT	2.18	0.43
1:A:307:ASP:OD1	1:A:311:LYS:HB3	2.18	0.43
1:B:59:LYS:HG3	1:B:60:ASP:H	1.80	0.43
1:A:38:LYS:HE2	1:A:89:ARG:CG	2.48	0.42
1:A:157:LEU:HD12	1:A:158:PRO:HA	2.01	0.42
1:B:47:LEU:O	1:B:51:ILE:HG12	2.19	0.42
1:B:21:SER:H	1:B:24:ASN:ND2	2.17	0.42
1:A:21:SER:H	1:A:24:ASN:HD22	1.67	0.42
1:A:283:LEU:HB3	1:A:289:SER:HB2	2.00	0.42
1:B:21:SER:H	1:B:24:ASN:HD22	1.68	0.42
1:A:250:THR:HG22	1:A:255:GLN:NE2	2.35	0.42
1:A:45:LEU:O	1:A:49:VAL:HG23	2.20	0.42
1:A:223:GLN:HE21	1:A:281:GLN:NE2	2.01	0.42
1:A:154:ARG:HD2	1:A:236:GLU:HG2	2.00	0.41
1:A:55:MET:O	1:A:191:PRO:HD2	2.21	0.41
1:B:55:MET:CE	1:B:190:SER:HB2	2.51	0.41
1:B:90:ARG:HD2	1:B:90:ARG:HA	1.89	0.41
1:B:257:GLU:OE2	1:B:257:GLU:N	2.54	0.41
1:B:140:LEU:HA	1:B:140:LEU:HD23	1.77	0.41
1:A:137:ASN:HD21	1:B:117:GLN:N	2.19	0.41
1:A:299:GLN:O	1:A:303:MET:HG3	2.21	0.41
1:B:143:LEU:HD11	3:B:1202:SC0:HAT2	2.03	0.40
1:A:30:LYS:HB2	1:A:31:PRO:HD3	2.02	0.40
1:B:5:LYS:HA	1:B:5:LYS:HD2	1.85	0.40
1:A:273:LYS:HB2	1:A:273:LYS:HE2	1.96	0.40
1:A:126:GLU:HB3	1:B:126:GLU:HB3	2.04	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:1428:HOH:O	4:B:1366:HOH:O[4_455]	2.19	0.01

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	307/340 (90%)	300 (98%)	7 (2%)	0	100	100
1	B	297/340 (87%)	294 (99%)	2 (1%)	1 (0%)	46	45
All	All	604/680 (89%)	594 (98%)	9 (2%)	1 (0%)	52	53

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	174	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	295/317 (93%)	287 (97%)	8 (3%)	52	56
1	B	288/317 (91%)	282 (98%)	6 (2%)	61	66
All	All	583/634 (92%)	569 (98%)	14 (2%)	57	61

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	ASN
1	A	42	ASN
1	A	61	GLN
1	A	94	THR
1	A	195	HIS
1	A	230	PHE
1	A	258	GLN
1	A	329	GLU
1	B	44	ARG
1	B	90	ARG
1	B	92	GLN
1	B	95	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	147	GLN
1	B	331	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (29) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	24	ASN
1	A	52	ASN
1	A	61	GLN
1	A	85	ASN
1	A	96	HIS
1	A	109	ASN
1	A	137	ASN
1	A	144	HIS
1	A	164	GLN
1	A	197	HIS
1	A	204	ASN
1	A	255	GLN
1	A	258	GLN
1	A	260	ASN
1	A	281	GLN
1	A	298	ASN
1	B	24	ASN
1	B	34	HIS
1	B	52	ASN
1	B	96	HIS
1	B	109	ASN
1	B	121	GLN
1	B	137	ASN
1	B	147	GLN
1	B	195	HIS
1	B	204	ASN
1	B	211	GLN
1	B	288	ASN
1	B	298	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	SC0	A	1201	-	20,24,24	3.00	8 (40%)	23,32,32	1.53	3 (13%)
3	SC0	B	1202	-	20,24,24	3.05	8 (40%)	23,32,32	1.80	3 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SC0	A	1201	-	-	0/36/36/36	0/0/0/0
3	SC0	B	1202	-	-	0/36/36/36	0/0/0/0

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1201	SC0	CAR-CAL	-7.72	1.39	1.50
3	B	1202	SC0	CAQ-CAK	-7.63	1.39	1.50
3	B	1202	SC0	CAR-CAL	-7.62	1.39	1.50
3	A	1201	SC0	CAQ-CAK	-7.39	1.39	1.50
3	A	1201	SC0	CAP-CAJ	-2.47	1.39	1.50
3	B	1202	SC0	CAO-CAI	-2.43	1.39	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1202	SC0	CAP-CAJ	-2.41	1.39	1.50
3	A	1201	SC0	CAO-CAI	-2.37	1.39	1.50
3	A	1201	SC0	PAX-OAE	3.35	1.61	1.54
3	A	1201	SC0	PAY-OAG	3.38	1.61	1.54
3	A	1201	SC0	PAY-OAH	3.41	1.61	1.54
3	B	1202	SC0	PAX-OAE	3.44	1.61	1.54
3	B	1202	SC0	PAY-OAH	3.52	1.61	1.54
3	B	1202	SC0	PAX-OAF	3.57	1.61	1.54
3	A	1201	SC0	PAX-OAF	3.57	1.61	1.54
3	B	1202	SC0	PAY-OAG	3.64	1.61	1.54

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1202	SC0	PAY-CAW-PAX	-6.09	102.79	112.66
3	A	1201	SC0	PAY-CAW-PAX	-4.42	105.49	112.66
3	A	1201	SC0	CAR-CAL-CAJ	-4.25	117.36	125.00
3	B	1202	SC0	CAR-CAL-CAJ	-4.06	117.70	125.00
3	B	1202	SC0	CAQ-CAK-CAI	-4.04	117.75	125.00
3	A	1201	SC0	CAQ-CAK-CAI	-3.02	119.57	125.00

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1201	SC0	3	0
3	B	1202	SC0	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	315/340 (92%)	0.02	18 (5%)	27 35	23, 34, 79, 90	0
1	B	307/340 (90%)	-0.03	13 (4%)	40 49	23, 37, 63, 92	0
All	All	622/680 (91%)	-0.00	31 (4%)	32 41	23, 36, 69, 92	0

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	308	ASN	6.1
1	B	230	PHE	5.0
1	B	332	TYR	4.9
1	B	42	ASN	4.8
1	A	42	ASN	4.7
1	A	230	PHE	4.6
1	B	196	GLY	4.4
1	A	39	PRO	4.2
1	A	333	ILE	3.9
1	A	124	THR	3.6
1	B	90	ARG	3.5
1	A	38	LYS	3.1
1	B	43	PHE	3.0
1	A	309	GLU	2.9
1	A	41	LYS	2.9
1	B	195	HIS	2.7
1	B	191	PRO	2.7
1	B	308	ASN	2.6
1	A	191	PRO	2.5
1	A	332	TYR	2.5
1	A	339	GLU	2.4
1	B	92	GLN	2.4
1	B	337	LEU	2.4
1	A	336	HIS	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	195	HIS	2.4
1	B	336	HIS	2.4
1	A	90	ARG	2.3
1	A	307	ASP	2.3
1	B	91	GLY	2.3
1	A	40	GLY	2.1
1	A	329	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	SC0	B	1202	25/25	0.96	0.18	1.19	41,47,62,67	0
3	SC0	A	1201	25/25	0.96	0.16	0.74	37,42,49,51	0
2	MG	A	1301	1/1	0.92	0.04	-	39,39,39,39	0

6.5 Other polymers [i](#)

There are no such residues in this entry.