



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 19, 2016 – 09:11 PM GMT

PDB ID : 4ZAD
Title : Structure of *C. dubliensis* Fdc1 with the prenylated-flavin cofactor in the iminium form.
Authors : Bailey, S.S.; Leys, D.
Deposited on : 2015-04-13
Resolution : 2.46 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026982
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20026982


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.46 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	4776 (2.50-2.42)
Clashscore	102246	1030 (2.48-2.44)
Ramachandran outliers	100387	1024 (2.48-2.44)
Sidechain outliers	100360	1024 (2.48-2.44)
RSRZ outliers	91569	4787 (2.50-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	513	 83% 15% •
1	B	513	 84% 15% •

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 8212 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fdc1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	511	Total	C	N	O	S	0	2	0
			4025	2591	670	745	19			
1	B	511	Total	C	N	O	S	0	2	0
			4022	2588	674	741	19			


- Molecule 2 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Mn	0	0
			1	1		
2	A	1	Total	Mn	0	0
			1	1		

- Molecule 3 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	K	0	0
			1	1		
3	A	1	Total	K	0	0
			1	1		

- Molecule 4 is 1-deoxy-5-O-phosphono-1-(3,3,4,5-tetramethyl-9,11-dioxo-2,3,8,9,10,11-hexahydro-7H-quinolino[1,8-fg]pteridin-12-ium-7-yl)-D-ribitol (three-letter code: 4LU) (formula: C₂₂H₃₀N₄O₉P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total 36	C 22	N 4	O 9	P 1	0	0
4	B	1	Total 36	C 22	N 4	O 9	P 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	58	Total O 58 58	0	0
5	B	31	Total O 31 31	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Fdc1



• Molecule 1: Fdc1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	91.97Å 64.55Å 96.05Å 90.00° 91.07° 90.00°	Depositor
Resolution (Å)	67.04 – 2.46 67.04 – 2.46	Depositor EDS
% Data completeness (in resolution range)	100.0 (67.04-2.46) 99.7 (67.04-2.46)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.86 (at 2.45Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.205 , 0.256 0.203 , 0.247	Depositor DCC
R_{free} test set	1956 reflections (4.99%)	DCC
Wilson B-factor (Å ²)	38.1	Xtriage
Anisotropy	0.048	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 22.0	EDS
Estimated twinning fraction	0.009 for l,k,-h 0.028 for h,-k,-l 0.025 for l,-k,h	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 41142 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8212	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.28% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: K, MN, 4LU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.83	3/4134 (0.1%)	0.84	8/5632 (0.1%)
1	B	0.81	2/4135 (0.0%)	0.83	4/5630 (0.1%)
All	All	0.82	5/8269 (0.1%)	0.83	12/11262 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	289	GLU	CG-CD	8.77	1.65	1.51
1	A	73	CYS	CB-SG	-7.56	1.69	1.82
1	A	498	GLU	CG-CD	7.47	1.63	1.51
1	B	289	GLU	CB-CG	5.85	1.63	1.52
1	A	498	GLU	CB-CG	5.05	1.61	1.52

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	409	LEU	O-C-N	-8.42	109.22	122.70
1	B	278	ARG	NE-CZ-NH1	7.65	124.13	120.30
1	A	409	LEU	CA-C-N	6.72	131.99	117.20
1	A	285	GLY	N-CA-C	-6.27	97.42	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	11	ASP	CB-CG-OD1	5.87	123.58	118.30
1	B	285	GLY	N-CA-C	-5.62	99.05	113.10
1	A	398	ARG	NE-CZ-NH2	-5.50	117.55	120.30
1	A	83	ASP	CB-CG-OD1	5.44	123.20	118.30
1	B	179	ARG	NE-CZ-NH1	5.32	122.96	120.30
1	A	409	LEU	C-N-CA	5.30	134.94	121.70
1	A	169	ASP	CB-CG-OD1	5.24	123.02	118.30
1	A	398	ARG	NE-CZ-NH1	5.17	122.89	120.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	284	GLU	Peptide
1	B	284	GLU	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4025	0	3935	46	0
1	B	4022	0	3939	63	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	36	0	28	10	0
4	B	36	0	28	8	0
5	A	58	0	0	1	0
5	B	31	0	0	0	0
All	All	8212	0	7930	120	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (120) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:603:4LU:H13	4:A:603:4LU:H14	1.30	1.12
1:A:344:TYR:O	1:A:347:SER:HB3	1.61	1.01
1:B:278:ARG:HH11	1:B:278:ARG:HG3	1.27	0.96
1:B:344:TYR:O	1:B:347:SER:HB3	1.66	0.94
4:B:603:4LU:H14	4:B:603:4LU:H13	1.50	0.94
1:B:500:LYS:CB	1:B:500:LYS:C	2.38	0.92
1:A:203:ASP:OD1	1:A:278:ARG:NH2	2.13	0.80
1:A:398:ARG:NH2	5:A:701:HOH:O	2.14	0.78
1:B:166:GLN:O	1:B:205:TRP:CZ3	2.36	0.78
1:B:500:LYS:CB	1:B:500:LYS:N	2.46	0.78
1:A:53:ASN:HA	1:A:69:ARG:HG2	1.66	0.78
1:B:177:ILE:HD12	4:B:603:4LU:H19	1.67	0.76
4:A:603:4LU:H13	4:A:603:4LU:C7M	2.13	0.76
1:B:159:THR:OG1	1:B:320[A]:ILE:HD13	1.86	0.74
1:B:132:HIS:HD2	1:B:309:HIS:CE1	2.06	0.73
1:B:132:HIS:HD2	1:B:309:HIS:HE1	1.35	0.72
1:B:166:GLN:O	1:B:205:TRP:HZ3	1.74	0.71
4:A:603:4LU:H14	4:A:603:4LU:C12	2.11	0.69
1:A:410:HIS:HE1	1:A:450:PHE:H	1.40	0.69
1:A:398:ARG:HH22	1:A:446:ASP:HB2	1.58	0.69
1:B:278:ARG:HG3	1:B:278:ARG:NH1	2.04	0.67
1:A:99:MET:HA	1:A:102:ILE:HD12	1.76	0.67
1:A:177:ILE:HD12	4:A:603:4LU:H19	1.76	0.67
1:B:328:ASP:H	1:B:331:HIS:HD2	1.45	0.65
1:A:135:LYS:HA	1:A:138:ILE:HD12	1.78	0.65
4:B:603:4LU:H13	4:B:603:4LU:C7M	2.25	0.65
1:A:290:MET:O	1:A:331:HIS:HE1	1.83	0.61
1:B:128:HIS:CE1	1:B:271:VAL:HG21	2.37	0.60
1:B:164:VAL:HG22	1:B:175:TRP:CD1	2.36	0.59
1:B:82:ASN:H	1:B:96:GLN:HE22	1.51	0.58
1:B:410:HIS:HD2	1:B:468:GLY:O	1.86	0.57
1:A:410:HIS:CE1	1:A:450:PHE:H	2.21	0.57
1:A:153:GLY:HA3	1:A:285:GLY:HA3	1.87	0.56
1:B:419:ILE:HD11	1:B:430:ALA:HB2	1.87	0.56
1:B:415:VAL:HG21	1:B:419:ILE:HG13	1.87	0.56
1:A:132:HIS:HD2	1:A:309:HIS:NE2	2.03	0.56
1:A:145:VAL:HG12	1:A:155:LYS:HB3	1.88	0.56
1:B:166:GLN:O	1:B:205:TRP:CH2	2.59	0.56
1:B:55:LEU:HD11	1:B:70:ILE:HG13	1.88	0.56
1:B:500:LYS:C	1:B:500:LYS:N	2.60	0.55
4:B:603:4LU:H6	4:B:603:4LU:O4	2.06	0.55
1:B:431:TYR:O	1:B:435:HIS:HD2	1.90	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:9:PHE:O	1:A:12:PHE:HB3	2.08	0.54
1:B:131:HIS:HE1	1:B:314:ASP:OD1	1.89	0.54
1:A:328:ASP:H	1:A:331:HIS:HD2	1.56	0.54
1:B:196:GLN:HG3	4:B:603:4LU:O2	2.08	0.53
1:B:398:ARG:NH1	1:B:446:ASP:OD1	2.41	0.53
1:A:66:ASN:HD22	1:A:315:GLN:H	1.56	0.53
4:B:603:4LU:H7	4:B:603:4LU:H22	1.73	0.53
1:B:328:ASP:H	1:B:331:HIS:CD2	2.26	0.53
1:B:107:VAL:HG22	1:B:344:TYR:HB2	1.90	0.52
1:B:397:PHE:HB3	1:B:447:VAL:HG11	1.91	0.52
1:B:153:GLY:HA3	1:B:285:GLY:HA3	1.92	0.52
1:A:234:ILE:HB	1:A:235:PRO:CD	2.40	0.52
1:B:192:VAL:H	1:B:302:GLN:NE2	2.09	0.51
1:B:299:HIS:O	1:B:299:HIS:ND1	2.43	0.51
1:B:419:ILE:CD1	1:B:430:ALA:HB2	2.41	0.51
1:A:378:LEU:HD21	1:A:480:PHE:CE1	2.46	0.51
1:B:159:THR:O	4:B:603:4LU:H4	2.11	0.50
1:B:415:VAL:CG2	1:B:419:ILE:HG13	2.41	0.50
1:A:69:ARG:NH1	1:A:315:GLN:HB3	2.28	0.49
1:A:159:THR:HA	4:A:603:4LU:H3	1.95	0.49
1:B:53:ASN:HD22	1:B:69:ARG:HD2	1.78	0.49
1:B:53:ASN:ND2	1:B:69:ARG:HH11	2.11	0.49
1:B:4:ASN:ND2	1:B:7:LEU:HD12	2.28	0.48
1:B:388:LEU:O	1:B:392:VAL:HG23	2.13	0.48
1:A:139:ASP:OD1	1:A:141:THR:HB	2.14	0.48
1:A:159:THR:O	4:A:603:4LU:H4	2.13	0.48
1:B:203:ASP:OD1	1:B:278:ARG:NH2	2.43	0.47
1:B:393:GLY:HA3	1:B:444:PHE:CZ	2.50	0.47
1:B:290:MET:O	1:B:331:HIS:HE1	1.97	0.47
1:B:410:HIS:CE1	1:B:450:PHE:H	2.33	0.47
1:B:284:GLU:HG2	1:B:302:GLN:HG3	1.97	0.46
1:A:277:ASP:CG	1:A:280:THR:HG23	2.35	0.46
1:A:197(A):HIS:HE1	1:A:236:ASP:OD1	1.98	0.46
1:A:326:CYS:HA	1:A:327:THR:HA	1.57	0.46
1:B:473:THR:HG22	1:B:475:ILE:H	1.81	0.46
1:B:205:TRP:HD1	1:B:210:LYS:O	1.99	0.46
1:A:218:LEU:HB3	1:A:272:PHE:HB2	1.96	0.46
1:A:66:ASN:ND2	1:A:315:GLN:H	2.13	0.46
1:A:328:ASP:H	1:A:331:HIS:CD2	2.35	0.45
1:B:302:GLN:HB3	1:B:303:PRO:HD2	1.97	0.45
1:B:328:ASP:N	1:B:331:HIS:HD2	2.11	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:431:TYR:O	1:B:435:HIS:CD2	2.67	0.45
1:A:131:HIS:HE1	1:A:314:ASP:OD1	1.98	0.45
1:B:23:ILE:CG1	1:B:48:ALA:HB3	2.46	0.45
1:A:119:VAL:HG13	1:A:119:VAL:O	2.16	0.45
1:B:73:CYS:N	1:B:74:PRO:CD	2.80	0.45
1:B:23:ILE:HG13	1:B:48:ALA:HB3	1.99	0.45
4:A:603:4LU:H22	4:A:603:4LU:H7	1.81	0.45
4:A:603:4LU:H6	4:A:603:4LU:O4	2.16	0.44
1:B:189:THR:HG23	1:B:284:GLU:HB2	2.00	0.44
1:B:121:VAL:O	1:B:255:VAL:HG12	2.16	0.44
1:B:23:ILE:HG12	1:B:48:ALA:CB	2.47	0.44
1:A:280:THR:HG21	1:A:306:ARG:HH21	1.82	0.43
1:A:328:ASP:N	1:A:331:HIS:HD2	2.16	0.43
1:B:321:SER:O	1:B:323:PRO:HD3	2.19	0.43
1:B:132:HIS:CD2	1:B:309:HIS:CE1	2.97	0.43
4:B:603:4LU:O4	4:B:603:4LU:C1	2.67	0.42
1:A:331:HIS:CE1	1:A:365:GLN:NE2	2.87	0.42
1:B:23:ILE:HG23	1:B:23:ILE:HD12	1.78	0.42
1:B:410:HIS:HE1	1:B:450:PHE:H	1.68	0.42
4:A:603:4LU:C7M	4:A:603:4LU:C12	2.85	0.42
1:A:27:THR:O	1:A:29:VAL:HG23	2.19	0.42
1:A:276:LEU:HD11	1:A:303:PRO:HB2	2.01	0.42
1:A:55:LEU:HD11	1:A:70:ILE:HD12	2.01	0.42
1:A:334:ILE:HD11	4:A:603:4LU:C9A	2.50	0.42
1:A:61:ASN:O	1:A:64:PRO:HD3	2.19	0.42
1:B:289:GLU:HG3	1:B:290:MET:H	1.85	0.41
1:A:192:VAL:HG21	1:A:303:PRO:HG2	2.03	0.41
1:B:278:ARG:HH11	1:B:278:ARG:CG	2.15	0.41
1:A:73:CYS:N	1:A:74:PRO:CD	2.84	0.41
1:A:326:CYS:HA	1:A:331:HIS:CD2	2.56	0.41
1:A:91:LEU:HG	1:A:228:LEU:HD13	2.02	0.41
1:B:326:CYS:HA	1:B:327:THR:HA	1.85	0.41
1:A:270:MET:HG2	1:A:312:TYR:HB3	2.03	0.41
1:B:228:LEU:C	1:B:228:LEU:HD23	2.41	0.41
1:A:69:ARG:NH1	1:A:315:GLN:O	2.54	0.40
1:A:270:MET:HG2	1:A:312:TYR:CB	2.52	0.40
1:B:214:ILE:HB	1:B:276:LEU:HB3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	511/513 (100%)	491 (96%)	19 (4%)	1 (0%)	52	64
1	B	510/513 (99%)	488 (96%)	22 (4%)	0	100	100
All	All	1021/1026 (100%)	979 (96%)	41 (4%)	1 (0%)	56	71

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	347	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	438/451 (97%)	417 (95%)	21 (5%)	31	44
1	B	439/451 (97%)	426 (97%)	13 (3%)	48	65
All	All	877/902 (97%)	843 (96%)	34 (4%)	41	54

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	LEU
1	A	40	ARG
1	A	65	LYS
1	A	165	LEU
1	A	187	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	213	LYS
1	A	278	ARG
1	A	280	THR
1	A	284	GLU
1	A	289[A]	GLU
1	A	289[B]	GLU
1	A	300	HIS
1	A	327	THR
1	A	343	LYS
1	A	351	LEU
1	A	408	ILE
1	A	466	GLN
1	A	470	CYS
1	A	473	THR
1	A	489	THR
1	A	497	GLU
1	B	205	TRP
1	B	231	SER
1	B	278	ARG
1	B	284	GLU
1	B	300	HIS
1	B	320[A]	ILE
1	B	320[B]	ILE
1	B	325	LEU
1	B	343	LYS
1	B	390	ASN
1	B	461	LEU
1	B	462	ILE
1	B	486	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	4	ASN
1	A	53	ASN
1	A	66	ASN
1	A	131	HIS
1	A	132	HIS
1	A	197(A)	HIS
1	A	200	GLN
1	A	302	GLN
1	A	331	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	365	GLN
1	A	410	HIS
1	A	506	ASN
1	B	53	ASN
1	B	96	GLN
1	B	131	HIS
1	B	132	HIS
1	B	302	GLN
1	B	309	HIS
1	B	331	HIS
1	B	410	HIS
1	B	426	GLN
1	B	435	HIS
1	B	501	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 4 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	4LU	A	603	3,2	32,39,39	2.04	4 (12%)	33,62,62	2.46	10 (30%)
4	4LU	B	603	3,2	32,39,39	2.50	5 (15%)	33,62,62	2.18	10 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	4LU	A	603	3,2	-	0/18/30/30	0/3/4/4
4	4LU	B	603	3,2	-	0/18/30/30	0/3/4/4

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	603	4LU	C5-C6	-11.45	1.44	1.54
4	A	603	4LU	C5-C6	-8.69	1.47	1.54
4	B	603	4LU	C4-C4A	-2.55	1.36	1.41
4	B	603	4LU	C10-N10	-2.49	1.36	1.39
4	A	603	4LU	C10-N10	-2.14	1.36	1.39
4	A	603	4LU	C9A-N10	3.90	1.44	1.38
4	A	603	4LU	C6-C7	4.02	1.49	1.40
4	B	603	4LU	C6-C7	4.22	1.50	1.40
4	B	603	4LU	C9A-N10	4.22	1.44	1.38

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	603	4LU	C13-C5-C3	-6.85	96.81	108.93
4	A	603	4LU	C13-C5-C3	-5.15	99.81	108.93
4	A	603	4LU	N3-C2-N1	-4.71	119.76	127.69
4	A	603	4LU	C4A-N5-C5A	-4.24	113.42	120.96
4	A	603	4LU	O5'-P-O2P	-3.58	98.07	107.08
4	B	603	4LU	N3-C2-N1	-3.52	121.76	127.69
4	B	603	4LU	C4A-N5-C5A	-3.31	115.07	120.96
4	B	603	4LU	C5A-C9A-N10	-3.14	118.00	120.47
4	A	603	4LU	C13-C5-C6	-2.78	105.82	111.78
4	B	603	4LU	C8-C7-C6	-2.73	117.01	119.38
4	A	603	4LU	C4-C4A-C10	-2.69	118.22	119.94
4	B	603	4LU	C8M-C8-C7	-2.52	116.89	121.13
4	A	603	4LU	C4A-C4-N3	-2.26	120.56	123.52
4	A	603	4LU	O3P-P-O2P	2.11	117.50	110.63

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	603	4LU	C1'-N10-C9A	2.14	121.31	118.83
4	B	603	4LU	O2'-C2'-C3'	2.32	114.94	108.96
4	B	603	4LU	C13-C5-C12	2.63	115.09	108.56
4	A	603	4LU	C12-C5-C3	2.97	114.19	108.93
4	B	603	4LU	C4-N3-C2	4.30	118.75	115.16
4	A	603	4LU	C4-N3-C2	7.64	121.53	115.16

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 18 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	603	4LU	10	0
4	B	603	4LU	8	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	511/513 (99%)	-0.61	0 100 100	16, 30, 43, 52	0
1	B	511/513 (99%)	-0.51	0 100 100	16, 30, 48, 58	0
All	All	1022/1026 (99%)	-0.56	0 100 100	16, 30, 46, 58	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	4LU	B	603	36/36	0.96	0.13	0.51	22,29,39,43	0
4	4LU	A	603	36/36	0.97	0.11	-0.42	13,25,34,35	0
3	K	A	602	1/1	0.99	0.07	-1.80	21,21,21,21	0
2	MN	A	601	1/1	0.98	0.08	-2.75	32,32,32,32	0
3	K	B	602	1/1	0.98	0.05	-3.33	32,32,32,32	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	MN	B	601	1/1	1.00	0.06	-3.80	37,37,37,37	0

6.5 Other polymers [i](#)

There are no such residues in this entry.