



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:32 PM GMT

PDB ID : 3ZSN
Title : Structure of the mixed-function P450 MycG F286A mutant in complex with mycinamicin IV
Authors : Li, S.; Kells, P.M.; Rutaganira, F.U.; Anzai, Y.; Kato, F.; Sherman, D.H.; Podust, L.M.
Deposited on : 2011-06-29
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION




The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	4755 (1.90-1.90)
Clashscore	102246	5398 (1.90-1.90)
Ramachandran outliers	100387	5338 (1.90-1.90)
Sidechain outliers	100360	5339 (1.90-1.90)
RSRZ outliers	91569	4766 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	417	 84% 10% • 6%
1	B	417	 83% 10% • 6%
1	C	417	 82% 12% 6%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	MIV	A	460	-	-	-	X
3	MIV	C	460	-	-	-	X
4	BEN	B	1399	-	-	-	X
5	GOL	A	1399	-	-	-	X
5	GOL	B	1400	-	-	-	X
5	GOL	C	1399	-	-	-	X
5	GOL	C	1400	-	-	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 10761 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called P-450-LIKE PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	393	Total	C	N	O	S	0	5	0
			3113	1949	570	582	12			
1	B	393	Total	C	N	O	S	0	7	0
			3141	1966	579	585	11			
1	C	393	Total	C	N	O	S	0	6	0
			3132	1962	579	580	11			

There are 63 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	EXPRESSION TAG	UNP Q59523
A	-18	GLY	-	EXPRESSION TAG	UNP Q59523
A	-17	SER	-	EXPRESSION TAG	UNP Q59523
A	-16	SER	-	EXPRESSION TAG	UNP Q59523
A	-15	HIS	-	EXPRESSION TAG	UNP Q59523
A	-14	HIS	-	EXPRESSION TAG	UNP Q59523
A	-13	HIS	-	EXPRESSION TAG	UNP Q59523
A	-12	HIS	-	EXPRESSION TAG	UNP Q59523
A	-11	HIS	-	EXPRESSION TAG	UNP Q59523
A	-10	HIS	-	EXPRESSION TAG	UNP Q59523
A	-9	SER	-	EXPRESSION TAG	UNP Q59523
A	-8	SER	-	EXPRESSION TAG	UNP Q59523
A	-7	GLY	-	EXPRESSION TAG	UNP Q59523
A	-6	LEU	-	EXPRESSION TAG	UNP Q59523
A	-5	VAL	-	EXPRESSION TAG	UNP Q59523
A	-4	PRO	-	EXPRESSION TAG	UNP Q59523
A	-3	ARG	-	EXPRESSION TAG	UNP Q59523
A	-2	GLY	-	EXPRESSION TAG	UNP Q59523
A	-1	SER	-	EXPRESSION TAG	UNP Q59523
A	0	HIS	-	EXPRESSION TAG	UNP Q59523
A	286	ALA	PHE	ENGINEERED MUTATION	UNP Q59523
B	-19	MET	-	EXPRESSION TAG	UNP Q59523
B	-18	GLY	-	EXPRESSION TAG	UNP Q59523

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-17	SER	-	EXPRESSION TAG	UNP Q59523
B	-16	SER	-	EXPRESSION TAG	UNP Q59523
B	-15	HIS	-	EXPRESSION TAG	UNP Q59523
B	-14	HIS	-	EXPRESSION TAG	UNP Q59523
B	-13	HIS	-	EXPRESSION TAG	UNP Q59523
B	-12	HIS	-	EXPRESSION TAG	UNP Q59523
B	-11	HIS	-	EXPRESSION TAG	UNP Q59523
B	-10	HIS	-	EXPRESSION TAG	UNP Q59523
B	-9	SER	-	EXPRESSION TAG	UNP Q59523
B	-8	SER	-	EXPRESSION TAG	UNP Q59523
B	-7	GLY	-	EXPRESSION TAG	UNP Q59523
B	-6	LEU	-	EXPRESSION TAG	UNP Q59523
B	-5	VAL	-	EXPRESSION TAG	UNP Q59523
B	-4	PRO	-	EXPRESSION TAG	UNP Q59523
B	-3	ARG	-	EXPRESSION TAG	UNP Q59523
B	-2	GLY	-	EXPRESSION TAG	UNP Q59523
B	-1	SER	-	EXPRESSION TAG	UNP Q59523
B	0	HIS	-	EXPRESSION TAG	UNP Q59523
B	286	ALA	PHE	ENGINEERED MUTATION	UNP Q59523
C	-19	MET	-	EXPRESSION TAG	UNP Q59523
C	-18	GLY	-	EXPRESSION TAG	UNP Q59523
C	-17	SER	-	EXPRESSION TAG	UNP Q59523
C	-16	SER	-	EXPRESSION TAG	UNP Q59523
C	-15	HIS	-	EXPRESSION TAG	UNP Q59523
C	-14	HIS	-	EXPRESSION TAG	UNP Q59523
C	-13	HIS	-	EXPRESSION TAG	UNP Q59523
C	-12	HIS	-	EXPRESSION TAG	UNP Q59523
C	-11	HIS	-	EXPRESSION TAG	UNP Q59523
C	-10	HIS	-	EXPRESSION TAG	UNP Q59523
C	-9	SER	-	EXPRESSION TAG	UNP Q59523
C	-8	SER	-	EXPRESSION TAG	UNP Q59523
C	-7	GLY	-	EXPRESSION TAG	UNP Q59523
C	-6	LEU	-	EXPRESSION TAG	UNP Q59523
C	-5	VAL	-	EXPRESSION TAG	UNP Q59523
C	-4	PRO	-	EXPRESSION TAG	UNP Q59523
C	-3	ARG	-	EXPRESSION TAG	UNP Q59523
C	-2	GLY	-	EXPRESSION TAG	UNP Q59523
C	-1	SER	-	EXPRESSION TAG	UNP Q59523
C	0	HIS	-	EXPRESSION TAG	UNP Q59523
C	286	ALA	PHE	ENGINEERED MUTATION	UNP Q59523

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 3 is MYCINAMICIN IV (three-letter code: MIV) (formula: $\text{C}_{37}\text{H}_{61}\text{NO}_{11}$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			49	37	1	11		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	B	1	Total	C	N	O	0	0
			49	37	1	11		
3	C	1	Total	C	N	O	0	0
			49	37	1	11		

- Molecule 4 is BENZAMIDINE (three-letter code: BEN) (formula: C₇H₈N₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	N	0	0
			9	7	2		
4	B	1	Total	C	N	0	0
			9	7	2		
4	B	1	Total	C	N	0	0
			9	7	2		
4	C	1	Total	C	N	0	0
			9	7	2		

- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O		
			6	3	3	0	0
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O		
			6	3	3	0	0
5	B	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O		
			6	3	3	0	0
5	C	1	Total	C	O	0	0
			6	3	3		
5	C	1	Total	C	O		
			6	3	3	0	0


- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	338	Total	O	0	0
			338	338		
6	B	340	Total	O	0	0
			340	340		
6	C	343	Total	O	0	0
			343	343		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: P-450-LIKE PROTEIN

Chain A: 





• Molecule 1: P-450-LIKE PROTEIN

Chain B: 



• Molecule 1: P-450-LIKE PROTEIN

Chain C: 



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	58.21Å 100.94Å 440.84Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	220.42 – 1.90 55.11 – 1.90	Depositor EDS
% Data completeness (in resolution range)	88.6 (220.42-1.90) 88.4 (55.11-1.90)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.63 (at 1.90Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.185 , 0.245 0.183 , 0.243	Depositor DCC
R_{free} test set	4576 reflections (5.28%)	DCC
Wilson B-factor (Å ²)	24.1	Xtriage
Anisotropy	0.075	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
Estimated twinning fraction	0.478 for 1/2*h-1/2*k,-3/2*h-1/2*k,-l 0.478 for 1/2*h+1/2*k,3/2*h-1/2*k,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	1 of 91242 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10761	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.35% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, BEN, HEM, MIV

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.03	0/3177	0.94	9/4322 (0.2%)
1	B	1.04	1/3205 (0.0%)	0.95	3/4358 (0.1%)
1	C	1.02	1/3196 (0.0%)	0.93	6/4347 (0.1%)
All	All	1.03	2/9578 (0.0%)	0.94	18/13027 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	9	TYR	CD2-CE2	5.32	1.47	1.39
1	C	41	GLU	CB-CG	-5.28	1.42	1.52

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	7	ARG	NE-CZ-NH2	-8.07	116.27	120.30
1	C	111	ARG	NE-CZ-NH2	-7.63	116.48	120.30
1	B	250	LEU	CA-CB-CG	7.36	132.23	115.30
1	A	250	LEU	CA-CB-CG	6.27	129.72	115.30
1	A	250	LEU	CB-CG-CD1	-6.15	100.55	111.00
1	A	347	LEU	CB-CG-CD2	-6.07	100.69	111.00
1	B	316	ARG	NE-CZ-NH2	-5.88	117.36	120.30
1	A	95	ARG	NE-CZ-NH2	-5.81	117.40	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	111	ARG	NE-CZ-NH1	5.80	123.20	120.30
1	B	95	ARG	NE-CZ-NH2	-5.72	117.44	120.30
1	A	331	ARG	NE-CZ-NH2	5.64	123.12	120.30
1	A	7	ARG	NE-CZ-NH2	-5.61	117.50	120.30
1	A	96	ARG	NE-CZ-NH1	5.61	123.10	120.30
1	A	7	ARG	NE-CZ-NH1	5.40	123.00	120.30
1	C	160	ARG	NE-CZ-NH1	5.35	122.98	120.30
1	C	140	ARG	NE-CZ-NH1	-5.27	117.67	120.30
1	A	100	LYS	CD-CE-NZ	-5.26	99.59	111.70
1	C	95	ARG	NE-CZ-NH2	-5.24	117.68	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	214	ASP	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3113	0	3086	47	0
1	B	3141	0	3125	34	0
1	C	3132	0	3124	49	0
2	A	43	0	30	2	0
2	B	43	0	30	3	0
2	C	43	0	30	4	0
3	A	49	0	61	5	0
3	B	49	0	61	3	0
3	C	49	0	61	7	0
4	A	9	0	7	0	0
4	B	18	0	14	0	0
4	C	9	0	7	0	0
5	A	18	0	23	1	0
5	B	12	0	16	1	0
5	C	12	0	16	0	0
6	A	338	0	0	8	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	340	0	0	6	0
6	C	343	0	0	7	0
All	All	10761	0	9691	136	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (136) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:78:MET:HE2	1:C:80:LYS:NZ	1.33	1.42
1:A:78:MET:HE2	1:A:80:LYS:CE	1.65	1.26
1:A:78:MET:HE2	1:A:80:LYS:NZ	1.52	1.23
1:C:233[B]:VAL:HG11	3:C:460:MIV:C2	1.88	1.03
1:C:78:MET:HE2	1:C:80:LYS:CE	1.93	0.99
1:C:78:MET:CE	1:C:80:LYS:NZ	2.28	0.97
1:A:78:MET:HE2	1:A:80:LYS:HE3	1.43	0.97
1:C:78:MET:CE	1:C:80:LYS:HZ2	1.77	0.96
1:C:192:ASP:HB2	6:C:2216:HOH:O	1.69	0.93
1:A:78:MET:CE	1:A:80:LYS:HE3	2.05	0.87
1:C:347[A]:LEU:C	1:C:347[A]:LEU:HD23	1.95	0.87
1:C:233[B]:VAL:CG1	3:C:460:MIV:C2	2.53	0.86
1:A:78:MET:CE	1:A:80:LYS:CE	2.54	0.86
1:C:78:MET:HE2	1:C:80:LYS:HZ2	1.04	0.83
1:B:347[A]:LEU:C	1:B:347[A]:LEU:HD23	2.00	0.82
1:C:78:MET:HE2	1:C:80:LYS:HZ1	1.41	0.81
1:A:78:MET:HE2	1:A:80:LYS:HZ2	1.45	0.81
1:A:174:VAL:CG2	1:A:179[B]:MET:HG3	2.14	0.78
1:A:78:MET:CE	1:A:80:LYS:NZ	2.43	0.78
1:A:53:ARG:HD3	6:A:2080:HOH:O	1.90	0.71
1:A:394:PRO:HB3	6:A:2162:HOH:O	1.92	0.70
1:B:179:MET:HE1	3:B:460:MIV:H13	1.73	0.69
1:B:15:HIS:HE1	1:B:383:GLU:OE2	1.76	0.68
1:B:215:GLN:HB2	6:B:2224:HOH:O	1.93	0.67
1:A:174:VAL:HG21	1:A:179[B]:MET:HG3	1.77	0.66
1:A:15:HIS:HE1	1:A:383:GLU:OE2	1.78	0.66
1:A:196:ARG:HA	1:A:199:LYS:HE2	1.78	0.66
1:C:25:GLU:OE1	6:C:2044:HOH:O	2.13	0.66
1:B:179:MET:SD	3:B:460:MIV:H82C	2.37	0.65
1:C:71:GLU:HG3	1:C:78:MET:HE1	1.79	0.64
1:C:215:GLN:HA	1:C:215:GLN:HE21	1.63	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:233[B]:VAL:CG1	3:C:460:MIV:H2	2.26	0.64
1:A:78:MET:HE2	1:A:80:LYS:HZ1	1.57	0.64
1:C:196:ARG:HA	1:C:199:LYS:HE2	1.78	0.63
1:C:15:HIS:HE1	1:C:383:GLU:OE2	1.82	0.63
1:A:170:SER:HA	3:A:460:MIV:H212	1.79	0.63
1:A:71:GLU:HG3	1:A:78:MET:HE1	1.81	0.63
1:A:174:VAL:HG23	1:A:179[B]:MET:HG3	1.80	0.62
1:A:53:ARG:CD	6:A:2080:HOH:O	2.46	0.61
2:A:450:HEM:HBC2	2:A:450:HEM:HMC2	1.83	0.60
1:B:215:GLN:CB	6:B:2224:HOH:O	2.49	0.60
1:A:192:ASP:O	1:A:196:ARG:HG2	2.02	0.60
1:C:9:TYR:CG	1:C:10:PRO:HA	2.39	0.58
1:B:9:TYR:CG	1:B:10:PRO:HA	2.39	0.58
1:B:345[A]:HIS:HE1	6:B:2316:HOH:O	1.87	0.57
1:C:36:ARG:HD3	6:C:2080:HOH:O	2.03	0.57
1:B:98:VAL:HG11	1:B:347[A]:LEU:HD11	1.85	0.57
1:C:345[A]:HIS:HE1	6:C:2321:HOH:O	1.87	0.57
1:B:38:PRO:HD2	1:B:73:ARG:O	2.05	0.56
1:A:255:GLU:OE1	1:C:292:GLU:HB2	2.05	0.56
1:A:353:ARG:HD2	6:A:2315:HOH:O	2.04	0.56
1:C:347[A]:LEU:C	1:C:347[A]:LEU:CD2	2.71	0.56
2:B:450:HEM:HBC2	2:B:450:HEM:HMC2	1.88	0.56
1:A:318:GLN:NE2	1:A:324:ALA:H	2.03	0.55
5:B:1400:GOL:H31	6:B:2208:HOH:O	2.06	0.55
1:C:179:MET:CE	6:C:2209:HOH:O	2.55	0.54
1:C:179:MET:HE2	6:C:2209:HOH:O	2.08	0.54
1:B:394:PRO:HB3	6:B:2183:HOH:O	2.07	0.54
1:B:180:GLN:O	1:B:184:GLU:HG3	2.08	0.54
1:A:22:ARG:HH22	1:C:335:GLN:NE2	2.06	0.53
1:A:113:ARG:NH2	6:A:2148:HOH:O	2.38	0.53
1:C:78:MET:CE	1:C:80:LYS:CE	2.77	0.53
1:A:347:LEU:HD23	1:A:347:LEU:C	2.28	0.53
1:A:113:ARG:HD2	1:A:116:GLU:OE1	2.09	0.53
1:C:318:GLN:NE2	1:C:324:ALA:H	2.06	0.53
1:A:179[A]:MET:SD	3:A:460:MIV:H82C	2.50	0.52
1:C:99:VAL:HG12	1:C:347[B]:LEU:HD11	1.91	0.52
1:B:78:MET:HB3	1:B:80:LYS:HE3	1.92	0.52
1:C:78:MET:HE2	1:C:80:LYS:HE3	1.87	0.51
1:A:318:GLN:HE22	1:A:324:ALA:H	1.57	0.51
5:A:1399:GOL:H31	6:A:2191:HOH:O	2.11	0.50
1:C:347[A]:LEU:O	1:C:347[A]:LEU:HD23	2.11	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:450:HEM:HMC2	2:C:450:HEM:HBC2	1.93	0.50
1:B:99:VAL:HG12	1:B:347[B]:LEU:HD11	1.94	0.50
1:B:373:GLY:O	1:B:374:ILE:HG23	2.11	0.50
1:A:167:ALA:O	1:A:179[B]:MET:HG2	2.12	0.50
1:C:142:LEU:HB3	1:C:143:PRO:HD3	1.93	0.50
1:C:170:SER:HA	3:C:460:MIV:H212	1.93	0.49
1:C:318:GLN:HE22	1:C:324:ALA:H	1.59	0.49
1:A:9:TYR:CG	1:A:10:PRO:HA	2.48	0.49
1:C:233[B]:VAL:HG11	3:C:460:MIV:C3	2.40	0.49
1:A:347:LEU:HD23	1:A:347:LEU:O	2.14	0.48
1:C:179:MET:SD	3:C:460:MIV:H82C	2.54	0.47
6:A:2033:HOH:O	1:C:53[B]:ARG:NH2	2.47	0.47
1:A:78:MET:CE	1:A:80:LYS:HZ2	2.17	0.47
1:B:9:TYR:CD1	1:B:10:PRO:HA	2.49	0.47
1:A:163:ARG:CZ	1:B:178:GLU:HG2	2.45	0.47
1:C:78:MET:CE	1:C:80:LYS:HE3	2.44	0.46
1:C:9:TYR:CD1	1:C:10:PRO:HA	2.50	0.46
1:B:111:ARG:HB3	1:B:112:PRO:HD3	1.97	0.46
1:B:257:ARG:NH2	1:B:370:ILE:O	2.45	0.46
1:B:5:GLU:HG2	1:B:5:GLU:O	2.14	0.46
1:C:348:GLY:HA3	2:C:450:HEM:C3C	2.50	0.46
1:A:15:HIS:CE1	1:A:383:GLU:OE2	2.65	0.45
1:A:196:ARG:O	1:A:199:LYS:HG2	2.16	0.45
1:B:347[A]:LEU:HD23	1:B:347[A]:LEU:O	2.15	0.45
1:A:211:GLN:HB3	1:A:211:GLN:HE21	1.56	0.45
1:A:323:ASP:HA	1:C:88:PRO:HB2	1.99	0.45
1:C:215:GLN:O	1:C:215:GLN:HG3	2.17	0.45
1:B:113:ARG:HD2	1:B:116:GLU:OE1	2.16	0.44
1:C:174:VAL:O	3:C:460:MIV:H161	2.18	0.44
1:B:113:ARG:HA	1:B:113:ARG:HD2	1.77	0.44
1:B:353:ARG:HD2	6:B:2319:HOH:O	2.16	0.44
1:C:216:GLN:O	6:C:2225:HOH:O	2.21	0.43
1:A:187:TYR:OH	6:A:2200:HOH:O	2.19	0.43
1:A:71:GLU:OE1	1:A:78:MET:HE3	2.18	0.43
1:B:179:MET:HB2	1:B:179:MET:HE2	1.73	0.43
2:C:450:HEM:CMC	2:C:450:HEM:HBC2	2.49	0.43
1:B:5:GLU:N	1:B:6:PRO:HD2	2.34	0.43
3:A:460:MIV:O10	3:A:460:MIV:H342	2.18	0.43
1:C:373:GLY:O	1:C:374:ILE:HG23	2.19	0.42
1:C:393:LEU:O	1:C:395:VAL:HG13	2.19	0.42
1:B:15:HIS:CE1	1:B:383:GLU:OE2	2.65	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:179[B]:MET:HE1	3:A:460:MIV:H13	2.00	0.42
1:A:75:ARG:HD2	1:A:384:GLY:O	2.20	0.42
1:B:144:VAL:HG11	1:B:162:THR:HG23	2.02	0.42
2:B:450:HEM:CMC	2:B:450:HEM:HBC2	2.48	0.42
1:A:297:ARG:HD3	1:A:297:ARG:HA	1.87	0.42
1:B:348:GLY:HA3	2:B:450:HEM:C3C	2.55	0.42
2:A:450:HEM:HBC2	2:A:450:HEM:CMC	2.49	0.41
1:C:61:PHE:HB3	1:C:288:ARG:HB3	2.02	0.41
1:A:330[B]:ASP:OD1	1:A:330[B]:ASP:O	2.37	0.41
1:C:297:ARG:HD3	1:C:297:ARG:HA	1.92	0.41
1:A:179[B]:MET:HE1	3:A:460:MIV:O2	2.20	0.41
1:B:79:VAL:HG11	3:B:460:MIV:H22	2.02	0.41
1:A:38:PRO:HD2	1:A:73:ARG:O	2.20	0.41
1:C:229:ILE:O	1:C:233[B]:VAL:HG23	2.21	0.41
1:A:168:PHE:N	1:A:168:PHE:CD1	2.88	0.41
1:B:284:THR:OG1	1:B:308:LEU:HB3	2.20	0.41
1:C:38:PRO:HD2	1:C:73:ARG:O	2.21	0.41
1:B:258:ARG:NH1	1:B:262:ASP:OD2	2.53	0.41
1:A:292:GLU:HA	1:A:303:ALA:HB2	2.02	0.41
2:C:450:HEM:HBB2	2:C:450:HEM:HMB2	2.04	0.40
1:B:54:ALA:O	1:B:58:ASP:HB2	2.21	0.40
1:B:168:PHE:N	1:B:168:PHE:CD1	2.89	0.40
1:C:246:PHE:CE1	1:C:274:LEU:HB3	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	396/417 (95%)	381 (96%)	15 (4%)	0	100	100
1	B	398/417 (95%)	390 (98%)	8 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	397/417 (95%)	389 (98%)	8 (2%)	0	100	100
All	All	1191/1251 (95%)	1160 (97%)	31 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	326/345 (94%)	321 (98%)	5 (2%)	72	69
1	B	330/345 (96%)	323 (98%)	7 (2%)	61	55
1	C	329/345 (95%)	321 (98%)	8 (2%)	57	49
All	All	985/1035 (95%)	965 (98%)	20 (2%)	66	57

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	78	MET
1	A	173	GLU
1	A	250	LEU
1	A	330[A]	ASP
1	A	330[B]	ASP
1	B	36	ARG
1	B	53	ARG
1	B	80	LYS
1	B	180	GLN
1	B	184	GLU
1	B	347[A]	LEU
1	B	347[B]	LEU
1	C	173	GLU
1	C	180	GLN
1	C	215	GLN
1	C	217	ASP
1	C	250	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	347[A]	LEU
1	C	347[B]	LEU
1	C	376	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	15	HIS
1	A	130	GLN
1	A	185	GLN
1	A	211	GLN
1	A	318	GLN
1	A	320	GLN
1	B	15	HIS
1	B	318	GLN
1	C	15	HIS
1	C	215	GLN
1	C	259	GLN
1	C	318	GLN
1	C	320	GLN
1	C	335	GLN
1	C	365	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

17 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	BEN	A	1398	-	9,9,9	0.59	0	9,11,11	0.84	0
5	GOL	A	1399	-	5,5,5	0.61	0	5,5,5	2.89	1 (20%)
5	GOL	A	1400	-	5,5,5	0.95	0	5,5,5	1.59	1 (20%)
5	GOL	A	1401	-	5,5,5	0.69	0	5,5,5	1.09	1 (20%)
2	HEM	A	450	1,6	30,50,50	2.40	7 (23%)	24,82,82	2.50	9 (37%)
3	MIV	A	460	-	50,51,51	1.12	2 (4%)	58,71,71	1.54	10 (17%)
4	BEN	B	1398	-	9,9,9	0.60	0	9,11,11	0.86	0
4	BEN	B	1399	-	9,9,9	1.47	1 (11%)	9,11,11	0.71	0
5	GOL	B	1400	-	5,5,5	0.66	0	5,5,5	2.72	1 (20%)
5	GOL	B	1401	-	5,5,5	0.59	0	5,5,5	1.24	0
2	HEM	B	450	1,6	30,50,50	2.50	6 (20%)	24,82,82	2.38	9 (37%)
3	MIV	B	460	-	50,51,51	1.14	1 (2%)	58,71,71	1.36	10 (17%)
4	BEN	C	1398	-	9,9,9	0.98	0	9,11,11	3.03	6 (66%)
5	GOL	C	1399	-	5,5,5	0.75	0	5,5,5	1.61	1 (20%)
5	GOL	C	1400	-	5,5,5	0.44	0	5,5,5	1.03	0
2	HEM	C	450	1,6	30,50,50	2.55	8 (26%)	24,82,82	2.60	10 (41%)
3	MIV	C	460	-	50,51,51	1.17	4 (8%)	58,71,71	1.63	12 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	BEN	A	1398	-	-	0/4/4/4	0/1/1/1
5	GOL	A	1399	-	-	0/4/4/4	0/0/0/0
5	GOL	A	1400	-	-	0/4/4/4	0/0/0/0
5	GOL	A	1401	-	-	0/4/4/4	0/0/0/0
2	HEM	A	450	1,6	-	0/10/54/54	0/0/8/8
3	MIV	A	460	-	-	0/55/91/91	0/2/3/3
4	BEN	B	1398	-	-	0/4/4/4	0/1/1/1
4	BEN	B	1399	-	-	0/4/4/4	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	B	1400	-	-	0/4/4/4	0/0/0/0
5	GOL	B	1401	-	-	0/4/4/4	0/0/0/0
2	HEM	B	450	1,6	-	0/10/54/54	0/0/8/8
3	MIV	B	460	-	-	0/55/91/91	0/2/3/3
4	BEN	C	1398	-	-	0/4/4/4	0/1/1/1
5	GOL	C	1399	-	-	0/4/4/4	0/0/0/0
5	GOL	C	1400	-	-	0/4/4/4	0/0/0/0
2	HEM	C	450	1,6	-	0/10/54/54	0/0/8/8
3	MIV	C	460	-	-	0/55/91/91	0/2/3/3

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	450	HEM	C3B-C4B	-10.33	1.42	1.51
2	C	450	HEM	C3B-C4B	-9.89	1.43	1.51
2	A	450	HEM	C3B-C4B	-8.71	1.44	1.51
2	C	450	HEM	C3D-C4D	-5.05	1.45	1.51
2	A	450	HEM	C3D-C4D	-4.56	1.45	1.51
2	B	450	HEM	C3D-C4D	-4.30	1.46	1.51
2	B	450	HEM	C2C-C1C	-4.24	1.44	1.52
2	A	450	HEM	C2C-C1C	-3.65	1.45	1.52
2	C	450	HEM	C2C-C1C	-2.69	1.47	1.52
2	C	450	HEM	C2D-C1D	-2.63	1.43	1.51
2	B	450	HEM	C2D-C1D	-2.09	1.45	1.51
3	C	460	MIV	O7-C30	2.00	1.43	1.40
2	A	450	HEM	C3C-CAC	2.08	1.55	1.51
2	B	450	HEM	C3C-CAC	2.21	1.55	1.51
3	C	460	MIV	O9-C33	2.21	1.48	1.42
3	C	460	MIV	C31-C33	2.22	1.57	1.52
2	C	450	HEM	FE-ND	2.24	2.09	1.97
3	A	460	MIV	O7-C30	2.34	1.44	1.40
2	B	450	HEM	CMA-C3A	2.48	1.56	1.51
2	A	450	HEM	C4C-NC	2.68	1.39	1.36
2	C	450	HEM	C3C-CAC	2.69	1.56	1.51
4	B	1399	BEN	C1-C	2.89	1.52	1.47
2	C	450	HEM	C1C-NC	3.01	1.39	1.36
2	A	450	HEM	CMA-C3A	3.05	1.57	1.51
2	A	450	HEM	FE-ND	3.31	2.15	1.97
2	C	450	HEM	CMA-C3A	3.61	1.59	1.51
3	C	460	MIV	O6-C24	5.09	1.45	1.34
3	A	460	MIV	O6-C24	5.17	1.45	1.34
3	B	460	MIV	O6-C24	5.38	1.46	1.34

All (71) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1399	GOL	C3-C2-C1	-5.98	87.67	111.12
5	B	1400	GOL	C3-C2-C1	-5.96	87.76	111.12
4	C	1398	BEN	C6-C1-C	-5.13	114.17	120.67
2	C	450	HEM	C3C-CAC-CBC	-4.67	117.29	124.46
2	B	450	HEM	C3C-CAC-CBC	-3.43	119.19	124.46
3	A	460	MIV	O6-C24-O5	-3.40	118.00	123.30
2	C	450	HEM	CMA-C3A-C4A	-3.09	123.25	128.36
3	B	460	MIV	C21-C20-C22	-3.08	102.52	110.07
2	A	450	HEM	CBD-CAD-C3D	-2.99	104.86	113.55
4	C	1398	BEN	C3-C2-C1	-2.98	116.58	120.33
3	A	460	MIV	C2-C3-C4	-2.96	118.08	124.66
3	C	460	MIV	O6-C24-O5	-2.82	118.90	123.30
3	B	460	MIV	C35-C33-C31	-2.65	105.60	111.44
3	C	460	MIV	C2-C3-C4	-2.64	118.79	124.66
3	C	460	MIV	C18-C17-C14	-2.56	105.68	110.42
3	A	460	MIV	C21-C20-C22	-2.52	103.89	110.07
2	C	450	HEM	CBA-CAA-C2A	-2.50	108.05	112.53
3	C	460	MIV	C21-C20-C22	-2.48	104.01	110.07
2	A	450	HEM	C3C-CAC-CBC	-2.42	120.74	124.46
3	A	460	MIV	C28-C1-C2	-2.40	119.91	125.35
2	B	450	HEM	CBD-CAD-C3D	-2.37	106.64	113.55
5	A	1401	GOL	C3-C2-C1	-2.31	102.07	111.12
4	C	1398	BEN	C4-C5-C6	-2.28	116.84	120.19
3	C	460	MIV	C28-C1-C2	-2.28	120.18	125.35
3	B	460	MIV	O6-C24-O5	-2.28	119.75	123.30
3	A	460	MIV	C30-C31-C33	-2.26	106.00	110.75
3	B	460	MIV	C2-C3-C4	-2.18	119.81	124.66
2	C	450	HEM	CBD-CAD-C3D	-2.03	107.64	113.55
3	B	460	MIV	C29-O7-C30	-2.03	109.56	113.82
4	C	1398	BEN	C4-C3-C2	2.04	123.17	120.19
3	B	460	MIV	C12-C13-C14	2.09	112.92	109.25
2	A	450	HEM	C2C-C1C-CHC	2.10	126.88	123.68
3	B	460	MIV	C10-C9-C8	2.21	114.20	110.76
3	C	460	MIV	O3-C13-C14	2.27	113.89	109.82
3	A	460	MIV	O3-C13-C14	2.29	113.93	109.82
3	B	460	MIV	O6-C24-C23	2.39	117.34	111.42
2	B	450	HEM	C2C-C1C-CHC	2.41	127.35	123.68
3	C	460	MIV	O6-C24-C23	2.58	117.82	111.42
3	A	460	MIV	O6-C25-C26	2.60	111.02	106.59
2	B	450	HEM	C2D-C3D-C4D	2.68	106.04	101.50
3	B	460	MIV	O8-C31-C33	2.74	115.81	108.94
2	A	450	HEM	CAD-C3D-C4D	2.91	122.73	112.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	460	MIV	C30-O11-C36	2.93	118.64	113.64
5	A	1400	GOL	O2-C2-C3	2.95	122.19	108.65
2	A	450	HEM	C2D-C3D-C4D	3.01	106.60	101.50
2	C	450	HEM	C2D-C3D-C4D	3.11	106.78	101.50
2	B	450	HEM	CMD-C2D-C3D	3.17	128.39	114.35
2	C	450	HEM	CMD-C2D-C3D	3.26	128.78	114.35
3	C	460	MIV	O6-C25-C26	3.33	112.24	106.59
3	C	460	MIV	C30-O11-C36	3.34	119.33	113.64
3	A	460	MIV	O7-C30-C31	3.44	115.05	108.14
3	C	460	MIV	C34-O9-C33	3.45	124.34	114.59
5	C	1399	GOL	O2-C2-C3	3.45	124.48	108.65
4	C	1398	BEN	C5-C6-C1	3.67	124.95	120.33
3	A	460	MIV	C30-O11-C36	3.73	120.01	113.64
2	A	450	HEM	CMD-C2D-C3D	3.76	130.97	114.35
2	C	450	HEM	CAD-C3D-C2D	3.89	124.39	113.22
3	C	460	MIV	O8-C31-C33	3.92	118.74	108.94
3	A	460	MIV	O8-C31-C33	3.93	118.77	108.94
2	B	450	HEM	CAD-C3D-C4D	4.01	126.60	112.47
3	C	460	MIV	O9-C33-C31	4.41	119.96	108.94
2	A	450	HEM	CMB-C2B-C3B	4.45	127.63	116.53
2	B	450	HEM	CMB-C2B-C3B	4.54	127.88	116.53
2	C	450	HEM	CAD-C3D-C4D	4.63	128.79	112.47
4	C	1398	BEN	C2-C1-C	4.68	126.60	120.67
2	B	450	HEM	CMC-C2C-C3C	4.69	128.23	116.53
2	C	450	HEM	CMB-C2B-C3B	4.80	128.50	116.53
2	A	450	HEM	CMC-C2C-C3C	4.82	128.56	116.53
2	B	450	HEM	CAD-C3D-C2D	4.91	127.32	113.22
2	C	450	HEM	CMC-C2C-C3C	5.11	129.28	116.53
2	A	450	HEM	CAD-C3D-C2D	6.05	130.62	113.22

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

8 monomers are involved in 26 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	1399	GOL	1	0
2	A	450	HEM	2	0
3	A	460	MIV	5	0
5	B	1400	GOL	1	0
2	B	450	HEM	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	460	MIV	3	0
2	C	450	HEM	4	0
3	C	460	MIV	7	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	393/417 (94%)	-0.40	2 (0%) 91 92	8, 21, 40, 48	0
1	B	393/417 (94%)	-0.39	2 (0%) 91 92	10, 22, 40, 51	0
1	C	393/417 (94%)	-0.34	2 (0%) 91 92	8, 21, 40, 52	0
All	All	1179/1251 (94%)	-0.38	6 (0%) 91 92	8, 22, 40, 52	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	78	MET	3.0
1	A	78	MET	2.6
1	B	78	MET	2.6
1	C	298	GLY	2.2
1	A	187	TYR	2.1
1	B	258	ARG	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
5	GOL	B	1400	6/6	0.94	0.10	3.04	18,23,26,26	0
3	MIV	C	460	49/49	0.87	0.16	2.75	33,41,51,51	0
5	GOL	A	1399	6/6	0.95	0.10	2.71	20,23,23,27	0
5	GOL	C	1399	6/6	0.93	0.11	2.68	15,20,21,21	0
4	BEN	B	1399	9/9	0.82	0.19	2.40	42,43,44,46	0
3	MIV	A	460	49/49	0.87	0.17	2.24	34,41,54,55	0
5	GOL	C	1400	6/6	0.94	0.11	2.13	19,22,24,25	0
3	MIV	B	460	49/49	0.88	0.13	1.74	33,41,53,54	0
5	GOL	A	1400	6/6	0.95	0.09	1.57	11,21,22,22	0
4	BEN	A	1398	9/9	0.95	0.11	1.23	34,36,38,38	9
5	GOL	B	1401	6/6	0.94	0.12	1.01	19,32,35,38	0
5	GOL	A	1401	6/6	0.96	0.12	0.56	22,33,35,38	0
4	BEN	B	1398	9/9	0.95	0.10	0.17	34,36,37,38	9
2	HEM	B	450	43/43	0.99	0.08	0.03	9,12,16,21	0
2	HEM	A	450	43/43	0.99	0.08	-0.26	7,12,15,20	0
2	HEM	C	450	43/43	0.98	0.08	-0.50	7,12,15,22	0
4	BEN	C	1398	9/9	0.91	0.14	-	34,35,36,36	9

6.5 Other polymers [i](#)

There are no such residues in this entry.