



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 12:08 AM GMT

PDB ID : 1ZUW  
Title : Crystal structure of B.subtilis glutamate racemase (RacE) with D-Glu  
Authors : Ruzheinikov, S.N.; Taal, M.A.; Sedelnikova, S.E.; Baker, P.J.; Rice, D.W.  
Deposited on : 2005-06-01  
Resolution : 1.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1609 (1.76-1.76)
Clashscore	102246	1730 (1.76-1.76)
Ramachandran outliers	100387	1711 (1.76-1.76)
Sidechain outliers	100360	1711 (1.76-1.76)
RSRZ outliers	91569	1610 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	272	<div> <div>4%</div> <div>74%</div> <div>21%</div> <div>• •</div> </div>
1	B	272	<div> <div>13%</div> <div>70%</div> <div>23%</div> <div>• 6%</div> </div>
1	C	272	<div> <div>2%</div> <div>82%</div> <div>13%</div> <div>• •</div> </div>

## 2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 6864 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called glutamate racemase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	261	Total	C	N	O	S	0	0	0
			2021	1286	336	390	9			
1	B	256	Total	C	N	O	S	0	0	0
			1977	1260	327	382	8			
1	C	262	Total	C	N	O	S	0	0	0
			2031	1291	338	394	8			

- Molecule 2 is D-GLUTAMIC ACID (three-letter code: DGL) (formula: C<sub>5</sub>H<sub>9</sub>NO<sub>4</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			10	5	1	4		
2	B	1	Total	C	N	O	0	0
			10	5	1	4		
2	C	1	Total	C	N	O	0	0
			10	5	1	4		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	270	Total 270	O 270	0	0
3	B	148	Total 148	O 148	0	0
3	C	387	Total 387	O 387	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: glutamate racemase 1



- Molecule 1: glutamate racemase 1



- Molecule 1: glutamate racemase 1



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	134.12Å 60.27Å 125.27Å 90.00° 117.34° 90.00°	Depositor
Resolution (Å)	10.00 – 1.75 10.00 – 1.75	Depositor EDS
% Data completeness (in resolution range)	(Not available) (10.00-1.75) 92.6 (10.00-1.75)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.95 (at 1.75Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.179 , 0.237 0.178 , 0.236	Depositor DCC
$R_{free}$ test set	4205 reflections (5.09%)	DCC
Wilson B-factor (Å <sup>2</sup> )	22.2	Xtriage
Anisotropy	0.326	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.40 , 70.4	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 86504 reflections	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	6864	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.73% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: DGL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.61	1/2058 (0.0%)	0.76	1/2801 (0.0%)
1	B	0.44	0/2011	0.68	0/2736
1	C	0.77	0/2068	0.90	2/2815 (0.1%)
All	All	0.63	1/6137 (0.0%)	0.79	3/8352 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	226	LEU	CG-CD2	-7.15	1.25	1.51

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	39	ARG	NE-CZ-NH2	-11.49	114.56	120.30
1	C	39	ARG	NE-CZ-NH1	9.80	125.20	120.30
1	A	226	LEU	CB-CG-CD2	6.51	122.07	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2021	0	2040	46	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1977	0	1994	54	0
1	C	2031	0	2042	39	0
2	A	10	0	7	0	0
2	B	10	0	7	0	0
2	C	10	0	7	0	0
3	A	270	0	0	11	0
3	B	148	0	0	6	0
3	C	387	0	0	10	1
All	All	6864	0	6097	135	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (135) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:204:ASN:HB3	3:A:1406:HOH:O	1.58	1.02
1:B:30:ASN:HD22	1:B:234:ASP:H	1.17	0.89
1:B:36:ASP:HB2	1:B:57:LEU:HD21	1.55	0.89
1:B:30:ASN:ND2	1:B:234:ASP:H	1.71	0.88
1:B:46:PRO:HB2	1:B:49:GLU:HG3	1.58	0.85
1:C:36:ASP:OD1	1:C:39:ARG:HD3	1.80	0.80
1:B:47:GLU:HB2	3:B:2442:HOH:O	1.84	0.76
1:B:36:ASP:OD2	1:B:39:ARG:HD2	1.87	0.74
1:C:111:GLN:NE2	1:C:135:ASN:HD21	1.88	0.71
1:C:13:VAL:HG21	1:C:249:ILE:HG21	1.71	0.71
1:A:242:ALA:HB3	1:A:245:GLN:HG3	1.72	0.71
1:C:112:HIS:HD2	1:C:177:SER:OG	1.73	0.71
1:A:109:ASP:HB3	3:A:1492:HOH:O	1.92	0.69
1:C:84:ASP:HB2	3:C:3638:HOH:O	1.92	0.69
1:A:244:ASP:O	1:A:248:LYS:HG3	1.94	0.68
1:C:204:ASN:HB2	3:C:3441:HOH:O	1.92	0.67
1:C:112:HIS:HE1	1:C:141:GLU:OE1	1.78	0.66
1:A:229:SER:OG	1:A:231:ILE:HG12	1.97	0.65
1:C:192:LYS:HE2	3:C:3442:HOH:O	1.96	0.64
1:B:50:VAL:HG21	1:B:80:ILE:HD13	1.81	0.60
1:A:98:GLN:NE2	3:A:1355:HOH:O	2.34	0.59
1:B:34:VAL:CG2	1:B:61:LEU:HD21	2.33	0.59
1:C:36:ASP:OD1	1:C:39:ARG:CD	2.50	0.58
1:B:149:VAL:HB	1:B:150:PRO:HD3	1.85	0.58
1:B:46:PRO:HD2	1:B:49:GLU:OE1	2.04	0.58

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:266:LEU:HD22	1:A:266:LEU:N	2.19	0.57
1:C:111:GLN:HE21	1:C:135:ASN:HD21	1.51	0.57
1:A:222:TYR:OH	1:C:223:LYS:HD2	2.05	0.56
1:B:47:GLU:O	1:B:50:VAL:HG22	2.04	0.56
1:C:20:LYS:HG2	3:C:3519:HOH:O	2.04	0.56
1:A:87:ARG:HH11	1:A:87:ARG:HG2	1.70	0.56
1:C:227:ASN:HD22	1:C:227:ASN:C	2.09	0.56
1:B:83:ASP:O	1:B:87:ARG:HG2	2.06	0.55
1:B:123:LYS:HE2	3:B:2402:HOH:O	2.07	0.55
1:B:188:TYR:CD2	1:B:188:TYR:N	2.73	0.54
1:A:60:TYR:HB2	1:A:266:LEU:CD1	2.37	0.54
1:B:60:TYR:CZ	1:B:264:ILE:HD12	2.42	0.54
1:C:13:VAL:HG22	1:C:246:PHE:CD1	2.42	0.54
1:C:228:GLN:HG2	3:C:3576:HOH:O	2.07	0.54
1:C:112:HIS:CD2	1:C:177:SER:OG	2.59	0.54
1:B:58:THR:HG22	1:B:62:LEU:CD1	2.38	0.53
1:A:242:ALA:HB3	1:A:245:GLN:CG	2.38	0.53
1:C:247:ALA:O	1:C:250:ALA:HB3	2.08	0.53
3:A:1559:HOH:O	1:B:161:THR:HG21	2.10	0.52
1:A:1:MET:HG2	1:A:4:GLN:NE2	2.25	0.52
1:B:45:ARG:HB3	3:B:2398:HOH:O	2.08	0.52
1:B:98:GLN:HB2	1:B:99:PRO:HD3	1.92	0.51
1:C:164:GLU:HB3	3:C:3641:HOH:O	2.09	0.51
1:B:58:THR:HG22	1:B:62:LEU:HD12	1.91	0.51
1:B:192:LYS:HD2	3:B:2447:HOH:O	2.11	0.51
1:B:227:ASN:HD22	1:B:227:ASN:C	2.14	0.51
1:A:38:LYS:HB2	1:A:240:THR:O	2.10	0.50
1:B:4:GLN:O	1:B:68:LYS:HE2	2.11	0.50
1:B:54:THR:HG22	1:B:85:ILE:HD11	1.93	0.50
1:C:110:ASN:C	1:C:110:ASN:HD22	2.13	0.50
1:B:39:ARG:HD3	1:B:53:TYR:CD2	2.47	0.50
1:B:2:LEU:HD22	1:B:225:LEU:HA	1.93	0.50
1:A:54:THR:HG22	1:A:85:ILE:HD11	1.94	0.50
1:C:13:VAL:HG11	1:C:249:ILE:HG23	1.94	0.49
1:C:112:HIS:CE1	1:C:141:GLU:OE1	2.62	0.49
1:B:69:MET:SD	1:B:216:VAL:HG13	2.51	0.49
1:A:106:LYS:HD3	3:A:1409:HOH:O	2.12	0.49
1:A:174:LYS:HG3	1:A:198:TYR:CZ	2.47	0.49
1:B:10:ASP:CG	1:B:11:SER:H	2.16	0.49
1:B:30:ASN:HD22	1:B:234:ASP:N	1.98	0.49
1:A:28:LYS:HE3	1:C:136:PRO:HD3	1.94	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:92:PRO:HG3	1:A:223:LYS:HE2	1.95	0.48
1:A:20:LYS:HD2	3:A:1568:HOH:O	2.13	0.48
1:C:248:LYS:O	1:C:251:ASP:HB3	2.14	0.48
1:C:110:ASN:ND2	1:C:112:HIS:H	2.11	0.48
1:A:149:VAL:HB	1:A:150:PRO:HD3	1.94	0.48
1:B:33:TYR:HE2	1:B:246:PHE:HZ	1.62	0.48
1:C:5:PRO:HG2	1:C:67:ILE:HG22	1.95	0.47
1:A:109:ASP:CB	3:A:1492:HOH:O	2.59	0.47
1:B:104:ALA:HB1	1:B:113:ILE:HD13	1.96	0.47
1:A:10:ASP:OD1	1:A:74:CYS:HB2	2.15	0.46
1:A:192:LYS:HE2	3:A:1404:HOH:O	2.15	0.46
1:A:222:TYR:CZ	1:C:223:LYS:HD2	2.50	0.46
1:C:47:GLU:HG3	3:C:3645:HOH:O	2.16	0.46
1:B:39:ARG:HH12	1:B:56:GLU:CD	2.18	0.46
1:B:98:GLN:NE2	3:B:2432:HOH:O	2.50	0.45
1:A:266:LEU:CD2	1:A:266:LEU:N	2.79	0.45
1:B:34:VAL:HG21	1:B:61:LEU:HD21	1.97	0.45
1:B:106:LYS:C	1:B:106:LYS:CD	2.84	0.45
1:B:39:ARG:NH1	1:B:53:TYR:CD1	2.85	0.45
1:C:36:ASP:OD2	1:C:39:ARG:HD2	2.15	0.45
1:C:92:PRO:HG3	1:C:223:LYS:HE2	1.99	0.45
1:C:36:ASP:HB2	1:C:57:LEU:HD21	1.99	0.45
1:A:110:ASN:ND2	1:A:112:HIS:H	2.15	0.44
1:B:243:ARG:HB2	3:B:2438:HOH:O	2.17	0.44
1:B:196:GLN:NE2	1:B:200:GLY:O	2.50	0.44
1:C:111:GLN:HE21	1:C:135:ASN:ND2	2.13	0.44
1:B:45:ARG:HB2	1:B:46:PRO:HD2	2.00	0.44
1:B:89:VAL:HG12	1:B:91:ILE:H	1.83	0.44
1:A:124:SER:O	1:A:125:ASN:HB2	2.18	0.44
1:A:188:TYR:N	1:A:188:TYR:CD2	2.85	0.44
1:A:110:ASN:HD22	1:A:110:ASN:C	2.21	0.44
1:A:235:HIS:HE1	3:A:1341:HOH:O	2.02	0.43
1:A:36:ASP:HB2	1:A:57:LEU:HD21	2.00	0.43
1:B:10:ASP:CG	1:B:11:SER:N	2.71	0.43
1:B:42:TYR:HA	1:B:45:ARG:CD	2.48	0.43
1:B:13:VAL:HG22	1:B:246:PHE:CD1	2.54	0.43
1:C:248:LYS:O	1:C:251:ASP:N	2.51	0.43
1:B:116:ILE:HA	1:B:143:LEU:O	2.18	0.43
1:C:110:ASN:C	1:C:110:ASN:ND2	2.72	0.43
1:A:162:ALA:O	1:A:165:ILE:HG22	2.19	0.42
1:B:39:ARG:NH1	1:B:56:GLU:OE1	2.50	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:39:ARG:HD3	1:B:53:TYR:CG	2.55	0.42
1:A:35:GLY:O	1:A:239:THR:HA	2.20	0.42
1:A:82:LEU:O	1:A:86:GLN:HB2	2.19	0.42
1:A:227:ASN:HD22	1:A:227:ASN:C	2.23	0.42
1:B:57:LEU:HD23	1:B:266:LEU:HD11	2.00	0.42
1:A:245:GLN:C	1:A:245:GLN:HE21	2.24	0.42
1:A:28:LYS:CE	1:C:136:PRO:HD3	2.50	0.42
1:B:42:TYR:HA	1:B:45:ARG:HD3	2.02	0.41
1:B:188:TYR:HD2	1:B:188:TYR:N	2.17	0.41
1:B:106:LYS:HD2	1:B:106:LYS:C	2.40	0.41
1:C:119:GLU:HG3	3:C:3512:HOH:O	2.20	0.41
1:C:98:GLN:NE2	3:C:3461:HOH:O	2.53	0.41
1:C:260:HIS:HA	3:C:3511:HOH:O	2.20	0.41
1:A:156:LYS:NZ	1:A:252:ASP:HA	2.35	0.41
1:B:30:ASN:ND2	1:B:234:ASP:N	2.54	0.41
1:B:36:ASP:CB	1:B:57:LEU:HD21	2.39	0.41
1:A:158:LEU:HD13	3:A:1478:HOH:O	2.21	0.41
1:C:14:GLY:HA2	1:C:253:TRP:CZ3	2.56	0.41
1:A:117:GLY:O	1:A:144:ALA:HA	2.20	0.41
1:A:110:ASN:O	1:A:111:GLN:HB2	2.21	0.41
1:B:2:LEU:HD13	1:B:226:LEU:O	2.20	0.41
1:A:171:TYR:CG	1:A:172:PRO:HD3	2.55	0.41
1:A:31:ILE:H	1:A:235:HIS:HD2	1.69	0.41
1:B:188:TYR:N	1:B:189:PRO:CD	2.85	0.40
1:A:245:GLN:C	1:A:245:GLN:NE2	2.74	0.40
1:A:137:ASP:O	1:A:139:LYS:HE2	2.21	0.40
1:C:81:ALA:O	1:C:85:ILE:HG12	2.21	0.40
1:A:235:HIS:CE1	3:A:1341:HOH:O	2.73	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:3375:HOH:O	3:C:3390:HOH:O[2_555]	2.19	0.01

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	257/272 (94%)	254 (99%)	3 (1%)	0	100	100
1	B	248/272 (91%)	233 (94%)	13 (5%)	2 (1%)	24	8
1	C	258/272 (95%)	253 (98%)	5 (2%)	0	100	100
All	All	763/816 (94%)	740 (97%)	21 (3%)	2 (0%)	46	25

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	242	ALA
1	B	15	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	225/234 (96%)	217 (96%)	8 (4%)	42	16
1	B	220/234 (94%)	211 (96%)	9 (4%)	37	13
1	C	226/234 (97%)	220 (97%)	6 (3%)	52	27
All	All	671/702 (96%)	648 (97%)	23 (3%)	44	18

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	110	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	132	LEU
1	A	139	LYS
1	A	174	LYS
1	A	227	ASN
1	A	236	GLN
1	A	245	GLN
1	A	254	PHE
1	B	84	ASP
1	B	106	LYS
1	B	110	ASN
1	B	112	HIS
1	B	123	LYS
1	B	181	LEU
1	B	215	GLU
1	B	227	ASN
1	B	254	PHE
1	C	39	ARG
1	C	110	ASN
1	C	112	HIS
1	C	139	LYS
1	C	215	GLU
1	C	227	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	59	ASN
1	A	75	ASN
1	A	98	GLN
1	A	110	ASN
1	A	112	HIS
1	A	227	ASN
1	A	235	HIS
1	A	236	GLN
1	A	245	GLN
1	B	30	ASN
1	B	59	ASN
1	B	64	ASN
1	B	75	ASN
1	B	110	ASN
1	B	112	HIS
1	B	120	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	227	ASN
1	B	228	GLN
1	C	75	ASN
1	C	110	ASN
1	C	111	GLN
1	C	112	HIS
1	C	120	ASN
1	C	227	ASN
1	C	267	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	DGL	A	1301	-	3,9,9	0.10	0	2,11,11	0.51	0
2	DGL	B	2301	-	3,9,9	0.14	0	2,11,11	0.20	0
2	DGL	C	3301	-	3,9,9	0.28	0	2,11,11	0.38	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DGL	A	1301	-	-	0/3/9/9	0/0/0/0
2	DGL	B	2301	-	-	0/3/9/9	0/0/0/0
2	DGL	C	3301	-	-	0/3/9/9	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	261/272 (95%)	-0.24	12 (4%) 36 42	15, 33, 67, 87	0
1	B	256/272 (94%)	0.45	36 (14%) 4 5	23, 45, 82, 91	0
1	C	262/272 (96%)	-0.63	6 (2%) 64 70	12, 21, 49, 78	0
All	All	779/816 (95%)	-0.15	54 (6%) 20 25	12, 32, 74, 91	0

All (54) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	87	ARG	7.8
1	B	254	PHE	5.6
1	B	266	LEU	4.6
1	A	175	ASP	4.4
1	B	242	ALA	4.4
1	B	261	VAL	4.2
1	B	88	SER	4.1
1	B	158	LEU	4.1
1	B	249	ILE	4.0
1	B	90	GLY	3.9
1	B	38	LYS	3.9
1	B	243	ARG	3.9
1	A	158	LEU	3.7
1	B	66	HIS	3.7
1	B	50	VAL	3.6
1	C	249	ILE	3.6
1	B	251	ASP	3.6
1	A	244	ASP	3.3
1	C	260	HIS	3.3
1	B	59	ASN	3.2
1	C	253	TRP	2.9
1	A	260	HIS	2.8
1	A	242	ALA	2.8

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	263	CYS	2.8
1	B	64	ASN	2.7
1	B	262	GLU	2.7
1	B	53	TYR	2.7
1	A	254	PHE	2.7
1	C	250	ALA	2.6
1	B	60	TYR	2.6
1	B	56	GLU	2.5
1	A	266	LEU	2.5
1	A	251	ASP	2.5
1	B	40	CYS	2.5
1	B	52	GLN	2.5
1	B	48	GLU	2.5
1	B	63	GLU	2.5
1	B	44	PRO	2.5
1	B	89	VAL	2.5
1	B	155	GLY	2.5
1	B	175	ASP	2.4
1	B	46	PRO	2.4
1	B	240	THR	2.4
1	C	251	ASP	2.4
1	A	243	ARG	2.3
1	B	252	ASP	2.2
1	A	48	GLU	2.2
1	B	156	LYS	2.2
1	C	254	PHE	2.1
1	A	248	LYS	2.1
1	B	82	LEU	2.1
1	A	87	ARG	2.1
1	B	250	ALA	2.1
1	B	86	GLN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	DGL	A	1301	10/10	0.96	0.08	0.37	26,35,46,47	0
2	DGL	C	3301	10/10	0.98	0.06	0.35	14,17,21,24	0
2	DGL	B	2301	10/10	0.94	0.09	-0.42	38,47,59,60	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.