



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 07:27 AM GMT

PDB ID : 3AUP
Title : Crystal structure of Basic 7S globulin from soybean
Authors : Yoshizawa, T.; Shimizu, T.; Taichi, M.; Nishiuchi, Y.; Yamabe, M.; Shichijo, N.; Unzai, S.; Hirano, H.; Sato, M.; Hashimoto, H.
Deposited on : 2011-02-14
Resolution : 1.91 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.91 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	5832 (1.94-1.90)
Clashscore	102246	6540 (1.94-1.90)
Ramachandran outliers	100387	6464 (1.94-1.90)
Sidechain outliers	100360	6465 (1.94-1.90)
RSRZ outliers	91569	5846 (1.94-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	403	<div> <div>3%</div> <div>75% 17% 6%</div> </div>
1	B	403	<div> <div>10%</div> <div>74% 16% 8%</div> </div>
1	C	403	<div> <div>13%</div> <div>66% 22% 8%</div> </div>
1	D	403	<div> <div>10%</div> <div>68% 19% 11%</div> </div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 11918 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Basic 7S globulin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	377	Total	C	N	O	S	133	3	0
			2888	1824	512	531	21			
1	B	372	Total	C	N	O	S	126	2	0
			2842	1796	503	522	21			
1	C	372	Total	C	N	O	S	70	1	0
			2830	1781	503	525	21			
1	D	360	Total	C	N	O	S	96	1	0
			2737	1728	482	506	21			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	180	Total	O	0	0
			180	180		
2	B	163	Total	O	0	0
			163	163		
2	C	170	Total	O	0	0
			170	170		
2	D	108	Total	O	0	0
			108	108		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Basic 7S globulin




• Molecule 1: Basic 7S globulin




• Molecule 1: Basic 7S globulin





• Molecule 1: Basic 7S globulin



4 Data and refinement statistics

Property	Value	Source
Space group	P 2 ₁ 2 ₁ 2	Depositor
Cell constants a, b, c, α , β , γ	135.24Å 161.17Å 84.75Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 1.91 19.93 – 1.91	Depositor EDS
% Data completeness (in resolution range)	95.1 (20.00-1.91) 95.2 (19.93-1.91)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.66 (at 1.90Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.211 , 0.255 0.214 , 0.259	Depositor DCC
R_{free} test set	6904 reflections (5.29%)	DCC
Wilson B-factor (Å ²)	31.3	Xtriage
Anisotropy	0.024	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 49.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 137547 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	11918	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.34% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.80	2/2961 (0.1%)	0.81	2/4028 (0.0%)
1	B	0.73	0/2913	0.80	1/3965 (0.0%)
1	C	0.71	1/2895 (0.0%)	0.83	3/3939 (0.1%)
1	D	0.67	1/2799 (0.0%)	0.78	1/3805 (0.0%)
All	All	0.73	4/11568 (0.0%)	0.80	7/15737 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	1
All	All	0	3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	38	VAL	CB-CG1	-7.35	1.37	1.52
1	A	94	CYS	CB-SG	-6.72	1.70	1.82
1	A	110	GLU	CB-CG	-6.55	1.39	1.52
1	D	94	CYS	CB-SG	-6.34	1.71	1.82

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	53	GLN	N-CA-CB	-5.86	100.05	110.60
1	C	245	PHE	C-N-CD	-5.60	108.27	120.60
1	D	116	LEU	CA-CB-CG	5.58	128.13	115.30
1	A	94	CYS	CA-CB-SG	-5.50	104.10	114.00
1	C	47	LEU	CB-CG-CD2	5.07	119.61	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	94	CYS	CA-CB-SG	-5.06	104.90	114.00
1	A	70	CYS	CA-CB-SG	-5.01	104.98	114.00

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	53	GLN	Peptide
1	B	52	GLU	Peptide
1	C	245	PHE	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2888	0	2855	59	0
1	B	2842	0	2814	56	0
1	C	2830	0	2797	65	0
1	D	2737	0	2695	82	0
2	A	180	0	0	5	0
2	B	163	0	0	6	0
2	C	170	0	0	5	0
2	D	108	0	0	9	0
All	All	11918	0	11161	236	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (236) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:261:GLY:HA2	2:B:434:HOH:O	1.62	0.99
1:B:183:THR:HG22	1:B:372:VAL:HG22	1.47	0.97
1:D:201:ALA:HB1	1:D:205:MET:HE1	1.47	0.94
1:D:184:THR:HG23	2:D:432:HOH:O	1.73	0.87

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:399:ASN:C	1:D:399:ASN:HD22	1.77	0.87
1:B:183:THR:CG2	1:B:372:VAL:HG22	2.08	0.83
1:D:201:ALA:HB1	1:D:205:MET:CE	2.08	0.83
1:B:370:LEU:HD22	1:B:387:LEU:HD13	1.62	0.81
1:A:79:LEU:HD13	1:D:252:SER:HB2	1.61	0.81
1:D:79:LEU:CD1	2:D:466:HOH:O	2.28	0.80
1:C:310:ILE:O	1:C:310:ILE:HD12	1.81	0.80
1:B:225:THR:HB	1:D:254:ILE:HD13	1.62	0.78
1:C:255:VAL:HG22	2:C:503:HOH:O	1.82	0.78
1:C:353:MET:HE3	1:D:52:GLU:HG2	1.66	0.78
1:D:10:VAL:HG12	1:D:198:PHE:HB2	1.67	0.77
1:C:313:TYR:OH	1:C:344:THR:HG21	1.88	0.73
1:B:310:ILE:HG21	1:B:313:TYR:CZ	2.23	0.73
1:B:138:LEU:H	1:B:171:GLN:HE22	1.36	0.72
1:C:43:ASN:ND2	1:C:230:TYR:H	1.86	0.72
1:B:10[A]:VAL:CG1	1:B:118:ILE:HD13	2.20	0.71
1:B:27:LEU:HD22	1:B:38:VAL:HG21	1.73	0.71
1:C:10:VAL:CG1	1:C:118:ILE:HD13	2.20	0.70
1:B:183:THR:HG23	2:B:494:HOH:O	1.92	0.69
1:D:350:ASN:ND2	1:D:352:GLY:H	1.91	0.69
1:C:222:LEU:HD13	1:C:380:VAL:CG2	2.23	0.68
1:A:79:LEU:HD13	1:D:252:SER:CB	2.24	0.68
1:A:244:VAL:HG21	1:A:281:PHE:HA	1.77	0.67
1:D:350:ASN:HD22	1:D:352:GLY:H	1.44	0.66
1:D:375:LEU:H	1:D:375:LEU:HD12	1.61	0.66
1:C:93:THR:HG22	2:C:715:HOH:O	1.96	0.66
1:C:54:GLN:H	1:C:54:GLN:NE2	1.94	0.65
1:D:275:GLN:NE2	1:D:353:MET:HG3	2.11	0.65
1:A:226:LEU:HD12	1:B:77:GLN:HB2	1.78	0.65
1:D:10:VAL:HG21	1:D:118:ILE:HG23	1.78	0.64
1:C:222:LEU:HD13	1:C:380:VAL:HG23	1.79	0.64
1:B:362:GLY:O	1:B:366[A]:LEU:HD13	1.97	0.64
1:A:104:GLN:HG2	2:A:652:HOH:O	1.99	0.63
1:D:239:ILE:CD1	1:D:244:VAL:HG21	2.30	0.62
1:D:399:ASN:ND2	1:D:399:ASN:C	2.52	0.62
1:A:38[A]:VAL:HG13	1:A:158:VAL:CA	2.30	0.61
1:A:77:GLN:HE21	1:D:254:ILE:HG12	1.66	0.61
1:D:375:LEU:N	1:D:375:LEU:HD12	2.16	0.61
1:A:43:ASN:ND2	1:A:230:TYR:H	1.98	0.61
1:C:232:VAL:HG21	1:C:320:MET:HE1	1.83	0.61
1:C:307:SER:O	1:C:308:ASN:HB2	2.01	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:104:GLN:HG2	2:D:419:HOH:O	1.99	0.60
1:A:242:HIS:HB2	2:A:658:HOH:O	2.00	0.60
1:B:27:LEU:HD22	1:B:38:VAL:CG2	2.32	0.60
1:B:10[A]:VAL:HG11	1:B:118:ILE:HG21	1.84	0.59
1:C:51:CYS:O	1:C:53:GLN:N	2.33	0.59
1:C:353:MET:HE2	1:D:86:ARG:HD2	1.85	0.59
1:D:183:THR:HG23	2:D:436:HOH:O	2.02	0.59
1:C:65:CYS:HA	1:C:94:CYS:SG	2.43	0.58
1:C:66:HIS:CD2	1:D:256:GLY:HA3	2.39	0.58
1:C:90:HIS:HB2	1:C:93:THR:HG21	1.84	0.58
1:B:83:ALA:HB3	1:B:89:CYS:SG	2.43	0.58
1:C:52:GLU:O	1:C:54:GLN:NE2	2.37	0.57
1:D:183:THR:CG2	2:D:436:HOH:O	2.53	0.57
1:C:332:GLY:O	1:C:336:MET:HG2	2.04	0.57
1:D:10:VAL:HG22	1:D:118:ILE:HG12	1.86	0.56
1:A:38[A]:VAL:HG13	1:A:158:VAL:HA	1.87	0.56
1:D:239:ILE:HD12	1:D:244:VAL:HG21	1.88	0.56
1:B:222:LEU:HD13	1:B:380:VAL:HG23	1.87	0.56
1:D:201:ALA:HB3	1:D:202:PRO:HD3	1.86	0.56
1:D:275:GLN:HE22	1:D:353:MET:HG3	1.70	0.56
1:D:10:VAL:HG21	1:D:118:ILE:CG2	2.36	0.56
1:A:86:ARG:HD2	1:B:353:MET:HE2	1.89	0.55
1:D:322:LYS:HB2	1:D:323:PRO:HD2	1.87	0.55
1:B:104:GLN:HG2	2:B:596:HOH:O	2.06	0.55
1:A:38[A]:VAL:CG1	1:A:159:ALA:N	2.70	0.55
2:A:657:HOH:O	1:C:253:THR:HG21	2.06	0.55
1:D:9:LEU:HD13	1:D:204:ASN:HB2	1.90	0.54
1:C:340:GLN:HB2	1:C:343:VAL:HG13	1.89	0.54
1:C:386:SER:O	1:C:387:LEU:C	2.45	0.54
1:A:128:LEU:HD13	2:A:411:HOH:O	2.06	0.54
1:D:181:GLN:HA	1:D:375:LEU:CD1	2.38	0.54
1:B:233:ARG:HG2	2:B:434:HOH:O	2.07	0.54
1:D:13:PRO:HB2	1:D:193:LYS:HD3	1.88	0.54
1:C:121:THR:HG23	1:C:128:LEU:HD22	1.90	0.54
1:D:226:LEU:HD13	1:D:226:LEU:O	2.07	0.54
1:B:10[A]:VAL:HG13	1:B:118:ILE:HG12	1.90	0.54
1:C:93:THR:HB	2:C:714:HOH:O	2.08	0.54
1:D:38[A]:VAL:HG22	1:D:158:VAL:CA	2.38	0.53
1:C:340:GLN:HB3	1:C:341:PRO:HD2	1.91	0.53
1:A:82:PRO:O	1:A:83:ALA:HB2	2.09	0.53
1:C:340:GLN:HB2	1:C:343:VAL:CG1	2.38	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:306:ASN:O	1:D:307:SER:CB	2.57	0.53
1:C:255:VAL:O	1:C:257:SER:N	2.41	0.53
1:B:10[A]:VAL:HG12	1:B:118:ILE:HD13	1.89	0.52
1:A:216:ASP:HB3	1:A:384:THR:HG22	1.91	0.52
1:D:47:LEU:HD23	1:D:159:ALA:HA	1.90	0.52
1:D:201:ALA:CB	1:D:205:MET:HE1	2.30	0.52
1:D:184:THR:CG2	2:D:432:HOH:O	2.46	0.52
1:D:14:VAL:HG21	1:D:196:ILE:CD1	2.39	0.52
1:B:400:PHE:O	1:B:401:ALA:HB2	2.10	0.52
1:B:10[A]:VAL:CG1	1:B:118:ILE:CD1	2.88	0.51
1:C:45:ASN:HB3	2:C:450:HOH:O	2.10	0.51
1:C:205:MET:CE	1:C:397:LEU:HD22	2.40	0.51
1:B:117:ALA:HB1	1:B:131:LEU:HG	1.93	0.51
1:D:79:LEU:HD11	2:D:466:HOH:O	2.03	0.51
1:B:43:ASN:ND2	1:B:230:TYR:H	2.09	0.51
1:A:104:GLN:HE21	1:A:356:ARG:HH21	1.59	0.51
1:D:322:LYS:HB2	1:D:323:PRO:CD	2.41	0.51
1:D:337:VAL:HG12	1:D:338:GLN:N	2.26	0.51
1:D:252:SER:N	2:D:409:HOH:O	2.43	0.51
1:C:340:GLN:HB3	1:C:341:PRO:CD	2.41	0.50
1:A:86:ARG:HD2	1:B:353:MET:CE	2.41	0.50
1:A:240:ASN:HD21	1:A:314:PRO:HA	1.77	0.50
1:A:224:ILE:HD11	1:D:68:THR:HG22	1.92	0.50
1:A:29:LYS:HB2	1:A:30:ARG:HG3	1.92	0.50
1:C:90:HIS:HB2	1:C:93:THR:CG2	2.42	0.50
1:A:54:GLN:O	1:A:54:GLN:CG	2.60	0.50
1:A:82:PRO:HG3	1:B:358:GLU:CB	2.41	0.50
1:C:38:VAL:HG22	1:C:157:GLY:C	2.32	0.50
1:A:246:PRO:O	1:A:247:LEU:HB2	2.12	0.50
1:C:10:VAL:HG11	1:C:118:ILE:HD13	1.91	0.49
1:A:14[A]:VAL:HG21	1:A:196:ILE:HG13	1.95	0.49
1:D:10:VAL:CG1	1:D:198:PHE:HB2	2.41	0.49
1:A:119:HIS:CE1	1:A:131:LEU:HD13	2.48	0.49
1:B:65:CYS:HA	1:B:94:CYS:SG	2.53	0.49
1:B:313:TYR:OH	1:B:344:THR:HG21	2.12	0.49
1:D:181:GLN:HA	1:D:375:LEU:HD13	1.93	0.49
1:A:313:TYR:OH	1:A:344:THR:HG21	2.13	0.49
1:D:116:LEU:HD13	1:D:117:ALA:N	2.28	0.49
1:C:14:VAL:HG21	1:C:196:ILE:HG13	1.95	0.49
1:C:66:HIS:NE2	1:D:256:GLY:CA	2.76	0.48
1:C:273:LEU:HD13	1:C:277:VAL:HG12	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:117:ALA:HB1	1:C:131:LEU:HG	1.95	0.48
1:A:102:ILE:HD13	1:A:267:SER:HB2	1.96	0.48
1:C:81:CYS:N	1:C:90:HIS:O	2.47	0.48
1:A:260:GLY:N	1:C:255:VAL:CG1	2.77	0.48
1:C:205:MET:HE1	1:C:397:LEU:HD22	1.94	0.48
1:D:43:ASN:ND2	1:D:230:TYR:H	2.11	0.48
1:D:373:PHE:O	1:D:375:LEU:HD12	2.14	0.48
1:C:28:GLN:HE22	1:C:35:GLN:HG2	1.79	0.48
1:D:83:ALA:HB3	1:D:89:CYS:SG	2.54	0.47
1:A:226:LEU:HD12	1:B:77:GLN:CB	2.41	0.47
1:A:244:VAL:HG22	1:A:244:VAL:O	2.13	0.47
1:D:10:VAL:CG2	1:D:118:ILE:HG23	2.44	0.47
1:A:82:PRO:HG3	1:B:358:GLU:HB2	1.95	0.47
1:C:10:VAL:CG1	1:C:118:ILE:CD1	2.91	0.47
1:A:65:CYS:HA	1:A:94:CYS:SG	2.54	0.47
1:C:185:CYS:SG	1:C:370:LEU:CD1	3.02	0.47
1:B:275:GLN:O	1:B:279:GLN:NE2	2.48	0.47
1:C:358:GLU:OE1	1:D:82:PRO:HB3	2.14	0.47
1:A:244:VAL:HG21	1:A:281:PHE:CA	2.45	0.46
1:D:38[A]:VAL:HG22	1:D:158:VAL:N	2.29	0.46
1:C:201:ALA:HB3	1:C:202:PRO:HD3	1.96	0.46
1:C:66:HIS:NE2	1:D:256:GLY:HA3	2.30	0.46
1:D:313:TYR:OH	1:D:344:THR:HG21	2.16	0.46
1:A:311:ASN:O	1:A:312:ALA:HB2	2.14	0.46
1:B:74:ASN:ND2	2:B:573:HOH:O	2.41	0.46
1:D:38[A]:VAL:CG2	1:D:157:GLY:C	2.84	0.46
1:C:96:LEU:HA	1:C:96:LEU:HD12	1.40	0.46
1:A:192:SER:OG	1:A:395:ALA:CB	2.63	0.46
1:C:79:LEU:HD23	1:C:108:LEU:HD21	1.98	0.46
1:B:10[A]:VAL:HG11	1:B:118:ILE:HD13	1.97	0.45
1:A:77:GLN:HE21	1:D:254:ILE:CG1	2.28	0.45
2:B:694:HOH:O	1:D:254:ILE:HG21	2.16	0.45
1:A:38[A]:VAL:HG11	1:A:159:ALA:N	2.31	0.45
1:C:317:ASP:OD1	1:C:329:ARG:HG3	2.16	0.45
1:B:27:LEU:CD2	1:B:38:VAL:HG21	2.46	0.45
1:B:98:SER:O	1:B:106:THR:HA	2.17	0.45
1:B:188:ARG:HB2	1:B:368:GLU:HG2	1.99	0.45
1:A:233:ARG:HG3	1:A:260:GLY:O	2.17	0.44
1:A:335:LEU:HD13	1:A:346:LEU:HD11	1.98	0.44
1:D:79:LEU:HD13	2:D:466:HOH:O	2.08	0.44
1:A:260:GLY:N	1:C:255:VAL:HG11	2.32	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:80:SER:HA	1:C:90:HIS:O	2.17	0.44
1:B:29:LYS:HB2	1:B:30:ARG:HG3	1.99	0.44
1:D:10:VAL:HG23	1:D:119:HIS:O	2.17	0.44
1:D:350:ASN:C	1:D:350:ASN:HD22	2.20	0.44
1:C:244:VAL:O	1:C:246:PRO:HA	2.17	0.44
1:C:222:LEU:O	1:C:378:SER:OG	2.35	0.44
1:D:306:ASN:O	1:D:307:SER:HB3	2.18	0.44
1:C:183:THR:HA	1:C:371:VAL:O	2.17	0.44
1:C:145:PHE:HA	1:C:148:GLN:HG2	1.99	0.44
1:B:183:THR:HG22	1:B:372:VAL:CG2	2.33	0.43
1:D:399:ASN:HD22	1:D:400:PHE:N	2.15	0.43
1:B:222:LEU:HD13	1:B:380:VAL:CG2	2.48	0.43
1:B:144:SER:O	1:B:147:VAL:HG22	2.17	0.43
1:B:327:VAL:HG12	1:B:329:ARG:HG3	1.99	0.43
1:A:77:GLN:NE2	1:D:254:ILE:HD11	2.34	0.43
1:B:310:ILE:HG21	1:B:313:TYR:CE1	2.52	0.43
1:D:117:ALA:HB1	1:D:131:LEU:HG	2.00	0.43
1:A:377:ARG:HG3	1:D:136:GLN:HE22	1.83	0.43
1:D:188:ARG:HG3	1:D:367:GLU:HB3	1.99	0.43
1:A:289:LEU:HD12	1:A:305:PHE:CZ	2.53	0.43
1:A:29:LYS:HD2	1:A:116:LEU:HD12	2.00	0.43
1:D:183:THR:CG2	1:D:372:VAL:HG22	2.48	0.43
1:A:29:LYS:HB3	1:A:29:LYS:HE2	1.92	0.43
1:A:201:ALA:N	1:A:202:PRO:CD	2.82	0.43
1:B:104:GLN:HE21	1:B:356:ARG:HH21	1.65	0.43
1:C:153:ARG:O	1:C:154:ASN:HB2	2.18	0.43
1:A:43:ASN:HD21	1:A:230:TYR:H	1.65	0.43
1:B:29:LYS:O	1:B:30:ARG:HB2	2.19	0.42
1:D:239:ILE:HD12	1:D:244:VAL:CG2	2.48	0.42
1:C:387:LEU:O	1:C:388:HIS:CD2	2.73	0.42
1:A:192:SER:OG	1:A:395:ALA:HB2	2.20	0.42
1:A:38[A]:VAL:CG1	1:A:159:ALA:H	2.33	0.42
1:B:269:PRO:HA	1:B:363:ALA:HB3	2.02	0.42
1:D:274:GLN:NE2	1:D:275:GLN:HG2	2.34	0.42
1:A:402:ASN:O	1:A:403:ALA:C	2.58	0.42
1:C:289:LEU:HB3	1:C:290:PRO:CD	2.49	0.42
1:D:275:GLN:O	1:D:278:TYR:HB3	2.20	0.42
1:C:307:SER:O	1:C:308:ASN:CB	2.67	0.42
1:A:26:ASN:HB3	1:A:35:GLN:HE21	1.85	0.42
1:B:10[A]:VAL:HG12	1:B:118:ILE:CD1	2.49	0.42
1:D:144:SER:O	1:D:147:VAL:HG22	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:226:LEU:CD1	1:B:77:GLN:HB2	2.49	0.41
1:D:217:LEU:HD21	1:D:372:VAL:HG21	2.02	0.41
1:D:38[A]:VAL:HG11	1:D:159:ALA:HB2	2.02	0.41
1:A:237:ILE:HG13	1:A:245:PHE:HB3	2.01	0.41
1:C:218:ALA:O	1:C:381:GLY:HA2	2.20	0.41
1:C:93:THR:CG2	2:C:715:HOH:O	2.61	0.41
1:B:183:THR:HG21	1:B:372:VAL:HG22	1.98	0.41
1:B:356:ARG:O	1:D:252:SER:O	2.38	0.41
1:D:375:LEU:H	1:D:375:LEU:CD1	2.29	0.41
1:A:86:ARG:CD	1:B:353:MET:HE1	2.50	0.41
1:A:48:TRP:CD1	1:A:98:SER:HB3	2.55	0.41
1:A:7:ILE:HD12	1:A:120:ALA:HB1	2.03	0.41
1:C:340:GLN:CB	1:C:343:VAL:CG1	2.99	0.41
1:C:288:GLN:HB2	1:C:314:PRO:HG3	2.03	0.41
1:A:104:GLN:NE2	1:A:356:ARG:HH21	2.19	0.41
1:C:220:THR:HG21	1:C:320:MET:HE2	2.03	0.41
1:D:38[A]:VAL:HG23	1:D:157:GLY:C	2.41	0.41
1:B:371:VAL:HG12	1:B:373:PHE:CE2	2.56	0.41
1:A:86:ARG:CD	1:B:353:MET:CE	2.99	0.41
1:B:286:ALA:HB2	1:B:303:LEU:HD21	2.03	0.40
1:D:269:PRO:O	1:D:364:ARG:HB3	2.21	0.40
2:A:510:HOH:O	1:D:226:LEU:HD21	2.20	0.40
1:B:238:ARG:HA	1:B:242:HIS:O	2.21	0.40
1:D:9:LEU:HD11	1:D:201:ALA:HA	2.04	0.40
1:B:260:GLY:HA2	1:B:358:GLU:OE1	2.21	0.40
1:C:310:ILE:CD1	1:C:310:ILE:O	2.61	0.40
1:A:38[A]:VAL:HG12	1:A:39:LEU:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	370/403 (92%)	355 (96%)	12 (3%)	3 (1%)	24	11
1	B	366/403 (91%)	354 (97%)	10 (3%)	2 (0%)	34	20
1	C	363/403 (90%)	340 (94%)	15 (4%)	8 (2%)	8	1
1	D	345/403 (86%)	325 (94%)	16 (5%)	4 (1%)	16	5
All	All	1444/1612 (90%)	1374 (95%)	53 (4%)	17 (1%)	16	5

All (17) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	312	ALA
1	C	52	GLU
1	C	246	PRO
1	C	387	LEU
1	B	55	TYR
1	D	306	ASN
1	D	392	VAL
1	A	30	ARG
1	C	255	VAL
1	D	30	ARG
1	C	55	TYR
1	A	54	GLN
1	C	30	ARG
1	C	256	GLY
1	D	84	ALA
1	B	341	PRO
1	C	341	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	325/346 (94%)	311 (96%)	14 (4%)	35	22
1	B	320/346 (92%)	302 (94%)	18 (6%)	26	13
1	C	320/346 (92%)	289 (90%)	31 (10%)	10	3

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	309/346 (89%)	280 (91%)	29 (9%)	11	3
All	All	1274/1384 (92%)	1182 (93%)	92 (7%)	18	7

All (92) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	LEU
1	A	27	LEU
1	A	29	LYS
1	A	33	LEU
1	A	75	THR
1	A	192	SER
1	A	231	ASN
1	A	233	ARG
1	A	238	ARG
1	A	268	THR
1	A	366	LEU
1	A	370	LEU
1	A	375	LEU
1	A	386	SER
1	B	11	VAL
1	B	26	ASN
1	B	27	LEU
1	B	29	LYS
1	B	47	LEU
1	B	49	VAL
1	B	52	GLU
1	B	55	TYR
1	B	180	ARG
1	B	188	ARG
1	B	217	LEU
1	B	231	ASN
1	B	233	ARG
1	B	292	GLN
1	B	296	LYS
1	B	369	ASN
1	B	370	LEU
1	B	375	LEU
1	C	11	VAL
1	C	12	LEU
1	C	27	LEU
1	C	29	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	38	VAL
1	C	47	LEU
1	C	54	GLN
1	C	56	SER
1	C	61	GLN
1	C	79	LEU
1	C	85	SER
1	C	91	LYS
1	C	110	GLU
1	C	128	LEU
1	C	147	VAL
1	C	180	ARG
1	C	191	THR
1	C	214	PHE
1	C	217	LEU
1	C	231	ASN
1	C	252	SER
1	C	265	SER
1	C	268	THR
1	C	307	SER
1	C	331	SER
1	C	333	GLU
1	C	343	VAL
1	C	366	LEU
1	C	370	LEU
1	C	375	LEU
1	C	389	SER
1	D	11	VAL
1	D	15	GLN
1	D	26	ASN
1	D	27	LEU
1	D	38[A]	VAL
1	D	38[B]	VAL
1	D	47	LEU
1	D	49	VAL
1	D	53	GLN
1	D	65	CYS
1	D	116	LEU
1	D	121	THR
1	D	180	ARG
1	D	183	THR
1	D	184	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	187	SER
1	D	226	LEU
1	D	241	GLN
1	D	253	THR
1	D	257	SER
1	D	268	THR
1	D	306	ASN
1	D	324	ASN
1	D	350	ASN
1	D	353	MET
1	D	364	ARG
1	D	370	LEU
1	D	375	LEU
1	D	399	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (45) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	8	ASN
1	A	35	GLN
1	A	43	ASN
1	A	77	GLN
1	A	104	GLN
1	A	119	HIS
1	A	235	ASN
1	A	240	ASN
1	A	287	GLN
1	A	308	ASN
1	B	26	ASN
1	B	43	ASN
1	B	74	ASN
1	B	104	GLN
1	B	119	HIS
1	B	170	ASN
1	B	171	GLN
1	B	227	GLN
1	B	240	ASN
1	B	294	GLN
1	C	26	ASN
1	C	43	ASN
1	C	54	GLN
1	C	61	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	74	ASN
1	C	90	HIS
1	C	104	GLN
1	C	119	HIS
1	C	235	ASN
1	C	240	ASN
1	C	241	GLN
1	C	338	GLN
1	D	26	ASN
1	D	28	GLN
1	D	43	ASN
1	D	74	ASN
1	D	104	GLN
1	D	136	GLN
1	D	204	ASN
1	D	235	ASN
1	D	275	GLN
1	D	324	ASN
1	D	350	ASN
1	D	369	ASN
1	D	399	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	377/403 (93%)	0.20	12 (3%)	51	55	25, 40, 71, 83	38 (10%)
1	B	372/403 (92%)	0.47	39 (10%)	8	9	26, 43, 76, 89	33 (8%)
1	C	372/403 (92%)	0.64	51 (13%)	4	4	25, 44, 79, 108	17 (4%)
1	D	360/403 (89%)	0.64	41 (11%)	7	7	31, 52, 84, 104	25 (6%)
All	All	1481/1612 (91%)	0.48	143 (9%)	10	11	25, 44, 77, 108	113 (7%)

All (143) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	387	LEU	8.7
1	C	254	ILE	7.3
1	C	341	PRO	6.9
1	C	247	LEU	6.1
1	C	385	SER	6.0
1	D	392	VAL	6.0
1	C	84	ALA	5.5
1	C	191	THR	5.4
1	D	189	TYR	5.4
1	C	339	ALA	5.3
1	D	391	GLY	5.2
1	D	215	HIS	5.0
1	B	386	SER	4.9
1	C	256	GLY	4.9
1	C	396	ASP	4.7
1	C	308	ASN	4.7
1	B	312	ALA	4.6
1	D	384	THR	4.4
1	C	395	ALA	4.3
1	D	252	SER	4.3
1	C	388	HIS	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	390	HIS	4.2
1	C	89	CYS	4.2
1	B	388	HIS	4.2
1	B	387	LEU	4.2
1	B	401	ALA	4.1
1	D	390	HIS	4.1
1	B	391	GLY	4.1
1	D	399	ASN	4.0
1	B	400	PHE	3.9
1	D	299	ALA	3.8
1	B	389	SER	3.8
1	B	308	ASN	3.8
1	A	299	ALA	3.8
1	C	340	GLN	3.8
1	B	341	PRO	3.7
1	D	54	GLN	3.6
1	D	213	ILE	3.6
1	C	386	SER	3.6
1	B	189	TYR	3.5
1	B	299	ALA	3.5
1	D	389	SER	3.5
1	B	54	GLN	3.4
1	D	312	ALA	3.4
1	C	384	THR	3.4
1	B	213	ILE	3.4
1	D	214	PHE	3.4
1	C	76	HIS	3.4
1	D	295	VAL	3.4
1	D	216	ASP	3.3
1	A	189	TYR	3.3
1	B	385	SER	3.3
1	A	243	SER	3.3
1	C	311	ASN	3.2
1	B	342	GLY	3.2
1	C	299	ALA	3.2
1	C	397	LEU	3.2
1	C	399	ASN	3.1
1	D	290	PRO	3.1
1	C	298	VAL	3.1
1	B	217	LEU	3.0
1	C	309	LYS	3.0
1	D	188	ARG	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	6	PRO	2.9
1	B	130	PRO	2.9
1	C	226	LEU	2.9
1	C	389	SER	2.9
1	B	298	VAL	2.8
1	B	311	ASN	2.8
1	D	254	ILE	2.8
1	C	337	VAL	2.8
1	D	56	SER	2.8
1	D	339	ALA	2.8
1	B	399	ASN	2.8
1	C	214	PHE	2.8
1	B	346	LEU	2.8
1	A	323	PRO	2.7
1	C	297	SER	2.7
1	D	289	LEU	2.7
1	B	247	LEU	2.7
1	C	255	VAL	2.7
1	B	19	SER	2.7
1	C	91	LYS	2.6
1	C	205	MET	2.6
1	B	52	GLU	2.6
1	D	305	PHE	2.6
1	A	307	SER	2.6
1	D	296	LYS	2.6
1	C	85	SER	2.6
1	B	53	GLN	2.6
1	C	6	PRO	2.6
1	C	259	SER	2.6
1	D	203	ASN	2.5
1	B	398	PHE	2.5
1	D	183	THR	2.5
1	C	148	GLN	2.5
1	A	343	VAL	2.5
1	C	130	PRO	2.5
1	A	85	SER	2.5
1	C	192	SER	2.5
1	A	292	GLN	2.5
1	B	384	THR	2.5
1	C	245	PHE	2.4
1	C	147	VAL	2.4
1	D	158	VAL	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	257	SER	2.4
1	B	290	PRO	2.4
1	D	55	TYR	2.3
1	A	384	THR	2.3
1	D	121	THR	2.3
1	D	92	ASN	2.3
1	D	259	SER	2.3
1	C	246	PRO	2.3
1	D	6	PRO	2.3
1	A	311	ASN	2.3
1	C	310	ILE	2.3
1	C	121	THR	2.3
1	D	313	TYR	2.3
1	C	189	TYR	2.3
1	D	53	GLN	2.2
1	B	83	ALA	2.2
1	B	129	GLY	2.2
1	D	348	VAL	2.2
1	C	253	THR	2.2
1	D	275	GLN	2.2
1	B	112	GLY	2.2
1	B	303	LEU	2.2
1	C	18	GLY	2.1
1	A	54	GLN	2.1
1	B	38	VAL	2.1
1	C	53	GLN	2.1
1	D	380	VAL	2.1
1	D	328	TRP	2.1
1	D	303	LEU	2.1
1	C	258	THR	2.1
1	C	260	GLY	2.1
1	B	85	SER	2.1
1	B	205	MET	2.1
1	C	290	PRO	2.1
1	D	300	PRO	2.1
1	D	334	ASP	2.1
1	B	18	GLY	2.0
1	A	209	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.